

# 345 Flaring Tool

Model 345

## Features

Model 345 is a precision designed tool for producing 45° flares in soft copper, brass, aluminum and mild steel (JIC and Bundy) tubing.

A hardened, smooth cone provides fast, 45° flares either single or double lap.

A single clamp screw provides for easy clamping and removal of tubing.



## Ordering Information

Cat. No.	Model No.	Description	Sizes (in.)	Weight		Std. Pack
				lb.	kg.	
23332	345	45° SAE Flares	3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"	2 3/4	1.2	1
23337	345-DL	45° SAE- (double flares)	Above w/adapters for double lap flares; 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" O.D. Tubing	3	1.3	1
24797	345/150	45° SAE Flares	No. 345 w/No. 150 Tubing Cutter and Case Kit	3 1/2	1.6	1
33927	345/150DL	45° SAE Flares	No. 345/DL w/No. 150 Tubing Cutter and Case Kit	3 1/2	1.6	1
31597	-	-	3/16" Double Lap Adapter	-	-	-
31602	-	-	1/4" Double Lap Adapter	-	-	-
31607	-	-	5/16" Double Lap Adapter	-	-	-
31612	-	-	3/8" Double Lap Adapter	-	-	-
31617	-	-	1/2" Double Lap Adapter	-	-	-
Metric Model			Sizes (mm)			
23342	345M	45° SAE Flares	6, 8, 10, 12, 14, 15, and 16	2 3/4	1.2	1
24087	345M/150	45° SAE Flares	No. 345M w/No. 150 Tubing Cutter and Case Kit	3 1/2	1.6	1
31502	-	-	Case Only	-	-	-