

## SUBMITTAL INFORMATION



## Swivel Quarter Bend - (L02-xxS-NL style)

## FEMALE COPPER THREAD SWIVEL NUT INLET BY FLARE COPPER OUTLET



DESCRIPTION		LENGTH	Неіднт	APPROX.	PART	V SUBMITTED
SWIVEL NUT	FLARE COPPER	LENGIH	TEIGHT	WT. LBS	NUMBER	ITEM(S)
3/4"	3/4"	1-13/16"	1-11/16"	1.1	L02-33S-NL	
1"	1"	1-15/16"	1-15/16"	1.8	L02-44S-NL	
1-1/2"	1-1/2"	3"	3-11/16"	4.8	L02-66S-NL	
2"	2"	3-1/8"	4"	8.3	L02-77S-NL	

## FEATURES

- All brass that comes in contact with potable water conforms to AWWA Standard C800 (ASTM B584, UNS C89833)
- The product has the letters "NL" cast into the main body for lead-free identification
- Certified to NSF/ANSI Standard 61 and NSF/ANSI Standard 372 where applicable
- Brass components that do not come in contact with potable water conform to AWWA Standard C800 (ASTM B62 and ASTM B584, UNS C83600, 85-5-5-5)
- · Swivel nut inlet allows proper outlet positioning without compromising installation torque
- · Body design provides wrench flats for proper installation
- Fits F600, F700 corporation stops and FB600, FB700 ballcorps
- Copper gasket included to ensure proper inlet seal

The Ford Meter Box Company considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice. Please verify that your product information is current.