

PHYSICAL PROPERTIES

	WATER-BASED	SOLVENT-BASED	CHALKS
RESIN TYPE:	VT Alkyd	Alkyd/VT Alkyd	Water Red. Alkyd
NET WEIGHT:	12 or 17 oz.*	17 oz	15 oz
CASE PACK:	12	12	12
DRYING TIME @ 70°F @ 50% R.H.			
TO TOUCH:	>10 minutes	>3 minutes	<10 minutes
RECOAT:	Anytime	Anytime	Anytime
VOC/MIR:	Compliant	Compliant	Compliant
COVERAGE @ 1 mil			
film thickness:	234 linear ft (2")	234 Linear ft (2")	234 linear ft (2")
12 oz Net wt (Theoretical):	468 linear ft (1")	468 linear ft (1")	468 linear ft (1")
COVERAGE @ 1 mil			
film thickness:	332 linear ft (2")	332 Linear ft (2")	332 linear ft (2")
17 oz Net wt (Theoretical):	664 linear ft (1")	664 linear ft (1")	664 linear ft (1")
TEMPERATURE RESISTANCE:	N/A	N/A	N/A
GAS & OIL RESISTANCE:	N/A	N/A	N/A
SHELF LIFE:	36 months	36 months	36 months

*Can size varies depending upon color.

SURFACE PREPARATION

WARNING! If you scrape, sand or remove old paint, you may release lead dust. LEAD IS TOXIC. Contact the National Lead Information Hotline at 1-800-424-LEAD or log on to www.epa.gov/lead.

Remove dirt, grease, wax, moisture, rust and loose paint from surface. Scuff-sand rusted, glossy or hard surfaces. Prime bare or rusted metal. Protect adjacent areas from overspray.

APPLICATION

Use at room temperature. Shake can well until ball rattles and repeat for 10 seconds after each minute of use. Spray 10-12 inches from surface. Spray several thin coats to avoid runs or drips. Dries to touch in 10-15 minutes. Can be handled after one hour. Clear valve after each use by turning can upside down and spraying until clear gas comes out. If spray button becomes clogged, wear eye protection, wipe off the button opening with lacquer thinner - DO NOT stick pin in spray button opening.

PACKAGING

Part #	UPC Code	Color
--------	----------	-------

QUIK-MARK™ WATER-BASED INVERTED APWA MARKING PAINT (16 OZ.)

S03401	0-75577-93401-0	APWA Brilliant White
S03402	0-75577-93402-7	APWA Brilliant Yellow
S03403	0-75577-93403-4	APWA Brilliant Orange
S03404	0-75577-93404-1	APWA Brilliant Red
S03406	0-75577-93406-5	APWA Brilliant Blue
S03407	0-75577-93407-2	APWA Brilliant Green

QUIK-MARK™ WATER-BASED INVERTED FLUORESCENT MARKING PAINT (16 OZ.)

S03405	0-75577-93405-8	Fluorescent Pink
S03408	0-75577-93408-9	Fluorescent Orange
S03409	0-75577-93409-6	Fluorescent Red
S03410	0-75577-93410-2	Fluorescent Red/Orange

QUIK-MARK™ WATER-BASED INVERTED CLEAR MARKING PAINT (16 OZ.)

S03500	0-75577-93500-0	Clear
--------	-----------------	-------

QUIK-MARK™ WATER-BASED INVERTED APWA MARKING PAINT (20 OZ.)

S03801	0-75577-93801-8	APWA Utility Yellow
S03901	0-75577-93901-5	APWA Brilliant White
S03903	0-75577-03903-6	APWA Blue
S03904	0-75577-03904-3	APWA Green
S03905	0-75577-03905-0	APWA Orange
S03911	0-75577-03911-1	APWA Brilliant Red

QUIK-MARK™ WATER-BASED INVERTED FLUORESCENT MARKING PAINT (20 OZ.)

S03610	0-75577-93610-6	Fluorescent Safety Red
S03612	0-75577-93612-0	Fluorescent Pink

Distributed By:

S03620	0-75577-93620-5	Fluorescent Caution Blue
S03630	0-75577-93630-4	Fluorescent Safety Green
S03650	0-75577-93650-2	Fluorescent Red/Orange
S03700	0-75577-93700-4	Fluorescent Orange
S03715	0-75577-03715-5	Fluorescent Purple

QUIK-MARK™ SOLVENT-BASED INVERTED APWA MARKING PAINT

S03611	0-75577-93611-3	APWA Red
S03621	0-75577-93621-2	APWA Blue
S03631	0-75577-93631-1	APWA Green
S03712	0-75577-03712-4	APWA Light Blue
S03731	0-75577-93731-8	APWA Bright Orange
S03732000	0-75577-03732-2	APWA Orange
S03821	0-75577-93821-6	APWA High Visibility Yellow
S03823	0-75577-93823-0	APWA Safety Yellow
S03900	0-75577-93900-8	APWA Utility White

QUIK-MARK™ SOLVENT-BASED INVERTED FLUORESCENT MARKING PAINT

S03613	0-75577-93613-7	Fluorescent Safety Red
S03614	0-75577-93614-4	Fluorescent Neon Green
S03615	0-75577-93615-1	Fluorescent Purple
S03622	0-75577-03622-9	Fluorescent Hot Pink
AT3701	0-75577-93701-1	Fluorescent Red/Orange
S03702	0-75577-93702-8	Fluorescent Orange
S03722	0-75577-03722-3	Fluorescent Blue

QUIK-MARK™ SOLVENT-BASED GENERAL-PURPOSE MARKING PAINT

S03550	0-75577-93550-5	Asphalt Black
S03600	0-75577-03600-4	Clear
S03640	0-75577-93640-3	Silver

QUIK-MARK™ WATER-BASED INVERTED MARKING CHALK

KWBC03501	0-75577-03501-4	APWA Orange
KWBC03502	0-75577-03502-1	APWA Yellow
KWBC03503	0-75577-03503-8	APWA Red
KWBC03504	0-75577-03504-5	APWA Blue
KWBC03505	0-75577-03505-2	APWA White
KWBC03506	0-75577-03506-9	APWA Green

QUIK-MARK™ SOLVENT-BASED INVERTED MARKING CHALK

S03501	0-75577-93501-7	APWA Orange
--------	-----------------	-------------

CARTON DIMENSIONS:

L 8.44" x W 5.75" x H 8.44"

RESOURCES

MSDS/PRODUCT DATA SHEETS:

www.KPG-Industrial.com

CUSTOMER SERVICE:

1-800-777-2966

TECHNICAL INFORMATION:

1-800-251-2486

COLOR SELECTION GUIDE

FLUORESCENT COLORS




S03408, WB, 16 oz
S03700, W, 20 oz
S03702, SB, 20 oz



S03410, SB, 16 oz
S03650, WB, 20 oz
AT3701, SB, 20 oz




S03409, WB, 16 oz
S03610, WB, 20 oz
S03613, SB, 20 oz



S03620, WB, 20 oz
S03722, SB, 20 oz



S03630, WB, 20 oz
S03614, SB, 20 oz




S03405, WB, 16 oz
S03612, WB, 20 oz
S03622, SB, 20 oz



S03715, WB, 20 oz
S03615, SB, 20 oz

APWA COLORS



S0401, WB, 16 oz
S03901, WB, 20 oz
S03900, SB, 20 oz
KWBC03505, 20 oz



S03404, WB, 16 oz
S03911, WB, 20 oz
S03611, SB, 20 oz
KWBC03503, 20 oz


APWA COLORS CONTINUED



S03402, WB, 16 oz
S03801, WB, 20 oz
S03823, SB, 20 oz
KWBC03502, 20 oz



S03403, WB, 16 oz
S03905, WB, 20 oz
S03732000, SB, 20 oz
KWBC03501, 20 oz



S03406, WB, 16 oz
S03903, WB, 20 oz
S03621, SB, 20 oz
KWBC03504, 20 oz


ADDITIONAL COLORS




S03821, SB, 20 oz



S03731, SB, 20 oz



S03712, SB, 20 oz



S03640, SB, 20 oz



S03640, SB, 20 oz



S03501, SB, 20 oz



Krylon Products Group
101 Prospect Ave. NW
Cleveland, OH 44115
www.KPG-Industrial.com
Tel: 1-800-777-2966



KRYLON® INDUSTRIAL QUIK-MARK™ INVERTED MARKING PAINT

When Your Job is on the Line, Quik-Mark™ is on the Job!

- One pass valve for bold, bright, visible markings
- Glove Grip™ cap has a 50% wider opening to easily accommodate work gloves
- Spray-Thru™ cap – non-clogging spray tip
- Locking tip won't fall off with extended use
- Fast drying formula penetrates and adheres to hot, cold or wet surfaces
- VOC/MIR compliant



CLEANERS, DEGREASERS LUBES AND SEALANTS SUPERIOR LUBRICANTS PAINTS, COATINGS AND PRIMERS CAULKS, SEALANTS AND ADHESIVES BRUSHES, ROLLER COVERS AND ACCESSORIES

Krylon® Industrial, the leader in innovative solutions offers you Quik-Mark™ Solvent and Water-Based Inverted Marking Paints and Chalks. With our advanced UV resistant formulas you can mark your lines during harsh or adverse conditions. Even in extreme sun, Quik-Mark™ advanced UV resistant formulas will not fade to a different color! Accuracy, speed and ease of marking will keep your locators efficient and productive while lowering the overall costs of a ticket. Total marking paint performance eliminates costly remarking, clogged and wasted cans, and allows marking with confidence in any weather conditions. Selecting this high quality marking paint will increase customer satisfaction while lowering overall costs.

For Use On: Road construction, concrete, asphalt, pavement, gravel, excavation, ground marking, surveying, construction marking, soil, grass, brick, utilities marking, communication lines, electrical installations and athletic fields.

Why Choose Quik-Mark™?



A LOCATOR'S WORK IS LITERALLY 'ON THE LINE'...

When Time is Money, Get it Right the First Time!

With a delivery rate nearly twice that of the competition, and our Spray-Thru™ non-clogging tip, locators will benefit from our one pass stroke application.



Glove-Grip™: 50% wider Glove-Grip™ opening eases use with work gloves. Won't interfere with wand fit.

When You Can't Count on the Weather, Rely on Quik-Mark™:

Our Spray-Thru™ non-clogging tip, delivers bold, bright, visible markings, ideal for all weather conditions. You will make quick work of your marking jobs.



Locking Tip: Ruggedized locking tip won't come loose or fall off when using a wand, even after repeated uses.



After 200 hours of exposure to UV light.



Krylon® Industrial Quik-Mark™ Solvent-Based Fluorescent Orange stays **Fluorescent Orange!**

Other National Brand after same conditions fade to a **different color.**

Proven Lab Test Results:

Krylon® Industrial Quik-Mark™ Solvent-Based Fluorescent Orange paint offers an exceptional fade resistant formula! Your mark stays orange until it dissolves away.



Krylon® Industrial Quik-Mark™ Solvent-Based Inverted Marking Paints

- Fast-drying, high-solids formula penetrates and adheres to cold, damp surfaces
- Great for long-lasting markings

Krylon® Industrial Quik-Mark™ Inverted Marking Chalks

- Can be removed from hard surfaces with wire brush & water
- Great for short-term markings



Krylon® Industrial Quik-Mark™ Water-Based Inverted Marking Paints

- Fast-drying, high-solids formula penetrates and adheres to hot, dry surfaces
- Great for moderate-term markings



Marking Wands

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking

Description

- K7095 Spotter Hand-Held Wand (12" Length)
- K7096 Wheeler Hand-Held Wand (34" Length)
- K7098 Can Holster



Inverted Marking Paint Resource Guide:

APWA Utility Marking Paints					
	Water Based Paint	Water Based Chalks	Solvent Based Paint	Solvent Based Chalk	Applications
APWA Utility/ Safety Yellow	S03402	KWBC03502	S03823		Gas, Oil, Steam, Petroleum or Gaseous Materials
	S03801				
High Visibility/ Traffic Yellow			S03821		Roads, Highway Pavement
APWA Blue	S03903	KWBC03504	S03621		Potable Water
	S03406				
Light Blue			S03712		
APWA Red	S03404	KWBC03503	S03611		Electric Power Lines, Cables, Conduit and Lighting Cable
	S03911				
APWA Green	S03407	KWBC03506	S03631		Sewers and Drain Lines
	S03904				
	S03403				
APWA Orange	S03403	KWBC03501	S03731	S03501	Communication, Alarm or Signal Lines, Cables or Conduit
	S03905				
White	S03401	KWBC03505	S03900		Proposed Excavation
	S03901				
Asphalt Black			S03550		Cover up
Silver			S03640		User's Preference
Clear	S03500		S03600		General Purpose and Chalk Line Extender

Fluorescent Colors

	Water Based Paints	Solvent Based Paints	Applications
Orange	S03700	S03702	Communication, Alarm or Signal Lines, Cables or Conduit
	S03408		
Red/Orange	S03650	AT3701	Electric Power Lines, Cables, Conduit and Lighting Cables
	S03410		
Safety Red	S03610	S03613	
	S03409		
Caution Blue	S03620	S03722	Potable Water
Safety/Neon Green	S03630	S03614	Sewers and Drain Lines
	S03612		
Hot Pink	S03405	S03622	Temporary Survey Markings
	S03405		
Purple	S03715	S03615	Reclaimed Water, Irrigation and Slurry Lines