



Model: RH-1 45° Fixed Blade - Flush Surface Mount
 RH-6 45° Fixed Blade - T-Bar Lay-In


RH-1 - Flush Surface Mount




Face View



RH-6 - T-Bar Lay-In



Face View




Note: This product complies with NFPA 90A-18 standard 4.3.7.3.2 and 4.3.8.3.2 and is constructed with openings through which a 1/2" sphere can not pass.


1. Available Finishes	2. Available Accessories	3. Available Options	4. Construction Details
Standard Finish: 01 White Finish 24 Mill Finish Optional Finish 02 Satin Silver 03 Black 28 Custom Color	OBD - Steel Opposed Blade Damper OBDA - Aluminum OBD L9 - Equalizing Grid PF - Plaster Frame TBPF - T-Bar Plaster Frame TR - Square to Round Transition TR-Deep - Deep Transition LIPF - Lay-In Plaster Frame	IS - Insect Screen FGFB - Fiberglass Backpan	<ul style="list-style-type: none"> • Odd/Fractional Sizes Available for additional charge • Oversized Units made in multiple sections • Largest single section is 48x48 • Mullion strips provided for joining units in field • Available in MRI-compatible aluminum construction
All Dimensions ±1/16"			

Model: RH-8 45° Fixed Blade - Tegular Module
 RH-9 45° Fixed Blade - Bolt Slot / Donn Finline Module

RH-8 - Tegular Module




Face View




Panel Sizes: 12x12, 24x12 & 24x24

RH-9 - Bolt Slot / Donn Finline Module



Face View




Panel Sizes: 12x12, 24x12 & 24x24

Note: This product complies with NFPA 90A-18 standard 4.3.7.3.2 and 4.3.8.3.2 and is constructed with openings through which a 1/2" sphere can not pass.


1. Available Finishes	2. Available Accessories	3. Available Options	4. Construction Details
Standard Finish: 01 White Finish 24 Mill Finish Optional Finish 02 Satin Silver 03 Black 28 Custom Color	OBD - Steel Opposed Blade Damper OBDA - Aluminum OBD L9 - Equalizing Grid PF - Plaster Frame TBPF - T-Bar Plaster Frame TR - Square to Round Transition TR-Deep - Deep Transition LIPF - Lay-In Plaster Frame	IS - Insect Screen FGFB - Fiberglass Backpan	<ul style="list-style-type: none"> • Odd/Fractional Sizes Available for additional charge • Oversized Units made in multiple sections • Largest single section is 48x48 • Mullion strips provided for joining units in field • Available in MRI-compatible aluminum construction
All Dimensions $\pm 1/16$ "			

Model: RH-H-1 45° Fixed Blade - Surface Mount - Hinged Core
RH-H-6 45° Fixed Blade - T-Bar Lay-In - Hinged Core


RH-H-1 - Surface Mount - Hinged Core




Face View



RH-H-6 - T-Bar Lay-In - Hinged Core



Face View




Note: This product complies with NFPA 90A-18 standard 4.3.7.3.2 and 4.3.8.3.2 and is constructed with openings through which a 1/2" sphere can not pass.


1. Available Finishes	2. Available Accessories	3. Available Options	4. Construction Details
<p>Standard Finish:</p> <p>01 White</p> <p>Finish</p> <p>24 Mill Finish</p> <p>Optional Finish</p> <p>02 Satin Silver</p> <p>03 Black</p> <p>28 Custom Color</p>	<p>OBD - Steel Opposed Blade Damper</p> <p>OBDA - Aluminum OBD</p> <p>L9 - Equalizing Grid</p> <p>PF - Plaster Frame</p> <p>TBPF - T-Bar Plaster Frame</p> <p>TR - Square to Round Transition</p> <p>TR-Deep - Deep Transition</p> <p>LIPF - Lay-In Plaster Frame</p>	<p>IS - Insect Screen</p> <p>FGBP - Fiberglass Backpan</p>	<ul style="list-style-type: none"> • Odd/Fractional Sizes Available for additional charge • Oversized Units made in multiple sections • Largest single section is 48x48 • Mullion strips provided for joining units in field • Available in MRI-compatible aluminum construction <p>All Dimensions $\pm 1/16"$</p>

Model: RH-RC-1 45° Fixed Blade - Surface Mount - Removable Core
RH-RC-6 45° Fixed Blade - T-Bar Lay-In - Removable Core


RH-RC-1 - Surface Mount - Removable Core




Face View



RH-RC-6 - T-Bar Lay In - Removable Core



Face View



Note: This product complies with NFPA 90A-18 standard 4.3.7.3.2 and 4.3.8.3.2 and is constructed with openings through which a 1/2" sphere can not pass.

1. Available Finishes	2. Available Accessories	3. Available Options	4. Construction Details
Standard Finish: 01 White Finish 24 Mill Finish Optional Finish 02 Satin Silver 03 Black 28 Custom Color	OBD - Steel Opposed Blade Damper OBDA - Aluminum OBD L9 - Equalizing Grid PF - Plaster Frame TBPF - T-Bar Plaster Frame TR - Square to Round Transition TR-Deep - Deep Transition LIPF - Lay-In Plaster Frame	IS - Insect Screen FGBP - Fiberglass Backpan	<ul style="list-style-type: none"> • Odd/Fractional Sizes Available for additional charge • Oversized Units made in multiple sections • Largest single section is 48x48 • Mullion strips provided for joining units in field • Available in MRI-compatible aluminum construction
All Dimensions $\pm 1/16"$			