



Preferred™

Parts & Accessories

Top quality parts and supplies for
HVAC & Plumbing Industries

2013
CATALOG

TABLE OF CONTENTS

3 INTRODUCTION

CATEGORIES

7	Thermostats & Alarms
17	Indoor Air Quality
25	Motors
33	Controls & Electrical
41	Gas & Oil Heating
49	HVAC Supplies
105	Tools & Instruments
159	Water Heater Parts
171	Part Number Index
185	Category Index



Preferred[™]

Parts & Accessories

INTRODUCTION

Thank you for considering Preferred Parts as your source for parts, maintenance, and service product requirements. Preferred is your ultimate provider for heating, cooling, and plumbing aftermarket parts and accessories, supplies, tools, and chemicals. We offer today's most extensive variety of HVAC and Plumbing related products available from one source. Our pricing, promotions, and marketing expertise will help you build and sustain a thriving aftermarket parts business.

Our New Preferred Products Catalog has been created to support your sales efforts with easy to find category product tabs and additional indexing by product name or part number. Comprehensive product information is also available by visiting our website at www.preferredzone.com.

The Preferred team is committed to serving you. We hope you will find this catalog to be a valuable tool in growing your business in today's highly competitive atmosphere. We are continually searching for new and better ways to serve your business. Please feel free to share any suggestions for new products to include in our catalog offerings.



WHO IS PREFERRED

Preferred is headquartered in an 185,000 square foot distribution facility near Greensboro, NC. Our state of the art logistics capabilities and large inventory of aftermarket replacement and repair parts, supplies and accessories are specifically oriented to serving the HVAC and Plumbing industry. Our product mix offers a one-stop-shop for distributors, and dealers working in the residential and light commercial HVAC and Plumbing marketplace.

POSITION STATEMENT

The Preferred Group works with dealers to grow their revenues and market share in three primary areas:

1. Economic product planning and inventory control.
2. Our distribution centers are dedicated to aftermarket products. Using state of the art logistics systems, we can process orders and replenish distributor's inventory, in most cases, overnight.
3. Broad range of HVAC and Water Heater products and accessories at competitive prices including our line of products sold under the Preferred name.
4. Innovative new product programs. Working with our customers, Preferred is continuously searching for and reviewing new products.

POLICIES AND PROCEDURES

The proper and accurate ordering of replacement parts is one of the most important functions for maintaining an adequate parts inventory to gain customer satisfaction. The detailed information that follows encompasses nearly every function and service Preferred has created to provide you with reliable product fulfillment. Dealers taking advantage of these programs and policies can improve inventory turns.

PAYMENT TERMS

The standard terms on all parts orders are as per our agreement with your master billing account.

PRICING

Preferred products dealer and distributor pricing is based on both market level and value added. We will do all we can to provide our customers with competitive pricing.

Price Pages – List Price Pages will be provided in printed form and as electronic data files on an annual basis.

Dealer and Distributor Net Price – The current dealer and distributor net price is determined using a multiplier off the published list price.

List Price – List prices in Preferred Products publications are suggested list prices only. They are for the convenience of the distributor and their dealers. The list prices should only be interpreted as suggested MSRP or resale price.

Price Changes – Although we will do all possible to maintain price levels, price revisions may be issued between annual list price publications. These revisions will include part number additions and deletions as well as price increases and decreases. These addendums will be broadly communicated and updated on our web site at www.preferredzone.com.

Price Effective Dates – All parts purchased are invoiced at the dealer and distributor price in effect at the time the order is shipped by Preferred.

WARRANTY

All products purchased through Preferred carry a one year limited warranty unless otherwise noted by the manufacturer. If a warranty exceeds the standard parts warranty, Preferred will honor the term of the manufacturer's warranty.

ORDERING

Preferred iStore

Preferred iStore is the preferred order entry method. In iStore you can search products, create a shopping list, enter orders, track orders, view availability and download price books.

For iStore setup go to www.preferredzone.com or email us at info@askpreferred.com.

Alternative Order Entry

Email: orders@askpreferred.com

Fax: 479-648-4792

ORDER TYPES

There are three basic types of parts orders available to all distributors:

- Regular parts orders (RPO)
- Priority parts orders (PPO)
- Special promotions and new product introductions

REGULAR PARTS ORDERS

Regular parts orders should be used for all standard orders. Regular parts orders will ship as soon as product is available.

- **Shipment** – Standard parts orders are normally scheduled for shipment within two (2) business days following the day the order is received for all stock items. Special order items will be shipped based on the designated lead time.



- **Freight** – Transportation charges are freight prepaid on orders totaling \$500 or more. Orders not reaching the prepaid minimum will be shipped prepaid and add. The Distributor will be billed at our low preferred shipping rate.
- Selected large merchandise such as compressors is not included in our standard prepaid policy. Please check with our Customer Service Department at 479.648.6237 for details.
- **Minimum Order** – The minimum order amount of regular parts order (RPO) is \$25.00 at distributor's net billing price.
- **Drop Shipment** – There will be a \$10.00 charge for small drop shipments.

PRIORITY PARTS ORDERS

Priority parts orders are accepted by at any time between 8:00 AM to 1:30 PM Eastern Standard Time. All priority orders receive the highest priority and are shipped air freight. Freight cost will be paid by the distributor.

- **Shipment** – Priority parts orders will normally be scheduled for shipment the same day if received by 1:30 PM Eastern Time. Orders received after 1:30 PM will normally be scheduled for shipment the next business day.

SPECIAL PROMOTION ORDERS

Preferred programs offer dealers and distributors additional purchasing opportunities with discounts in the spring and fall. The discounts are based on various show promotions and incentives. Refer to your pre-show mailings for specific time periods and discounts. Be sure to indicate the promotion name when submitting your order.

- **Order window** – Any number of show orders can be entered, however, each order must qualify individually for its individual level of discounts.
- **Shipment** – Orders will normally be scheduled for shipment within five (5) business days of the requested ship date.

ORDER INQUIRY

Information concerning an order status can be obtained from our website or by contacting our Customer Service Department at 479.648.6237. Always provide as much order reference information as possible, including your customer account number, order number and your purchase order number.

PROOF OF DELIVERY

Assistance for proof of delivery for parts orders may be requested through the Preferred Customer Service Department. Proof of delivery must be requested within sixty (60) days of shipment and invoice date.

RETURNS

All returns require a return materials authorization (RMA). This form is on our website: www.preferredzone.com. Returns must be in new and re-sellable condition and are subject to a 15% restocking charge. Email completed RMA form to returns@askpreferred.com

DAMAGED OR LOST IN TRANSIT

The responsibility for shipment of transit damaged product is transferred to the distributor upon delivery of goods in good order to the transportation company. When the shipment is delivered to the distributor by the transportation company in poor or damaged condition, the purchaser should require the transportation company's agent to make notation of damages or shortages on both copies of the delivery receipt in order to enable the distributor to process a claim with the carrier. Any concealed damages should be reported immediately to the carrier. The carrier should inspect the shipment and make any necessary notations. Preferred Parts is not responsible for any settlement of claims for concealed damage.

SALES AND MARKETING PROGRAMS

Preferred Parts offers a variety of marketing programs and sales tools to enable you to grow your parts and accessories business.

1. Become a destination one-stop-shop for your customers and contractors by stocking accessible replacement, maintenance, repair parts, and accessories.
2. Improve your margin and increase turns for inventory.
3. It's a natural course of business to include parts in your product offering.
4. Avoid the current market trend of customer's tendency to replace rather than repair by having the right part on hand at the right time.

DEALER MARKET AND PRESEASON PROGRAMS

Preferred offers dealers additional opportunities for discounts and special pricing through our semi-annual Dealer Market programs. Special promotional terms may apply on promotional orders.

NEW PRODUCT PROMOTION

New product discounts and promotions will be offered as items are added to our master product list.



MERCHANDISING PROGRAM

First impressions and ease of shopping are important to your dealers/contractors. Therefore we have created a Merchandising Program to help make your store as effective as possible. Preferred offers customized merchandising kit programs that are available for purchase. Kits include Preferred Parts identification, branding materials for any size store, and point of purchase signage.

PLANOGRAM AND STOCKING DISCOUNTS

New display placements and stocking incentives are available to dealers wishing to grow their business by promoting HVAC and plumbing categories. Please contact: marc.edwards@askpreferred.com.

CATALOG AND PRICE PAGE

Preferred will update this catalog and price list annually. The catalog includes universal replacement parts, installation and maintenance accessories, and indoor air quality and zoning equipment. This catalog can easily be co-marketed to include your company logo and information.

A special communication will be announced when this catalog is ready for updates to give you the opportunity to customize the cover with your logo and other information.

WEB SOURCE

www.preferredzone.com

The Preferred website is a valuable tool in helping you grow your business. Preferred will help you excel in your market by providing information and sales tools in a quick and easily accessible format. We have developed the Preferred Parts web tools to include:

- Part and product look up searchable database
- Product information and specifications
- New product/discontinued product information
- Special Programs/Promotions
- Catalog, product literature and order forms
- JPG images of products
- Marketing Manual

QUALIFIED PROFESSIONAL CUSTOMERS

Preferred offers dealers additional opportunities for discounts and special pricing through our semi-annual Dealer Market programs. Special promotional terms may apply on promotional orders.



THERMOSTATS & ALARMS

Emerson (White-Rodgers) Thermostats

Wall Plates

Thermostat Guards

Emerson (White-Rodgers) Remote Temperature Sensors

Fast-Stat Wire Extenders

Humidistats & Dehumidistats

Carbon Monoxide (CO) Alarms



EMERSON (WHITE-RODGERS) THERMOSTATS



90 Series Blue Touchscreen

- Bright 12 square inch Touchscreen display
- Dual-Powered – Choice of battery-powered or hardwired with battery back-up
- Universal – Choice of 7 day, 5/1/1 day programmable, or non-programmable (Installer selectable)
- Arm-chair programming
- Keypad lockout options
- Maintenance reminders
- Suitable for use with indoor and outdoor sensors
- Compressor short cycle protection
- 5-year limited warranty
- Additional features for 1F95-1291 only: Humidification and dehumidification controls



PART NO	PROG	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	DUEL FUEL READY	STAGES DUEL FUEL HEAT (HP/GAS)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)	INDOOR REMOTE SENSOR	OUTDOOR REMOTE SENSOR
1F95-1277	7, 5/1/1	2H/2C	3H/2C	Yes	2/2	Yes	Yes	Cool-Auto-Heat EM Heat-Off	On-Auto-Prog	Rc,Rh,C,W/E,W2, Y,Y2,G,B,O,L,6,+,-S,-	5-7/8 x 4-5/6 x 1-1/4	F1451328 (1)	F1451378 (1)
1F95-1291	7, 5/1/1	2H/2C	4H/2C	Yes	2/2	Yes	Yes	Cool-Auto-Heat EM Heat-Off	On-Auto-Prog	Rc,Rh,C,W/E,W2,Y,Y2, G,O/B,6,DHM,HM,+,-S,-	5-7/8 x 4-5/6 x 1-1/4	F1451328 (1)	F1451378 (1)
1F97-1277	7, 5/1/1	1H/1C	1H/1C	—	—	Yes	Yes	Cool-Auto-Heat	On-Auto-Prog	Rc,Rh,C,W,Y,G, L,O,B,6,+,-S,-	5-7/8 x 4-5/6 x 1-1/4	F1451328 (1)	F1451378 (1)



90 Series Programmable

- Large lighted display with easy to read characters
- Keypad lockout options
- Maintenance reminders
- Suitable for use with up to three indoor sensors and one outdoor sensor
- Humidification and dehumidification controls
- Compressor short cycle protection
- 5-year limited warranty
- Additional features for 1F95CA-397 only: Works with Comfort Alert™ module active protection that shuts down the compressor during fault conditions to prevent permanent damage to the compressor



PART NO	PROG	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	DUEL FUEL READY	STAGES DUEL FUEL HEAT (HP/GAS)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)	INDOOR REMOTE SENSOR	OUTDOOR REMOTE SENSOR
1F95-397	7	2H/2C	3H/2C	Yes -	2/2	Yes	Yes	Cool-Auto-Heat EM Heat-Off	On-Auto-Prog	R,C,HM,W2,DHM, E/W1,Y2,Y1,B,O,G,L,SA,SB,SC,OT	6-7/8 x 4-1/8 x 1-3/8	F1451328 (3)	F1451378 (1)
1F95CA-397	7	2H/2C	3H/2C	Yes -	2/2	Yes	Yes	Cool-Auto-Heat EM Heat-Off	On-Auto-Prog	R,C,E/W1,W2,O,B,Y1, Y2,L,G,SA,SB,SC,OT,DHM,HM	6-7/8 x 4-1/8 x 1-3/8	F1451328 (3)	F1451378 (1)



80 Series Blue 4" Programmable

- Large 4 square inch blue display with easy to read characters
- Dual-Powered - Choice of battery-powered or hardwired with battery back-up
- Patented pre-programmed software simplifies time and temperature programming
- Exclusive Cool Savings™ feature saves energy during peak A/C demand periods
- Exclusive battery power monitor
- Compressor short cycle protection
- 5-year limited warranty



PART NO	PROGRAMMING	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)
1F80-0471	5/2, 5/1/1	1H/1C	1H/1C	Yes	No	Cool-Auto-Heat-Off	On-Auto	Rh,Rc,C,W,Y,G,OVB	4-1/2 x 3-1/2 x 1-1/8
1F85-0422	5/2, 5/1/1	2H/2C	3H/2C	Yes	No	Cool-Auto-Heat-EM Heat-Off	On-Auto	RH,RC,C,E/W1,W2,G,Y1,Y2,O,B,L	5-1/8 x 3-7/8 x 1-1/4
1F85-0477	7, 5/1/1	2H/2C	3H/2C	Yes	No	Cool-Auto-Heat-EM Heat-Off	On-Auto	RH,RC,C,W/E,W2,G,Y2,O,B,L,6	5-1/8 x 3-7/8 x 1-1/4



EMERSON (WHITE-RODGERS) THERMOSTATS



80 Series Blue 4" Non-Programmable

- Large 4 square inch blue display with easy to read characters
- Dual-Powered - Choice of battery-powered or hardwired with battery back-up
- Exclusive Cool Savings™ feature saves energy during peak A/C demand periods
- Exclusive battery power monitor
- Compressor short cycle protection
- 5-year limited warranty



PART NO	PROGRAMMING	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)
1F83-0471	None	1H/1C	3H/2C	Yes	No	Cool-Off-Heat-EM Heat	On-Auto	Rh,Rc,C,G,W,E,W2,Y2,O/B,6,L	4-1/2 x 3-1/2 x 1-1/8
1F86-0471	None	1H/1C	1H/1C	Yes	No	Cool-Auto-Heat-Off	On-Auto	Rh,Rc,C,W,Y,G,O/B	4-1/2 x 3-1/2 x 1-1/8



80 Series Blue 2" Programmable

- 2 square inch blue display with easy to read characters
- Dual-Powered - Choice of battery-powered or hardwired with battery back-up
- Patented pre-programmed software simplifies time and temperature programming
- Exclusive Cool Savings™ feature saves energy during peak A/C demand periods
- Exclusive battery power monitor
- Compressor short cycle protection
- 5-year limited warranty



PART NO	PROGRAMMING	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)
1F80-0261	5/1/1	1H/1C	1H/1C	No	No	Cool-Off-Heat	On-Auto	R,C,Y,W,G,O/B	4-13/16 x 3-13/16 x 1-1/2
1F82-0261	5/1/1	—	2H/1C	No	No	Cool-Off-Heat	On-Auto	R,C,Y,W2,G,O/B,L	4-13/16 x 3-13/16 x 1-1/2



80 Series Blue 2" Non-Programmable

- 2 square inch blue display with easy to read characters
- Dual-Powered - Choice of battery-powered or hardwired with battery back-up
- Exclusive Cool Savings™ feature saves energy during peak A/C demand periods
- Exclusive battery power monitor
- Compressor short cycle protection
- 5-year limited warranty



PART NO	PROGRAMMING	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)
1F86-0244	None	1H/1C	1H/1C	No	No	Cool-Off-Heat	On-Auto	R,C,Y,W,G,O/B	4-13/16 x 3-13/16 x 1-1/2
1F89-0211	None	—	2H/1C	No	No	Cool-Off-Heat	On-Auto	R,C,Y,W2,G,O/B,L	4-13/16 x 3-13/16 x 1-1/2



80 Series Programmable

- Lighted digital display
- Fast and easy to program
- Permanent program retention
- Easy to wire terminal block
- Compressor short cycle protection
- 5-year limited warranty



PART NO	PROGRAMMING	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)
1F85-277	7, 5/1/1	2H/2C	3H/2C	Yes	No	Cool-Auto-Heat-EM Heat-Off	On-Auto	R,C,E/W1,W2,G,Y1,Y2,O,B,L	6-1/8 x 3-3/4 x 1-1/4



EMERSON (WHITE-RODGERS) THERMOSTATS



80 Series Non-Programmable

- Lighted digital display
- Easy to wire terminal block
- Compressor short cycle protection
- 5-year limited warranty



PART NO	PROGRAMMING	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)
1F86-241	None	1H/1C	1H/1C	No	No	Cool-Off-Heat	On-Auto	R,C,W2,Y,G,B/O,E,L	6-1/8 x 3-3/4 x 1-1/4



70 Series Programmable

- Digital display
- Economical upgrade to digital accuracy and energy savings
- Footprint covers wall marks of most mechanical thermostats without additional wall plate
- Easy to use
- Compressor short cycle protection
- 5-year limited warranty



PART NO	PROGRAMMING	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)
1F78-151	5/2	1H/1C	1H/1C	No	No	Cool-Off-Heat	On-Auto	Rh,Rc,G,W,Y,O,B	5-1/8 x 3-3/4 x 1-1/8



70 Series Non-Programmable

- Digital display
- Economical upgrade to digital accuracy and energy savings
- Footprint covers wall marks of most mechanical thermostats without additional wall plate
- Easy to use
- Compressor short cycle protection
- 5-year limited warranty



PART NO	PROGRAMMING	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)
1F78-144	None	1H/1C	1H/1C	No	No	Cool-Off-Heat	On-Auto	Rh,Rc,G,W,Y,O,B	5-1/8 x 3-3/4 x 1-1/8
1F79-111	None	N/A	2H/1C	No	No	Cool-Off-Heat-EM Heat	On-Auto	R,C,W2,Y,G,O/B,E,L	5-1/8 x 3-3/4 x 1-1/8



Mechanical (Mercury Free) Thermostats

- Mercury free replacement for hundreds of White-Rodgers and competitive models installed during the past 50 years
- Enclosed contacts for increased reliability and accuracy
- Includes terminal wallplate for 3-wire zone valve applications
- Available in both horizontal (1F56N-444) and vertical (1E56N-444) configurations
- 5 Year limited warranty



PART NO	PROGRAMMING	STAGES HEAT/COOL (CONV)	STAGES HEAT/COOL (HEAT PUMP)	AUTO CHANGE OVER	PROG FAN	SYSTEM SWITCHES	FAN SWITCH	CONNECTIONS	SIZE WxHxD (IN)
1E56N-444	None	1H/1C	1H/1C	No	No	Cool-Off-Heat	On-Auto	Rc,Rh,W,Y,G,O,B,A	3-1/4 x 4-1/2 x 1-5/8
1F56N-444	None	1H/1C	1H/1C	No	No	Cool-Off-Heat	On-Auto	Rc,Rh,W,Y,G,O,B,A	4-1/2 x 3-1/4 x 1-5/8



THERMOSTAT ACCESSORIES

WALL PLATES

F61-2301



PART NO	HEIGHT (IN)	WIDTH (IN)	COLOR	DESCRIPTION
F61-2301	5-5/8	5-3/4	White	Includes adapter for mounting to vertical junction box

F61-2500



PART NO	HEIGHT (IN)	WIDTH (IN)	COLOR	DESCRIPTION
F61-2500	4-5/8	7-5/8	White	Fits all 80 Series Emerson/White-Rodgers models except Blue models

F61-2252



PART NO	HEIGHT (IN)	WIDTH (IN)	COLOR	DESCRIPTION
F61-2252	5-5/8	5-3/4	Beige	Fits all 1F90 and 1F70 Emerson/White-Rodgers models

F61-2300



PART NO	HEIGHT (IN)	WIDTH (IN)	COLOR	DESCRIPTION
F61-2300	7-1/4	5-1/2	White	Fits all 1F90 Emerson/White-Rodgers models except Blue models

F61-2510



PART NO	HEIGHT (IN)	WIDTH (IN)	COLOR	DESCRIPTION
F61-2510	6-1/2	4-1/2	White	Fits all F70 Emerson/White-Rodgers models. Includes adapter for mounting to horizontal or vertical junction box

F61-2550



PART NO	HEIGHT (IN)	WIDTH (IN)	COLOR	DESCRIPTION
F61-2550	6-1/2	4-1/2	White	Fits all F70 Emerson/White-Rodgers models

F61-2600



PART NO	HEIGHT (IN)	WIDTH (IN)	COLOR	DESCRIPTION
F61-2600	8-1/8	5-3/8	White	Fits 90 Series Blue Emerson/White-Rodgers models. For use with or without horizontal junction box.



THERMOSTAT ACCESSORIES

WALL PLATES

F61-2634



PART NO	HEIGHT (IN)	WIDTH (IN)	COLOR	DESCRIPTION
F61-2634	5	6-1/2	White	Fits 90 and 80 Series Blue Emerson/White-Rodgers models. For use with or without horizontal junction box.

THERMOSTAT GUARDS

F29-0143



These durable poly guards are designed for use in offices, churches, restaurants, and other public areas to prevent adjustment of the thermostat by unauthorized personnel.

- Clear plastic keeps thermostat visible
- Can be mounted vertically or horizontally
- Includes options for both ring mount or solid plate mount
- Furnished with one key

PART NO	LENGTH (IN)	HEIGHT (IN)	DEPTH (IN)	COVER MATERIAL
F29-0143	6-3/8	3-1/2	3	Clear Plastic

F29-0222



These durable metal guards are designed for government, military, industrial, and education applications to prevent adjustment of the thermostat by unauthorized personnel.

- Beige enamel finish over heavy-duty steel enclosure
- Can be mounted vertically or horizontally
- Furnished with one key

PART NO	LENGTH (IN)	HEIGHT (IN)	DEPTH (IN)	COVER MATERIAL
F29-0222	6-5/8	4-1/2	3-3/8	Metal - 18 gauge

EMERSON (WHITE-RODGERS) REMOTE TEMPERATURE SENSORS

- For use with all Emerson (White-Rodgers) thermostats with remote sensor capability
- Classic white color
- Digital signal output provides superior temperature control
- Works with a maximum 300 foot wire run



F1451328 Indoor Sensor



PART NO	DESCRIPTION
F1451328	Remote Indoor Sensor

F1451378 Outdoor Sensor



PART NO	DESCRIPTION
F1451378	Remote Outdoor Sensor



THERMOSTAT ACCESSORIES

FAST-STAT WIRE EXTENDERS

For over 15 years now, FAST-STAT wiring extenders have eliminated the need to re-pull thermostat and condenser cables when adding or upgrading HVAC equipment. FAST-STAT provides a significant savings in installation costs. A new system can be wired in about 20 minutes.

- Designed to have a minimum service life of 50 years; limited lifetime free replacement warranty

- Suitable for up to 300 ft. distance between sender and receiver (when using 18 AWG cable)
- No batteries required
- Common applications include:
 - Adding 2-stage heating
 - Adding single or 2-stage cooling
 - Heat pump conversion
 - Upgrading PTACs
 - Upgrading RTUs



FAST-STAT 1000 Wire Extender (Provides One Additional Wire to a Cable)

Model 1000 provides one additional conductor to a thermostat or condenser cable. For instance, with a 2-wire cable it can provide “R”, “W”, plus one of “G”, “Y”, “H”, “D”, “W2” or “Y2” and with a 4-wire cable it could provide “R”, “W”, “Y”, “G”, plus any one of “C”, “D”, “W2”, “Y2” or “O/B”. Common uses include adding manual fan control “G” to a heating system, installing a powered thermostat that requires a common connection “C”, or upgrading to 2-stage cooling and providing “Y2” to the condenser.

PART NO	POWER INPUT (VAC)	NO OF CONTACTS	CONTACT CONFIG	CONTACT RATING (VAC)	CONTACT RATING (A)
1000	18-30	2	NO	24	2



FAST-STAT 3000 Wire Extender (Provides 4-Wire Control Over a 2-Wire Cable)

Model 3000 provides 4-wire control over 2-wire cable or 6-wire control over a 4-wire cable. With a 2-wire cable it can provide “R”, “W”, “G” and “Y”. With a 4-wire cable it can provide “R”, “W”, “Y”, “G”, plus any two of “C”, “D”, “W2”, “Y2” or “O/B”. Common uses include adding air conditioning to a heating system. Can also be used for heat pumps, 2-stage heating or cooling when an existing 4-wire thermostat cable is present.

PART NO	POWER INPUT (VAC)	NO OF CONTACTS	CONTACT CONFIG	CONTACT RATING (VAC)	CONTACT RATING (A)
3000	20-30	3	NO	24	2



FAST-STAT 5000 Wire Extender (Provides 6-Wire Control Over a 2-Wire Cable)

Model 5000 provides 6-wire control over 2-wire cable or 8-wire control over a 4-wire cable. With a 2-wire cable it can provide “R”, “C”, “W1”, “W2”, “G” and “Y”. With a 4-wire cable it can provide “R”, “C”, “W1”, “W2”, “G” and “Y”, plus any other two functions such as “H”, “D”, “W2”, “Y2” or “O/B”. Common uses include adding air conditioning to a heating system or installation of a 2-stage furnace. Can also be used for heat pumps, 2-stage heating or cooling when an existing 4-wire thermostat cable is present.

PART NO	POWER INPUT (VAC)	NO OF CONTACTS	CONTACT CONFIG	CONTACT RATING (VAC)	CONTACT RATING (A)
5000	20-30	4	NO	24	2



FAST-STAT 7000 Wire Extender (For Converting an Air Conditioner to a Heat Pump)

Model 7000 provides 7-wire control from the thermostat to the furnace or fan-coil over a 4-wire cable. This includes “R”, “C”, “G”, “W”, “Y1”, “Y2” and “O/B”. From the furnace or fan-coil to the heat pump it provides 6-wire control over a 2-wire cable. This includes “R”, “C”, “Y1”, “Y2”, “O/B” and “W” (defrost). Common uses include converting from an air conditioning to a heat pump (single or 2-stage) system.

PART NO	POWER INPUT (VAC)	NO OF CONTACTS	CONTACT CONFIG	CONTACT RATING (VAC)	CONTACT RATING (A)
7000	20-30	5	NO	24	2



FAST-STAT 9000 Wire Extender (For Converting Air Conditioner to a 1 or 2-Stage Heat Pump)

Model 9000 mounts between the control board on the indoor unit and the outdoor unit. Provides 2-stage air conditioning or heat pump control over the existing 2-wire condenser cable. It is designed to reduce installation time when converting from an air conditioner to a heat pump (single or 2-stage) system. It can also interact with Zone Controllers made by Honeywell and others.

PART NO	DESCRIPTION
9000	FAST-STAT 9000 Wire Extender



HUMIDISTATS & DEHUMIDISTATS



H8908ASPST Humidistat



Can be mounted in either vertical or horizontal configuration.

PART NO	VENDOR PART NO	VOLTAGE (VAC)	CONTACT CONFIG	CONTACT OPERATION	ADJUSTMENT RANGE (% RH)	MOUNTING LOCATON	SIZE WxHxD (IN)
H8908ASPST	H8908ASPST	24	SPST	Contacts close on humidity drop	10-60	Wall, Duct	5-1/2 x 4 x 2-1/2



45-25055-99 Humidistat



PART NO	VENDOR PART NO	VOLTAGE (VAC)	CONTACT CONFIG	CONTACT OPERATION	ADJUSTMENT RANGE (% RH)	MOUNTING LOCATON	SIZE WxHxD (IN)
45-25055-99	352680-008	24	SPST	Contacts close on humidity drop	20-80	Wall, Duct	4-3/4 x 2-7/8 x 1-3/8



H8908DSPST Dehumidistat



Can be mounted in either vertical or horizontal configuration.

PART NO	VENDOR PART NO	VOLTAGE (VAC)	CONTACT CONFIG	CONTACT OPERATION	ADJUSTMENT RANGE (% RH)	MOUNTING LOCATON	SIZE WxHxD (IN)
H8908DSPST	H8908DSPST/U	24	SPST	Contacts close on humidity rise	10-60	Wall, Duct	5-1/2 x 4 x 2-1/2



41-25066-02 Dehumidistat



PART NO	VENDOR PART NO	VOLTAGE (VAC)	CONTACT CONFIG	CONTACT OPERATION	ADJUSTMENT RANGE (% RH)	MOUNTING LOCATON	SIZE WxHxD (IN)
41-25066-02	J10-809-070	24	SPST	Contacts close on humidity rise	20-80	Wall	4-3/8 x 2-7/8 x 1-1/2

CARBON MONOXIDE (CO) ALARMS



KN-COB-BCB-A 900-0193 AC Powered Plug-In with Battery Backup



The Kidde KN-COB-BCB-A 900-0193 AC carbon monoxide alarm plugs directly into a standard wall outlet making installation quick and easy. The 9-volt battery backup provides protection even during power outages when many CO incidences occur. The tamper resist feature deters tampering or theft of the unit. It is a great CO alarm for property owners that are concerned with theft, or parents with small children. This feature alerts you if the unit has been unplugged or if it has come loose from the wall outlet. The Kidde AC/DC carbon monoxide alarm uses advanced electromechanical sensing technology to monitor for carbon monoxide levels in your home. This alarm has a clean, low profile design along with two LED's; green for normal operation and red for alarm mode. Provides a loud warning signal against the dangers of elevated CO levels. This alarm is easily installed in AC wall outlets. The green LED shows that AC power is present and the alarm is working properly. The red LED will illuminate when the alarm detects carbon monoxide. UL Listed with a 5-year limited warranty.

- Tamper resist feature - Unit goes into constant alarm mode if it has been unplugged or has come loose from the outlet
- 9V Battery backup - Provides continuous protection even during power outages.
- Low battery hush® - Silences low battery chirp warning for up to twelve hours in order to maintain protection without having to replace the battery at an inconvenient time
- Easy installation - Mounts to any wall outlet
- Battery pull tab - Eliminates battery installation time and keeps battery fresh
- Loud 85dB alerts
- Test/Reset button - Tests the alarm electronics and resets the unit during alarm
- Green LED - Indicates alarm is receiving power and operating properly
- Red LED - Illuminates when in alarm mode

PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
21006137		Carbon Monoxide Alarm - AC Powered (Battery Backup) - PDQ Pack	2	Yes
21006462		Carbon Monoxide Alarm - AC Powered (Battery Backup) - Bulk Pack	6	Yes



CARBON MONOXIDE (CO) ALARMS



9CO5-LP Battery Operated



The Kidde 9CO5-LP battery operated carbon monoxide alarm utilizes sophisticated electronic components to protect from the dangers of carbon monoxide. This alarm includes a slide-out battery door that gives immediate access to the batteries and a safety feature that makes it difficult to close the door without the batteries being installed. Inside cover of battery door features quick reference guide for what to do in case of an alarm. This easy-to-install alarm is suitable for all living areas. UL Listed with a 7-year life, and 5-year limited warranty. Provides a loud warning signal against the dangers of elevated CO levels. The battery-operated CO alarm provides continuous monitoring of CO levels, even during power outages when AC-only units are not providing protection.

- Battery operated (3AA's included) - Provides protection during power outage
- Battery lockout system - Deters covering battery compartment without installation of batteries.
- Slide-out battery door cover; gives immediate access to batteries
- Test/Reset button - Tests the unit for proper operation; Resets the CO alarm
- Low battery signal - Alerts user when the battery needs to be replaced
- Green LED - Flashes every 30 seconds to indicate the unit is operating properly; green LED will also flash before a CO reading is taken and when any button is pressed
- Red LED - When a dangerous level of carbon monoxide is detected the red LED will pulse and a loud alarm pattern will sound; CO alarm pattern is four short beeps, followed by five seconds of silence, followed by four short beeps with a corresponding red LED flash; cycle will continue for 4 minutes and then change to one cycle every minute until the device is reset or the CO is eliminated

PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
21008908		Carbon Monoxide Alarm - Battery Operated - Bulk Pack	6	Yes



INDOOR AIR QUALITY

Media Air Cleaners

Replacement Media Filters

Electronic Air Cleaners (EAC)

Whole House Humidifiers

Humidifier Pads

Whole-House Dehumidifiers

Dynamic Console Room Units

Dynamic Polarized Media Air Cleaners

Filterlock – Filter Slot Cover



MEDIA AIR CLEANERS



High efficiency media air cleaners offer a significant improvement over one inch throwaway filters. They trap and filter to reduce major pollutants, such as dust and pollen from the air passing through the heating and cooling system. Deep pleated filters maximize surface area and increase the life of the filter. MERV stands for Minimum Efficiency Reporting Value; a rating determined by testing in accordance with ASHRAE 52.2 procedures. The test rate the ability to filter particles ranging from 0.3 to 10 microns in size. A higher MERV rating indicates a greater ability to filter these pollutants.



- Fits a wide variety of equipment
- Rugged cabinet construction

PART NO	HOUSING OVERALL OD HEIGHT (IN)	HOUSING OVERALL OD DEPTH (IN)	HOUSING OVERALL OD WIDTH (IN)	MERV RATING OF INCLUDED MEDIA	MAX RATED AIR FLOW (CFM)	REPLACEMENT MEDIA
PF845001	20-1/4	24-7/8	7-1/8	8	2000	54-25051-01
PF845005	20-1/4	21-3/8	7-1/8	8	1400	54-25051-04
PF845006	16-1/4	24-7/8	7-1/8	8	1400	54-25051-02



Media Air Cleaner – Right Angle



- Quick and easy mounting for installations that require a 90 degree duct adapter
- Platinum metallic paint
- Filters angled to further maximize surface area
- Rugged cabinet construction

PART NO	HOUSING OVERALL OD HEIGHT (IN)	HOUSING OVERALL OD DEPTH (IN)	HOUSING OVERALL OD WIDTH (IN)	MERV RATING OF INCLUDED MEDIA	MAX RATED AIR FLOW (CFM)	REPLACEMENT MEDIA
PF845003	23-1/2	25-5/8	15-1/2	8	2000	54-25051-01

REPLACEMENT MEDIA FILTERS



Preferred Replacement Media Filters



PART NO	MERV RATING	RATED AIR FLOW (CFM)	NOM WDTH (IN)	NOM LGTH (IN)	NOM THICK (IN)	ACTUAL WDTH (IN)	ACTUAL LGTH (IN)	ACTUAL THICK (IN)	CROSS REFERENCE FITS MODELS	CASE QTY	CASE REQ
54-25051-01	8	2000	20	25	5	19-3/4	24-1/4	5	PF845001	2	Yes
54-25051-02	8	1400	16	25	3	15-3/4	24-1/4	3	PF845006	2	Yes
54-25051-04	8	1400	16	25	5	15-3/4	24-1/4	5	PF845005	2	Yes



Trion Air Bear Replacement Media Filters



PART NO	MERV RATING	RATED AIR FLOW (CFM)	NOM WDTH (IN)	NOM LGTH (IN)	NOM THICK (IN)	ACTUAL WDTH (IN)	ACTUAL LGTH (IN)	ACTUAL THICK (IN)	CROSS REFERENCE FITS MODELS	CASE QTY	CASE REQ
255649-102	8	2000	20	25	5	19-3/4	24-1/4	5	84-25050-01 84-25050-03	3	Yes
54-25051-03	8	1400	20	20	5	19-3/4	20-3/4	5	FC100A1011 84-25050-05	4	Yes
54-25051-04	8	1400	16	25	5	15-3/4	24-1/4	5	84-25050-06	3	Yes



Honeywell Replacement Media Filters



PART NO	MERV RATING	RATED AIR FLOW (CFM)	NOM WDTH (IN)	NOM LGTH (IN)	NOM THICK (IN)	ACTUAL WDTH (IN)	ACTUAL LGTH (IN)	ACTUAL THICK (IN)	CROSS REFERENCE FITS MODELS	CASE QTY	CASE REQ
FC100A1003	10	-	16	20	5	15-11/16	19-11/16	4-3/8	—	5	Yes
FC100A1029	10	-	16	25	5	15-15/16	24-3/4	4-3/8	—	5	Yes
FC100A1011	10	-	20	20	5	19-3/4	19-3/4	4-3/8	—	5	Yes
FC100A1037	10	-	20	25	5	19-7/8	24-7/8	4-3/8	—	5	Yes



ELECTRONIC AIR CLEANERS (EAC)



Electronic Air Cleaners work by placing a charge on airborne particles utilizing the principle of two-stage electrostatic precipitation and then collecting them like a magnet. They remove small, invisible particles that bypass standard air filters. Air is drawn by the ventilating system/blower through a washable metal mesh pre-filter, which traps large dust particles. The remaining particles (some as small as 0.01 microns) pass into a strong electrical field (ionizing section) where the particulate receives an electrical charge. The charged particles are then trapped into a negatively charged series of equally spaced parallel plates. The air, now cleaned of up to 95% of its impurities, is returned to the home.



- Easy to maintain; no replacement needed, simply wash the collection plates
- Traps and filters to reduce pollutants, such as dust, smoke, smog particles, mold spores and pet dander from the air passing through the heating and cooling systems
- Low pressure drop
- Optional charcoal pre-filter available for additional odor control
- Airflow sensor included; no interlock required
- Rugged cabinet construction

PART NO	MAX RATED AIR FLOW (CFM)	HOUSING OVERALL OD HEIGHT (IN)	HOUSING OVERALL OD DEPTH (IN)	HOUSING OVERALL OD WIDTH (IN)	INPUT VOLTAGE (V)	POWER CONNECT TYPE
PF8405207	1400	20-1/4	24-7/8	7-1/8	120	Cord connected
PF8405208	2000	24-1/4	24-7/8	7-1/8	120	Cord connected
PF8405209	1400	24-1/4	21-3/8	7-1/8	120	Cord connected



WHOLE HOUSE HUMIDIFIERS

Recommended indoor humidity is between 30% & 50% – more or less can increase the likelihood of bacteria, virus, fungus and mites. Air that is too dry can act like a giant sponge, soaking moisture up from everything that it touches in the home – woodwork, wood floors and furnishings – not to mention symptoms of dry skin, chapped lips, dry nasal passages and static electricity. Advantages of humidification include:

- Adding humidification will reduce energy costs – occupants are more comfortable at lower thermostat settings
- Reduces static electricity and contributes to the well-being of pets and indoor plants
- Protects wooden floors, cabinets, furnishings
- Automatic water supply – whole-house humidifiers are connected directly to the water supply and do not require manual refilling.

Approximate sizing guide:

HOME SIZE (SQ FT)	TIGHT HOUSE (GPD)	AVERAGE HOUSE (GPD)	LOOSE HOUSE (GPD)
1500	3.0	10.0	16.5
2000	5.0	14.0	24.0
2500	7.5	19.0	30.5
3000	10.0	23.5	37.5
4000	14.5	33.0	51.5

Calculations based on the following assumptions:

- Indoor temp. 70°F and 35% relative humidity
- Outdoor temp. 20°F and 70% relative humidity
- 8 foot ceiling height
- Internal moisture gain of 1 lb. per hour
- Furnace on-time of 70%
- Construction types:

Loose House – constructed before 1930; little or no insulation; no storm doors or windows,

no weather stripping or vapor barriers; no dampering of fireplaces; air change rate as high as 1.5 per hour

Average House – insulated with a dampered fireplace; no vapor barriers; loose storm doors and windows; air change rate of 1.0 per hour

Tight House – well insulated with vapor barriers, tight storm doors and windows; damp-ered fireplace; air change rate of 0.50 per hour



Humidifiers – Flow-Through Bypass



Flow-Through humidification directs the airflow from the ductwork to pass through a moisture filled pad, so the air stream picks up moisture evenly and distributes it throughout the home.

- Models with water saving controls self adjust to compensate for variations in temperature, airflow and water pressure; providing maximum performs wand water savings regardless of system conditions; water savings controls also feature a relay that can power the HVAC system blower for independent operation
- Includes self-piercing saddle valve, solenoid valve, and humidistat
- 5-year limited warranty

PART NO	HUMIDIFIER TYPE	DUCT MOUNTING LOCATION	UNIT DIM WxDxH (IN)	DUCT OPENING DIM WxH (IN)	INPUT VOLTAGE (V)	NOM CAP AT 100°F (GPD)	NOM CAP AT 120°F (GPD)	NOM CAP AT 140°F (GPD)	HUMIDISTAT CONTROLLER INCLUDED	REPLACE PAD
PF845409	Flow-Thru Bypass	Return or Supply	14-1/8 x 10 x 19	9-3/4 x 13	24	14.5	17.0	22.0	Manual	265470-001
PF845410	Flow-Thru Bypass	Return or Supply	14-1/8 x 10 x 19	9-3/4 x 13	24	14.5	17.0	22.0	Water Saver	265470-001



Humidifiers – Power



Power humidification uses an integral fan to blow air directly over a moisture filled pad into the air stream. Ideal for heat pump applications.

- Models with water saving controls self adjust to compensate for variations in temperature, airflow and water pressure; providing maximum performs wand water savings regardless of system conditions; Water savings controls also feature a relay that can power the HVAC system blower for independent operation
- Includes self-piercing saddle valve, solenoid valve, and humidistat
- 5-year limited warranty

PART NO	HUMIDIFIER TYPE	DUCT MOUNTING LOCATION	UNIT DIM WxDxH (IN)	DUCT OPENING DIM WxH (IN)	INPUT VOLTAGE (V)	NOM CAP AT 100°F (GPD)	NOM CAP AT 120°F (GPD)	NOM CAP AT 140°F (GPD)	HUMIDISTAT CONTROLLER INCLUDED	REPLACE PAD
PF845411	Powered Evaporative	Supply	11-5/8 x 10-1/8 x 18-1/8	13-1/8 x 14-1/4	120	10.0	16.5	20.0	Manual	265470-001
PF845412	Powered Evaporative	Supply	11-5/8 x 10-1/8 x 18-1/8	13-1/8 x 14-1/4	120	10.0	16.5	20.0	Water Saver	265470-001



HUMIDIFIER PADS

INDOOR AIR QUALITY



Humidifier Pads – Rectangular Honeycombed Mesh Type

PART NO	VENDOR	VENDOR PART NO	FILTER SHAPE	APPROX WIDTH (IN)	APPROX LENGTH (IN)	APPROX THICK (IN)	HUMIDIFIER CROSS REFERENCE	CASE QTY	CASE REQ
84-4EP	BestAir	40EP	Rectangular	8-1/2	9	1-5/8	Auto Flo: 40, 40S, 250	12	Yes
84-25055-02	Trion	251597-004	Rectangular	9	11	2	PROTECH 84-25054-02 Trion (Herrmidifier): 200	6	Yes
84-25055-01	Trion	251597-003	Rectangular	9	14	2	PROTECH: 84-25054-01, 84-25054-05 Trion (Herrmidifier) 100	6	Yes
HC22E1003	Honeywell	HC22E1003	Rectangular	9-1/2	10	1-1/2	Rheem/Ruud: RXIH-AB12A	10	Yes
84-A10	BestAir	A10PR	Rectangular	9-1/2	10	1-5/8	Aprilaire: 110, 220, 550, 550A, 558 Chippewa: 220; Lasko: 5000L, 5000EC, 6000 Honeywell: HE-220A, HE-220B, HE-225A, HE-225B Hamilton: 12-HF; Lennox: WB212	6	Yes
84-G13	BestAir	G13PR	Rectangular	9-1/2	11-3/4	1-1/2	General: 709, 990, 1040, 1042, 1137 Hamilton: 10HF; Williamson Power: 500	6	Yes
HC26E1004	Honeywell	HC26E1004	Rectangular	10	13	1-1/2	Rheem/Ruud: RXIH-AB17A	10	Yes
84-A35	BestAir	A35PR	Rectangular	10	13	1-5/8	Aprilaire: 350, 360, 560, 560A, 568, 600, 700, 760, 760A, 768; Honeywell: HE-260A, HE-260B, HE-265A, HE-265B, HE-360A, HE-360B, HE-365A, HE-365B, ME-360	6	Yes
84-A12	BestAir	A12PR	Rectangular	11-3/8	14-3/4	1-5/8	Aprilaire: 112, 136, 224, 440, 445, 445A, 448; Chippewa: 224, 225, 226; Walton: 600, 620, 660	12	Yes
84-G20	BestAir	G20PR	Rectangular	11-3/4	14-1/4	1-1/2	General: 1099	12	Yes



Humidifier Pads – Foam Type for Drum (Split)

PART NO	VENDOR	VENDOR PART NO	FILTER SHAPE	APPROX WIDTH (IN)	APPROX INSIDE DIA (IN)	APPROX OUTSIDE CIRCUM (IN)	APPROX MATERIAL THICK (IN)	HUMIDIFIER CROSS REFERENCE	CASE QTY	CASE REQ
1412	Trion	1412	Cylindrical - Split	8	4-1/16	19	1	Trion (Herrmidifier): 447-1, 447C-1	—	—
1220	Trion	1220	Cylindrical - Split	8-5/8	5-7/8	24-3/4	1	Trion (Herrmidifier): 465-1, 465C-1, 470	—	—



Humidifier Pads – Foam Type for Conical Drum (Split)

PART NO	VENDOR	VENDOR PART NO	FILTER SHAPE	APPROX INSIDE MJ DIA (IN)	APPROX INSIDE MN DIA (IN)	APPROX HEIGHT (IN)	APPROX MATERIAL THICK (IN)	HUMIDIFIER CROSS REFERENCE	CASE QTY	CASE REQ
84-25055-03	Trion	2024	Truncated Cone Split	9	5	7-7/32	1	PROTECH 84-25054-03 Trion (Herrmidifier): 2000	4	Yes



Humidifier Pads – Foam Type for Drum (Continuous)

PART NO	VENDOR	VENDOR PART NO	FILTER SHAPE	APPROX WIDTH (IN)	APPROX INSIDE DIA (IN)	APPROX OUTSIDE CIRCUM (IN)	APPROX MATERIAL THICK (IN)	HUMIDIFIER CROSS REFERENCE	CASE QTY	CASE REQ
84-A20	BestAir	200EP	Cylindrical Continuous	4-1/2	6-15/16	26-1/2	3/4	Auto Flo: 2500, 200P Peerless Aire: 31002	6	Yes
84-A40	BestAir	450EP	Cylindrical Continuous	5	3-19/32	16	3/4	Auto Flo: 400BP, 450, 1400 Peerless Aire: 31001	6	Yes
84-HM1	BestAir	HM1PR	Cylindrical Continuous	7	4-13/16	19	5/8	Ward: 500; Hamilton: 2D Wait: 2000 S.F.; Skuttle: 45; General: 65	12	Yes
84-HM2	BestAir	HM2PR	Cylindrical Continuous	8	6-1/16	24-1/2	7/8	Ward: 24, 700; Wait: 900 Hamilton: 4D, 200D, 400D, 800D Air King: 300, 400, 410; Lobb: WA1, WA2, AD-1 Lasko: 400L, 900L; General: 67, 81 Super: 700; Humidimatic: 98, 310, 4000 Skuttle: 90, 90-S, 190, 109, H100-S Homeline: 400; Honeywell: HE120A1010	12	Yes
84-A97	BestAir	97EP	Cylindrical Continuous	9	6-5/16	24-1/2	3/4	Auto Flo: 97	6	Yes



WHOLE-HOUSE DEHUMIDIFIERS



In any season, excess humidity in the home can make for an uncomfortable indoor environment. Dampness, stickiness, and odors are just a few of the many symptoms associated with air that has too much moisture. The solution is a whole-house dehumidifier. Unlike portable units, a whole-house unit is installed in the home's central heating and cooling system, and works to eliminate excess moisture in all rooms.



- Includes MERV 11 media filter
- Compact and easy to install enclosure
- 5-year limited warranty

PART NO	CAPACITY (PINTS/DAY @80°F AND 60% RH)	UNIT DIM LxWxH (IN)	INLET DUCT SIZE DIA (IN)	OUTLET DUCT SIZE DIA (IN)	INPUT VOLTAGE (V)	INPUT CURRENT (A)	POWER CONNECTION TYPE
D75	74	23-1/4 x 13 x 13-3/4	8	8	120	6.7	Cord Connected
D95	95	25-1/2 x 14-1/4 x 15-1/4	10	10	120	10.8	Cord Connected

DYNAMIC CONSOLE ROOM UNITS



Extremely quiet and effective, Dynamic console air cleaners utilize the patented Dynamic Polarized Media Air Cleaner in an attractive cabinet for applications where a high efficiency air cleaner is needed in a confined space. Whether for a bedroom or a boardroom, the Dynamic console unit is engineered to do the job.



- Airflow capacity: 500 CFM
- Dimensions: 23-3/4 in. height x 11 in. width x 26 in. depth
- Electrical supply: 120V, cord connected
- Weight: 43 lbs

PART NO	DESCRIPTION
84-CT500	Console Unit - 500 CFM2377.52
54-CT500-R	Replacement Media (3 Pack)

DYNAMIC POLARIZED MEDIA AIR CLEANERS



As tiny sub-micron particles and volatile organic compounds (VOCs) pass through the central heating and cooling system, they become polarized by the electric field inside the air cleaner. Polarized particles become larger as they join together with other polarized particles and collect on the polarized media pad. The Dynamic Air Cleaner is a non-ionizing air cleaner that removes sub-micron particles that other filters miss, including bacteria, pollen, mold and fine dust. Excellent for removing tobacco smoke and residual odors.



- Very high multiple pass efficiency (95-99% for particles of 0.3 to 0.5 micron size); rises as the air cleaner loads (confirmed by independent laboratories)
- Equivalency to MERV 13 rating on more traditional media filters
- Air cleaners fit directly into existing filter racks or return air grilles
- 24V power supply; optional transformer 84-110V-24V plugs directly into a 120V outlet
- 6000VDC output voltage to polarized media
- No ozone production
- Low static resistance to airflow; maximum recommended face velocity: 500 FPM
- Disposable carbon-filled media pads only require a few minutes to change; requires replacement every three to four months
- Custom sizes available
- Toll-Free NATE certified Technical Support 800.578.7873
- 5-year limited warranty

PART NO	NOMINAL HEIGHT (IN)	NOMINAL LENGTH (IN)	THICKNESS (IN)	REPLACEMENT MEDIA
84-14X20-1	14	20	1	54-14X20-R
84-16X20-1	16	20	1	54-16X20-R
84-20X20-1	20	20	1	54-20X20-R
84-24X24-1	24	24	1	54-24X24-R
84-24X36-1	24	36	1	54-24X36-R



DYNAMIC POLARIZED MEDIA AIR CLEANERS



Replacement 24V Power Head

PART NO	DESCRIPTION
24VPWRPK	Replacement 24V Power Head for Dynamic Polarized Media Air Cleaners

FILTERLOCK – FILTER SLOT COVER



- Seals air filter slot
- Magnetically attaches to metal duct
- One-size-fits-all – For all standard air filters



PART NO	DESCRIPTION	CASE QTY	CASE REQ
540031	FilterLock – Filter Slot Cover	10	Yes



MOTORS

Indoor Blower Motors
Outdoor Condenser Motors
Motor Mounting



INDOOR BLOWER MOTORS



US Motors Wholesale Indoor Blower Motors (120V)

PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 120V (A)
1863	1/4	1075	3	120	1	60	Reversible	5/370	3.90
1864	1/3	1075	3	120	1	60	Reversible	7.5/370, 5/370	5
1865	1/2	1075	3	120	1	60	Reversible	10/370	7.40
8904	3/4	1075	3	120	1	60	Reversible	15/370	9.10



US Motors RESCUE Indoor Blower Motors (120V)

You may not know what kind of motor you will need when you get to the job, but with the RESCUE motors on hand, you know you'll have one that will work.

- Replaces a range of different horsepower ratings and applications
- 36 inch leads

PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 120V (A)
5460	1/6 - 1/2	1075	4	120	1	60	Reversible	10/370	7.30
5470	1/5 - 3/4	1075	4	120	1	60	Reversible	20/370	8.10



US Motors Wholesale Indoor Blower Motors (208/230V)

PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 230V (A)
1971	1/4	1075	3	208,230	1	60	Reversible	5/370, 10/370	1.80
1972	1/3	1075	3	208,230	1	60	Reversible	5/370	2.40
1973	1/2	1075	3	208,230	1	60	Reversible	7.5/370	3.30
8905	3/4	1075	3	208,230	1	60	Reversible	10/370	4.60



U.S. Motors RESCUE Indoor Blower Motors (208/230V)

You may not know what kind of motor you will need when you get to the job, but with the RESCUE motors on hand, you know you'll have one that will work.

- Replaces a range of different horsepower ratings and applications
- 36 inch leads

PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 230V (A)
5461	1/6 - 1/2	1075	4	208,230	1	60	Reversible	10/370	3.60
5471	1/5 - 3/4	1075	4	208,230	1	60	Reversible	20/370	4.20



U.S. Motors Indoor Blower Motors - Platform Mount (Single Phase)

PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 120V (A)
8100	1/3	1725	1	120	1	60	Reversible	N/A	6.4
8200	1/2	1725	1	120	1	60	Reversible	N/A	8.7
1893	3/4	1725	1	120,208,230	1	60	Reversible	N/A	11.4
430	3/4	3450	1	120,208,230	1	60	Reversible	N/A	9.2

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
1/2	5-5/8	5	4-7/8	10-3/8	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive
1/2	5-5/8	5	5-1/8	10-11/16	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive
1/2	5-5/8	4	6	10-3/8	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive
1/2	5-5/8	4	5-31/32	10-13/32	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
1/2	5-5/8	5	4-3/4	9-3/4	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive
1/2	5-5/8	5	6-1/8	11-5/8	Resilient Ring,Shell-band,Thru-bolt	Ball	Blower	Direct Drive

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
1/2	5-5/8	5	4-7/8	10-3/8	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive
1/2	5-5/8	5	4-7/8	10-3/8	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive
1/2	5-5/8	5	5-7/8	11-3/8	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive
1/2	5-5/8	4	5-31/32	10-13/32	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
1/2	5-5/8	5	4-3/4	9-3/4	Resilient Ring,Shell-band,Thru-bolt	Sleeve	Blower	Direct Drive
1/2	5-5/8	5	6-1/8	11-5/8	Resilient Ring,Shell-band,Thru-bolt	Ball	Blower	Direct Drive

FLA AT 230 (V)	MOTOR SHAFT DIA (IN)	OVERALL BODY DIA (IN)	MOTOR SHAFT LENGTH (IN)	OVERALL BODY LENGTH (IN)	MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
—	1/2	5-5/8	1-1/2	8-1/8	9-3/8	Platform	Sleeve	Blower	Belt Drive
—	1/2	5-5/8	1-1/2	8-1/2	10	Platform	Sleeve	Blower	Belt Drive
5.7	5/8	6-1/2	1-7/8	8-7/8	10-3/4	Platform	Ball	Blower	Belt Drive
4.6	1/2	5-5/8	1-1/2	8-7/8	10-3/8	Platform	Sleeve	Blower	Belt Drive



INDOOR BLOWER MOTORS



Genteq Evergreen Indoor Blower Motors (120/208/230V)



The Evergreen is the world's first retrofit ECM blower motor. Contractors can now replace a PSC motor with the Evergreen and give consumers the comfort, efficiency and better airflow control of ECM, in an easy-to-install replacement motor. Note, the Evergreen is not designed to be a generic replacement for a failed ECM, but rather as a substitute for a PSC in an existing HVAC system.

- Time Saver: The Evergreen is suitable for a wide variety of aftermarket applications, and can be retrofit for many 48 frame indoor blower motors
 - Multi-voltage: suitable for 120V, 208V and 230V applications
 - 1/2 horsepower Evergreen replaces 6-Pole PSC motors from 1/5 to 1/2 horsepower
 - 1 horsepower Evergreen replaces 6-Pole PSC motors from 1/2 to 1 horsepower
- IAQ Compatible: The Evergreen will work well with IAQ products, such as high-efficiency air cleaners and HEPA filters with higher static pressure resistance
- Energy Saver: The Evergreen uses up to 25% fewer watts in operating mode and up to 74% fewer watts than a PSC motor in constant fan
- Other Features
 - Rotation Sensing Technology™ automatically configures motor to rotate in the correct direction
 - Four speed selections for heating and cooling
 - Low speed constant fan
 - Filtration/Zoning system enabler
 - 2-year limited warranty

PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	FLA AT 120V (A)
5SME39HXL110	1/2	1075	Variable	120,208,230	1	50,60	Reversible	4
5SME39SXL111	1	1075	Variable	120,208,230	1	50,60	Reversible	6.70

OUTDOOR CONDENSER MOTORS



US Motors Wholesale Condenser Motors (208/230V)



PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 230V (A)
1872H	1/8	825	1	208,230	1	60	Reversible	5/370	0.78
1875H	1/3	825	1	208,230	1	60	Reversible	5/370	2.40
1870H	1/2	825	1	208,230	1	60	Reversible	10/370	3.30
1859	1/6	1075	1	208,230	1	60	Reversible	5/370	0.50
1860	1/4	1075	1	208,230	1	60	Reversible	5/370	1.70
3323	1/6 - 1/3	1075	1	208,230	1	60	Reversible	7.5/370	2
1861	1/3	1075	1	208,230	1	60	Reversible	7.5/370 (230V), 10/370 (208V)	2.10
1862	1/2	1075	1	208,230	1	60	Reversible	10/370	3
1868	3/4	1075	1	208,230	1	60	Reversible	10/370 (230V), 7.5/370 (208V)	4.50

U.S. Motors RESCUE Condenser Motors (208/230V)

You may not know what kind of motor you will need when you get to the job, but with the RESCUE motors on hand, you know you'll have one that will work.

- Replaces a range of different horsepower ratings and applications
- 48 inch leads, flat lead end for shaft down applications



PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 230V (A)
5464	1/6 - 1/3	825	2	208,230	1	60	Reversible	10/370	1.90
5462	1/6 - 1/3	1075	2	208,230	1	60	Reversible	7.5/370	2.60
5465	1/5 - 1/2	1075	2	208,230	1	60	Reversible	12.5/370	3.50

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE	CATALOG NO
1/2	5-5/8	4-29/32	6-11/32	11-1/4	Shell-band	Ball	Blower	Direct Drive	6005
1/2	5-5/8	4-29/32	7-27/32	10-3/4	Shell-band	Ball	Blower	Direct Drive	6010

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
1/2	5-5/8	6	4-1/16	10-19/32	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	6	5-1/16	11-19/32	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	6	5-13/16	12-3/8	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	5	3-13/16	9-3/8	Shell-band,Thru-bolt	Sleeve	Condenser	Direct Drive
1/2	5-5/8	5	4-1/8	9-5/8	Shell-band,Thru-bolt	Sleeve	Condenser	Direct Drive
1/2	5-5/8	6-7/8	4-5/16	11	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	5	4-5/8	10-1/8	Shell-band,Thru-bolt	Sleeve	Condenser	Direct Drive
1/2	5-5/8	6	5-5/16	11-7/8	Shell-band,Thru-bolt	Sleeve	Condenser	Direct Drive
1/2	5-5/8	5	5-13/16	10-5/16	Shell-band,Thru-bolt	Sleeve	Condenser	Direct Drive

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
1/2	5-5/8	5	5-1/4	10-1/4	Shell-band,Thru-bolt	Sleeve	Condenser	Direct Drive
1/2	5-5/8	5	4-5/8	9-5/8	Shell-band,Thru-bolt	Sleeve	Condenser	Direct Drive
1/2	5-5/8	5	5-1/4	10-1/4	Shell-band,Thru-bolt	Sleeve	Condenser	Direct Drive



OUTDOOR CONDENSER MOTORS



U.S. Motors Mojave 70C Condenser Motors (208/230V)

- Designed for 158°F (70°C) ambient / Class F insulation
- Special corrosion protection for longer life in humid environments
- 48 inch leads

PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 230V (A)
1873H	1/6	825	1	208,230	1	60	Reversible	5/370	1.10
1859H	1/6	1075	1	208,230	1	60	Reversible	5/370	0.50
1860H	1/4	1075	1	208,230	1	60	Reversible	5/370	1.70
1861H	1/3	1075	1	208,230	1	60	Reversible	7.5/370	2.10
1862H	1/2	1075	1	208,230	1	60	Reversible	10/370	3.20
1868H	3/4	1075	1	208,230	1	60	Reversible	10/370	4.70



U.S. Motors Mojave 70C Rescue Condenser Motors (208/230V)

These motors combine the features of both the Emerson RESCUE and Mojave 70C motors into one series.

PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 230V (A)
1874H	1/8 - 1/4	825	1	208,230	1	60	Reversible	5/370	2.10
5464H	1/6 - 1/3	825	2	208,230	1	60	Reversible	7.5/370	1.90
5462H	1/6 - 1/3	1075	2	208,230	1	60	Reversible	5/370	2.60
5465H	1/5 - 1/2	1075	2	208,230	1	60	Reversible	10/370 (230V), 12.5/370 (208V)	3.00



U.S. Motors Mojave 70C Condenser Motors (460V)

- Designed for 158°F (70°C) ambient / Class F insulation
- Special corrosion protection for longer life in humid environments
- 48 inch leads

PART NO	HP	HIGH SPEED (RPM)	NO OF SPEEDS	INPUT VOLTAGE	NO OF PHASES	FREQ (Hz)	ROTATION DIRECTION (OSE)	RUN CAPACITOR (uF/V)	FLA AT 230V (A)
3736H	1/4	1075	1	460	1	60	Reversible	7.5/370	0.80
3737H	1/3	1075	1	460	1	60	Reversible	7.5/370	1.30
3738H	1/2	1075	1	460	1	60	Reversible	10/370	1.50

MOTOR RAIN SHIELD CAPS



Rain Shield – 7 inch

- 7 inch diameter black polymer rain shield
- Fits condenser motors with 1/2 inch shaft diameter

PART NO	DESCRIPTION
56-17846-02	Motor Rain Shield Cap



Rain Shield – 3-1/2 inch

- 3-1/2 inch diameter black polymer rain shield
- Fits condenser motors with 1/2 inch shaft diameter

PART NO	DESCRIPTION
56-17070-01	Motor Rain Shield Cap

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
1/2	5-5/8	6	4-1/8	10-5/8	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	5	3-13/16	9-3/8	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	5	4-1/8	10-5/8	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	5	4-5/8	11-1/8	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	6	5-1/4	11-7/8	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	5	5-7/8	12-3/8	Resilient Ring,Shell-band,Thru-bolt	Ball	Condenser	Direct Drive

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
1/2	5-5/8	6	4-1/4	10-7/8	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	5	5-1/4	10-1/4	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	5	4-5/8	9-5/8	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	5	5-5/8	10-1/4	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive

SHAFT DIA (IN)	MOTOR BODY DIA (IN)	OVERALL SHAFT LENGTH (IN)	MOTOR BODY LENGTH (IN)	OVERALL MOTOR LENGTH (IN)	MOUNTING	BEARING TYPE	APPLICATION	DRIVE TYPE
1/2	5-5/8	6	4-9/16	11-1/16	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	6	5-5/16	11-27/32	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive
1/2	5-5/8	6	5-1/2	12	Shell-band,Thru-bolt	Ball	Condenser	Direct Drive



SHAFT ADAPTER KIT



Shaft Adapter Kit – 1/2 Inch to 5/8 Inch

- Includes 1-3/8 in. long adapter collar to increase shaft diameter from 1/2 in. to 5/8 in.
- Includes 3/16 in. x 3/16 in. x 1-3/4 in. key


PART NO	DESCRIPTION
A224	Motor Shaft Adapter (1/2 in. to 5/8 in.)

MOTOR MOUNTING



Blower Motor Belly Band Mounting Kit – Wire Type

PART NO	MOTOR FRAME SIZE (IN)	NOM MOTOR DIAMETER (IN)	BLOWER MOUNTING BOLT CIRCLE DIM (IN)	NUMBER OF ARMS	RADIAL ARM DISTANCE DIM A (IN)	ATTACHMENT ARM OVERALL LENGTH B (IN)
56-23001-09	48	5-5/8	10	3	2-3/16	3-5/16
56-23001-08	48	5-5/8	11	3	2-11/16	3-5/16



Motor Mounting Kit Dimensions



Condenser Motor Ring Mount Kit

- Fits 48 frame motors (5-5/8 in. diameter)
- Three mounting arms; adjustable for positioning around motor
- Mounting slots allow for a 7 in. to 8-3/16 in. bolt circle diameter
- Mounting arm slot width can accommodate up to 5/16 in. bolt sizes

PART NO	DESCRIPTION
56-23001-05	Condenser Motor Ring Mount Kit



Motor Case Studs

- Contains four 7 in. long x 8-32 threaded studs
- Includes twelve 8-32 nuts and washers

PART NO	DESCRIPTION
56-23001-03	Bolt Kit – Shell Stud



Resilient Rings Kit

- Allows for conversion of a thru-bolt motor to fit a resilient type mounting base
- Mounting brackets will fit popular thru-bolt patterns: 3.68 in. x 3.68 in. or 3.63 in. x 3.63 in. square patterns, and 3 in. x 4.25 in. rectangular patterns
- Rubber isolator rings are approximately 2-1/2 in. diameter
- Extra metal split rings and an assortment of thru-bolt nuts are provided for securing the mounting brackets

PART NO	DESCRIPTION
56-23001-07	Resilient Ring Kit



CONTROLS & ELECTRICAL

Whips

Liquid-Tight Conduit

Liquid-Tight Conduit Fittings

Fuses & Fuse Holders

Circuit Breakers

Capacitors

Turbo200 Family Capacitors

Contactors

Trouble/Work Lights

Start Kits



WHIPS



HVAC Wiring Whips

PART NO	CONDUIT TRADE SIZE (IN)	CONDUIT LENGTH (IN)	CONDUCTOR LENGTH (IN)	POWER COND SIZE (AWG)	GROUND SIZE (AWG)	FITTING 1 COND TYPE	FITTING 2 TYPE	CASE QTY	CASE REQ
PF849040	1/2	6	92	10	10	Straight (Removable)	90 Degree Elbow (Removable or Integral)	12	Yes
PF849042	3/4	6	94	8	10	Straight (Removable)	90 Degree Elbow (Removable or Integral)	12	Yes

LIQUID-TIGHT CONDUIT



Liquid-Tight Conduit (Flexible Non-Metallic)

PART NO	DESCRIPTION
8431	Liquid-Tight Flexible Non-Metallic Conduit (1/2 in. x 100 ft.)
8432	Liquid-Tight Flexible Non-Metallic Conduit (3/4 in. x 100 ft.)
PD455009	Liquid-Tight Flexible Non-Metallic Conduit (1 in. x 100 ft.)

LIQUID-TIGHT CONDUIT FITTINGS



Liquid-Tight Conduit Fittings – Straight

PART NO	DESCRIPTION	CASE QTY	CASE REQ
455005	Liquid-Tight Conduit Fitting - 1/2 in. Straight	25	Yes
PD455007	Liquid-Tight Conduit Fitting - 3/4 in. Straight	50	Yes



Liquid-Tight Conduit Fittings – Straight (Quick Twist)

PART NO	DESCRIPTION	CASE QTY	CASE REQ
455001	Liquid-Tight Conduit Fitting - 1/2 in. Straight (Quick Twist)	25	Yes
455003	Liquid-Tight Conduit Fitting - 3/4 in. Straight (Quick Twist)	25	Yes



Liquid-Tight Conduit Fittings – 90 Degrees

PART NO	DESCRIPTION	CASE QTY	CASE REQ
PD455006	Liquid-Tight Conduit Fitting - 1/2 in. 90 Degree	10	Yes
PD455008	Liquid-Tight Conduit Fitting - 3/4 in. 90 Degree	50	Yes



Liquid-Tight Conduit Fittings – 90 Degrees (Quick Twist)

PART NO	DESCRIPTION	CASE QTY	CASE REQ
455002	Liquid-Tight Conduit Fitting - 1/2 in. 90 Degree (Quick Twist)	10	Yes
455004	Liquid-Tight Conduit Fitting - 3/4 in. 90 Degree (Quick Twist)	10	Yes



FUSES & FUSE HOLDERS

FUSES – CONTROL CIRCUIT

All control circuit fuses are sold in packs of five.



Fuses – Control Circuit (Glass - Time Delay 1-1/4 in.)

PART NO	CURRENT RATING (A)	MAX VOLT RATING (VAC)	OVERALL LENGTH (IN)	DIAMETER (IN)	BUSSMAN CROSS REF	GOULD CROSS REF	LITTELFUSE CROSS REF
44-MDL1-5PK	1	250	1-1/4	1/4	MDL1	GDL1	313-1
44-MDL2-5PK	2	250	1-1/4	1/4	MDL2	GDL2	313-2
44-MDL3-5PK	3	250	1-1/4	1/4	MDL3	GDL3	313-3
44-MDL5-5PK	5	250	1-1/4	1/4	MDL5	GDL5	313-5
44-MDL7-5PK	7	250	1-1/4	1/4	MDL7	GDL7	313-7
44-MDL10-5PK	10	32	1-1/4	1/4	MDL10	GDL10	313-10
44-MDL15-5PK	15	32	1-1/4	1/4	MDL15	GDL15	313-15
44-MDL20-5PK	20	32	1-1/4	1/4	MDL20	GDL20	313-20
44-MDL25-5PK	25	32	1-1/4	1/4	MDL25	GDL25	313-25
44-MDL30-5PK	30	32	1-1/4	1/4	MDL30	GDL30	313-30



Fuses – Control Circuit (Glass – Fast Acting 20 mm/0.788 in.)

PART NO	CURRENT RATING (A)	MAX VOLT RATING (VAC)	OVERALL LENGTH (IN)	DIAMETER (IN)	BUSSMAN CROSS REF	GOULD CROSS REF	LITTELFUSE CROSS REF
44-GMA1A-5PK	1	250	0.788 (20 mm)	0.197 (5 mm)	GMA1A	GGM1A	235-1
44-GMA2A-5PK	2	250	0.788 (20 mm)	0.197 (5 mm)	GMA2A	GGM2A	235-2
44-GMA3A-5PK	3	250	0.788 (20 mm)	0.197 (5 mm)	GMA3A	GGM3A	235-3
44-GMA5A-5PK	5	125	0.788 (20 mm)	0.197 (5 mm)	GMA5A	GGM5A	235-5



Fuses – Control Circuit (Ceramic – Fast Acting 1-1/4 in.)

PART NO	CURRENT RATING (A)	MAX VOLT RATING (VAC)	OVERALL LENGTH (IN)	DIAMETER (IN)	BUSSMAN CROSS REF	GOULD CROSS REF	LITTELFUSE CROSS REF
44-ABC1-5PK	1	250	1-1/4	1/4	ABC-1	GAB1	314-1
44-ABC2-5PK	2	250	1-1/4	1/4	ABC2	GAB2	314-2
44-ABC3-5PK	3	250	1-1/4	1/4	ABC3	GAB3	314-3
44-ABC5-5PK	5	250	1-1/4	1/4	ABC5	GAB5	314-5
44-ABC10-5PK	10	250	1-1/4	1/4	ABC10	GAB10	314-10
44-ABC15-5PK	15	250	1-1/4	1/4	ABC15	GAB15	314-15
44-ABC20-5PK	20	250	1-1/4	1/4	ABC20	GAB20	314-20
44-ABC25-5PK	25	125	1-1/4	1/4	ABC25	GAB25	314-25
44-ABC30-5PK	30	125	1-1/4	1/4	ABC30	GAB30	314-30



Fuses – Control Circuit (Glass – Fast Acting 1-1/4 in.)

PART NO	CURRENT RATING (A)	MAX VOLT RATING (VAC)	OVERALL LENGTH (IN)	DIAMETER (IN)	BUSSMAN CROSS REF	GOULD CROSS REF	LITTELFUSE CROSS REF
44-AGC1-5PK	1	250	1-1/4	1/4	AGC1	GGC1	312-1
44-AGC2-5PK	2	250	1-1/4	1/4	AGC2	GGC2	312-2
44-AGC3-5PK	3	125	1-1/4	1/4	AGC3	GGC3	312-3
44-AGC4-5PK	4	125	1-1/4	1/4	AGC4	GGC4	312-4
44-AGC5-5PK	5	125	1-1/4	1/4	AGC5	GGC5	312-5
44-AGC7-5PK	7	125	1-1/4	1/4	AGC7	GGC7	312-7
44-AGC10-5PK	10	125	1-1/4	1/4	AGC10	GGC10	312-10
44-AGC15-5PK	15	32	1-1/4	1/4	AGC15	GGC15	312-15
44-AGC20-5PK	20	32	1-1/4	1/4	AGC20	GGC20	312-20
44-AGC25-5PK	25	32	1-1/4	1/4	AGC25	GGC25	312-25
44-AGC30-5PK	30	32	1-1/4	1/4	AGC30	GGC30	312-30



FUSES & FUSE HOLDERS



Fuses – Control Circuit (Blade Type – Automotive)

PART NO	CURRENT RATING (A)	MAX VOLT RATING (VAC)	EDISON CROSS REF	BUSSMAN CROSS REF	LITTELFUSE CROSS REF
44-ATC2-5PK	2	36	ATC2	ATC-2	ATO2
44-ATC3-5PK	3	36	ATC3	ATC-3	ATO3
44-ATC5-5PK	5	36	ATC-5	ATC-5	ATO5



Fuse Display

- Display is available with or without fuses
- Display with fuses includes one pack of all 1-1/4 in. and 20 mm control fuses

PART NO	DESCRIPTION
86-ERFS	Fuse Display (Includes Fuses)
86-ERFS-E	Fuse Display (Empty)



Fuses – Branch Circuit (RK5 Cartridge Type)

- RK5 Dual-Element Time Delay branch circuit fuses
- Maximum interrupting rating: 200,000A RMS Symmetrical

PART NO	FUSE MOUNTING (CARTRIDGE)	CURRENT RATING (A)	MAX VOLT RATING (VAC)	OVERALL LENGTH (IN)	DIAMETER (IN)	EDISON CROSS REFERENCE	BUSSMAN CROSS REFERENCE	GOULD CROSS REFERENCE	LITTELFUSE CROSS REFERENCE	DIVERSITECH CROSS REFERENCE
44-ECNR-15-10PK	Ferrule	15	250	2	9/16	ECNR15	FRN-R-15	TR15	FLNR15	7-CRNR15
44-ECNR-20-10PK	Ferrule	20	250	2	9/16	ECNR20	FRN-R-20	TR20	FLNR20	7-CRNR20
44-ECNR-25-10PK	Ferrule	25	250	2	9/16	ECNR25	FRN-R-25	TR25	FLNR25	7-CRNR25
44-ECNR-30-10PK	Ferrule	30	250	2	9/16	ECNR30	FRN-R-30	TR30	FLNR30	7-CRNR30
44-ECNR-35-10PK	Ferrule	35	250	3	13/16	ECNR35	FRN-R-35	TR35	FLNR35	7-CRNR35
44-ECNR-40-10PK	Ferrule	40	250	3	13/16	ECNR40	FRN-R-40	TR40	FLNR40	7-CRNR40
44-ECNR-45-10PK	Ferrule	45	250	3	13/16	ECNR45	FRN-R-45	TR45	FLNR45	7-CRNR45
44-ECNR-50-10PK	Ferrule	50	250	3	13/16	ECNR50	FRN-R-50	TR50	FLNR50	7-CRNR50
44-ECNR-60-10PK	Ferrule	60	250	3	13/16	ECNR60	FRNR-R-60	TR60	FLNR60	7-CRNR60
44-ECNR-100-5PK	Knife w/Rejection	100	250	5-7/8	1-1/16	ECNR100	FRN-R-100	TR100	FLNR100	—
44-ECSR-20-10PK	Ferrule	20	600	5	13/16	ECSR20	FRS-R-20	TRS20	FLSR20	—
44-ECSR-30-10PK	Ferrule	30	600	5	13/16	ECSR30	FRS-R-30	TRS30	FLSR30	—
44-ECSR-60-10PK	Ferrule	60	600	5-1/2	1-1/16	ECSR60	FRS-R-60	TRS60	FLSR60	—
44-ECSR-100-5PK	Knife w/Rejection	100	600	7-7/8	1-7/64	ECSR100	FRS-R-100	TRS100	FLSR100	—
44-ECSR-125-1PK	Knife w/Rejection	125	600	9-5/8	1-19/32	ECSR125	FRS-R-125	TRS125	FLSR125	—

FUSE PULLERS



Fuse Pullers

- Insulated handles rated up to 600V
- 87-FP-2 for 13/32 to 13/16 inch diameter cartridge shape fuses
- 87-FP-3 for 1 to 1-3/4 inch diameter cartridge shape fuses

PART NO	DESCRIPTION
87-FP-2	Fuse Puller (13/32 in. to 13/16 in.)
87-FP-3	Fuse Puller (1 in. to 1-3/4 in.)



CIRCUIT BREAKERS



Circuit Breakers – GE (THQC Series)

PART NO	MFG PART NO	TYPE	MOUNTING STYLE	MAX VOLT RATING (VACO)	CURRENT RATING (A)	NO OF POLES
42-20224-09	THQC2160WL	THQC	DIN Rail	230	60	2

Circuit Breakers – GE (THQP Series)

PART NO	MFG PART NO	TYPE	MOUNTING STYLE	MAX VOLT RATING (VACO)	CURRENT RATING (A)	NO OF POLES
425015	THQP120	THQP	Panelboard	230	20	1
425017	THQP250	THQP	Panelboard	230	50	2

Circuit Breakers – Siemens (Various)

PART NO	MFG PART NO	TYPE	MOUNTING STYLE	MAX VOLT RATING (VACO)	CURRENT RATING (A)	NO OF POLES
425022	D120	D	Panelboard	230	20	1
425018	Q120	Q	Panelboard	230	20	1
425021	Q260	QP	Panelboard	230	60	2

Circuit Breakers – Cutler-Hammer (Various)

PART NO	MFG PART NO	TYPE	MOUNTING STYLE	MAX VOLT RATING (VACO)	CURRENT RATING (A)	NO OF POLES
425007	BR120	BR	Panelboard	230	20	1
425004	CH120	CH	Panelboard	230	20	1

Circuit Breakers – Connecticut Electric/Unique Breakers, Inc. (Various)

PART NO	MFG PART NO	TYPE	MOUNTING STYLE	MAX VOLT RATING (VACO)	CURRENT RATING (A)	NO OF POLES
425035	TB220	TB	Panelboard	230	20	2
425037	TB250	TB	Panelboard	230	50	2
425029	UBIP-120	UBIP	Specialty	230	20	1
425031	UBIP260	UBIP	Specialty	230	60	2
425032	UBIZ20	UBIZ	Specialty	230	20	1
425034	UBIZ260	UBIZ	Specialty	230	60	2

SINGLE OVAL CAPACITORS



Certified to the highest level of UL 810; tested and approved for 5,000 AFC.



PART NO	CAPACITANCE (uF)	VOLTAGE (VAC)
PF433401	3	370
PF433427	4	370
PF433402	5	370
PF433421	5	440
PF433403	7.5	370
PF433433	7.5	440
PF433404	10	370
PF433422	10	440
PF433405	12.5	370
PF433406	15	370
PF433407	20	370
PF433410	35	370



TURBO200 FAMILY CAPACITORS



There are over 200 different dual value motor-run capacitors used in air conditioning service work, and it is almost impossible to carry all of these on a truck. With the Turbo 200 and Turbo 200X universal replacement capacitors, you'll always have the correct dual value motor-run capacitor when you need it! The Turbo200 is manufactured using patented capacitor technology, which allows a metalized film capacitor to be "tapped" with a built-in common or ground connection and eliminates the necessity of separate capacitors or packaging two or more capacitors in one can.

- Certified to the highest level of UL 810; tested and approved for 10,000 AFC
- Offers the same high reliability as other single and dual run capacitors
- Enclosed in metal can; internally protected, fluid-filled motor run capacitor
- Takes the guesswork out of inventory purchases; eliminates the need for 98% of motor run capacitor inventory

Turbo200

The Turbo200 motor-run capacitor has a capacitance range of 2.5 - 65.0 uF, and is rated for use up to 440V. Replaces more than 200 dual capacitors used for HVAC and maintenance work.

PART NO	DESCRIPTION
439100	Turbo200 Capacitor



Turbo200X

The Turbo200X motor-run capacitor and has a capacitance range of 2.5 - 97.5 uF, and is rated for up to 440V. Replaces many of the higher range of capacitors used in scroll compressors and higher efficiency A/C units.

PART NO	DESCRIPTION
439101	Turbo200X Capacitor



Turbo200 MINI

The Turbo MINI motor-run capacitor has a capacitance range of 2.5 - 15 uF, and is rated for up to 440V. Permanent replacement for up to fourteen popular "fan-sized" values.

PART NO	DESCRIPTION
439102	Turbo200 MINI Capacitor



Turbolytic50 Start Capacitor

The Turbolytic50 motor-start capacitor has a capacitance range of 21-324 uF, and is rated for use at 125-330V.

PART NO	DESCRIPTION
TurboLytic50	Universal Motor Start Capacitor - 302/330 MFD



TurboMeter

See the dual values develop simultaneously on the screen as you create the ratings needed.

PART NO	DESCRIPTION
439103	TurboMeter (DSC)





CONTACTORS



- Competitively sourced to bring you the quality contactors at the best possible price!
- Includes manual test switch; minimum two quick connect shunt terminals at each power terminal



PART NO	COIL VOLTAGE (VAC)	NO OF POLES	MOTOR FLA RATING @230V (A)	MOTOR LRA RATING @230V (A)	RESISTIVE RATING @230V (A)	MOTOR FLA RATING @460V (A)	MOTOR LRA RATING @460V (A)	RESISTIVE RATING @460V (A)	MOTOR FLA RATING @575V (A)	MOTOR LRA RATING @575V (A)	RESISTIVE RATING @575V (A)
PF425066	24	1	30	180	40	30	150	40	30	120	40
PF425068	24	2	30	180	40	30	150	40	30	120	40
PF425069	24	2	40	240	50	40	200	50	40	120	50
PF425070	24	3	40	240	50	40	200	50	40	160	50

TROUBLE/WORK LIGHTS



Incandescent Trouble/Work Lights

PART NO	VENDOR	VENDOR PART NO	LENGTH (FT)	JACKET COLOR	JACKET TYPE	CONDUCTOR SIZE (AWG)	MALE PLUG TYPE	FEMALE PLUG TYPE	NO OF FEMALE PLUGS	SWITCH
86-05857-00	Coleman Cable	05857-00-02	25	Yellow	SJEOW	16	Grounded	Incandescent Trouble Light w/Grounded Outlet	1	Yes
86-05858-00	Coleman Cable	05858-00-02	50	Yellow	SJEOW	16	Grounded	Incandescent Trouble Light w/Grounded Outlet	1	Yes
D12923025	Century Wire & Cable	D12923025	25	Orange	SJTW	12	Grounded (Lighted)	Incandescent Trouble Light w/Grounded Outlet	1	Yes
D12925025	Century Wire & Cable	D12925025	25	Blue	SJTW	12	Grounded (Lighted)	Incandescent Trouble Light w/Grounded Outlet	1	Yes



Fluorescent Trouble/Work Lights

PART NO	VENDOR	VENDOR PART NO	LENGTH (FT)	JACKET COLOR	JACKET TYPE	CONDUCTOR SIZE (AWG)	MALE PLUG TYPE	FEMALE PLUG TYPE	NO OF FEMALE PLUGS	SWITCH
D12812025	Century Wire & Cable	D12812025	6	Orange	SJTW	16	Grounded (Lighted)	Fluorescent Trouble Light w/Grounded Outlet	1	Yes

START KITS



GE Hard Start Devices

- Uses a genuine GE potential relay and a start capacitor
- Easy to install; no cutting or splicing of wires



PART NO	TORQUE	COMP MOTOR SIZE (HP)	OPERATING VOLTAGE (V)	NO OF PHASES	APPLICATION
SS-1	High	3-1/2 - 5	208-277	1	A/C and Heat Pumps (3-1/2 - 5 tons)
SS-5	High	1 - 3	208-277	1	A/C and Heat Pumps (1-3 tons)



NOTES: _____



GAS & OIL HEATING

**Thermocouples
Burner Nozzles
Fuel Oil Filters**



THERMOCOUPLES



Thermocouples – White-Rodgers H06E Series

PART NO	VENDOR PART NO	CAPILLARY TUBE LENGTH (IN)	BULB LENGTH (IN)	BULB DIA (IN)	BULB END CONNECTIONS	GAS VALVE END FITTING OD (IN)	CASE QTY	CASE REQ
62-25113-01	H06E018	18	2-11/64	3/16	Nut, Push-in Clip	11/32	10	Yes
62-25113-02	H06E024	24	2-11/64	3/16	Nut, Push-in Clip	11/32	10	Yes
62-25113-03	H06E036	36	2-11/64	3/16	Nut, Push-in Clip	11/32	10	Yes



Thermocouples – Honeywell Q340 Series

PART NO	VENDOR PART NO	CAPILLARY TUBE LENGTH (IN)	BULB LENGTH (IN)	BULB DIA (IN)	BULB END CONNECTIONS	GAS VALVE END FITTING OD (IN)	CASE QTY	CASE REQ
62-25079-95	Q340A1074	24	2-11/64	3/16	Nut, Adapter, Push-in Clip	11/32	10	Yes
62-25079-96	Q340A1082	30	2-11/64	3/16	Nut, Adapter, Push-in Clip	11/32	10	Yes
62-25079-97	Q340A1090	36	2-11/64	3/16	Nut, Adapter, Push-in Clip	11/32	10	Yes



Thermocouples – Honeywell Q390 Series

PART NO	VENDOR PART NO	CAPILLARY TUBE LENGTH (IN)	BULB LENGTH (IN)	BULB DIA (IN)	BULB END CONNECTIONS	GAS VALVE END FITTING OD (IN)	CASE QTY	CASE REQ
62-25079-01	Q390A1095	18	2-11/64	3/16	Nut, Adapter, Push-in Clip	11/32	10	Yes
62-25079-02	Q390A1046	24	2-11/64	3/16	Nut, Adapter, Push-in Clip	11/32	10	Yes
62-25079-03	Q390A1053	30	2-11/64	3/16	Nut, Adapter, Push-in Clip	11/32	10	Yes
62-25079-04	Q390A1061	36	2-11/64	3/16	Nut, Adapter, Push-in Clip	11/32	10	Yes

BURNER NOZZLES



- Brass construction for maximum resistance to corrosion
- Manufactured with rolled threads to avoid metal chips and burrs
- All nozzles are sold complete with a sintered filter for maximum protection against orifice clogging
- 100% tested to verify design flow rate and spray angle



Burner Nozzles – Oil Burners (Type A)




Hollow Cone Type A nozzles are mainly used on burners with a hollow cone air pattern. The droplet distribution is concentrated on the outside of the cone and results in good ignition and low-noise combustion.

PART NO	TYPE	SPRAY PATTERN	FLOWRATE (GPH)	SPRAY ANGLE (DEGREES)
PD595146	A	Hollow Spray	0.50	70
5080A	A	Hollow Spray	0.50	80
PD595164	A	Hollow Spray	0.50	90
595147	A	Hollow Spray	0.55	80
595148	A	Hollow Spray	0.55	90
6080A	A	Hollow Spray	0.60	80
6570A	A	Hollow Spray	0.65	70
6580A	A	Hollow Spray	0.65	80
595001	A	Hollow Spray	0.75	30
595025	A	Hollow Spray	0.75	45
595026	A	Hollow Spray	0.75	60
595027	A	Hollow Spray	0.75	70
595028	A	Hollow Spray	0.75	80
595029	A	Hollow Spray	0.75	90
595004	A	Hollow Spray	0.80	30
595040	A	Hollow Spray	0.80	45
595041	A	Hollow Spray	0.80	60

continued on next page



BURNER NOZZLES



Burner Nozzles – Oil Burners (Type A) – continued



PART NO	TYPE	SPRAY PATTERN	FLOWRATE (GPH)	SPRAY ANGLE (DEGREES)
595042	A	Hollow Spray	0.80	70
8570A	A	Hollow Spray	0.80	70
595043	A	Hollow Spray	0.80	80
595044	A	Hollow Spray	0.80	90
595007	A	Hollow Spray	0.85	30
595055	A	Hollow Spray	0.85	45
595056	A	Hollow Spray	0.85	60
595057	A	Hollow Spray	0.85	70
595058	A	Hollow Spray	0.85	80
595059	A	Hollow Spray	0.85	90
595010	A	Hollow Spray	0.90	30
595070	A	Hollow Spray	0.90	45
595071	A	Hollow Spray	0.90	60
595072	A	Hollow Spray	0.90	70
595073	A	Hollow Spray	0.90	80
595074	A	Hollow Spray	0.90	90
595015	A	Hollow Spray	1.00	30
595095	A	Hollow Spray	1.00	45
595096	A	Hollow Spray	1.00	60
595097	A	Hollow Spray	1.00	70
595098	A	Hollow Spray	1.00	80
595099	A	Hollow Spray	1.00	90
595020	A	Hollow Spray	1.10	30
595120	A	Hollow Spray	1.10	45
595121	A	Hollow Spray	1.10	60
PD595122	A	Hollow Spray	1.10	70
595123	A	Hollow Spray	1.10	80
595124	A	Hollow Spray	1.10	90



Burner Nozzles – Oil Burners (Type B)



Solid Cone Type B nozzles produce a spray that distributes fairly uniformly throughout the complete pattern. Provides smooth ignition and efficient combustion, particularly in larger burners.

PART NO	TYPE	SPRAY PATTERN	FLOWRATE (GPH)	SPRAY ANGLE (DEGREES)
59-22709-08	B	Solid Spray	0.50	70
6060B	B	Solid Spray	0.60	60
59-22709-09	B	Solid Spray	0.60	70
6080B	B	Solid Spray	0.60	80
6560B	B	Solid Spray	0.65	60
6570B	B	Solid Spray	0.65	70
595145	B	Solid Spray	0.65	80
595002	B	Solid Spray	0.75	30
595030	B	Solid Spray	0.75	45
595031	B	Solid Spray	0.75	60
595032	B	Solid Spray	0.75	70
595033	B	Solid Spray	0.75	80
7580B	B	Solid Spray	0.75	80
595034	B	Solid Spray	0.75	90
595005	B	Solid Spray	0.80	30
595045	B	Solid Spray	0.80	45

continued on next page



BURNER NOZZLES



Burner Nozzles – Oil Burners (Type B) – continued



PART NO	TYPE	SPRAY PATTERN	FLOWRATE (GPH)	SPRAY ANGLE (DEGREES)
595046	B	Solid Spray	0.80	60
595047	B	Solid Spray	0.80	70
595048	B	Solid Spray	0.80	80
595049	B	Solid Spray	0.80	90
595008	B	Solid Spray	0.85	30
595060	B	Solid Spray	0.85	45
595061	B	Solid Spray	0.85	60
59-22709-04	B	Solid Spray	0.85	70
595062	B	Solid Spray	0.85	70
595063	B	Solid Spray	0.85	80
59-18056-02	B	Solid Spray	0.85	80
595064	B	Solid Spray	0.85	90
595011	B	Solid Spray	0.90	30
595075	B	Solid Spray	0.90	45
595076	B	Solid Spray	0.90	60
595077	B	Solid Spray	0.90	70
595078	B	Solid Spray	0.90	80
595079	B	Solid Spray	0.90	90
PD595016	B	Solid Spray	1.00	30
595100	B	Solid Spray	1.00	45
595101	B	Solid Spray	1.00	60
59-22709-05	B	Solid Spray	1.00	70
595102	B	Solid Spray	1.00	70
595103	B	Solid Spray	1.00	80
595104	B	Solid Spray	1.00	90
595021	B	Solid Spray	1.10	30
595125	B	Solid Spray	1.10	45
595126	B	Solid Spray	1.10	60
595127	B	Solid Spray	1.10	70
595128	B	Solid Spray	1.10	80
595129	B	Solid Spray	1.10	90
59-22709-06	B	Solid Spray	1.20	70
59-22709-07	B	Solid Spray	1.35	70
17580B	B	Solid Spray	1.75	80



Burner Nozzles – Oil Burners (Type B – Del-O-Flo)



Solid Cone Type B Del-O-Flo style nozzles are low-capacity nozzles designed to minimize plugging problems associated with very low flow rates. The special interior design flushes contaminants and limits build-up. The Del-O-Flo Type B nozzle satisfactorily interchanges with other hollow and solid cone nozzles.

PART NO	TYPE	SPRAY PATTERN	FLOWRATE (GPH)	SPRAY ANGLE (DEGREES)
59-22709-12	B (Del-O-Flo)	Solid Spray	0.50	70
59-22709-13	B (Del-O-Flo)	Solid Spray	0.60	70
59-22709-10	B (Del-O-Flo)	Solid Spray	0.75	70
59-22709-11	B (Del-O-Flo)	Solid Spray	0.85	70



BURNER NOZZLES



Burner Nozzles – Oil Burners (Type W)



Type W All Purpose nozzles are neither truly hollow nor solid. These nozzles frequently can be used in place of either solid or hollow cone nozzles above 0.40 GPH regardless of the burner's air pattern.

PART NO	TYPE	SPRAY PATTERN	FLOWRATE (GPH)	SPRAY ANGLE (DEGREES)
PD595149	W	All Purpose	0.60	80
595003	W	All Purpose	0.75	30
595036	W	All Purpose	0.75	60
595037	W	All Purpose	0.75	70
595038	W	All Purpose	0.75	80
595039	W	All Purpose	0.75	90
595006	W	All Purpose	0.80	30
595050	W	All Purpose	0.80	45
595051	W	All Purpose	0.80	60
595052	W	All Purpose	0.80	70
595053	W	All Purpose	0.80	80
595054	W	All Purpose	0.80	90
PD595009	W	All Purpose	0.85	30
595065	W	All Purpose	0.85	45
595066	W	All Purpose	0.85	60
595067	W	All Purpose	0.85	70
595068	W	All Purpose	0.85	80
595069	W	All Purpose	0.85	90
595012	W	All Purpose	0.90	30
595080	W	All Purpose	0.90	45
595081	W	All Purpose	0.90	60
595082	W	All Purpose	0.90	70
595083	W	All Purpose	0.90	80
595084	W	All Purpose	0.90	90
595017	W	All Purpose	1.00	30
595105	W	All Purpose	1.00	45
595106	W	All Purpose	1.00	60
595107	W	All Purpose	1.00	70
PD595108	W	All Purpose	1.00	80
595109	W	All Purpose	1.00	90
595022	W	All Purpose	1.10	30
595130	W	All Purpose	1.10	45
595131	W	All Purpose	1.10	60
595132	W	All Purpose	1.10	70
595133	W	All Purpose	1.10	80
595134	W	All Purpose	1.10	90



Burner Nozzles – Oil Burners (Type R-D)



Type R-D nozzles have a high concentration of droplets in the center of the spray cone. They are particularly recommended for burners with a highly concentrated solid air pattern. The average droplet size is slightly coarser than on Type B.

PART NO	TYPE	SPRAY PATTERN	FLOWRATE (GPH)	SPRAY ANGLE (DEGREES)
59-22709-01	R-D	Solid Spray	0.50	70



BURNER NOZZLES



Burner Nozzles – Oil Burners (Type AR-D)



Type AR-D nozzles are Solid Cone similar to Type B but with a slightly lower concentration of droplets in the center of the cone.

PART NO	TYPE	SPRAY PATTERN	FLOWRATE (GPH)	SPRAY ANGLE (DEGREES)
59-22709-02	AR	Solid Spray	0.60	60

FUEL OIL FILTERS

FUEL OIL FILTER ASSEMBLIES

- Iron and galvanized steel construction for maximum integrity and durability; epoxy powder coat finish
- Leak-proof construction with machined gasket seat
- Low pressure drop, suitable for gravity flow and one or two pipe systems on pressure type burners
- Micronic filtration suited to the smallest oil burner nozzle
- High quality wool felt filter elements that remove solid contaminants
- Bonding treatment of center core in filter element eliminates lint
- Step design element offers largest dirt capacity with true depth filtration



59-77 Fuel Oil Filter Assembly

PART NO	VENDOR PART NO	FILTER MATERIAL	MAX WORKING PRESSURE (PSIG)	YIELD PRESSURE (PSIG)	MAX FIRING RATE - NO2 FUEL OIL (GPH)	INLET NPT (IN)	OUTLET NPT (IN)	FILTER ASSEMBLY OVERALL LGTH (IN)	FILTER CANISTER DIA (IN)	REPLACEMENT ELEMENT (WOOL FELT)	REPLACEMENT ELEMENT (RAYON)
59-77	77	Wool Felt	40	200	10	3/8	3/8	5-1/8	3-5/8	59-88-CR	59-RF-1



59-99 Fuel Oil Filter Assembly

PART NO	VENDOR PART NO	FILTER MATERIAL	MAX FIRING RATE - NO2 FUEL OIL (GPH)	INLET NPT (IN)	OUTLET NPT (IN)	FILTER ASSEMBLY OVERALL LGTH (IN)	FILTER CANISTER DIA (IN)	REPLACEMENT ELEMENT (WOOL FELT)	REPLACEMENT ELEMENT (RAYON)
59-99	99	Wool Felt	25	3/8	3/8	6-1/4	4-3/8	59-101	59-RF-2

FUEL OIL FILTER ASSEMBLIES

Fuel Oil Filters – Replacement Cartridges (Rayon)



Crafted with quality from continuous spun Rayon fibers with an exclusive gear tooth design for maximum surface area and enhanced depth filtration. The unique density specifications allow collection of contaminants deep into the filter.



PART NO	VENDOR PART NO	FILTER MATERIAL	CROSS REFERENCE
59-RF-1	RF-1	Rayon	Unifilter 77, General 1A-25A, Sears 8055, Sid Harvey XF-25/264, Mitco 264, AutoFlo F-300, Eddington S-254, Federal A-77
59-RF-2	RF-2	Rayon	Unifilter 99, General 2A-700A, Sid Harvey XF-1/265, Mitco 265, AutoFlo F-400, Eddington S-252
59-RF-4	RF-4	Rayon	Fulflo B4, AS4, FB4



FUEL OIL FILTERS

FUEL OIL FILTER ASSEMBLIES



Fuel Oil Filters – Replacement Cartridges (Wool Felt)

Crafted with special “step design” wool felt element. Unique center core bond treatment eliminates lint.



PART NO	VENDOR PART NO	FILTER MATERIAL	CROSS REFERENCE
59-101	101	Wool Felt	Unifilter 99, General 2A-700A, Sid Harvey XF-1/265, Mitco 265, AutoFlo F-400, Eddington S-252
59-88-CR	88-CR	Wool Felt	Unifilter 77, General 1A-25A, Sears 8055, Sid Harvey XF-25/264, Mitco 264, AutoFlo F-300, Eddington S-254, Federal A-77

OIL TANK PARTS

PART NO	DESCRIPTION
463803	Wireless Oil Tank Monitor
463849	Oil Tank Vertical Leakproof Tank Gauge - 1-1/2 in. x 2 in. MNPT
463858	Oil Tank Cap
463867	Oil Tank Straight Connector - 2 in. FNPT
463885	Oil Tank 45 degree Connector - 1-1/4 in. FNPT
463894	Oil Tank 45 degree Connector - 1-1/2 in. FNPT
463901	Oil Tank 45 degree Connector - 2 in. FNPT
463906	Fusible Inline Oil Tank Valve - 3/8 in. FNPT
463910	Fusible Burner (Angle) Oil Tank Valve - 3/8 in. Flare x 1/4 in. MNPT
463922	Fusible Oil Tank Valve - 1/2 in. MNPT x 3/8 MNPT
463929	Oil Tank Gauge Vial w/Gasket & O-Ring
463930	Oil Tank Scully Gauge Vial
463983	3-Way Oil Tank Tap - 2 in. MNPT x 1/2 in. Tube Return/Supply
464007	3-Way Oil Tank Tap - 2 in. MNPT x 3/8 in. Tube Return/Supply
464023	Oil Tank Standard Fill Alarm - 2 in. MNPT x 1-1/2 in. FNPT
464045	Oil Tank Standard Fill Alarm - 2 in. MNPT x 2 in. FNPT
464104	Oil Tank Vertical Fill Alarm/Gauge - 2 in. MNPT x 1-1/4 in. FNPT
464107	Oil Tank Vertical Fill Alarm/Gauge - 2 in. MNPT x 1-1/2 in. FNPT
464112	Oil Tank Vertical Fill Alarm/Gauge - 2 in. MNPT x 2 in. FNPT
464125	Oil Tank Slip-on Vent Cap - 1-1/2 in. MNPT
464139	Oil Tank Slip-on Vent Cap - 1-1/4 in. MNPT
464147	Oil Tank Mushroom Vent Cap - 1-1/4 in. FNPT
464152	Oil Tank Mushroom Vent Cap - 1-1/2 in. FNPT
464161	Oil Tank Mushroom Vent Cap - 2 in. FNPT
464163	Oil Tank Slip-on Vent Cap - 2 in. MNPT
464170	Oil Tank Hinged Fill Cap - 2 in. FNPT





SUPPLIES

Condensate Pumps
Condensate Overflow Safety Switches
Condensate Traps
Clear Vinyl Tubing
Hose Clamps
Auxiliary Drain Pans
AC Guard Security Cage
Equipment Pads
Anti-Vibration Pads
Gas Ball Valves
Flexible Gas Connectors
Black Iron Pipe & Fittings
Thermostat Cable
Refrigerant Recovery Cylinders
Tank Heater
SlimDuct Lineset Ducting System
Tapes
Chip Brushes
Duct Strap & Hanging Wire
Brazing & Soldering Supplies

Abrasive Cloth
Clothing & Personal Protection Equipment
Cleaning Supplies & Hand Cleaner
Light Bulbs
Pipe Flashing
Insulation, Sealing & Gasket Materials
Adhesives
Caulking, Sealants & Fire Stop
WD-40
Thread Sealants & Joint Compounds
Plastic Pipe Cements & Primers
Brass Fittings
Copper Fittings
Coil Cleaners
IAQ Assurance Products
Leak Detectors
Refrigerant Oils
Insect & Pest Sprays
Cleaners, Degreasers & Descalers



CONDENSATE PUMPS



Condensate Pumps – Hartell KT-3 Series



Uses a double splash protected motor with more starting torque than a standard motor. An innovated cam-action switch/float assembly allows a “drink” nearly twice a typical volume without increasing pump dimensions. High-impact ABS construction. An integral full-flow check valve virtually eliminates blocked pump discharge. Three top inlets provided for installation flexibility.

PART NO	VENDOR PART NO	INPUT VOLTAGE (V)	SAFETY SWITCH	TUBING	TANK CAPACITY (GALLONS)	OVERALL DIMENSIONS LxWxH (IN)	SHUT-OFF HEAD (FT)	FLOW RATE @18FT HEAD (GPH)	FLOW RATE @12FT HEAD (GPH)	FLOW RATE @6FT HEAD (GPH)
84-KT3-1UL	KT3-1UL	120	No	Not included	0.75	9-1/4 x 5-1/2 x 8-1/4	18-1/2	50	120	155



Condensate Pumps – Hartell KT-15 Series



Designed to provide years of trouble-free service. An integral full-flow check valve virtually eliminates blocked pump discharge. Two top inlets provided.

PART NO	VENDOR PART NO	INPUT VOLTAGE (V)	SAFETY SWITCH	TUBING	TANK CAPACITY (GALLONS)	OVERALL DIMENSIONS LxWxH (IN)	SHUT-OFF HEAD (FT)	FLOW RATE @18FT HEAD (GPH)	FLOW RATE @12FT HEAD (GPH)	FLOW RATE @6FT HEAD (GPH)
84-KT-15-1UL	KT-15-1UL	120	No	Not included	0.75	9-1/4 x 5-1/2 x 8-1/4	15	—	68	118
84-KT-15X-1ULT	KT-15X-1ULT	120	Yes	3/8 in. I.D. (20 ft.)	0.75	9-1/4 x 5-1/2 x 8-1/4	15	—	68	118
84-KT-15X-1UL	KT-15X-1UL	120	Yes	Not included	0.75	9-1/4 x 5-1/2 x 8-1/4	15	—	68	118



Condensate Pumps – Little Giant VCMA Series



A vertical type pump with stainless steel motor shaft, rust proof, high-impact ABS volute, tank and motor cover, removable 3/8 in. O.D. barbed check valve. Three top inlets provided.

PART NO	VENDOR PART NO	INPUT VOLTAGE (V)	SAFETY SWITCH	TUBING	TANK CAPACITY (GALLONS)	OVERALL DIMENSIONS LxWxH (IN)	SHUT-OFF HEAD (FT)	FLOW RATE @10FT HEAD (GPH)	FLOW RATE @5FT HEAD (GPH)	FLOW RATE @1FT HEAD (GPH)
84-VCMA-15UL	554401	120	No	Not included	0.50	11 x 5 x 7-1/32	15	25	50	65
84-VCMA-15ULST	554415	120	Yes	3/8 in. I.D. (20 ft.)	0.50	11 x 5 x 7-1/32	15	25	50	65
84-VCMA-15ULS	554405	120	Yes	Not included	0.50	10-5/16 x 5 x 7-1/32	15	25	50	65
84-VCMA-20ULS	554425	120	Yes	Not included	0.50	11 x 5 x 7-1/32	20	48	70	80
84-VCMA-20UL-230	554451	230	No	Not included	0.50	11 x 5 x 7-1/32	17	48	70	80
84-VCMA-20ULST-230	554461	230	Yes	3/8 in. I.D. (20 ft.)	0.50	11 x 5 x 7-1/32	17	48	70	80
84-VCMA-20ULS-230	554455	230	Yes	Not included	0.50	11 x 5 x 7-1/32	17	48	70	80



Condensate Pumps – Little Giant VCC Series



A low profile compact size for applications with limited space. Pumps feature a stainless steel motor shaft, rust proof, high-impact ABS volute, tank and motor cover. Discharge is a 3/8 in. O.D. barbed tubing adapter/check valve. Two top inlets provided.

PART NO	VENDOR PART NO	INPUT VOLTAGE (V)	SAFETY SWITCH	TUBING	TANK CAPACITY (GALLONS)	OVERALL DIMENSIONS LxWxH (IN)	SHUT-OFF HEAD (FT)	FLOW RATE @10FT HEAD (GPH)	FLOW RATE @5FT HEAD (GPH)	FLOW RATE @1FT HEAD (GPH)
84-VCC-20ULS	554200	120	Yes	Not included	0.30	12 x 5 x 5	20	45	70	80
84-VCC-20ULS-230	554210	230	Yes	Not included	0.30	12 x 5 x 5	17	45	70	80



Condensate Pumps – Little Giant VCL Series



Features a stainless steel motor shaft, ABS tank, and galvanized steel tank cover. Discharge is a 1/4 in. NPT or 3/8 in. O.D. barbed tubing adapter. Two top inlets provided.

PART NO	VENDOR PART NO	INPUT VOLTAGE (V)	SAFETY SWITCH	TUBING	TANK CAPACITY (GALLONS)	OVERALL DIMENSIONS LxWxH (IN)	SHUT-OFF HEAD (FT)	FLOW RATE @10FT HEAD (GPH)	FLOW RATE @5FT HEAD (GPH)	FLOW RATE @1FT HEAD (GPH)
84-VCL-24ULS	553201	120	Yes	Not included	1	12-7/64 x 6 x 10-3/8	24	210	250	270



CONDENSATE PUMPS

Condensate Pumps – Sauermann



High flow rate, high discharge head pumps with integral check valve. Two top inlets, and hose adapter provided.

PART NO	VENDOR PART NO	INPUT VOLTAGE (V)	SAFETY SWITCH	TUBING	TANK CAPACITY (GALLONS)	OVERALL DIMENSIONS LxWxH (IN)	SHUT-OFF HEAD (FT)	FLOW RATE @16FT HEAD (GPH)	FLOW RATE @6.6FT HEAD (GPH)	FLOW RATE @0FT HEAD (GPH)
SI1805SIUS11	SI1805SIUS11	120	Yes	Not included	0.13	7-3/4 x 5 x 4-3/4	20	23	103	132
SI1820SIUS11	SI1820SIUS11	120	Yes	Not included	0.53	7-3/4 x 5 x 6-3/4	20	23	103	132

Mini-Split Condensate Pumps – Little Giant EC Series



- Fits most mini-splits up to 25,000 BTU/HR
- Compact two-piece design allows flexible installation
- Quiet operation
- Self-priming pump

- Kit contents:
 - Pump unit
 - Suction tubing (3 ft.)
 - Vent tubing (8 in.)
 - Drain tubing (3 in.)
 - Tubing adapter

PART NO	VENDOR PART NO	INPUT VOLTAGE (V)	SAFETY SWITCH	PUMP DIMENSIONS LxWxH (IN)	SHUT-OFF HEAD (FT)	MAXIMUM SUCTION HEAD (FT)	FLOW RATE @20FT HEAD (GPH)	FLOW RATE @1FT HEAD (GPH)
84-EC-400-115	553455	120	Yes	1-3/8 x 1-3/4 x 4-3/8	35	3	0.6	2.5
84-EC-400-230	553458	230	Yes	1-3/8 x 1-3/4 x 4-3/8	35	3	0.6	2.5

Mini-Split Condensate Pumps – Sauermann



- Suitable for most mini-splits up to 60,000 BTU/HR
- Designed for mini-splits with limited internal space; suitable
- Consists of pump unit and remote detection unit fitted with three level float (on/off/alarm)
- Low maintenance filter-free detection unit
- Quiet operation

- Kit contents:
 - Pump unit
 - Detection unit with float
 - Anti-vibration mounting bracket
 - Power cable
 - Detector installation kit with rubber elbow and vent tube

PART NO	VENDOR PART NO	INPUT VOLTAGE (V)	SAFETY SWITCH	OVERALL DIMENSIONS LxWxH (IN)	SHUT-OFF HEAD (FT)	MAXIMUM SUCTION HEAD (FT)	FLOW RATE @16FT HEAD (GPH)	FLOW RATE @3.3FT HEAD (GPH)
SI3000SIUS11	SI3000SIUS11	120	Yes	2-5/8 x 1-3/4 x 2-3/8	20	10	2.7	4.6
SI3200SIUS11	SI3200SIUS11	120	Yes	2-5/8 x 1-3/4 x 2-1/2	20	6.6	3.04	5.02
SI3000SIUS23	SI3000SIUS23	230	Yes	2-5/8 x 1-3/4 x 2-3/8	20	10	2.7	4.6
SI3200SIUS23	SI3200SIUS23	230	Yes	2-5/8 x 1-3/4 x 2-1/2	20	6.6	3.04	5.02

CONDENSATE OVERFLOW SAFETY SWITCHES

84-ACS-2-18 & 84-ACS-2-72 Condensate Overflow Safety Switches – Pan Mount



- Mounts to the side of condensate drain pans
- Detects high condensate levels in drain pans and shuts-off the system
- The switch can be wired to operate as normally open or normally closed

PART NO	DESCRIPTION
84-ACS-2-18	Condensate Overflow Safety Switch - Pan Mount
84-ACS-2-72	Condensate Overflow Safety Switch - Pan Mount



CONDENSATE OVERFLOW SAFETY SWITCHES



84-J-100 Condensate Overflow Safety Switch – Pan Mount



- Mounts to the side of condensate drain pans
- Detects high condensate levels in drain pans and shuts-off the system
- The switch can be wired to operate as normally open or normally closed

PART NO	DESCRIPTION
84-J-100	Condensate Overflow Safety Switch - Pan Mount



84-SS1 Condensate Overflow Safety Switch – Main or Auxiliary Drain Line Mount



- Designed for installation in the drain pan primary outlet or auxiliary outlet
- Designed for in-line installation in the vertical or horizontal position
- Detects high condensate levels in drain pans and shuts-off the system
- Includes all fittings required for both mounting positions
- The switch is designed to operate only as normally closed
- Includes fittings for 3/4 in. and 1 in. drains and 3/4 in. threaded female pan drains

PART NO	DESCRIPTION
84-SS1	Condensate Overflow Safety Switch - Main or Auxiliary Drain Line Mount



84-SS2 Condensate Overflow Safety Switch – Auxiliary Drain Line Mount



- Designed for installation in the drain pan auxiliary outlet
- Detects high condensate levels in drain pans and shuts-off the system
- The switch is designed to operate only as normally closed
- Compact overflow switch with 3/4 in. female slip inlet and 3/4 in. threaded male adapter; two part design for use where obstructions prevent direct threading

PART NO	DESCRIPTION
84-SS2	Condensate Overflow Safety Switch - Auxiliary Drain Line Mount



84-SS3 Condensate Overflow Safety Switch – Pan Mount



- Mounts to the side of condensate drain pans
- Detects high condensate levels in drain pans and shuts-off the system
- The switch is designed to operate only as normally closed

PART NO	DESCRIPTION
84-SS3	Condensate Overflow Safety Switch - Pan Mount



EZT-225 Condensate Overflow Safety Switch – Main or Auxiliary Drain Line Mount



- Designed for installation in the drain pan primary outlet or auxiliary outlet
- Designed for in-line installation in the vertical or horizontal position
- Detects high condensate levels in drain pans and shuts-off the system
- Includes all fittings required for both mounting positions
- The switch can be wired to operate as normally open or normally closed; three lead wires
- Includes fittings for 3/4 in. and 1 in. drains and 3/4 in. threaded female drains

PART NO	DESCRIPTION
EZT-225	Condensate Overflow Safety Switch - Main or Auxiliary Drain Line Mount



EZT-224 Condensate Overflow Safety Switch – Auxiliary Drain Line Mount



- Designed for installation in the drain pan auxiliary outlet
- Detects high condensate levels in drain pans and shuts-off the system
- The switch can be wired to operate as normally open or normally closed; three lead wires
- Compact overflow switch with 3/4 in. male threaded inlet

PART NO	DESCRIPTION
EZT-224	Condensate Overflow Safety Switch - Auxiliary Drain Line Mount



CONDENSATE OVERFLOW SAFETY SWITCHES



EZT-226 Condensate Overflow Safety Switch – Auxiliary Drain Line Mount



- Designed for installation in the drain pan auxiliary outlet
- Detects high condensate levels in drain pans and shuts-off the system
- The switch can be wired to operate as normally open or normally closed; three lead wires
- Compact overflow switch with 3/4 in. female slip inlet and 3/4 in. threaded male adapter; two part design for use where obstructions prevent direct threading

PART NO	DESCRIPTION
EZT-226	Condensate Overflow Safety Switch - Auxiliary Drain Line Mount



EZT-228 Condensate Overflow Safety Switch – Visual Indicator



- Designed for installation in the drain pan primary outlet or auxiliary outlet
- Detects high condensate levels in drain pans and shuts-off the system
- The switch can be wired to operate as normally open or normally closed; three lead wires
- Connects to the drain pan with a 3/4 in. connection
- Includes a clear extension tube for visual indication

PART NO	DESCRIPTION
EZT-228	Condensate Overflow Safety Switch - Visual Indicator

CONDENSATE TRAPS



EZT-107



3/4 in. side entry cross trap kit; designed for offset mounting on “A” coil applications. Includes: 3/4 in. standard trap, 3/4 in. cross, 3/4 in. tee, two 3/4 in. red caps, one 1 in. red cap, 3/4 in. x 3/4 in. x 1 in. reducing tee, 3/4 in. male adaptor, 3/4 in. black stub, and cleaning brush.

PART NO	DESCRIPTION
EZT-107	Cross Trap Kit - 3/4 in. Side Entry



EZT-113



3/4 in. economy trap kit; blow molded U-bend trap, no brush. Includes: 3/4 in. blow molded trap, 3/4 in. cross, 3/4 in. tee, and three 3/4 in. red caps.

PART NO	DESCRIPTION
EZT-113	Cross Trap Kit - 3/4 in. Economy



EZT-113B



Same as EZT-113 except includes cleaning brush.

PART NO	DESCRIPTION
EZT-113	Cross Trap Kit - 3/4 in. Economy



EZT-119



1 in. high flow commercial trap kit. Includes: 1 in. standard trap, 1 in. cross, 1 in. tee, two 1 in. red caps, 1 in. x 3/4 in. bushing, 1 in. male adaptor, 3/4 in. black stub, and cleaning brush.

PART NO	DESCRIPTION
EZT-119	Cross Trap Kit - 1 in. Standard

SUPPLIES



CONDENSATE TRAPS



EZT-406

Flexible cleaning brush only.



PART NO	DESCRIPTION
EZT-406	Flexible Cleaning Brush



EZT-414

3/4 in. clean-out cross with two 3/4 in. red caps.



PART NO	DESCRIPTION
EZT-414	Clean-Out Cross - 3/4 in. w/2 Caps



EZT-150

UltraTrap waterless trap kit fits 3/4 in. or 1 in.; eliminates standing water and freezing problems. Includes: 3/4 in. Ultratrap, 3/4 in. cross, two 3/4 in. red caps, 3/4 in. male adaptor, 3/4 in. coupler, and cleaning brush.



PART NO	DESCRIPTION
EZT-150	UltraTrap Waterless Trap Kit



EZT-205

3/4 in. deep trap with overflow switch; designed for offset mounting. Includes: 3/4 in. Deep trap, 1 in. cross, 3/4 in. tee, one 1 in. red cap, 3/4 in. tee, 3/4 in. male adaptor, 3/4 in. black stub, float switch assembly, 48 in. leads, 1 in. x 3/4 in. bushing, and cleaning brush.



PART NO	DESCRIPTION
EZT-205	Deep Cross Trap Kit - 3/4 in. w/Float Switch



EZT-207

3/4 in. trap with overflow switch; designed for offset mounting on "A" coil applications. Includes: 3/4 in. standard trap, 3/4 in. cross, 3/4 in. tee, two 3/4 in. red caps, 3/4 in. x 3/4 in. x 1 in. reducing tee, 3/4 in. male adaptor, 3/4 in. black stub, float switch assembly, 48 in. leads, and cleaning brush.



PART NO	DESCRIPTION
EZT-207	Cross Trap Kit - 3/4 in. Switched Side Entry



EZT-210

3/4 in. standard trap kit with overflow switch and cross. Includes: 3/4 in. standard trap, 1 in. cross, 1 in. red cap, two 1 in. x 3/4 in. bushings, 3/4 in. tee, 3/4 in. male adapter, 3/4 in. black stub, float switch assembly, 48 in. leads, and cleaning brush.



PART NO	DESCRIPTION
EZT-207	Cross Trap Kit - 3/4 in. Switched Side Entry



EZT-211

Same as EZT-210 except does not include cleaning brush or 3/4 in. male adapter.



PART NO	DESCRIPTION
EZT-211	Cross Trap Kit - 3/4 in. Standard w/Float Switch (w/o Brush or Adapter)



CONDENSATE TRAPS



EZT-219

1 in. trap with overflow switch; designed for offset mounting. Includes: 1 in. standard trap, 1 in. cross, 1 in. tee, one 1 in. red cap, 1 in tee, 1 in. male adaptor, 1 in. black stub, float switch assembly, 48 in. leads, 1 in. x 3/4 in. bushing, and cleaning brush.



PART NO	DESCRIPTION
EZT-219	Cross Trap Kit - 1 in. w/Float Switch



EZT-250

Waterless trap kit fits 3/4 in. or 1 inch; eliminates standing water and freezing problems; includes overflow switch. Includes: 3/4 in. Ultratrap, 3/4 in. cross, two 3/4 in. red caps, 3/4 in. male adaptor, 3/4 in. coupler, float switch assembly, 48 in. cable, and cleaning brush.



PART NO	DESCRIPTION
EZT-250	UltraTrap Switched Waterless Trap Kit - Pos.

CLEAR VINYL TUBING



PART NO	HOSE ID (IN)	LENGTH (FT)	MATERIAL	COLOR
686012	1/4	100	Vinyl	Clear
686013	3/8	100	Vinyl	Clear
686014	1/2	100	Vinyl	Clear
686015	5/8	100	Vinyl	Clear
686016	3/4	100	Vinyl	Clear
686017	7/8	50	Vinyl	Clear
686018	1	50	Vinyl	Clear

HOSE CLAMPS



Hose Clamps – Worm Drive Type

PART NO	NOMINAL HOSE SIZE - OD (IN)	ADJUST RANGE HOSE OD (IN)	CLAMP SIZE	BAND MATERIAL	BAND WIDTH (IN)	TYPE	CASE QTY	CASE REQ
86-25172-05	5/8 - 3/4	9/16 - 1-1/4	12	Stainless Steel Band	1/2	Worm Drive	10	Yes
86-25172-06	3/4 - 1	11/16 - 1-1/2	16	Stainless Steel Band	1/2	Worm Drive	10	Yes
86-25172-07	1 - 1-1/4	3/4 - 1-3/4	20	Stainless Steel Band	1/2	Worm Drive	10	Yes
PD455151	5/16 - 3/8	3/8 - 7/8	6	Stainless Steel Band	1/2	Worm Drive	10	Yes



AUXILIARY DRAIN PANS

- Mounts to the side of condensate drain pans
- Detects high condensate levels in drain pans and shuts-off the system
- The switch can be wired to operate as normally open or normally closed

Aquaguard Goliath Auxiliary Drain Pans



- Polymer, crack-resistant secondary drain pan
- Includes magnetic, 24VAC, 5A float kit
- Horizontal mounting
- Vibration isolators

PART NO	TOP WIDTH (IN)	TOP LENGTH (IN)	DEPTH (IN)	MATERIAL	CASE QTY	CASE REQ
AG-G26X56	26-1/2	56-5/8	2-13/16	DexElar	10	Yes
AG-G28X57	28-3/8	57-1/4	5-1/4	DexElar	10	Yes
AG-G28X69	28-1/4	69-1/8	4-1/4	DexElar	10	Yes
AG-G30X50	30-1/4	50-1/4	4	DexElar	10	Yes
AG-G30X62	30-3/8	63	4-1/4	DexElar	10	Yes

Aquaguard Goliath Furnace Auxiliary Drain Pans



- Polymer crack-resistant secondary drain pan
- Includes AG-4300 Magnetic, 24VAC, 5A Float Kit
- Vertical or horizontal mounting depending on model
- Vibration isolators

PART NO	TOP WIDTH (IN)	TOP LENGTH (IN)	DEPTH (IN)	MATERIAL	CASE QTY	CASE REQ
AG-GF30X36	30-1/2	37-1/2	3	DexElar	10	Yes
AG-GF34X64	34-1/8	64-1/8	7-1/2	DexElar	10	Yes
AG-GF34X79	33-3/4	79	7-1/2	DexElar	10	Yes

Aquaguard Goliath Furnace Auxiliary Drain Pans



- Compact for tight space applications
- Polymer crack-resistant secondary drain pan
- Includes AG-4100 Magnetic, 24VAC, 5A Float Kit
- Vertical or horizontal mounting depending on model

PART NO	TOP WIDTH (IN)	TOP LENGTH (IN)	DEPTH (IN)	MATERIAL	CASE QTY	CASE REQ
AG-T30X62	32-1/8	61-5/8	2-1/4	DexElar	10	Yes
AG-T32X32	31-7/8	31-7/8	2-1/4	DexElar	10	Yes

AC GUARD SECURITY CAGE



Protect air conditioners from copper thieves with patent pending air conditioner cage. Completely adjustable, these cages expand to fit most air conditioning units for commercial and residential.

- Pleasing appearance
- Installs in 30 minutes
- Removable for maintenance
- 16 gauge steel
- Height adjustable from 34 inches to 59 inches
- Width and depth independently adjustable from 30 inches to 51 inches

PART NO	DESCRIPTION
ACGUKIT	AC Security Cage




EQUIPMENT PADS

Equipment Pads – Eco Pad Series



PART NO	WIDTH (IN)	LENGTH (IN)	THICKNESS (IN)	PAD WEIGHT (LB)	CASE WEIGHT (LB)	CASE QTY	CASE REQ
92120001	18	36	2	7.65	382.5	50	Yes
92120002	24	24	2	7.002	350.1	50	Yes
93120021	24	24	3	9.26	296.32	32	Yes
92120003	24	36	2	10.37	518.5	50	Yes
93120022	24	36	3	13.46	430.72	32	Yes
93120004	24	48	3	16.69	267.04	16	Yes
92120007	30	30	2	10.3	257.5	25	Yes
93120006	30	30	3	13.44	215.04	16	Yes
92120009	30	40	2	12.97	324.5	25	Yes
92120011	33	33	2	12.28	307	25	Yes
93120010	33	33	3	15.33	245.28	16	Yes
93120011	33	38	3	14	224	16	Yes
92120013	33	45	2	16.65	416.25	25	Yes
93120012	33	45	3	20.3	324.8	16	Yes
92120015	36	36	2	14.52	363	25	Yes
93120014	36	36	3	18.72	299.52	16	Yes
92120017	36	48	2	20.74	331.84	16	Yes
93120016	36	48	3	25.47	407.52	16	Yes
93120025	36	67	3	28	448	16	Yes
93120018	50	50	3	33.7,34	539.2,544	16	Yes
93120019	50	60	3	40.24	643.84	16	Yes
93120020	50	70	3	47.09	753.44	16	Yes

Equipment Pads – Duragrid Series




PART NO	WIDTH (IN)	LENGTH (IN)	THICKNESS (IN)	PAD WEIGHT (LB)	CASE WEIGHT (LB)	CASE QTY	CASE REQ
92110001	18	36	2	7.87	393.50	50	Yes
92110002	24	24	2	7.52	376.00	50	Yes
93110001	24	24	3	9.26	296.32	32	Yes
93110003	24	36	2	9.96	159.28	16	Yes
92110003	24	36	2	10.37	518.50	50	Yes
93110002	24	36	3	12.75	407.52	32	Yes
92110004	24	42	2	12.72	318.00	25	Yes
92110005	24	48	2	13.54	338.5	25	Yes
92110007	30	30	2	10.30	257.50	25	Yes
93110006	30	30	3	13.44	215.04	16	Yes
92110008	30	36	2	12.53	313.25	25	Yes
93110007	30	36	3	15.97	255.52	16	Yes
92110009	30	40	2	12.97	324.25	25	Yes
93110008	30	40	3	17.72	283.52	16	Yes
92110010	30	42	2	14.02	350.5	25	Yes
93110009	30	42	3	17.95	287.20	16	Yes
92110011	33	33	2	12.28	307.00	25	Yes
93110010	33	33	3	15.33	245.28	16	Yes
92110012	33	38	2	14.48	362.00	25	Yes
93110011	33	38	3	17.92	286.72	16	Yes
92110013	33	45	2	16.65	416.25	25	Yes

continued on next page



EQUIPMENT PADS

Equipment Pads – Duragrid Series (continued)



PART NO	WIDTH (IN)	LENGTH (IN)	THICKNESS (IN)	PAD WEIGHT (LB)	CASE WEIGHT (LB)	CASE QTY	CASE REQ
93110012	33	45	3	20.30	324.80	16	Yes
92110014	33	48	2	18.41	460.25	25	Yes
93110013	33	48	3	23.37	373.92	16	Yes
92110015	36	36	2	14.52	363.00	25	Yes
93110014	36	36	3	18.72	299.52	16	Yes
92110016	36	42	2	17.55	438.75	25	Yes
92110017	36	48	2	19.91	497.75	25	Yes
93110016	36	48	3	25.47	407.52	16	Yes
93110017	42	50	3	27.76	444.16	16	Yes
93110018	50	50	3	33.70	539.20	16	Yes
93110019	50	60	3	40.74	725.00	16	Yes
93110020	50	70	3	47.59	825.00	16	Yes

ANTI-VIBRATION PADS

EVA Anti-Vibration Pads



E.V.A. “Extreme Vibration Attenuation” pads outperform rubber/cork and “waffle” pads. The enhanced performance comes from the special composite foam center which is more structurally sound than cork. Not affected by oils or chemicals that can break down cork and is much more effective at vibration dampening than solid rubber. Designed to withstand 50 psi.

PART NO	DESCRIPTION	CASE QTY	CASE REQ
864011	Anti-Vibration Pad - EVA (2 in. x 2 in. x 7/8 in.)	48	Yes
864012	Anti-Vibration Pad - EVA (3 in. x 3 in. x 7/8 in.)	36	Yes
864013	Anti-Vibration Pad - EVA (4 in. x 4 in. x 7/8 in.)	24	Yes
864014	Anti-Vibration Pad - EVA (18 in. x 18 in. x 7/8 in.)	6	Yes

Rubber Anti-Vibration Pads



High quality elastomeric oil resistant padding. Corrugated on both sides. Ideal for air conditioners, compressors, cooling towers, presses, machines, etc. Designed to withstand 50 psi.

PART NO	DESCRIPTION	CASE QTY	CASE REQ
864001	Anti-Vibration Pad - Rubber (2 in. x 2 in. x 3/8 in.)	48	Yes
864003	Anti-Vibration Pad - Rubber (3 in. x 3 in. x 3/8 in.)	36	Yes
864005	Anti-Vibration Pad - Rubber (4 in. x 4 in. x 3/8 in.)	24	Yes
864007	Anti-Vibration Pad - Rubber (6 in. x 6 in. x 3/8 in.)	24	Yes
864009	Anti-Vibration Pad - Rubber (18 in. x 18 in. x 3/8 in.)	6	Yes

Rubber/Cork Anti-Vibration Pads



High quality elastomeric oil resistant padding. Corrugated on both sides. Ideal for air conditioners, compressors, cooling towers, presses, machines, etc. Designed to withstand 50 psi.

PART NO	DESCRIPTION	CASE QTY	CASE REQ
864002	Anti-Vibration Pad - Rubber/Cork (2 in. x 2 in. x 7/8 in.)	48	Yes
864004	Anti-Vibration Pad - Rubber/Cork (3 in. x 3 in. x 7/8 in.)	36	Yes
864006	Anti-Vibration Pad - Rubber/Cork (4 in. x 4 in. x 7/8 in.)	24	Yes
864008	Anti-Vibration Pad - Rubber/Cork (6 in. x 6 in. x 7/8 in.)	24	Yes
864010	Anti-Vibration Pad - Rubber/Cork (18 in. x 18 in. x 7/8 in.)	6	Yes



GAS BALL VALVES



For use with Natural Gas, LP, manufactured and gas-air mixtures. Two-piece brass body and chrome-plated forged brass ball. Heavy-duty valves have a two-piece forged brass body.

PART NO	DESCRIPTION	CASE QTY	CASE REQ
61-25122-01	Gas Ball Valve (1/2 in. NPT)	12	Yes
61-25122-02	Gas Ball Valve (3/4 in. NPT)	12	Yes
611004	Gas Ball Valve - Heavy Duty (3/4 in. NPT)	10	Yes
611005	Gas Ball Valve - Heavy Duty (1 in. NPT)	6	Yes

FLEXIBLE GAS CONNECTORS



- For use with Natural Gas, LP, manufactured, and gas-air mixtures for residential and commercial gas appliances
- Designed for both indoor and outdoor applications
- Austenitic stainless steel tubing material has high chromium content with no soldered or brazed joints
- Powder-coat polymer connector tube coating for enhanced corrosion resistance
- Zinc-plated 12L14 or 1010 steel connector nuts and fittings
- -40°F to 150°F operating temperature
- Greater depth and number of corrugations to withstand greater torque and bend cycles
- CSA listed to ANSI Z21.24, CSA 6.10, ANSI Z21.75, CSA 6.27; AGAL Contract no. 8204 (American Gas Association Laboratories tested and accepted for vibration resistance to 25 years)
- Listed by the NYC Board of Standards and Appeals and by the Commonwealth of Massachusetts Division of Registration in addition to many gas utilities and local code bodies nationwide

BrassCraft.

EXAMPLE

CSSC54 - 48 [CSSC][54] - [48]
TYPE FITTINGS LENGTH

TYPE

- CSSB** Coated Stainless Steel – 3/4 in. I.D. (7/8 in. O.D.) Tube
CSSC Coated Stainless Steel – 1/2 in. I.D. (5/8 in. O.D.) Tube
CSSD Coated Stainless Steel – 3/8 in. I.D. (1/2 in. O.D.) Tube
CSSL Coated Stainless Steel – 1/4 in. I.D. (3/8 in. O.D.) Tube

FITTINGS

- 1** 3/4 in. Male NPT (with 1/2 in. Female NPT)
2 3/4 in. Female NPT
4 1/2 in. Male NPT (with 3/8 in. Female NPT)
5 1/2 in. Female NPT
J 3/4 in. Female NPT Ball Valve
K 1/2 in. Female NPT Ball Valve

LENGTH (INCHES)

- Standard lengths: 12 in., 18 in., 24 in., 30 in., 36 in., 48 in., 60 in., and 72 in.
- Standard lengths include adaptors
- Connectors with ball valves are approximately 1 in. longer

Flexible Gas Connectors – 1/2 inch OD Tube with Ball Valve

PART NO	LENGTH (IN)	CONNECTOR TUBE OD (IN)	CONNECTOR TUBE ID (IN)	FITTING 1 TYPE	FITTING 1 SIZE NPT (IN)	FITTING 2 TYPE	FITTING 2 SIZE NPT (IN)	BALL VALVE ON FITTING 2	CASE QTY	CASE REQ
CSSD4K-36	36	1/2	3/8	Male	1/2	Female	1/2	Included	25	Yes

Flexible Gas Connectors – 1/2 inch OD Tube with Fittings

PART NO	LENGTH (IN)	CONNECTOR TUBE OD (IN)	CONNECTOR TUBE ID (IN)	FITTING 1 TYPE	FITTING 1 SIZE NPT (IN)	FITTING 2 TYPE	FITTING 2 SIZE NPT (IN)	BALL VALVE ON FITTING 2	CASE QTY	CASE REQ
CSSD54-36	36	1/2	3/8	Male	1/2	Female	1/2	Not Included	25	Yes

Flexible Gas Connectors – 5/8 inch OD Tube with Ball Valve

PART NO	LENGTH (IN)	CONNECTOR TUBE OD (IN)	CONNECTOR TUBE ID (IN)	FITTING 1 TYPE	FITTING 1 SIZE NPT (IN)	FITTING 2 TYPE	FITTING 2 SIZE NPT (IN)	BALL VALVE ON FITTING 2	CASE QTY	CASE REQ
CSSC4K-24	24	5/8	1/2	Male	1/2	Female	1/2	Included	20	Yes



FLEXIBLE GAS CONNECTORS

Flexible Gas Connectors – 5/8 inch OD Tube with Fittings

PART NO	LENGTH (IN)	CONNECTOR TUBE OD (IN)	CONNECTOR TUBE ID (IN)	FITTING 1 TYPE	FITTING 1 SIZE NPT (IN)	FITTING 2 TYPE	FITTING 2 SIZE NPT (IN)	BALL VALVE ON FITTING 2	CASE QTY	CASE REQ
CSSC54-36	36	5/8	1/2	Male	1/2	Female	1/2	Not Included	25	Yes
CSSC44-36	36	5/8	1/2	Male	1/2	Male	1/2	Not Included	25	Yes
CSSC54-12	12	5/8	1/2	Male	1/2	Female	1/2	Not Included	25	Yes
CSSC54-18	18	5/8	1/2	Male	1/2	Female	1/2	Not Included	25	Yes
CSSC14-24	24	5/8	1/2	Male	3/4	Male	1/2	Not Included	25	Yes
CSSC14-48	48	5/8	1/2	Male	3/4	Male	1/2	Not Included	25	Yes
CSSC54-24	24	5/8	1/2	Male	1/2	Female	1/2	Not Included	25	Yes
CSSC54-48	48	5/8	1/2	Male	1/2	Female	1/2	Not Included	25	Yes
CSSC14-30	30	5/8	1/2	Male	3/4	Male	1/2	Not Included	25	Yes
CSSC21-24	24	5/8	1/2	Female	3/4	Male	3/4	Not Included	25	Yes
CSSC44-18	18	5/8	1/2	Male	1/2	Male	1/2	Not Included	25	Yes
CSSC44-24	24	5/8	1/2	Male	1/2	Male	1/2	Not Included	25	Yes
CSSC11-24	24	5/8	1/2	Male	3/4	Male	3/4	Not Included	25	Yes
CSSC14-36	36	5/8	1/2	Male	3/4	Male	1/2	Not Included	25	Yes



Replacement End Fittings for Flexible Gas Connectors

PART NO	DESCRIPTION
MAU2-10-12S	Adapter - 3/4 Male NPT x 5/8 in. Male Flare
MAU2-10-8S	Adapter - 1/2 Male NPT x 5/8 in. Male Flare

BLACK IRON PIPE & FITTINGS

BLACK IRON CUT PIPE AND NIPPLES

Black Iron Cut Pipe and Nipples – 1/2 Inch NPT



PART NO	LENGTH (IN)	THREAD SIZE NPT (IN)	SCHEDULE NO	CASE QTY	CASE REQ
362206	—	1/2	40	25	Yes
362207	1-1/2	1/2	40	25	Yes
362208	2	1/2	40	25	Yes
362209	2-1/2	1/2	40	25	Yes
362210	3	1/2	40	25	Yes
362211	3-1/2	1/2	40	25	Yes
PD362212	4	1/2	40	25	Yes
362213	4-1/2	1/2	40	25	Yes
362214	5	1/2	40	25	Yes
362215	5-1/2	1/2	40	25	Yes
362216	6	1/2	40	25	Yes
362218	7	1/2	40	25	Yes
362220	8	1/2	40	25	Yes
362222	9	1/2	40	25	Yes
362224	10	1/2	40	25	Yes
362226	11	1/2	40	25	Yes
362228	12	1/2	40	25	Yes
362231	15	1/2	40	5	Yes
362233	18	1/2	40	5	Yes
362234	24	1/2	40	5	Yes
362235	30	1/2	40	5	Yes
PD362236	36	1/2	40	5	Yes
362237	48	1/2	40	5	Yes
362238	60	1/2	40	5	Yes



BLACK IRON PIPE & FITTINGS



Black Iron Cut Pipe and Nipples – 3/4 Inch NPT

PART NO	LENGTH (IN)	THREAD SIZE NPT (IN)	SCHEDULE NO	CASE QTY	CASE REQ
362241	—	3/4	40	25	Yes
362242	1-1/2	3/4	40	25	Yes
PD362243	2	3/4	40	25	Yes
362244	2-1/2	3/4	40	25	Yes
362245	3	3/4	40	25	Yes
362246	3-1/2	3/4	40	25	Yes
362247	4	3/4	40	25	Yes
362248	4-1/2	3/4	40	25	Yes
362249	5	3/4	40	25	Yes
PD362250	5-1/2	3/4	40	25	Yes
362251	6	3/4	40	25	Yes
362253	7	3/4	40	25	Yes
362255	8	3/4	40	25	Yes
362257	9	3/4	40	25	Yes
362259	10	3/4	40	25	Yes
362261	11	3/4	40	25	Yes
362263	12	3/4	40	25	Yes
362268	18	3/4	40	5	Yes
362272B	24	3/4	40	5	Yes
362272H	30	3/4	40	5	Yes
362272N	36	3/4	40	5	Yes



Black Iron Cut Pipe and Nipples – 1 Inch NPT

PART NO	LENGTH (IN)	THREAD SIZE NPT (IN)	SCHEDULE NO	CASE QTY	CASE REQ
362276	—	1	40	25	Yes
362277	2	1	40	25	Yes
362278	2-1/2	1	40	25	Yes
362279	3	1	40	25	Yes
362280	3-1/2	1	40	25	Yes
PD362281	4	1	40	25	Yes
362282	4-1/2	1	40	25	Yes
362283	5	1	40	25	Yes
362284	5-1/2	1	40	25	Yes
362285	6	1	40	25	Yes
362287	7	1	40	25	Yes
362289	8	1	40	25	Yes
362291	9	1	40	25	Yes
362293	10	1	40	5	Yes
362295	11	1	40	5	Yes
362297	12	1	40	25	Yes
362303	18	1	40	5	Yes
362309	24	1	40	5	Yes
362309F	30	1	40	5	Yes
362309L	36	1	40	5	Yes



BLACK IRON PIPE & FITTINGS



Black Iron Cut Pipe and Nipples – 1-1/4 Inch NPT

PART NO	LENGTH (IN)	THREAD SIZE NPT (IN)	SCHEDULE NO	CASE QTY	CASE REQ
362310	-	1-1/4	40	25	Yes
PD362311	2	1-1/4	40	25	Yes
362312	2-1/2	1-1/4	40	25	Yes
362313	3	1-1/4	40	25	Yes
362314	3-1/2	1-1/4	40	25	Yes
362315	4	1-1/4	40	25	Yes
362316	4-1/2	1-1/4	40	25	Yes
362317	5	1-1/4	40	25	Yes
362318	5-1/2	1-1/4	40	25	Yes
362319	6	1-1/4	40	25	Yes
362321	7	1-1/4	40	25	Yes
362323	8	1-1/4	40	25	Yes
362327	10	1-1/4	40	5	Yes
362329	11	1-1/4	40	5	Yes
362331	12	1-1/4	40	5	Yes
362337	18	1-1/4	40	5	Yes
362343	24	1-1/4	40	5	Yes
362343F	30	1-1/4	40	5	Yes
362343L	36	1-1/4	40	5	Yes



Black Iron Cut Pipe and Nipples – 1-1/2 Inch NPT

PART NO	LENGTH (IN)	THREAD SIZE NPT (IN)	SCHEDULE NO	CASE QTY	CASE REQ
362344	—	1-1/2	40	25	Yes
362345	2	1-1/2	40	25	Yes
362346	2-1/2	1-1/2	40	25	Yes
362347	3	1-1/2	40	25	Yes
362348	3-1/2	1-1/2	40	25	Yes
362349	4	1-1/2	40	25	Yes
362351	5	1-1/2	40	25	Yes
362352	5-1/2	1-1/2	40	25	Yes
362353	6	1-1/2	40	25	Yes
362357	8	1-1/2	40	25	Yes
362361	10	1-1/2	40	5	Yes
362365	12	1-1/2	40	5	Yes
362371	18	1-1/2	40	5	Yes
362377	24	1-1/2	40	5	Yes
362377F	30	1-1/2	40	5	Yes
362377L	36	1-1/2	40	5	Yes



BLACK IRON PIPE & FITTINGS



Black Iron Cut Pipe and Nipples – 2 Inch NPT

PART NO	LENGTH (IN)	THREAD SIZE NPT (IN)	SCHEDULE NO	CASE QTY	CASE REQ
362378	—	2	40	25	Yes
362379	2-1/2	2	40	25	Yes
PD362380	3	2	40	25	Yes
362381	3-1/2	2	40	25	Yes
362382	4	2	40	25	Yes
362384	5	2	40	25	Yes
362385	5-1/2	2	40	25	Yes
362386	6	2	40	25	Yes
362390	8	2	40	25	Yes
362394	10	2	40	5	Yes
362398	12	2	40	5	Yes
362404	18	2	40	5	Yes
PD362410	24	2	40	5	Yes
362410F	30	2	40	5	Yes
362410L	36	2	40	5	Yes



Nipple Assortment

PART NO	DESCRIPTION
362001AP	Black Pipe Nipple Assortment - 66 Assorted Lengths of 1/2 in. Nipples
362002AP	Black Pipe Nipple Assortment - 66 Assorted Lengths of 3/4 in. Nipples
362003AP	Black Pipe Nipple Assortment - 60 Assorted Lengths of 1 in. Nipples
362004AP	Black Pipe Nipple Assortment - 60 Assorted Lengths of 1-1/4 in. Nipples
362007AP	Black Pipe Nipple Assortment - 11 Assorted Lengths of 1/2 in. Nipples
362008AP	Black Pipe Nipple Assortment - 11 Assorted Lengths of 3/4 in. Nipples



Black Iron Elbows – 90 Degrees

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	ELBOW ANGLE (DEGREES)	FITTING CLASS	CASE QTY	CASE REQ
660101	1/4	1/4	90	150	120	Yes
660102	3/8	3/8	90	150	60	Yes
660103	1/2	1/2	90	150	100	Yes
660147	1/2	3/4	90	150	80	Yes
660104	3/4	3/4	90	150	105	Yes
660149	3/4	1	90	150	50	Yes
660105	1	1	90	150	90	Yes
660106	1-1/4	1-1/4	90	150	50	Yes
660107	1-1/2	1-1/2	90	150	15	Yes
660108	2	2	90	150	8	Yes



Black Iron Elbows – 45 Degrees

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	ELBOW ANGLE (DEGREES)	FITTING CLASS	CASE QTY	CASE REQ
660181	1/4	1/4	45	150	50	Yes
660182	3/8	3/8	45	150	75	Yes
660183	1/2	1/2	45	150	100	Yes
660184	3/4	3/4	45	150	60	Yes
660185	1	1	45	150	30	Yes
660186	1-1/4	1-1/4	45	150	20	Yes
660187	1-1/2	1-1/2	45	150	15	Yes
660188	2	2	45	150	12	Yes



BLACK IRON PIPE & FITTINGS



Black Iron Street Elbows – 90 Degrees

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	ELBOW ANGLE (DEGREES)	FITTING CLASS	CASE QTY	CASE REQ
660121	1/4	1/4	90	150	120	Yes
660122	3/8	3/8	90	150	60	Yes
660123	1/2	1/2	90	150	90	Yes
660124	3/4	3/4	90	150	35	Yes
660125	1	1	90	150	90	Yes
660126	1-1/4	1-1/4	90	150	50	Yes
660127	1-1/2	1-1/2	90	150	15	Yes
660128	2	2	90	150	8	Yes



Black Iron Street Elbows – 45 Degrees

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	ELBOW ANGLE (DEGREES)	FITTING CLASS	CASE QTY	CASE REQ
660201	1/4	1/4	45	150	10	Yes
660202	3/8	3/8	45	150	25	Yes
660203	1/2	1/2	45	150	25	Yes
660204	3/4	3/4	45	150	25	Yes
660205	1	1	45	150	40	Yes
660206	1-1/4	1-1/4	45	150	20	Yes
660207	1-1/2	1-1/2	45	150	5	Yes
660208	2	2	45	150	5	Yes



Black Iron Merchant Couplings

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	FITTING CLASS	CASE QTY	CASE REQ
MCB1013	1/2	1/2	150	25	Yes
MCB1014	3/4	3/4	150	50	Yes



Black Iron Couplings

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	FITTING CLASS	CASE QTY	CASE REQ
660322	3/8	3/8	150	120	Yes
660323	1/2	1/2	150	120	Yes
660324	3/4	3/4	150	75	Yes
660325	1	1	150	50	Yes
660326	1-1/4	1-1/4	150	16	Yes
660327	1-1/2	1-1/2	150	18	Yes
660328	2	2	150	12	Yes



Black Iron Reducing Couplings

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	FITTING CLASS	CASE QTY	CASE REQ
660545	1/2	3/8	150	150	Yes
660549	3/4	1/2	150	90	Yes
660552	1	1/2	150	60	Yes
660553	1	3/4	150	50	Yes
660554	1-1/4	1/2	150	75	Yes
660556	1-1/4	1	150	30	Yes



Black Iron Reducing Bushings

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	FITTING CLASS	CASE QTY	CASE REQ
660399	1/2	3/4	150	150	Yes
660402	1/2	1	150	100	Yes
660403	3/4	1	150	100	Yes



BLACK IRON PIPE & FITTINGS



Black Iron Tees

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	BRANCH FITTING SIZE NPT (IN)	FITTING CLASS	CASE QTY	CASE REQ
660221	1/4	1/4	1/4	150	75	Yes
660222	3/8	3/8	3/8	150	45	Yes
660223	1/2	1/2	1/2	150	60	Yes
660224	3/4	3/4	3/4	150	35	Yes
660225	1	1	1	150	20	Yes
660226	1-1/4	1-1/4	1-1/4	150	14	Yes
660227	1-1/2	1-1/2	1-1/2	150	24	Yes
660228	2	2	2	150	8	Yes



Black Iron Reducing Tees

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	BRANCH FITTING SIZE NPT (IN)	FITTING CLASS	CASE QTY	CASE REQ
6602431	1/2	1/2	3/4	150	120	Yes
660247	3/4	1/2	1/2	150	55	Yes
660248	3/4	1/2	3/4	150	50	Yes
660246	3/4	3/4	1/2	150	40	Yes
660251	1	1	1/2	150	30	Yes



Black Iron Unions

PART NO	FITTING 1 SIZE NPT (IN)	FITTING 2 SIZE NPT (IN)	FITTING CLASS	CASE QTY	CASE REQ
660511	1/4	1/4	150	60	Yes
660512	3/8	3/8	150	40	Yes
660513	1/2	1/2	150	50	Yes
660514	3/4	3/4	150	35	Yes
660515	1	1	150	20	Yes
660516	1-1/4	1-1/4	150	15	Yes
660517	1-1/2	1-1/2	150	10	Yes
660518	2	2	150	6	Yes



Black Iron Caps

PART NO	THREAD SIZE NPT (IN)	FITTING CLASS	CASE QTY	CASE REQ
660451	1/4	150	50	Yes
660452	3/8	150	80	Yes
660453	1/2	150	150	Yes
660454	3/4	150	80	Yes
660455	1	150	50	Yes
660456	1-1/4	150	40	Yes
660457	1-1/2	150	27	Yes
660458	2	150	18	Yes



Black Iron Plugs

PART NO	THREAD SIZE NPT (IN)	FITTING CLASS	CASE QTY	CASE REQ
660471	1/4	150	180	Yes
660472	3/8	150	300	Yes
660473	1/2	150	300	Yes
660474	3/4	150	180	Yes
660475	1	150	120	Yes
660476	1-1/4	150	60	Yes
660477	1-1/2	150	45	Yes
660478	2	150	30	Yes



THERMOSTAT CABLE



Thermostat Cable – Speedbags

Honeywell

PART NO	NO OF CONDUCTORS	CONDUCTOR SIZE (AWG)	CONDUCTOR TYPE	JACKET COLOR	PLENUM RATED	PACKAGING	ROLL LENGTH (FT)	CASE QTY	CASE REQ
47105807	2	18	Solid copper	Brown	—	Speedbag	500	1	—
47115807	3	18	Solid copper	Brown	—	Speedbag	500	1	—
47120907	4	18	Solid copper	Brown	—	Speedbag	250	1	—
47130907	5	18	Solid copper	Brown	—	Speedbag	250	1	—
47140907	6	18	Solid copper	Brown	—	Speedbag	250	1	—
47160907	8	18	Solid copper	Brown	—	Speedbag	250	1	—
47070907	8	20	Solid copper	Brown	—	Speedbag	250	1	—
47180907	10	18	Solid copper	Brown	—	Speedbag	250	1	—



Thermostat Cable – Spools

Honeywell

PART NO	NO OF CONDUCTORS	CONDUCTOR SIZE (AWG)	CONDUCTOR TYPE	JACKET COLOR	PLENUM RATED	PACKAGING	ROLL LENGTH (FT)	CASE QTY	CASE REQ
47104807	2	18	Solid copper	Brown	-	Spool	500	4	Yes
47114807	3	18	Solid copper	Brown	-	Spool	500	4	Yes
47120307	4	18	Solid copper	Brown	-	Spool	250	4	Yes
47130307	5	18	Solid copper	Brown	-	Spool	250	4	Yes
47140307	6	18	Solid copper	Brown	-	Spool	250	4	Yes
47160307	8	18	Solid copper	Brown	-	Spool	250	4	Yes
47070307	8	20	Solid copper	Brown	-	Spool	250	4	Yes
47180307	10	18	Solid copper	Brown	-	Spool	250	4	Yes



Thermostat Wire (Plenum Rated) – Spools

Honeywell

PART NO	NO OF CONDUCTORS	CONDUCTOR SIZE (AWG)	CONDUCTOR TYPE	JACKET COLOR	PLENUM RATED	PACKAGING	ROLL LENGTH (FT)	CASE QTY	CASE REQ
32140312	2	18	Solid copper	Natural	Yes	Spool	250	4	—
32145012	2	18	Solid copper	Natural	Yes	Spool	500	—	—
47614812	3	18	Solid copper	Natural	Yes	Spool	500	4	Yes
47630312	5	18	Solid copper	Natural	Yes	Spool	250	4	Yes
32760312	5	18	Solid copper	Natural	Yes	Spool	250	4	—
32765012	5	18	Solid copper	Natural	Yes	Spool	500	—	—
47640312	6	18	Solid copper	Natural	Yes	Spool	250	4	Yes
47660312	8	18	Solid copper	Natural	Yes	Spool	250	4	Yes

REFRIGERANT RECOVERY CYLINDERS

All refrigerant recovery cylinders meet AHRI guidelines and government specifications for CFC, HCFC and HFC recovered refrigerants. Also meets DOT standard 4BA400. As noted, some cylinders include a float switch that cuts off flow to the tank when it is approximately 80% full.



Refrigerant Recovery Cylinders – Mastercool

Mastercool®
"World Class Quality"

PART NO	REFRIG CAPACITY (LBS)	CONNECTIONS	SERVICE PRESSURE (PSI)	FLOAT SWITCH	TANK COLOR
62010	30	1/4 in. SAE Flare (M)	400	No	Yellow/Gray
62011	30	1/4 in. SAE Flare (M)	400	Yes	Yellow/Gray
67010	30	1/2 in. ACME (M)	400	Yes	Blue
63010	50	1/4 in. SAE Flare (M)	400	No	Yellow/Gray
65010	50	1/4 in. SAE Flare (M)	400	Yes	Yellow/Gray



TANK HEATER



98250 Electronic Tank Heater

- Speeds up recharging time
- Assures total discharge of refrigerant from 30 lb. and 50 lb. tanks
- Heats tank to 125°F
- Quick-working 300W, 120V heater element




PART NO	DESCRIPTION
NV-98250	Electronic Tank Heater


SLIMDUCT LINESET DUCTING SYSTEM

The SlimDuct series is a precision engineered system of prefabricated PVC ducts which are designed to conceal and protect external surface mounted refrigeration line sets. They can also be used to conceal drain hoses and electrical wiring. SlimDuct is weather resistant and available in three colors: ivory, white, or brown. Installation is simple with easy access for the technician.


SLIMDUCT



Offset Wall Application



Flat Wall Application



SlimDuct SD Series Lineset Ducting

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SD-77-B	SD	Ducting	Brown	3 x 2-1/2	78	5	Yes
SD-100-B	SD	Ducting	Brown	4 x 2-3/4	78	5	Yes
SD-140-B	SD	Ducting	Brown	5-1/2 x 3	78	5	Yes
SD-77-I	SD	Ducting	Ivory	3 x 2-1/2	78	5	Yes
SD-100-I	SD	Ducting	Ivory	4 x 2-3/4	78	5	Yes
SD-140-I	SD	Ducting	Ivory	5-1/2 x 3	78	5	Yes
SD-77-W	SD	Ducting	White	3 x 2-1/2	78	5	Yes
SD-100-W	SD	Ducting	White	4 x 2-3/4	78	5	Yes
SD-140-W	SD	Ducting	White	5-1/2 x 3	78	5	Yes



SlimDuct SJ Series Couplers

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SJ-77-B	SJ	Coupler (Slim Joint)	Brown	3 x 2-1/2	2	10	Yes
SJ-100-B	SJ	Coupler (Slim Joint)	Brown	4 x 2-3/4	2-1/2	10	Yes
SJ-140-B	SJ	Coupler (Slim Joint)	Brown	5-1/2 x 3	3-1/2	10	Yes
SJ-77-I	SJ	Coupler (Slim Joint)	Ivory	3 x 2-1/2	2	10	Yes
SJ-100-I	SJ	Coupler (Slim Joint)	Ivory	4 x 2-3/4	2-1/2	10	Yes
SJ-140-I	SJ	Coupler (Slim Joint)	Ivory	5-1/2 x 3	3-1/2	10	Yes
SJ-77-W	SJ	Coupler (Slim Joint)	White	3 x 2-1/2	2	10	Yes
SJ-100-W	SJ	Coupler (Slim Joint)	White	4 x 2-3/4	2-1/2	10	Yes
SJ-140-W	SJ	Coupler (Slim Joint)	White	5-1/2 x 3	3-1/2	10	Yes




SLIMDUCT LINESET DUCTING SYSTEM



SlimDuct SW Series Wall Inlets

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SW-77-B	SW	Wall Inlet (Wall Corner)	Brown	3 x 2-1/2	8	10	Yes
SW-100-B	SW	Wall Inlet (Wall Corner)	Brown	4 x 2-3/4	8-3/4	10	Yes
SW-140-B	SW	Wall Inlet (Wall Corner)	Brown	5-1/2 x 3	11	5	Yes
SW-77-I	SW	Wall Inlet (Wall Corner)	Ivory	3 x 2-1/2	8	10	Yes
SW-100-I	SW	Wall Inlet (Wall Corner)	Ivory	4 x 2-3/4	8-3/4	10	Yes
SW-140-I	SW	Wall Inlet (Wall Corner)	Ivory	5-1/2 x 3	11	5	Yes
SW-77-W	SW	Wall Inlet (Wall Corner)	White	3 x 2-1/2	8	10	Yes
SW-100-W	SW	Wall Inlet (Wall Corner)	White	4 x 2-3/4	8-3/4	10	Yes
SW-140-W	SW	Wall Inlet (Wall Corner)	White	5-1/2 x 3	11	5	Yes



SlimDuct SP Series Soffit Inlets

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SP-77-B	SP	Soffit Inlet (Ceiling Cap)	Brown	3 x 2-1/2	2-3/4	20	Yes
SP-100-B	SP	Soffit Inlet (Ceiling Cap)	Brown	4 x 2-3/4	2-3/4	10	Yes
SP-140-B	SP	Soffit Inlet (Ceiling Cap)	Brown	5-1/2 x 3	2-3/4	5	Yes
SP-77-I	SP	Soffit Inlet (Ceiling Cap)	Ivory	3 x 2-1/2	2-3/4	20	Yes
SP-100-I	SP	Soffit Inlet (Ceiling Cap)	Ivory	4 x 2-3/4	2-3/4	10	Yes
SP-140-I	SP	Soffit Inlet (Ceiling Cap)	Ivory	5-1/2 x 3	2-3/4	5	Yes
SP-77-W	SP	Soffit Inlet (Ceiling Cap)	White	3 x 2-1/2	2-3/4	20	Yes
SP-100-W	SP	Soffit Inlet (Ceiling Cap)	White	4 x 2-3/4	2-3/4	10	Yes
SP-140-W	SP	Soffit Inlet (Ceiling Cap)	White	5-1/2 x 3	2-3/4	5	Yes



SlimDuct SEN Series End Fittings

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SEN-77-B	SEN	End Fitting (End Cover)	Brown	3 x 2-1/2	5-1/2	20	Yes
SEN-100-B	SEN	End Fitting (End Cover)	Brown	4 x 2-3/4	6-1/2	20	Yes
SEN-140-B	SEN	End Fitting (End Cover)	Brown	5-1/2 x 3	9	10	Yes
SEN-77-I	SEN	End Fitting (End Cover)	Ivory	3 x 2-1/2	5-1/2	20	Yes
SEN-100-I	SEN	End Fitting (End Cover)	Ivory	4 x 2-3/4	6-1/2	20	Yes
SEN-140-I	SEN	End Fitting (End Cover)	Ivory	5-1/2 x 3	9	10	Yes
SEN-77-W	SEN	End Fitting (End Cover)	White	3 x 2-1/2	5-1/2	20	Yes
SEN-100-W	SEN	End Fitting (End Cover)	White	4 x 2-3/4	6-1/2	20	Yes
SEN-140-W	SEN	End Fitting (End Cover)	White	5-1/2 x 3	9	10	Yes



SlimDuct SK Series 90 Degree Flat Elbows

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SK-77-B	SK	Flat Elbow - 90 degree	Brown	3 x 2-1/2	5	10	Yes
SK-100-B	SK	Flat Elbow - 90 degree	Brown	4 x 2-3/4	6	10	Yes
SK-77-I	SK	Flat Elbow - 90 degree	Ivory	3 x 2-1/2	5	10	Yes
SK-100-I	SK	Flat Elbow - 90 degree	Ivory	4 x 2-3/4	6	10	Yes
SK-140-W	SK	Flat Elbow - 90 degree	Ivory	5-1/2 x 3	7-1/2	5	Yes
SK-140-B	SK	Flat Elbow - 90 degree	Ivory	5-1/2 x 3	7-1/2	5	Yes
SK-140-I	SK	Flat Elbow - 90 degree	Ivory	5-1/2 x 3	7-1/2	5	Yes
SK-77-W	SK	Flat Elbow - 90 degree	White	3 x 2-1/2	5	10	Yes
SK-100-W	SK	Flat Elbow - 90 degree	White	4 x 2-3/4	6	10	Yes



SlimDuct SKF Series 45 Degree Flat Elbows

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SKF-77-B	SKF	Flat Elbow - 45 degree	Brown	3 x 2-1/2	2-1/2	20	Yes
SKF-100-B	SKF	Flat Elbow - 45 degree	Brown	4 x 2-3/4	3	10	Yes
SKF-140-B	SKF	Flat Elbow - 45 degree	Brown	5-1/2 x 3	3-5/8	5	Yes



SLIMDUCT LINESET DUCTING SYSTEM



SlimDuct SKF Series 45 Degree Flat Elbows (continued)

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SKF-77-I	SKF	Flat Elbow - 45 degree	Ivory	3 x 2-1/2	2-1/2	20	Yes
SKF-100-I	SKF	Flat Elbow - 45 degree	Ivory	4 x 2-3/4	3	10	Yes
SKF-140-I	SKF	Flat Elbow - 45 degree	Ivory	5-1/2 x 3	3-5/8	5	Yes
SKF-77-W	SKF	Flat Elbow - 45 degree	White	3 x 2-1/2	2-1/2	20	Yes
SKF-100-W	SKF	Flat Elbow - 45 degree	White	4 x 2-3/4	3	10	Yes
SKF-140-W	SKF	Flat Elbow - 45 degree	White	5-1/2 x 3	3-5/8	5	Yes



SlimDuct SC Series 90 Degree Vertical Elbows

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SC-77-B	SC	Vertical Elbow - 90 degree	Brown	3 x 2-1/2	4	10	Yes
SC-100-B	SC	Vertical Elbow - 90 degree	Brown	4 x 2-3/4	4-1/2	10	Yes
SC-140-B	SC	Vertical Elbow - 90 degree	Brown	5-1/2 x 3	5	5	Yes
SC-77-I	SC	Vertical Elbow - 90 degree	Ivory	3 x 2-1/2	4	10	Yes
SC-100-I	SC	Vertical Elbow - 90 degree	Ivory	4 x 2-3/4	4-1/2	10	Yes
SC-140-I	SC	Vertical Elbow - 90 degree	Ivory	5-1/2 x 3	5	5	Yes
SC-77-W	SC	Vertical Elbow - 90 degree	White	3 x 2-1/2	4	10	Yes
SC-100-W	SC	Vertical Elbow - 90 degree	White	4 x 2-3/4	4-1/2	10	Yes
SC-140-W	SC	Vertical Elbow - 90 degree	White	5-1/2 x 3	5	5	Yes



SlimDuct SCF Series 45 Degree Vertical Elbows

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SCF-77-B	SCF	Vertical Elbow - 45 degree	Brown	3 x 2-1/2	2-13/32	20	Yes
SCF-100-B	SCF	Vertical Elbow - 45 degree	Brown	4 x 2-3/4	3-1/2	10	Yes
SCF-140-B	SCF	Vertical Elbow - 45 degree	Brown	5-1/2 x 3	2-5/8	5	Yes
SCF-77-I	SCF	Vertical Elbow - 45 degree	Ivory	3 x 2-1/2	2-13/32	20	Yes
SCF-100-I	SCF	Vertical Elbow - 45 degree	Ivory	4 x 2-3/4	3-1/2	10	Yes
SCF-140-I	SCF	Vertical Elbow - 45 degree	Ivory	5-1/2 x 3	2-5/8	5	Yes
SCF-77-W	SCF	Vertical Elbow - 45 degree	White	3 x 2-1/2	2-13/32	20	Yes
SCF-100-W	SCF	Vertical Elbow - 45 degree	White	4 x 2-3/4	3-1/2	10	Yes
SCF-140-W	SCF	Vertical Elbow - 45 degree	White	5-1/2 x 3	2-5/8	5	Yes



SlimDuct SF Series Flexible Elbows

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SF-77-500-B	SF	Flexible Elbow	Brown	3 x 2-1/2	19-1/2	20	Yes
SF-77-500-I	SF	Flexible Elbow	Ivory	3 x 2-1/2	19-1/2	20	Yes
SF-77-1000-I	SF	Flexible Elbow	Ivory	4 x 2-3/4	40-1/2	20	Yes
SF-100-800-I	SF	Flexible Elbow	Ivory	4 x 2-3/4	31-1/2	10	Yes
SF-140-800-I	SF	Flexible Elbow	Ivory	5-1/2 x 3	31-1/2	5	Yes
SF-77-500-W	SF	Flexible Elbow	White	3 x 2-1/2	19-1/2	20	Yes
SF-100-800-W	SF	Flexible Elbow	White	4 x 2-3/4	31-1/2	10	Yes



SlimDuct SFJ Series Flexible Adapters

PART NO	SERIES	FITTING TYPE	COLOR	NOM CROSS SECTION (IN)	NOM LENGTH (IN)	CASE QTY	CASE REQ
SFJ-77-B	SFJ	Flexible Adapter	Brown	3 x 2-1/2	1-3/8	20	Yes
SFJ-100-B	SFJ	Flexible Adapter	Brown	4 x 2-3/4	1-1/2	20	Yes
SFJ-77-I	SFJ	Flexible Adapter	Ivory	3 x 2-1/2	1-3/8	20	Yes
SFJ-100-I	SFJ	Flexible Adapter	Ivory	4 x 2-3/4	1-1/2	20	Yes
SFJ-77-W	SFJ	Flexible Adapter	White	3 x 2-1/2	1-3/8	20	Yes
SFJ-100-W	SFJ	Flexible Adapter	White	4 x 2-3/4	1-1/2	20	Yes



TAPES

DUCT TAPES – VENTURE TAPE



864031 (1581A) UL181A-P/UL181B-FX Printed Aluminum Foil Duct Tape

Specially designed for taping joints and seams against moisture and vapor on foil jacketed insulation

- Dead soft aluminum foil backing is extremely conformable to irregular surfaces.
- Excellent adhesion and quick stick
- Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
864031	4.0	2-1/2	60	Aluminum	Foil	Acrylic Base	Yes	UL listed UL181A-P UL181B-FX	10.5	20	10 to 350	20	Yes



864034 (1599B) UL181B-FX Printed Flexible Duct Closure Tape

UV resistant biaxially oriented polypropylene (BOPP) tape coated with a Venture's CW® cold weather solvent acrylic adhesive. Hand tearable, thinner and tougher than traditional duct tapes, Venture 1599B lasts longer and will not delaminate with age. Provides easy application, superior performance, and durability over a wide range of temperatures and environments — including high heat desert conditions.

- High performance flexible duct closure tape performs well over a wide temperature range
- Venture CW all weather acrylic adhesive applies easily at temperatures as cold as -35°F
- Ideal for use on metal and metal connections
- Higher adhesion and tack than traditional cloth duct tapes
- Excels in high heat and humidity conditions

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
864034	3.0	2	120	Silver	BOPP biaxially oriented polypropylene	Acrylic Base	Yes	UL listed UL181B-FX	25	50	-35 to 260	24	Yes



864030 (3520CW) HVAC Aluminum Foil Tape

Annealed aluminum foil coated with Venture's CW® cold weather solvent acrylic pressure sensitive adhesive. The malleable foil applies easily to both fibrous and sheet metal ducts and conforms to irregular surfaces. Excels in demanding temperature and humidity applications and provides superior performance and durability over a wide range of environmental conditions.

- Specifically designed for cold weather conditions; also excels in high heat and humidity conditions
- Specifically designed for sealing sheet metal ducts and metal duct connections
- Hand tearable allows for easy installation

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
864030	3.7	3	50	Aluminum	Foil	Acrylic Base	No	UL classified UL723	5	10	-35 to 260	16	Yes



864033 (1525CW) FSK Facing Tape

Aluminum foil/scrim/kraft (FSK) lamination coated with Venture's CW® cold weather solvent acrylic pressure sensitive adhesive. Versatile FSK applies easily to both fibrous and sheet metal ducts and easily conforms to irregular surfaces. Excels in demanding temperature and humidity applications and provides superior performance and durability over a wide range of environmental conditions.

- Specifically designed for cold weather conditions; also excels in high heat and humidity conditions
- Tri-directionally reinforced 2 x 3 squares per inch fiberglass scrim
- High performance insulation tape is ideal for use as a vapor seal for reinforced fiberglass or mineral wool thermal insulation
- Hand tearable allows for easy installation

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
864033	6.5	3	50	Aluminum	Reinforced Fiberglass Scrim	Acrylic Base	No	UL classified UL723	5	10	-35 to 260	16	Yes



TAPES

DUCT TAPES – VENTURE TAPE



864032 (1556) Pro Grade Waterproof Cloth Duct Tape

A high strength, premium quality polyethylene coated cotton cloth tape coated with an aggressive, high tack, natural rubber pressure sensitive adhesive system. Adheres well to sheet metal duct and conforms well to corners and irregular surfaces.

- Vapor sealing sheet metal ductwork and general purpose heavy duty service
- Also used for hanging poly sheeting

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
864032	12.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	No	—	—	—	40 to 175	24	Yes

DUCT TAPES – NASHUA



86-N324-P (324) UL181A-P/UL181B-FX Printed Aluminum Foil Ductboard Tape

Recommended for use on UL listed fiberglass duct board and flexible duct systems in accordance with manufacturer's installation instructions.

- High performance aggressive acrylic adhesive
- Adhesive protected by a bleached kraft paper liner which also provides easy unwind
- Excellent adhesion to duct board
- Provides long-term anchorage and strong cohesive bond for long-term durability
- Superior adhesion even at extremely low or high temperatures
- Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-N324-P	4.8	2-1/2	60	Aluminum	Foil w/Liner	Acrylic Base	Yes	UL listed UL181A-P, UL181B-FX	0	3	-20 to 325	16	Yes



86-N557-P (557) UL181B-FX Printed Flexible Duct Closure Tape

Acts as a superior closure system for use with flexible air duct and air connectors, and is recommended for use on UL listed flexible air ducts in accordance with manufacturer's installation instructions. Tape is ideal for heating, air conditioning, ventilating, and refrigeration applications.

- Excellent adhesion and shear (holding power) performance
- Superior quality, performance, and tensile strength
- Excellent resistance to mold growth, humidity, flame spread, smoke generation, and the effects of high temperature
- Printed for easy identification
- Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-N557-P	14.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	Yes	UL listed UL181B-FX	15	15	200	24	Yes



TAPES

DUCT TAPES – NASHUA



86-N322 & 86-N322-3 (322 & 322-3) HVAC Aluminum Foil Tapes



Specially designed for taping joints and seams against moisture and vapor on foil jacketed insulation.

- Dead soft aluminum foil backing is extremely conformable to irregular surfaces
- Excellent adhesion and quick stick
- Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-N322	5.0	2	50	Aluminum	Foil w/Liner	Rubber Base	No	UL classified UL723	25	10	200	24	Yes
86-N322-3	5.0	3	50	Aluminum	Foil w/Liner	Rubber Base	No	UL classified UL723	25	10	200	16	Yes

86-NFSK (FSK) FSK Facing Taping



For sealing and patching FSK duct boards and insulation. Extra-strength seal to maintain vapor barrier integrity.

- Aluminum foil FSK backing with a specially formulated adhesive interleaved with a release liner
- Specially designed to meet high strength, tear resistant sealing tape requirements
- Provides excellent adhesion to substrate over a wide temperature range
- Diamond pattern matches most FSK boards and blankets
- Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-NFSK	8.0	3	50	Aluminum	Foil Tri-Directional Fiberglass Kraft Paper	Rubber Base	No	—	5	10	200	16	Yes

86-N345 (345) Premium Cloth Duct Tape



For heating, air conditioning, ventilating, and refrigeration applications.

- High quality polyethylene coated cloth
- Adheres aggressively to many different types of surfaces
- Excellent performance over a wide temperature range
- Tears straight, hangs straight, and resists curling
- Contributes toward satisfying EQ Credit 4.1 (Low Emitting Materials Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-N345	12.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	No	—	20	25	200	24	Yes

86-N396 (396) Multi-Purpose Cloth Duct Tape



For home and general repair, bundling, patching, and mending.

- Versatile polyethylene coated cloth tape
- Conforms well to irregular surfaces
- Adheres to a wide variety of substrates
- Tears straight, hangs straight, and curl resistant
- Contributes toward satisfying EQ Credit 4.1 (Low Emitting Materials Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-N396	10.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	No	—	—	—	200	24	Yes



TAPES

DUCT TAPES – NASHUA



86-N398, 86-N398-B & 86-N398-P (398 Silver, 398 Black, and 398 Silver Printed) Premium Cloth Duct Tape

For home and general repair, HVAC duct and equipment applications, asbestos removal and PE hanging.

- High quality polyethylene coated cloth
- Conforms well to irregular surfaces
- Adheres to a wide variety of substrates
- Tears straight, hangs straight, and curl resistant
- Easy unwind
- Contributes toward satisfying EQ Credit 4.1 (Low Emitting Materials Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-N398	11.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	No	—	10	10	200	24	Yes
86-N398-P	11.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	Yes	—	10	10	200	24	Yes
86-N398-B	11.0	2	60	Black	Polyethylene Coated Cloth	Rubber Base	No	—	10	10	200	24	Yes



86-N357 & 86-N357-B (357 Silver & 357 Black) Premium Cloth Duct Tape

For heating, air conditioning, ventilating, and refrigeration applications. Superior tensile strength.

- Clean release; resists delaminating
- Conforms to a wide variety of surfaces
- Outstanding performance over a wide temperature range
- Tears straight, hangs straight, and resists curling
- Preferred tape of professional contractors who demand a consistent, trouble-free product
- Contributes toward satisfying EQ Credit 4.1 (Low Emitting Materials Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-N357	13.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	No	—	20	15	200	24	Yes
86-N357-B	13.0	2	60	Black	Polyethylene Coated Cloth	Rubber Base	No	—	20	15	200	24	Yes

DUCT TAPES – POLYKEN



86-P339-P (339) UL181A/UL181B-FX Printed Foil Duct Tape

Recommended for use on UL listed fiberglass duct board and flexible duct systems in accordance with manufacturer's installation instructions. Also ideal for permanent, flexible seals.

- High performance aggressive acrylic adhesive
- Adhesive protected by a bleached kraft paper liner which also provides easy unwind
- Excellent adhesion to duct board
- Provides long-term anchorage and strong cohesive bond for long-term durability
- Superior adhesion even at extremely low or high temperatures Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-P339-P	4.8	2-1/2	60	Aluminum	Foil w/Liner	Acrylic Base	Yes	UL listed UL181A-P, UL181B-FX	0	3	-20 to 325	16	Yes



TAPES

DUCT TAPES – POLYKEN

POLYKEN



86-P557-P (557) UL181B-FX Printed Flexible Duct Closure Tape

Acts as a superior closure system for use with flexible air duct and air connectors. Also recommended for use on UL listed flexible air ducts in accordance with manufacturer's installation instructions.

- Excellent adhesion and shear (holding power) performance
- Superior quality, performance, and tensile strength
- Excellent resistance to mold growth, humidity, flame spread, smoke generation, and the effects of high temperature
- Printed for easy identification
- Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-P557-P	14.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	Yes	UL listed UL181B-FX	15	15	200	24	Yes



86-P337 & 86-P337-3 (337 2 Inch & 337 3 Inch) Aluminum Foil Tape

For taping joints and seams against moisture and vapor on foil jacketed insulation.

- High adhesion and quick stick
- Extremely conformable foil backing
- Matches aluminum foil-faced duct systems and insulation
- For use over a wide temperature range
- Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-P337	3.7	2	50	Aluminum	Foil w/Liner	Rubber Base	No	UL classified UL723	5	10	200	24	Yes
86-P337-3	3.7	3	50	Aluminum	Foil w/Liner	Rubber Base	No	UL classified UL723	5	10	200	16	Yes



86-P338 (338) FSK Facing Tape

For sealing and patching FSK duct boards and insulation.

- Aluminum foil FSK backing with a specially formulated adhesive interleaved with a release liner
- Specially designed to meet high strength, tear resistant sealing tape requirements
- Provides excellent adhesion to substrate over a wide temperature range
- Diamond pattern matches most FSK inter-boards and blankets
- Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-P338	8.0	3	50	Aluminum	Foil Tri-Directional Fiberglass Kraft Paper	Rubber Base	No	—	5	10	200	16	Yes



TAPES

POLYKEN®

DUCT TAPES – POLYKEN



86-P251 (251) Metalized Film Duct Tape

For sealing heating and air conditioning duct connections.

- Excellent tensile strength, adhesion, and tack properties
- Designed to match flexible ducts, insulation and other aluminum colored surfaces
- Extremely conformable
- Will not twist or curl during application
- Contributes toward satisfying EQ Credit 4.1 (Low Emitting Materials Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-P251	11.0	2	60	Metallic	Metalized	Rubber Base	No	—	5	10	200	24	Yes



86-243 & 86-243-B (243 Silver & 243 Black) Multi-Purpose Cloth Duct Tape

For sealing standard duct work and superior performance on flex duct.

- Soft and conformable backing
- Provides high tack and quick grab
- Excellent tear characteristics
- High performance in cold temperatures
- Contributes toward satisfying EQ Credit 4.1 (Low Emitting Materials Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-P243	10.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	No	—	5	10	200	24	Yes
86-P243-B	11.0	2	60	Black	Polyethylene Coated Cloth	Rubber Base	No	—	5	10	200	24	Yes



86-P223 (223) Multi-Purpose Cloth Duct Tape

For sealing metal duct work and fiberglass insulation.

- Good tensile strength
- Superior adhesion and tack
- Conformable and will not twist or curl during application
- Contributes toward satisfying EQ Credit 4.1 (Low Emitting Materials Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-P223	10.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	No	—	5	10	200	24	Yes



86-P227 (227) Contractor Grade Cloth Duct Tape

For sealing metal duct work and fiberglass insulation, home and general repair.

- Bonds to all types of surfaces
- Easily applied
- Will not twist or curl
- Contributes toward satisfying EQ Credit 4.1 (Low Emitting Materials Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-P227	11.0	2	60	Silver	Polyethylene Coated Cloth	Rubber Base	No	—	15	5	200	24	Yes



TAPES

DUCT TAPES – POLYKEN

POLYKEN



86-P360-17 & 86-P360-35 (360-17 & 360-35) Waterproofing/Repair Duct Tape

For indoor/outdoor sealing of low, medium, and high pressure HVAC systems (includes: sheet metal duct, fiberglass duct board, and flexible duct systems)

- Forms a permanent seal
- Heavy-duty all-weather foil
- Excellent adhesion to all surfaces
- Extremely conformable
- Paintable foil backing (use in place of caulk)
- Provides instant water-tight seal
- Non-staining adhesive
- Excellent resistance to cold, heat, water, and sunlight
- PE release liner provides ease of installation
- Complies with VOC requirements of SCAQMD Rule 1168
- Contributes toward satisfying EA Credit 1 (Optimize Energy Performance) and EQ Credit 4.1 (Low Emitting Materials, Adhesives & Sealants) under LEED

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-P360-17	17.0	2	100	Aluminum	Foil	Rubber Base	No	—	0	5	200	24	Yes
86-P360-35	35.0	3	50	Aluminum	Foil	Rubber Base	No	—	—	—	300	16	Yes

DUCT TAPES – SHURTAPE



86-155206 (AF 100) UL181A-P/UL181B-FX Printed Aluminum Foil Duct Tape

Aluminum foil with an acrylic adhesive used for joining and sealing fiberglass ductboard and Class 1 Flex Duct. Provides an air-tight seal.

- Dead soft aluminum foil
- Flexible with excellent adhesion
- Superior stability during extreme fluctuations in temperature
- Resists water vapor and other HVAC duct contaminations

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-155206	4.2	2-1/2	60	Aluminum	Foil w/Liner	Acrylic Base	Yes	UL listed UL181A-P, UL181B-FX	50	25	-20 to 260	16	Yes



86-232035 (AF975CT) Aluminum Foil Duct Tape

Aluminum foil tape designed to seal and join aluminum backed or fibrous insulation and metal ductwork, to create water and vapor barriers, and for use in metal repair. Contractor grade foil tape with a formulated cold temperature adhesive which provides superior stability during extreme fluctuations in temperatures and weather conditions.

- Dead soft aluminum foil
- Excellent adhesion characteristics in vast temperature and weather conditions

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	PRINTED	AGENCY CERT	SMOKE DEV UL723 TEST METHOD	FLAME SPR UL723 TEST METHOD	SVC TEMP RANGE (°F)	CASE QTY	CASE REQ
86-232035	3.9	3	50	Aluminum	Foil w/Liner	Acrylic Base	No	—	0	0	-20 to 260	16	Yes

ELECTRICAL TAPES

Electrical Tape (PVC)



PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	AGENCY CERT	ELONGATION (%)	INSULATION RATING (V)	CASE QTY	CASE REQ
200782	7.0	3/4	66	Black	PVC	Rubber Base	UL listed - UL510	200	600	100	Yes
777ID	7.0	3/4	60	Black	PVC	Rubber Base	UL listed - UL510	200	600	10	Yes



TAPES



1507 Lineset Tape



UV resistant biaxially oriented polypropylene (BOPP) tape coated with a Venture's CW® cold weather solvent acrylic adhesive. Replaces black cloth duct tape, lasts longer and will not delaminate with age.

- High performance line set tape performs well over a wide temperature range
- Applies easily at temperatures as cold as -35°F
- Higher adhesion and tack than tradition cloth duct tapes
- Excels in high heat and humidity conditions

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	SERVICE TEMP RANGE (°F)	CASE QTY	CASE REQ
1507	3	2	60	Black	Polypropylene Film	Acrylic Base	-35 to 260	24	Yes



864035 (200) Carton Sealing Tape



Specifically designed for carton sealing and corrugated packaging applications. Strong, thin polypropylene film tape coated with a high grade natural rubber pressure sensitive adhesive; excellent resistance to hot and cold environments and moisture.

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	SERVICE TEMP RANGE (°F)	CASE QTY	CASE REQ
864035	2.3	2	55	Clear	Polypropylene Film	Rubber Base	-10 to 212	36	Yes



86-826-Y (826 Yellow) Corrosion Control Tape



Designed for interior and exterior corrosion protection of smaller diameter pipe.

- Excellent conformability to irregular surfaces
- High dielectric strength
- Moisture resistant
- Tough, pressure sensitive adhesive system unaffected by cold

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (YDS)	COLOR	BACKING	ADHESIVE	SERVICE TEMP RANGE (°F)	CASE QTY	CASE REQ
86-826-Y	12.0	2	100	Yellow	Polyethylene Film	Rubber Base	-30 to 140	24	Yes

CHIP BRUSHES



- 100% natural bristles; wood handle
- Poly sleeve over bristles
- Inexpensive; use once and throw away
- Excellent for applying duct adhesive

PART NO	DESCRIPTION	CASE QTY	CASE REQ
864020	Chip Brush - 1/2 in. Wide	36	Yes
864021	Chip Brush - 1 in. Wide	36	Yes
864022	Chip Brush - 1-1/2 in. Wide	36	Yes
864023	Chip Brush - 2 in. Wide	24	Yes
864024	Chip Brush - 2-1/2 in. Wide	12	Yes
864025	Chip Brush - 3 in. Wide	12	Yes



DUCT STRAP & HANGING WIRE



Duct Strap – Metal

PART NO	WIDTH (IN)	THICKNESS (GAUGE)	MATERIAL	PACKAGE TYPE	ROLL LENGTH (IN)
640012	1	30	Galvanized Steel	Roll w/Cardboard dispenser	100
640011	1	26	Galvanized Steel	Roll w/Cardboard dispenser	100
640015	1	22	Galvanized Steel	Roll w/Cardboard dispenser	100
640013	1-1/2	30	Galvanized Steel	Roll w/Cardboard dispenser	100
640014	1-1/2	26	Galvanized Steel	Roll w/Cardboard dispenser	100



Duct Strap – Poly

PART NO	WIDTH (IN)	THICKNESS (GAUGE)	MATERIAL	PACKAGE TYPE	ROLL LENGTH (IN)	CASE QTY	CASE REQ
PD640360	1-3/4	Black	Polyethylene mesh	Roll	100	24	Yes
86-P50	1-3/4	Black	Polyethylene mesh	Roll	100	24	Yes
640010	1-3/4	Black	Polypropylene mesh	Roll	100	24	Yes
640021	3	Silver	Polypropylene mesh	Roll	100	8	Yes
640022	3	Black	Polypropylene mesh	Roll	100	10	Yes



Hanger Strap – Iron

PART NO	WIDTH (IN)	THICKNESS (GAUGE)	MATERIAL	PACKAGE TYPE	ROLL LENGTH (IN)	CASE QTY	CASE REQ
86-25172-04	3/4	28	Galvanized Steel	Roll	10	50	Yes
640016	3/4	28	Galvanized Steel	Roll	100	10	Yes



Hanger Strap – Poly

PART NO	WIDTH (IN)	THICKNESS (GAUGE)	MATERIAL	PACKAGE TYPE	ROLL LENGTH (IN)	CASE QTY	CASE REQ
86-25172-03	3/4	3/64	Polymeric	Roll	100	20	Yes



Hanging Wire

PART NO	THICKNESS (GAUGE)	MATERIAL	PACKAGE TYPE	ROLL LENGTH (IN)	ROLL WEIGHT (LBS)	CASE QTY	CASE REQ
86-25172-02	18	Steel	Roll	330	2	16	Yes
86-25172-01	18	Galvanized Steel	Roll	330	2	16	Yes
640017	18	Galvanized Steel	Roll	830	5	16	Yes

BRAZING & SOLDERING SUPPLIES

BRAZING RODS



Brazing Rods – Stay-Silv 15

- Recommended for joining copper to copper, copper to brass and brass to brass.
- Standard of the industry
- Excellent for use where a close fit does not exist
- Excellent for situations where thermal expansion and service vibration are involved

PART NO	ROD SHAPE	ROD THICKNESS (IN)	ROD WIDTH (IN)	ROD LENGTH (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
86-25254-06	Flat	.050	1/8	20	3.0	1190	1480	0.002 - 0.006	15.0

Brazing Rods – Stay-Silv 6

- Recommended for joining copper to copper, copper to brass and brass to brass
- Suited for use where a close-fit does not exist

PART NO	ROD SHAPE	ROD THICKNESS (IN)	ROD WIDTH (IN)	ROD LENGTH (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
86-25254-14	Flat	.050	1/8	20	5	1190	1425	0.002 - 0.005	6.0



BRAZING & SOLDERING SUPPLIES

BRAZING RODS

Brazing Rods – Stay-Silv 5

- Recommended for joining copper to copper, copper to brass and brass to brass
- Suited for use where a close-fit does not exist

PART NO	ROD SHAPE	ROD THICKNESS (IN)	ROD WIDTH (IN)	ROD LENGTH (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
86-25254-13	Flat	.050	1/8	20	3	1190	1500	0.003 - 0.006	5.0

Brazing Rods – Harris 0

- Recommended for joining copper to copper, copper to brass and brass to brass
- Recommended for use where good fit-up exists and assemblies are not subject to excessive vibration or movement

PART NO	ROD SHAPE	ROD THICKNESS (IN)	ROD WIDTH (IN)	ROD LENGTH (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
86-25254-12	Flat	.050	1/8	20	5	1310	1475	0.003 - 0.006	0.0

Brazing Rods – Dynaflow

- Recommended for joining copper to copper, copper to brass and brass to brass.
- Low-cost alternative to Stay-Silv 15
- Melts and flows at temperatures close to Stay-Silv 15
- Comparable brazed mechanical properties to Stay-Silv 15

PART NO	ROD SHAPE	ROD THICKNESS (IN)	ROD WIDTH (IN)	ROD LENGTH (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
86-25254-05	Flat	.050	1/8	20	3.0	1190	1465	0.003 - 0.006	6.0

Brazing Rods – BLOCKADE

- Recommended for joining copper to copper, copper to brass and brass to brass
- A low-cost alternative to silver-based alloys

PART NO	ROD SHAPE	ROD DIAMETER (IN)	ROD LENGTH (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
572001	Round	5/64	20	8.0	1178	1247	0.002 - 0.005	0.0

Stay-Silv Brazing Flux

- All purpose, low temperature flux for use with most ferrous and non-ferrous metals
- Not for use with aluminum, magnesium or titanium



PART NO	DESCRIPTION	CASE QTY	CASE REQ
86-25254-09	Brazing Flux (Stay-Silv) - Bottle (6.5 oz)	24	Yes

Brazing Kit – Safety-Silv 45 (Includes Brazing Wire & Flux)

- Kit includes brazing wire and flux
- General Purpose filler for steel and copper alloys
- Recommended for wide clearances



PART NO	ROD SHAPE	ROD DIAMETER (IN)	ROD LENGTH (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
86-25254-08	1/16	1	1.75	6.5	1225	1370	0.002 - 0.004	45.0

Stay-Brite Silver Soldering Wire (Lead Free)

- Recommended for use with all ferrous and nonferrous metal except aluminum
- 86-25254-01 (Stay-Brite 8) is excellent for use with loosely fitted joints



PART NO	WIRE DIAMETER (IN)	SPOOL WEIGHT (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
86-25254-01	1/8	1	10.0	430	535	0.002 - 0.004	6.0
86-25254-02	1/8	1	7.0	430	430	0.002 - 0.003	4.0





BRAZING & SOLDERING SUPPLIES



Bridgit Soldering Wire (Lead Free)



- Recommended for use with all ferrous and non-ferrous metal except aluminum
- Widely used in plumbing applications
- Contains nickel, a filler contributing to increased strength
- Fills gaps and caps off easily
- Excellent for use with loosely fitted joints

PART NO	WIRE DIAMETER (IN)	SPOOL WEIGHT (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
86-25254-03	1/8	1	4.0	460	630	0.002 - 0.004	1.0



Stay-Clean Soldering Flux



- Recommended for use with tin-lead, tin-antimony and tin-silver solders
- For use with copper, brass, bronze, steel, stainless steel, galvanized steel and Monel
- Not for use with aluminum, magnesium or titanium
- Not for use with electrical applications

PART NO	DESCRIPTION	CASE QTY	CASE REQ
86-25254-04	Soldering Flux (Stay-Clean) Paste - Jar (4 oz)	24	Yes



Soldering Kit for Aluminum Soldering (Includes Wire & Flux)



- Kit includes soldering wire and flux
- Recommended for use with aluminum and zinc
- Not for use with magnesium

PART NO	ROD SHAPE	ROD DIAMETER (IN)	ROD LENGTH (IN)	FLUIDITY RATING	SOLIDUS TEMP (°F)	LIQUIDUS TEMP (°F)	RECOMMENDED JOINT CLEARANCE (IN)	SILVER (%)
86-25254-10	1/8	1	1.0	8.0	391	482	0.003 - 0.007	—



ColdShield Thermal Gel



- Functions as a heat sink and a heat shielding material
- Non-toxic, environmentally safe, non-corrosive and non-flammable
- Stops heat from traveling through most metals
- Provides a heat barrier from direct, open flame contact

PART NO	DESCRIPTION	CASE QTY	CASE REQ
86-1273-3	ColdShield Thermal Gel - Spray Bottle (32 oz.)	12	Yes



ColdShield Thermal Paste



- Functions as a heat sink and a heat shielding material
- Non-toxic, environmentally safe, non-corrosive and non-flammable
- Stops heat from traveling through most metals
- Provides a heat barrier from direct, open flame contact

PART NO	DESCRIPTION	CASE QTY	CASE REQ
86-1274-7	ColdShield Thermal Paste - Tub (32 oz.)	12	Yes

ABRASIVE CLOTH



Aluminum oxide high quality 120 grit abrasive cloth for cleaning copper and steel tubing; works wet or dry.

PART NO	DESCRIPTION	CASE QTY	CASE REQ
86-25161-04	Abrasive Cloth - 120 grit (1-1/2 in. x 10 yards)	24	Yes



CLOTHING & PERSONAL PROTECTION EQUIPMENT

GLOVES – YOUNGSTOWN GLOVE



Youngstown Glove – General Utility Plus

Youngstown's #1 seller! All-Purpose and abrasion-resistant. The ideal performance work glove. Heavy duty non-slip reinforcement on the palm, fingers and thumb ensures lasting durability and grip. The ergonomic design reduces hand fatigue while enhancing wrist support. Features a terry cloth brow wipe on the thumb. This glove is ideal for any number of rugged applications.

- Extensive non-slip reinforcement for durability and grip
- Non-slip saddle reinforcement protects critical wear area
- Water and oil resistant synthetic suede base layer
- Supportive cuff with adjustable Velcro closure
- Directional top of hand wicks heat and moisture
- Terry cloth thumb for wiping sweat and debris
- Double-stitched bonded nylon thread for extended life

PART NO	DESCRIPTION
03-3060-80-L	Gloves - General Utility Plus - Large
03-3060-80-M	Gloves - General Utility Plus - Medium
03-3060-80-S	Gloves - General Utility Plus - Small
03-3060-80-XL	Gloves - General Utility Plus - X-Large
03-3060-80-XXL	Gloves - General Utility Plus - XX-Large
03-3060-80-XXXL	Gloves - General Utility Plus - XXX-Large



Youngstown Glove – General Utility Plus (Kevlar lined)

Youngstown's best selling Utility design with every inch of the glove lined with Kevlar® fiber to create the world's first Kevlar-lined, cut-resistant performance glove. This incredible glove is dexterous, cut-resistant and extremely durable. Ideal for a wide range of applications where total hand protection is required.

- Lined entirely throughout by cut-resistant Kevlar by DuPont™
- Palm rates a cut performance Level 3 on ANSI/ISEA 105-2005 Standard
- Extensive non-slip reinforcement for durability & grip
- Water and oil resistant synthetic suede base layer
- Supportive cuff with adjustable Velcro closure
- Double-stitched bonded nylon thread for extended life
- Terry cloth thumb for wiping sweat and debris

PART NO	DESCRIPTION
05-3080-70-L	Gloves - General Utility lined with Kevlar - Large
05-3080-70-M	Gloves - General Utility lined with Kevlar - Medium
05-3080-70-S	Gloves - General Utility lined with Kevlar - Small
05-3080-70-XL	Gloves - General Utility lined with Kevlar - X-Large
05-3080-70-XXL	Gloves - General Utility lined with Kevlar - XX-Large



Youngstown Glove – Carpenter Plus

Youngstown's Carpenter Plus features shortened fingers and thumb for true fingertip dexterity when handling nails, screws, wires other small items. The glove is form-fit and non-slip reinforced for lasting durability and grip.

- Shortened fingers and thumb for fingertip dexterity
- Extensive non-slip reinforcement for durability & grip
- Reinforced non-slip saddle protects critical wear area
- Water and oil resistant synthetic suede base layer
- Supportive cuff with adjustable Velcro closure
- Directional top of hand wicks heat and moisture
- Terry cloth thumb for wiping sweat and debris
- Double-stitched bonded nylon thread for extended life

PART NO	DESCRIPTION
03-3110-80-L	Gloves - Carpenter Plus - Large
03-3110-80-M	Gloves - Carpenter Plus - Medium
03-3110-80-S	Gloves - Carpenter Plus - Small
03-3110-80-XL	Gloves - Carpenter Plus - X-Large
03-3110-80-XXL	Gloves - Carpenter Plus - XX-Large

SUPPLIES



CLOTHING & PERSONAL PROTECTION EQUIPMENT

GLOVES – YOUNGSTOWN GLOVE



Youngstown Glove – Anti-Vibe XT

Youngstown's Anti-Vibe XT is designed to reduce vibration from pneumatic and vibrating tools or repetitive motions. The glove features strategically placed 5.0 mm memory foam on the palm and thumb. A unique 360° wrist wrap offers unrivaled wrist support while also relieving tension throughout your forearm, elbow and shoulder. Take care of yourself and use this glove.

- Unique 360° wrist wrap provides support and relieves arm tension
- 5.0 mm memory foam on palm and thumb dampens shock and vibration
- Extensive non-slip reinforcement on palm, fingers & thumb
- Double knuckle protection on top of hand
- Terry cloth thumb for wiping sweat and debris
- Heavy duty and top notch protection
- Ideal for use with power tools and outdoor power equipment

PART NO	DESCRIPTION
03-3200-78-L	Gloves - Anti-Vibe XT - Large
03-3200-78-M	Gloves - Anti-Vibe XT - Medium
03-3200-78-S	Gloves - Anti-Vibe XT - Small
03-3200-78-XL	Gloves - Anti-Vibe XT - X-Large
03-3200-78-XXL	Gloves - Anti-Vibe XT - XX-Large



Youngstown Glove – Waterproof Winter Plus

Youngstown's Waterproof Winter Plus is the ultimate winter work glove. 100% waterproof and windproof, this glove is designed to keep your hands warm and dry without sacrificing dexterity. Triple layer technology of micro-fleece liner, waterproof membrane, and form-fit outer shell. Durable, dexterous, comfortable and warm – if you work or live in cold, wet winters you need this glove.

- Waterproof, windproof and breathable inner membrane keeps hands warm and dry
- Durable and form-fit outer shell maintains dexterity
- Non-slip reinforcement increases grip and durability
- Internal knuckle protection on top of hand
- Double-stitched bonded nylon thread for extended life
- Supportive cuff with adjustable Velcro closure locks out cold
- Terry cloth thumb for wiping sweat and debris

PART NO	DESCRIPTION
03-3450-80-L	Gloves - Waterproof Winter Plus - Large
03-3450-80-M	Gloves - Waterproof Winter Plus -Medium
03-3450-80-S	Gloves - Waterproof Winter Plus - Small
03-3450-80-XL	Gloves - Waterproof Winter Plus - X-Large
03-3450-80-XXL	Gloves - Waterproof Winter Plus - XX-Large
03-3450-80-XXXL	Gloves - Waterproof Winter Plus - XXX-Large



Youngstown Glove – 24 Pair Counter Display

- FREE POP display with order of 24 gloves
- Gloves not included

PART NO	DESCRIPTION
PD849170	Youngstown Glove 24 Pair Counter Display



CLOTHING & PERSONAL PROTECTION EQUIPMENT

GLOVES – NITRILE & LATEX



Gloves – Black Mamba Nitrile



Black Mamba Gloves were created in response to repeated demands from customers needing a disposable glove that was tough enough to withstand the tasks their jobs require. No longer will you have to change your glove multiple times due to ripping or tearing. For gloves built for your tough tasks, it has to be Black Mamba Gloves.

- Patented Nitrex® polymer; superior strength and tear resistance.
- Two-ply fusion strength; unique process fuses an added polymer to facilitate donning and comfort.
- Chemical protection; three times the chemical resistance of latex or vinyl.
- Made to Grip, Not to Slip; fully textured with Grip Rite finish, Mamba gloves provide the precise contact when tactile sensitivity is a must

PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
849166	BLK-120	Gloves - Black Mamba Powderfree - Textured - L (Box of 100)	—	—
849167	BLK-130	Gloves - Black Mamba Powderfree - Textured - XL (Box of 100)	—	—
849169	BLK-110	Gloves - Black Mamba Powderfree - Textured - M (Box of 100)	—	—



Gloves – Nitrile

PART NO	DESCRIPTION	CASE QTY	CASE REQ
849135	Gloves - Powderfree Nitrile - L (Box of 100)	10	Yes
849136	Gloves - Powderfree Nitrile - XL (Box of 100)	10	Yes



Gloves – Latex

PART NO	DESCRIPTION	CASE QTY	CASE REQ
849129	Gloves - Powderfree Latex - L (Box of 100)	10	Yes
849133	Gloves - Powdered Latex - XL (Box of 100)	10	Yes



Dust Masks

PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
849152	SM-DM	Dust Mask - Dust Filter (Box of 50)	—	—

SHUBEE SHOE COVERS



ShuBee Shoe Covers – Original



PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
849101	SB-SP-DB	Shoe Covers - Dark Blue (Bag of 10 Pairs)	15	Yes
849115	SB-SC-LB	Shoe Covers - Light Blue (Box of 50 Pairs)	3	Yes
849114	SB-SC-YL	Shoe Covers - Yellow (Box of 50 Pairs)	3	Yes



ShuBee Shoe Covers – Waterproof

PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
849120	SB-SC-WP-DB	Shoe Covers - Waterproof - Dark Blue (Box of 50 Pairs)	3	Yes



CLOTHING & PERSONAL PROTECTION EQUIPMENT

SHUBEE COVERALLS

ShuBee Coveralls



PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
849121	SB-CA-DB-L	Coveralls - Dark Blue - L	25	Yes
849122	SB-CA-DB-XL	Coveralls - Dark Blue - XL	25	Yes

ShuBee Coveralls – Hooded EnviroShield

PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
849125	SB-CA-ES-H/NP-XL	Coveralls - EnviroShield Hooded - White - XL	25	Yes

EDGE SAFETY GLASSES

Edge safety glasses feature scratch and fog resistant polycarbonate lenses, tapered to eliminate refraction. Complies with ANSI Z87.1 2003.



Brazeau Black Gargoyle Series/Smoke

PART NO	DESCRIPTION
XB116-G	Safety Glasses - Brazeau Black Gargoyle Series/Smoke

Brazeau Black Skull Series/Smoke

PART NO	DESCRIPTION
XB116-S	Safety Glasses - Brazeau Black Skull Series/Smoke

Brazeau Polarized Smoke

PART NO	DESCRIPTION
TXBG216	Safety Glasses - Brazeau Polarized Smoke

Brazeau Black/Polarized G15 Silver Mirror

PART NO	DESCRIPTION
TXB21-G15-7	Safety Glasses - Brazeau Black/Polarized G15 Silver Mirror

Dakura Black Smoke Polarized

PART NO	DESCRIPTION
TSM216	Safety Glasses - Dakura Black Smoke Polarized

Dakura Black/Anti-Reflective

PART NO	DESCRIPTION
SW111AR	Safety Glasses - Dakura Black/Anti-Reflective

Dakura Black/Clear Anti-Fog

PART NO	DESCRIPTION
SW111AF	Safety Glasses - Dakura Black/Clear Anti-Fog

Dakura Polarized Camo/Copper

PART NO	DESCRIPTION
TSM215CF	Safety Glasses - Dakura Polarized Camo/Copper

Dakura Polarized Camo/Smoke

PART NO	DESCRIPTION
TSM216CF	Safety Glasses - Dakura Polarized Camo/Smoke





CLOTHING & PERSONAL PROTECTION EQUIPMENT



EDGE SAFETY GLASSES



Dakura Polarized Copper

PART NO	DESCRIPTION
TSM215	Safety Glasses - Dakura Polarized Copper



Dakura Polarized Silver

PART NO	DESCRIPTION
TSM21-G15-7	Safety Glasses - Dakura Polarized Silver



Kazbek Polarized Blue

PART NO	DESCRIPTION
TSKAP218	Safety Glasses - Kazbek Polarized Blue



Kazbek XL Black Clear

PART NO	DESCRIPTION
TSKXL-111	Safety Glasses - Kazbek XL Black Clear



Kazbek XL Black/Smoke

PART NO	DESCRIPTION
SK-XL116	Safety Glasses - Kazbek XL - Black/Smoke



Khor Black/Copper Driving

PART NO	DESCRIPTION
SDK115	Safety Glasses - Khor Black/Copper Driving



Khor Polarized Blue

PART NO	DESCRIPTION
TSDKA218	Safety Glasses - Khor Polarized Blue



Khor Polarized Copper

PART NO	DESCRIPTION
TSDK215	Safety Glasses - Khor Polarized Copper



Kirova Black/Clear

PART NO	DESCRIPTION
AB111	Safety Glasses - Kirova Black/Clear



Kirova Black/Yellow

PART NO	DESCRIPTION
AB112	Safety Glasses - Kirova Black/yellow



Kirova Anti-Reflective

PART NO	DESCRIPTION
AB111AR	Safety Glasses - Kirova Anti-Reflective



Reclus Polarized Black/Aqua Percision Blue

PART NO	DESCRIPTION
TSRAP	Safety Glasses - Reclus Polarized Black/Aqua Percision Blue

SUPPLIES



CLOTHING & PERSONAL PROTECTION EQUIPMENT

EDGE SAFETY GLASSES



Reclus Polarized Smoke

PART NO	DESCRIPTION
TSRG216	Safety Glasses - Reclus Polarized Smoke



Zorge Black/Anti-Reflective

PART NO	DESCRIPTION
DZ111AR	Safety Glasses - Zorge Black/Anti-Reflective



Zorge Clear

PART NO	DESCRIPTION
DZ111	Safety Glasses - Zorge Clear



Zorge Magnifier 2.0

PART NO	DESCRIPTION
DZ111-2.0	Safety Glasses - Zorge Magnifier- Black/Clear Lens - 2.0 Magnification



Zorge Smoke

PART NO	DESCRIPTION
DZ116	Safety Glasses - Zorge Smoke



Zorge Yellow

PART NO	DESCRIPTION
DZ112	Safety Glasses - Zorge Yellow

CLEANING SUPPLIES & HAND CLEANER



Heavy Duty Hand Wipes



Aggressive, yet gentle cleaning. Built in skin conditions help prevent cracking and drying while leaving hand clean and smelling fresh. No overly strong orange odor.

PART NO	DESCRIPTION	CASE QTY	CASE REQ
8			



Hand Cleaner - Heavy Duty Pumice Lotion



- Contains premium grade cleansing agents and pumice that efficiently dissolve grease, paints, inks and other hard to remove soils
- Fortified with six skin conditioners
- Use with or without water
- Complies with USA VOC regulations

PART NO	DESCRIPTION	CASE QTY	CASE REQ
87-51431	Hand Cleaner - Heavy Duty - 15 oz.	—	—



LIGHT BULBS



Light Bulbs – Rough Service

SLI LIGHTING

Rough service light bulbs include special filament constructed to withstand vibration and shock – originally designed for automotive industry.

- 12,500 hour typical life at 120V; 5,000 hour typical life at 130V
- Retail packaging

PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
864017	60015	Light Bulb (Rough Service) - 50 Watt	120	Yes
864018	60016	Light Bulb (Rough Service) - 75 Watt	120	Yes
864019	60018	Light Bulb (Rough Service) - 100 Watt	120	Yes

PIPE FLASHING



Pipe Flashing – Aluminum

PART NO	BASE WIDTH (IN)	BASE LENGTH (IN)	TOP OPENING DIA (IN)	MATERIAL	COLOR	CASE QTY	CASE REQ
583002	8-3/4	12-1/2	2	Aluminum	Aluminum	12	Yes
583010	12	15-1/2	3 - 4	Aluminum	Black	12	Yes
583004	12	15-1/2	4	Aluminum	Aluminum	12	Yes



Pipe Flashing – Poly

PART NO	BASE WIDTH (IN)	BASE LENGTH (IN)	TOP OPENING DIA (IN)	MATERIAL	COLOR	CASE QTY	CASE REQ
583014	4-1/2	4-1/2	Cut-to-fit (1/4 to 4)	EPDM	Black	6	Yes
583016	8	8	Cut-to-fit (1/4 to 4)	EPDM	Black	6	Yes
583018	11	11	3-1/2	EPDM	Black	2	Yes



INSULATION, SEALING & GASKET MATERIALS

AEROCEL EPDM TUBING INSULATION



Aerocel pipe insulation is used to retard heat gain or loss, and control condensation formation on cold-water plumbing, chilled water, and refrigeration lines. The material also efficiently reduces heat flow for hot water plumbing, liquid heating and dual temperature piping systems. Aerocel sheet is used to insulate OD pipes, chillers, vessels and tanks, and can be used as a duct liner or duct wrap. Aerocel is designed for installation above and below ground, indoors and outdoors. No protective finish is required.

Aerocel pipe insulation is uniquely suited, over many other cellular or fibrous insulation materials, to dual-temperature HVAC piping systems. This unique fit results from Aerocel's proprietary combination of very low moisture vapor flow for times of cooling-mode operation, higher temperature usage properties during times of heating-mode operation, and superior insulating capacity in either operating mode.

Approved by or conforms to the requirements of the following: ASTM C 534, NY City MEA #171-04-M, City of LA RR-8413, UL181 Section 13 Mold Growth Humidity, ASTM G 21 Fungal Resistance Test, UL181 Section 18 Air Erosion, NFPA 90 5 & 90B, MIL I5280J. Meets the energy code requirements of International energy Conservation Code (IECC) and ASHRAE for R-4 for Refrigeration Piping at 1 in. wall thickness.

The unique cell structure of Aerocel EPDM insulation effectively retards the flow of moisture vapor. Aerocel is considered a low transmittance vapor retarder. In normal service conditions, Aerocel requires no supplemental vapor retarder protection. When used in extremely low-temperature or extremely high-humidity conditions, an additional vapor barrier maybe required. Key features include:

- UV Resistant; added weather protection not required, saves on first cost and maintenance
- Low thermal conductivity; saves additional energy costs
- Recommended service temperature range -297 to +257°F; cryogenic to low pressure steam
- E 84 25/50 rated through 2 in. wall thickness; lowers installation cost with fewer layers
- Versatile for heating, AC, refrigeration, solar, plumbing; single product for all systems
- Easy to install; lowers installation costs, keeps job cost as estimated



Nominal 3/8 Inch Wall – Aerocel AC Series Tubing Insulation

PART NO	ID (IN)	WALL THICKNESS (IN)	LENGTH (IN)	FITS (ACR) COPPER TUBE SIZE (IN)	FITS (IPS) IRON PIPE SIZE (IN)	CASE QTY	CASE REQ
AC1438	1/4	3/8	6	1/4	—	130	Yes
AC3838	3/8	3/8	6	3/8	—	120	Yes
AC1238	1/2	3/8	6	1/2	1/4	108	Yes
AC5838	5/8	3/8	6	5/8	3/8	88	Yes
AC3438	3/4	3/8	6	3/4	—	70	Yes
AC7838	7/8	3/8	6	7/8	1/2	63	Yes
AC11838	1-1/8	3/8	6	1-1/8	3/4	48	Yes
AC13838	1-3/8	3/8	6	1-3/8	1	35	Yes
AC15838	1-5/8	3/8	6	1-5/8	1-1/4	30	Yes
AC21838	2-1/8	3/8	6	2-1/8	—	19	Yes
AC23838	2-3/8	3/8	6	—	2	16	Yes
AC25838	2-5/8	3/8	6	2-5/8	—	14	Yes
AC31838	3-1/8	3/8	6	3-1/8	—	10	Yes

Nominal 3/4 Inch Wall – Aerocel AC Series Tubing Insulation

PART NO	ID (IN)	WALL THICKNESS (IN)	LENGTH (IN)	FITS (ACR) COPPER TUBE SIZE (IN)	FITS (IPS) IRON PIPE SIZE (IN)	CASE QTY	CASE REQ
AC3834	3/8	3/4	6	3/8	—	42	Yes
AC1234	1/2	3/4	6	1/2	1/4	48	Yes
AC5834	5/8	3/4	6	5/8	3/8	42	Yes
AC3434	3/4	3/4	6	3/4	—	28	Yes
AC7834	7/8	3/4	6	7/8	1/2	28	Yes
AC11834	1-1/8	3/4	6	1-1/8	3/4	20	Yes
AC13834	1-3/8	3/4	6	1-3/8	1	19	Yes
AC15834	1-5/8	3/4	6	1-5/8	1-1/4	12	Yes
AC21834	2-1/8	3/4	6	2-1/8	—	12	Yes
AC51234	5-1/2	3/4	6	—	—	4	Yes



INSULATION, SEALING & GASKET MATERIALS

AEROCEL EPDM TUBING INSULATION



Nominal 1/2 Inch Wall – Aerocel AC Series Tubing Insulation

PART NO	ID (IN)	WALL THICKNESS (IN)	LENGTH (IN)	FITS (ACR) COPPER TUBE SIZE (IN)	FITS (IPS) IRON PIPE SIZE (IN)	CASE QTY	CASE REQ
AC1412	1/4	1/2	6	1/4	—	108	Yes
AC3812	3/8	1/2	6	3/8	—	88	Yes
AC1212	1/2	1/2	6	1/2	1/4	72	Yes
AC5812	5/8	1/2	6	5/8	3/8	63	Yes
AC3412	3/4	1/2	6	3/4	—	56	Yes
AC7812	7/8	1/2	6	7/8	1/2	48	Yes
AC11812	1-1/8	1/2	6	1-1/8	3/4	36	Yes
AC13812	1-3/8	1/2	6	1-3/8	1	29	Yes
AC15812	1-5/8	1/2	6	1-5/8	1-1/4	23	Yes
AC21812	2-1/8	1/2	6	2-1/8	—	15	Yes
AC23812	2-3/8	1/2	6	—	2	13	Yes
AC25812	2-5/8	1/2	6	2-5/8	—	12	Yes
AC31812	3-1/8	1/2	6	3-1/8	—	10	Yes
AC35812	3-5/8	1/2	6	3-5/8	—	8	Yes
AC41212	4-1/2	1/2	6	—	—	6	Yes

Nominal 1 Inch Wall – Aerocel AC Series Tubing Insulation

PART NO	ID (IN)	WALL THICKNESS (IN)	LENGTH (IN)	FITS (ACR) COPPER TUBE SIZE (IN)	FITS (IPS) IRON PIPE SIZE (IN)	CASE QTY	CASE REQ
AC3810	3/8	1	6	3/8	—	23	Yes
AC1210	1/2	1	6	1/2	1/4	20	Yes
AC5810	5/8	1	6	5/8	3/8	22	Yes
AC3410	3/4	1	6	3/4	—	20	Yes
AC7810	7/8	1	6	7/8	1/2	20	Yes
AC11810	1-1/8	1	6	1-1/8	3/4	15	Yes
AC13810	1-3/8	1	6	1-3/8	1	12	Yes
AC15810	1-5/8	1	6	1-5/8	1-1/4	12	Yes
AC21810	2-1/8	1	6	2-1/8	—	10	Yes
AC23810	2-3/8	1	6	—	2	6	Yes
AC25810	2-5/8	1	6	2-5/8	—	6	Yes
AC31210	3-1/2	1	6	—	3	5	Yes

Nominal 1-1/2 Inch Wall – Aerocel AC Series Tubing Insulation

PART NO	ID (IN)	WALL THICKNESS (IN)	LENGTH (IN)	FITS (ACR) COPPER TUBE SIZE (IN)	FITS (IPS) IRON PIPE SIZE (IN)	CASE QTY	CASE REQ
AC118112	1-1/8	1-1/2	6	1	3/4	8	Yes



INSULATION, SEALING & GASKET MATERIALS

AEROCEL EPDM TUBING INSULATION



Nominal 3/8 Inch Wall – Aerocel AC-SSPT Series Split Tubing Insulation w/Protape

PART NO	ID (IN)	WALL THICKNESS (IN)	LENGTH (IN)	FITS (ACR) COPPER TUBE SIZE (IN)	FITS (IPS) IRON PIPE SIZE (IN)	CASE QTY	CASE REQ
AC1238SSPT	1/2	3/8	6	1/2	1/4	80	Yes
AC5838SSPT	5/8	3/8	6	5/8	3/8	65	Yes
AC3438SSPT	3/4	3/8	6	3/4	—	55	Yes
AC7838SSPT	7/8	3/8	6	7/8	1/2	48	Yes
AC11838SSPT	1-1/8	3/8	6	1-1/8	3/4	35	Yes
AC13838SSPT	1-3/8	3/8	6	1-3/8	1	30	Yes
AC15838SSPT	1-5/8	3/8	6	1-5/8	1-1/4	25	Yes
AC21838SSPT	2-1/8	3/8	6	2-1/8	—	16	Yes
AC25838SSPT	2-5/8	3/8	6	2-5/8	—	14	Yes
AC31838SSPT	3-1/8	3/8	6	3-1/8	—	10	Yes

Nominal 1/2 Inch Wall – Aerocel AC-SSPT Series Split Tubing Insulation w/Protape

PART NO	ID (IN)	WALL THICKNESS (IN)	LENGTH (IN)	FITS (ACR) COPPER TUBE SIZE (IN)	FITS (IPS) IRON PIPE SIZE (IN)	CASE QTY	CASE REQ
AC3812SSPT	3/8	1/2	6	3/8	—	70	Yes
AC1212SSPT	1/2	1/2	6	1/2	1/4	62	Yes
AC5812SSPT	5/8	1/2	6	5/8	3/8	48	Yes
AC3412SSPT	3/4	1/2	6	3/4	—	42	Yes
AC7812SSPT	7/8	1/2	6	7/8	1/2	35	Yes
AC11812SSPT	1-1/8	1/2	6	1-1/8	3/4	24	Yes
AC13812SSPT	1-3/8	1/2	6	1-3/8	1	24	Yes
AC15812SSPT	1-5/8	1/2	6	1-5/8	1-1/4	18	Yes

Nominal 3/4 Inch Wall – Aerocel AC-SSPT Series Split Tubing Insulation w/Protape

PART NO	ID (IN)	WALL THICKNESS (IN)	LENGTH (IN)	FITS (ACR) COPPER TUBE SIZE (IN)	FITS (IPS) IRON PIPE SIZE (IN)	CASE QTY	CASE REQ
AC3834SSPT	3/8	3/4	6	3/8	—	35	Yes
AC1234SSPT	1/2	3/4	6	1/2	1/4	32	Yes
AC5834SSPT	5/8	3/4	6	5/8	3/8	28	Yes
AC3434SSPT	3/4	3/4	6	3/4	—	24	Yes
AC7834SSPT	7/8	3/4	6	7/8	1/2	24	Yes
AC11834SSPT	1-1/8	3/4	6	1-1/8	3/4	18	Yes
AC13834SSPT	1-3/8	3/4	6	1-3/8	1	14	Yes
AC15834SSPT	1-5/8	3/4	6	1-5/8	1-1/4	12	Yes

Nominal 1 Inch Wall – Aerocel AC-SSPT Series Split Tubing Insulation w/Protape

PART NO	ID (IN)	WALL THICKNESS (IN)	LENGTH (IN)	FITS (ACR) COPPER TUBE SIZE (IN)	FITS (IPS) IRON PIPE SIZE (IN)	CASE QTY	CASE REQ
AC5810SSPT	5/8	1	6	5/8	3/8	16	Yes
AC3410SSPT	3/4	1	6	3/4	—	16	Yes
AC7810SSPT	7/8	1	6	7/8	1/2	14	Yes
AC11810SSPT	1-1/8	1	6	1-1/8	3/4	12	Yes
AC13810SSPT	1-3/8	1	6	1-3/8	1	12	Yes
AC15810SSPT	1-5/8	1	6	1-5/8	1-1/4	9	Yes
AC23810SSPT	2-3/8	1	6	—	2	6	Yes
AC31210SSPT	3-1/2	1	6	—	3	4	Yes



INSULATION, SEALING & GASKET MATERIALS



Adhesive for Aerocel EPDM Insulation



PART NO	DESCRIPTION	CASE QTY	CASE REQ
ADH-12PBTBLK	Black Adhesive for Aerocel Tubing - 1/2 pint	48	Yes
ADH-1PBTBLK	Black Adhesive for Aerocel Tubing - 1 pint	24	Yes
ADH-1GPBLK	Black Adhesive for Aerocel Tubing - 1 gallon	4	Yes



Aerocel Protape



An EPDM-based self-adhering rubber tape, specifically designed for covering the joints of Aerocel tubing and sheet insulation. Provides extra holding strength to the joints and serves as a vapor retarder to prevent atmospheric moisture from penetrating the seams. It is easy to wrap and patch elastomeric insulation surfaces securely, giving cleaner visual appearance on installations.

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (IN)	COLOR	BACKING	ADHESIVE	SERVICE TEMP RANGE (°F)	CASE QTY	CASE REQ
TPPR060500251	20.0	2	82	Black	Self-Adhering EPDM Based Rubber	Acrylic Base	-70 to 257	12	Yes
TPPR060750251	20.0	3	82	Black	Self-Adhering EPDM Based Rubber	Acrylic Base	-70 to 257	8	Yes



PF-2800 Polyethylene Insulation Tape



For hot or cold pipes; stops condensation and drips. Adheres well to all metals; resists drying and cracking.

PART NO	THICKNESS (MILS)	WIDTH (IN)	ROLL LENGTH (IN)	COLOR	BACKING	ADHESIVE	SERVICE TEMP RANGE (°F)	CASE QTY	CASE REQ
PF-2800	1/8	2	360	Black	Cross-linked Polyethylene Foam	Rubber Base	-20 to 160	12	Yes



Sealing Gum Slug



A non-staining white sealer that can be formed into any shape by hand.

- Odorless
- Never hardens
- Flexible to -20°F

PART NO	DESCRIPTION	CASE QTY	CASE REQ
PF-H-2902	Preferred Sealing Gum Slug - 2 lbs.	24	Yes

EXPANDING FOAM PRODUCTS



BOSS 333 Polyurethane Expanding Foam



A ready-to-use multi-purpose polyurethane foam that expands to three times its original volume on contact with air. The expanding action fills holes, cracks and gaps more completely than standard caulks. Designed for air sealing; partition walls with ceiling, through penetrations around cables and pipes, seams between chimneys, and roof protection. Excellent insulating properties and superb adhesion to virtually all building materials.

PART NO	CAN QTY (OZ)	CURE/ DRYING TIME	MAX SHELF LIFE (MO)	AGENCY CERTIFICATIONS	APPROX LINEAR YIELD 3/8 IN BEAD (FT)	APPROX THERMAL CONDUCT (R-VALUE/IN)	CASE QTY	CASE REQ
86-333	12	24	18	ASTM E-84-04, UL classified - UL723	11	3.8 - 4.5	12	Yes
86-33324	24	24	18	ASTM E-84-04, UL classified - UL723	11	3.8 - 4.5	12	Yes



BOSS 812 Draft/Smoke Stop Foam



Prevents the spread of smoke and toxic gasses from one compartment to another; slowing fire spread due to lack of air to fuel the flame. Tested to ASTM E-84; classified Class A.

- Will adhere to almost any substrate
- Can be used to seal around copper, PVC pipes and conduits in addition to large spaces left after the installation of wastewater pipes, ducting etc.
- Prevents the spread of smoke and toxic gasses
- Can be used on vertical or horizontal applications
- Excellent acoustic and thermal insulation
- Paintable (after inspection)
- Unaffected by moisture or humidity after curing
- Reduces energy costs
- Prevents intrusion of insects and pests

PART NO	CAN QTY (OZ)	CURE/ DRYING TIME	MAX SHELF LIFE (MO)	AGENCY CERTIFICATIONS	APPROX LINEAR YIELD 3/8 IN BEAD (FT)	APPROX THERMAL CONDUCT (R-VALUE/IN)	CASE QTY	CASE REQ
86-812	24	24	12	ASTM E-84-04, UL classified - UL723	880	3.8 - 4.5	12	Yes



ADHESIVES

SPRAY ADHESIVES



BOSS 635 Spray Adhesive



Combines a uniform misting spray pattern with super high solids to create a fast tacking and high bond strength product capable of handling virtually any light or heavy duty job. Applications can be found throughout general industry for bonding fabric, plastics, felt, cork, foam, insulation, paper, corrugated, wood, most metals and more. Even with the super high solids, this product has a conveniently long open time to allow for repositioning and adjustment when affixing surfaces to be bonded. Also featured is a moderate flow rate spray valve to provide overspray control in a mist adhesive. The product has an economical coverage rate and is ideally suited for both temporary and permanent bonds.

- VOC Compliant
- Nonchlorinated
- Fast drying
- High strength
- Web spray
- Formulated with high solids

PART NO	DESCRIPTION	CASE QTY	CASE REQ
02466TN10	BOSS 635 Contact/Spray Adhesive	12	Yes



86-N357-SA Spray Adhesive – Low VOC



May be used to bond fabric, fiberglass insulation, plastic films, felt, rubber, leather, cork, paper, cardboard, urethane foam, foil to metal, wood to wood and a variety of other substrates. Bonds polyethylene to concrete block, wood, and other hard-to-bond surfaces. May be used to bond carpet and is ideal for label applications.

- Fast skin, fast grab, low soak in spray adhesive
- Contains no methylene chloride
- Extremely flammable
- Water white color
- Application temperature: -10 to 180°F
- Lace spray pattern

PART NO	DESCRIPTION	CASE QTY	CASE REQ
86-N357-SA	Spray Adhesive - Low VOC (17 oz. Aerosol)	12	Yes



86-P44 Spray Adhesive



Fast skin, high tack, low soak-in rate adhesive designed for temporary and permanent bonding. Bonds foils and metals to fibrous and paper insulation, and paper, fabrics, leather, rubber and wood to various other substrates.

- High strength & coverage; high solids content
- Contains no methylene chloride
- Extremely flammable
- Sprays white; dries clear
- Application temperature: 40 to 120°F
- Good UV, moisture and oxidation resistance
- Adjustable nozzle
- Non-run, non-string spray

PART NO	DESCRIPTION	CASE QTY	CASE REQ
86-P44	Spray Adhesive (17 oz. Aerosol)	12	Yes



CAULKING, SEALANTS & FIRE STOP



BOSS 136 Fireblock/Draftstop Sealant



Single component fire rated sealant and is a noncombustible filler caulking used for fire blocking applications in the annular space around wires, pipes, ducts, vents, cable lines and other penetrations to the building envelope. It is a non-slumping sealant that sets to form a hard surface. Can be applied to any gap or penetration where the specification is noncombustible and/or ASTM-E136 rated. The noncombustible specification is common to one and two family construction and to non-rated penetrations in multi-family and commercial construction. Colored red for ease of inspection. In the event of a fire, prevents the spread of fire, smoke and toxic gases through penetration openings. Tested and meets the American Society for Testing Materials E-136. To pass this test a material must withstand 1400°F without exhibiting signs of flaming after the first thirty seconds in the test apparatus. Serves to form a "gasket or seal against air infiltration" as required by the Model Energy Code in both the performance and prescriptive versions. Applicable standards include: UBC page 1-387, 1997 edition, CABO Section 602.7 item 4, 1995 edition, BOCA (NBC) 704.4.1.1 1996, ASTM E-136.

- Non-toxic and contains no asbestos or PCBs
- Noncombustible
- Applied with a conventional caulking gun
- Easily applied sealant, water cleanup capabilities
- Single component system, no mixing necessary and no additions required
- An accredited fire block/smoke seal caulk
- Meets residential construction code approvals including IRC
- For interior applications only
- Excellent adhesion to a wide variety of substrate material

PART NO	COLOR	TACT-FREE DRYING TIME (HRS)	CURE TIME/ DRYING TIME (DAYS)	SHELF LIFE (MONTHS)	CARTRIDGE QTY (OZ)	CASE QTY	CASE REQ
86-136	Red	—	3	12	10.1	12	Yes



BOSS 139 Fire Mortar



Non-combustible silicate cement that can withstand extremely high temperatures. Formulated for repairing chimneys, fireplaces and sealing wood-burning stoves and appliances, this product has strong adhesion and sets to become rock hard when fired. Cannot be used in areas where there is constant movement, or where wet conditions exist or may occur. Tested and exceeds ASTM E-136 and can withstand temperatures of up to 1400°F. Can be used in wood frame construction where an ASTM E-136 non combustible sealant is specified and where allowed by the building code. This includes sealing around pipes, ducts, vents and chimneys at ceiling and floor level before drywall is applied.

- Can withstand extremely high heat
- Dries rock hard when cured and fired
- Safe to use and handle
- No harmful odors
- Water clean-up (prior to curing)
- VOC compliant
- Contains no asbestos fillers of any kind

PART NO	COLOR	TACT-FREE DRYING TIME (HRS)	CURE TIME/ DRYING TIME (DAYS)	SHELF LIFE (MONTHS)	CARTRIDGE QTY (OZ)	CASE QTY	CASE REQ
86-139	Black	1/4	24	12	10.1	12	Yes



BOSS 360 Acrylic Latex Painters Caulk



Designed for both interior and exterior use. Forms a tough, flexible, resilient bond to all building material surfaces. It has excellent resistance to water, weathering and moisture vapor. Cures to produce a flexible seal that is non-yellowing.

- Sealing around window and door frames
- Sealing around baseboards
- Sealing around trim
- Sealing anywhere a weather tight seal is desired
- Sealing corner joints
- Sealing where siding meets trim

PART NO	COLOR	TACT-FREE DRYING TIME (HRS)	CURE TIME/ DRYING TIME (DAYS)	SHELF LIFE (MONTHS)	CARTRIDGE QTY (OZ)	CASE QTY	CASE REQ
86-360W	White	1/2	2	12	10.1	12	Yes

SUPPLIES



CAULKING, SEALANTS & FIRE STOP

BOSS 362 Siliconized Acrylic Latex Caulk



Mildew resistant, paintable sealant formulated to provide long lasting, flexible, weatherproof seals between most common building materials including wood, masonry, concrete, brick, drywall, metal and glass. Its smooth, creamy consistency makes it easy to tool, and it cures to a tough, flexible seal. Can be used for both interior and exterior applications.

- Sealing around window and door frames
- Sealing anywhere a weather tight seal is desired
- Sealing around baseboards
- Sealing corner joints
- Sealing around trim
- Sealing where siding meets trim



PART NO	COLOR	TACT-FREE DRYING TIME (HRS)	CURE TIME/ DRYING TIME (DAYS)	SHELF LIFE (MONTHS)	CARTRIDGE QTY (OZ)	CASE QTY	CASE REQ
86-362W	White	1/2	2	12	10.1	12	Yes

BOSS 376 HVAC/R Hi-Temp Red Silicon Sealant



One-part, non-slumping paste that cures to a tough, rubbery solid at room temperature on exposure to water vapor in the air. This silicone product was formulated to perform at temperatures ranging from -85 to 500°F. It can be used for numerous sealing and bonding applications.

- Sealing and encapsulating heating elements in appliances
- Bag filters on smoke stacks
- Stove and furnace vent pipes
- Other critical bonding, sealing, potting, encapsulating and protective coating where parts must perform at high temps
- Moving oven belts
- Industrial ovens



PART NO	COLOR	TACT-FREE DRYING TIME (HRS)	CURE TIME/ DRYING TIME (DAYS)	SHELF LIFE (MONTHS)	CARTRIDGE QTY (OZ)	CASE QTY	CASE REQ
86-376R	Red	1/3	24	12	10.1	12	Yes

BOSS 814 Latex Intumescent Firestop Sealant



UL classified one part, elastomeric, intumescent fire stop sealant that expands when exposed to fire or extreme heat, forming an insulated char; prevents the spread of toxic gases, smoke and fire. Suitable for adhesion to almost any surface and remains flexible, making it ideal for both horizontal and vertical joints, subject to vibration or dynamic movement. Can be used for interior or exterior applications, and can be painted (after inspection). Tested to ASTM E-814 (UL 1479) and meets the criteria for fire/smoke/draft stop for BOCA-CABO-UBC-SBCCI-IRC.

- Interior/exterior use on virtually any surface
- Excellent freeze/thaw properties
- Remains flexible
- Safe to use and handle
- VOC compliant
- Water clean-up



PART NO	COLOR	TACT-FREE DRYING TIME (HRS)	CURE TIME/ DRYING TIME (DAYS)	SHELF LIFE (MONTHS)	CARTRIDGE QTY (OZ)	CASE QTY	CASE REQ
86-814	Red	1/4	14 to 20	12	10.1	12	Yes

BOSS 816 Intumescent Firestop Sealant



UL classified fire-rated, general purpose sealant for use on through-penetrations and construction joints. It is a single component, non-sag, water based sealant and smoke seal that is easy to apply and clean up. Prevents the spread of toxic gases, water, smoke and fire through joint openings and through penetrations. Suitable for adhesion to almost any surface and remains flexible, making it ideal for both horizontal and vertical joints, subject to vibration or dynamic movement. It bonds quickly, has excellent adhesion and is non-toxic. Protects against mold growth with a combination of biocides in both wet and dry stages. It has been tested to ASTM E-814 (UL 1479) and ASTM E1966 (UL 2079).

- Bonds quickly with excellent adhesion
- Excellent freeze/thaw properties
- Mildew resistant
- Safe to use and handle
- Remains flexible
- Water based and paintable
- VOC compliant
- Water clean-up



PART NO	COLOR	TACT-FREE DRYING TIME (HRS)	CURE TIME/ DRYING TIME (DAYS)	SHELF LIFE (MONTHS)	CARTRIDGE QTY (OZ)	CASE QTY	CASE REQ
86-816R	Red	1/2	21 to 28	24	10.1	12	Yes



WD-40



WD-40 Cans



WD-40 protects metal from rust and corrosion, penetrates stuck parts, displaces moisture, and lubricates just about anything. WD-40 is also effective when it comes to cleaning grease, grime, and other marks from most surfaces. Cans with “Smart Straw” feature a permanently attached straw that sprays two ways; flip it up for a precision stream or down for a regular spray action.

PART NO	DESCRIPTION	CASE QTY	CASE REQ
85-110075	WD-40 - 11 oz. Aerosol Can	48	Yes
85-110078	WD-40 - 11 oz. Aerosol Can (Smart Straw)	12	Yes
85-10116	WD-40 - 16 oz. Aerosol Can	12	Yes
85-110054	WD-40 - 8 oz. Aerosol Can	12	Yes

THREAD SEALANTS & JOINT COMPOUNDS



Great Blue Pipe Joint Compound



A blue colored non-separating thread sealant compound formulated to seal threaded connections on metal and plastic pipe up to and including two inch diameter. Fibrous texture enhances the sealing properties. Permits easy disassembly without stripping or damaging threads and is non-toxic, non-staining, and can be wiped clean using a dry cloth.

PART NO	DESCRIPTION	CASE QTY	CASE REQ
31261	Great Blue Pipe Joint Compound - 4 oz.	12	Yes
31262	Great Blue Pipe Joint Compound - 8 oz.	12	Yes



Great White Pipe Joint Compound with PTFE



A white colored non-separating thread sealant compound with PTFE designed to seal thread connections against leakage due to internal pressure. Permits a tighter assembly with lower torque, secure permanent sealing of all thread connections, and allows for easy disassembly without stripping threads.

- Certified to ANSI/NSF Standard 61 for potable water

PART NO	DESCRIPTION	CASE QTY	CASE REQ
31229	Great White Pipe Joint Compound with PTFE - 1 oz.	12	Yes
31230	Great White Pipe Joint Compound with PTFE - 4 oz.	12	Yes
31231	Great White Pipe Joint Compound with PTFE - 8 oz.	12	Yes
31232	Great White Pipe Joint Compound with PTFE - 16 oz.	24	Yes
31233	Great White Pipe Joint Compound with PTFE - 32 oz.	12	Yes



Thread Sealing Tape - White PTFE

PART NO	WIDTH (IN)	ROLL LENGTH (IN)	COLOR	BACKING	AGENCY CERTIFICATIONS	CASE QTY	CASE REQ
686027	1/2	260	White	White Teflon - TPFE	—	12	Yes
686028	1/2	520	White	White Teflon - TPFE	—	12	Yes



PLASTIC PIPE CEMENTS & PRIMERS



All-Purpose Regular Clear Cement



- Medium-bodied milky clear cement
- Recommended for pipe and fittings for potable water, pressure pipe, gas, conduit, and DWV
- Meets ASTM D-2564, D-2235, F-493

PART NO	VENDOR PART NO	CONTAINER SIZE (OZ)	APPLICATIONS	MAX PIPE DIA SCHEDULE 40/80 (IN)	STORAGE/APP TEMP (°F)	CASE QTY	CASE REQ
670003	30818	4	ABS, PVC, CPVC	6/6	40 to 110	24	Yes
670002	30821	8	ABS, PVC, CPVC	6/6	40 to 110	24	Yes
670001	30834	16	ABS, PVC, CPVC	6/6	40 to 110	24	Yes
670000	30847	32	ABS, PVC, CPVC	6/6	40 to 110	12	Yes



PVC Regular Clear Cement



- Regular-bodied clear cement
- Recommended for all grades of pipe and fittings for pipe and fittings, potable water, pressure pipe, gas, conduit, and DWV
- Sets up quickly
- No primer needed on non-pressure DWV less than 4 in. where local codes permit
- Meets ASTM D-2564; NSF Standard 61 for PW, DWV, SEWER; IAPMO listed

PART NO	VENDOR PART NO	CONTAINER SIZE (OZ)	APPLICATIONS	MAX PIPE DIA SCHEDULE 40/80 (IN)	STORAGE/APP TEMP (°F)	CASE QTY	CASE REQ
670008	31012	4	PVC	4/2	40 to 110	24	Yes
670007	31013	8	PVC	4/2	40 to 110	24	Yes
670006	31014	16	PVC	4/2	40 to 110	24	Yes
670005	31015	32	PVC	4/2	40 to 110	12	Yes
670004	31016	128	PVC	4/2	40 to 110	6	Yes



PVC All-Weather Cement



- Medium-bodied clear cement
- Recommended for pipe and fittings for potable water, pressure pipe, gas, conduit and DWV
- Formulated for fast initial set-up at low temperatures
- Meets ASTM D-2564; NSF Standard 61 for PW, DWV, SEWER; IAPMO listed

PART NO	VENDOR PART NO	CONTAINER SIZE (OZ)	APPLICATIONS	MAX PIPE DIA SCHEDULE 40/80 (IN)	STORAGE/APP TEMP (°F)	CASE QTY	CASE REQ
670010	31132	16	PVC	6/6	-15 to 110	24	Yes
670009	31133	32	PVC	6/6	-15 to 110	12	Yes



PVC Heavy Duty Clear Cement



- Heavy-bodied clear cement for PVC pipe and fittings
- Recommended for pipe and fittings for potable water, pressure pipe, gas, conduit, and DWV
- Thick formula fills gaps in large diameter pipe and loose fitting joints
- Meets ASTM D-2564; NSF Standard 61 for PW, DWV, SEWER; IAPMO listed

PART NO	VENDOR PART NO	CONTAINER SIZE (OZ)	APPLICATIONS	MAX PIPE DIA SCHEDULE 40/80 (IN)	STORAGE/APP TEMP (°F)	CASE QTY	CASE REQ
670024	30850	4	PVC	12/12	40 to 110	24	Yes
670025	30863	8	PVC	12/12	40 to 110	24	Yes
670026	30876	16	PVC	12/12	40 to 110	24	Yes
670027	31008	32	PVC	12/12	40 to 110	12	Yes



PLASTIC PIPE CEMENTS & PRIMERS



PVC Rain-R-Shine Blue Cement



- Medium-bodied blue colored cement
- Very fast-setting cement formulated for wet conditions and/or quick pressurization and fast installation
- Recommended for pipe and fittings for potable water, pressure pipe, gas, conduit, and DWV
- No primer needed on non-pressure DWV where local codes permit
- Meets ASTM D-2564; NSF Standard 61 for PW, DWV, SEWER; IAPMO listed

PART NO	VENDOR PART NO	CONTAINER SIZE (OZ)	APPLICATIONS	MAX PIPE DIA SCHEDULE 40/80 (IN)	STORAGE/APP TEMP (°F)	CASE QTY	CASE REQ
670016	30891	8	PVC	6/6	40 to 110	24	Yes
670015	30893	16	PVC	6/6	40 to 110	24	Yes
670014	30894	32	PVC	6/6	40 to 110	12	Yes



PVC Medium Gray Cement



- Medium-bodied gray colored cement
- Recommended for pipe and fittings potable water, pressure pipe, gas, conduit and DWV
- Meets ASTM D-2564; NSF Standard 61 for PW, DWV, SEWER; IAPMO listed

PART NO	VENDOR PART NO	CONTAINER SIZE (OZ)	APPLICATIONS	MAX PIPE DIA SCHEDULE 40/80 (IN)	STORAGE/APP TEMP (°F)	CASE QTY	CASE REQ
670013	30886	32	PVC	6/6	40 to 110	12	Yes



CPVC Medium Orange Cement



- Medium-bodied orange colored cement
- For CTS (Copper Tube Size) and Schedule 80 potable water pressure pipe
- Meets ASTM F-493; NSF Standard 61 for PW, DWV, SEWER; IAPMO listed

PART NO	VENDOR PART NO	CONTAINER SIZE (OZ)	APPLICATIONS	MAX PIPE DIA SCHEDULE 40/80 (IN)	STORAGE/APP TEMP (°F)	CASE QTY	CASE REQ
670012	31128	4	CPVC	6/6	40 to 110	24	Yes
670011	31129	8	CPVC	6/6	40 to 110	24	Yes



Clear Cleaner



Clear liquid cleaner formulated to remove dirt and oil from the surface of the piping in preparation for solvent welding.

PART NO	VENDOR PART NO	CONTAINER SIZE (OZ)	APPLICATIONS	MAX PIPE DIA SCHEDULE 40/80 (IN)	STORAGE/APP TEMP (°F)	CASE QTY	CASE REQ
523003	30782	8	ABS, PVC, CPVC	-	40 to 110	24	Yes
PD523002	30795	16	ABS, PVC, CPVC	-	40 to 110	24	Yes
523001	30805	32	ABS, PVC, CPVC	-	40 to 110	12	Yes
523000	30766	128	ABS, PVC, CPVC	-	40 to 110	6	Yes



Purple Primer – NSF Listed



Purple-tinted primer formulated to remove dirt and oil from the surface of piping, as well as soften the piping, in preparation for solvent welding. Purple pigment provides verification that primer has been applied to the pipe surface. Meets ASTM F-656; NSF Standard 61 for PW, DWV, SEWER; IAPMO listed.

PART NO	VENDOR PART NO	CONTAINER SIZE (OZ)	APPLICATIONS	MAX PIPE DIA SCHEDULE 40/80 (IN)	STORAGE/APP TEMP (°F)	CASE QTY	CASE REQ
523007	30756	8	PVC, CPVC	-	40 to 110	24	Yes
523006	30757	16	PVC, CPVC	-	40 to 110	24	Yes
523005	30758	32	PVC, CPVC	-	40 to 110	12	Yes
523004	30759	128	PVC, CPVC	-	40 to 110	6	Yes



BRASS FITTINGS



Brass Straight Fittings – External Flare to External Flare

PART NO	INLET FLARE SAE SIZE (IN)	OUTLET FLARE SAE SIZE (IN)	CASE QTY	CASE REQ
82-A00325	1/4	1/4	25	Yes
82-A00327	3/8	3/8	25	Yes



Brass Straight Fittings – External Flare to External NPTFE

PART NO	FLARE SAE SIZE (IN)	NPTFE SIZE (IN)	CASE QTY	CASE REQ
82-A04585	1/4	1/4	25	Yes
82-A00330	1/4	1/8	25	Yes
82-A04993	3/8	1/2	25	Yes
82-A01199	3/8	3/8	25	Yes
82-A04780	1/2	1/2	10	Yes
82-A04540	5/8	1/2	10	Yes



Brass Straight Fittings – Internal Flare to External Flare

PART NO	INLET FLARE SAE SIZE (IN)	OUTLET FLARE SAE SIZE (IN)	CASE QTY	CASE REQ
82-A00479	3/8	1/4	15	Yes
82-A00481	1/2	3/8	15	Yes



Brass Straight Fittings – Internal Flare to Internal Flare Straight Fitting

PART NO	INLET FLARE SAE SIZE (IN)	OUTLET FLARE SAE SIZE (IN)	CASE QTY	CASE REQ
82-A13563	1/4	1/4	15	Yes
82-A13565	3/8	3/8	15	Yes



Brass Straight Fittings – Internal Flare to Tube Extension Solder

PART NO	FLARE SAE SIZE (IN)	CASE QTY	CASE REQ
82-A15728	5/8	10	Yes
82-A15726	3/8	25	Yes
82-A15727	1/2	25	Yes
82-A15725	1/4	25	Yes



Brass Tee – Three Way (Internal Branch)

PART NO	INLET FLARE SAE SIZE (IN)	OUTLET FLARE SAE SIZE (IN)	BRANCH FLARE SIZE (IN)	CASE QTY	CASE REQ
82-A06330	1/4	1/4	1/4	25	Yes



Brass Tee – Two Way (External Branch)

PART NO	INLET FLARE SAE SIZE (IN)	OUTLET FLARE SAE SIZE (IN)	BRANCH FLARE SIZE (IN)	CASE QTY	CASE REQ
82-A00345	1/4	1/4	1/8	25	Yes



Brass Elbows – 90 Degree

PART NO	FLARE SAE SIZE (IN)	NPTFE SIZE (IN)	CASE QTY	CASE REQ
82-A00335	1/4	1/8	25	Yes
82-A04890	1/4	1/4	25	Yes



BRASS FITTINGS



Brass Forged Flare Tube Nuts

PART NO	TUBE OD (IN)	CASE QTY	CASE REQ
82-A5051	1/4	50	Yes
82-A5052	3/8	25	Yes
82-A5053	1/2	15	Yes
82-A5157	5/8	10	Yes

PROTECTIVE CAPS

Protective Cap - Brass Serrated Head



PART NO	FLARE SAE SIZE (IN)	CASE QTY	CASE REQ
82-A16447	1/4	—	—

Brass Sealing Caps – Hex Head Flare Fitting



PART NO	FLARE SAE SIZE (IN)	CASE QTY	CASE REQ
82-A04544	1/4	50	Yes
82-A04545	3/8	25	Yes

COPPER FITTINGS



Copper Gaskets

PART NO	FLARE SAE SIZE (IN)	CASE QTY	CASE REQ
82-A00401	1/4	100	Yes
82-A00402	3/8	100	Yes



Copper Couplings

PART NO	HVACR FITTING SIZE (IN)	PLUMBING FITTING SIZE (IN)	CASE QTY	CASE REQ
82-21803-06	3/8	1/4	50	—
82-21803-08	1/2	3/8	50	—
82-21803-10	5/8	1/2	100	—
82-21803-12	3/4	5/8	50	—
82-21803-14	7/8	3/4	50	—
82-21803-18	1-1/8	1	25	—
82-21803-22	1-3/8	1-1/4	25	—



Copper Reducer Couplings

PART NO	HVACR FITTING INLET ID (IN)	HVACR FITTING OUTLET ID (IN)	PLUMBING FITTING INLET ID (IN)	PLUMBING FITTING OUTLET ID (IN)	CASE QTY	CASE REQ
82-21804-08	1/2	3/8	3/8	1/4	50	—
82-21804-10	5/8	1/2	1/2	3/8	100	—
82-21804-12	3/4	5/8	5/8	1/2	100	—
82-21804-14	7/8	3/4	3/4	5/8	100	—
82-21804-18	1-1/8	7/8	1	3/4	25	—
82-21804-22	1-3/8	7/8	1-1/4	3/4	10	—
82-21804-32	1-3/8	1-1/8	1-1/4	1	10	—



COPPER FITTINGS



Copper 90 Degree Street Elbows (Short Radius)

PART NO	HVACR FITTING SIZE (IN)	PLUMBING FITTING SIZE (IN)	CASE QTY	CASE REQ
82-21802-08	1/2	3/8	50	—
82-21802-10	5/8	1/2	50	—
82-21802-12	3/4	5/8	25	—
82-21802-14	7/8	3/4	25	—
82-21802-18	1-1/8	1	25	—
82-21802-22	1-3/8	1-1/4	25	—



Copper 45 Degree Street Elbows (Short Radius)

PART NO	HVACR FITTING SIZE (IN)	PLUMBING FITTING SIZE (IN)	CASE QTY	CASE REQ
82-21802-28	1/2	3/8	100	—
82-21802-30	5/8	1/2	50	—
82-21802-32	3/4	5/8	50	—
82-21802-34	7/8	3/4	25	—
82-21802-38	1-1/8	1	25	—
82-21802-42	1-3/8	1-1/4	10	—

COIL CLEANERS



PF-1101 Heavy Foaming Alkaline Condenser Coil Cleaner & Brightener



- Expanding foam action
- Alkaline formulation is excellent on greasy coils
- Must be thoroughly rinsed with water
- Contains hazardous component potassium hydroxide
- Good ventilation, protective gloves, and eye protection required
- USDA accepted

PART NO	TYPE	APPLICATION	CONCENTRATION	FOAMING	RINSE REQUIRED	CONTAINER TYPE	CONTAINER SIZE	CASE QTY	CASE REQ
PF-1101	Alkaline	Condenser Coils	2:1 to 20:1	Yes - High Foam	Yes	Bottle	1 gallon	4	Yes



PF-H-BM01 Black Max Heavy Foaming Alkaline Coil Cleaner Brightener



- Premium grade alkaline – expanding foam action
- Brightens better than normal alkaline cleaners
- Must be thoroughly rinsed with water
- Contains hazardous component potassium hydroxide
- Good ventilation, protective gloves, and eye protection required

PART NO	TYPE	APPLICATION	CONCENTRATION	FOAMING	RINSE REQUIRED	CONTAINER TYPE	CONTAINER SIZE	CASE QTY	CASE REQ
PF-H-BM01	Alkaline	Condenser Coils	3:1 to 20:1	Yes - High Foam	Yes	Bottle	1 gallon	4	Yes



PF-EC01 Enviro-Safe Coil Cleaner



- No foaming action – only attacks dirt build-up, not metal
- Environmentally safe – cleans without damage to environment, personnel, or equipment
- Properly dilute with water according to label instructions before use:
 - 4:1 for condenser coils
 - 8:1 for heavy duty cleaning of evaporator coils
- Rinsing not required on evaporators – normal condensation will carry away dirt and contamination
- May irritate eyes and excessive contact should be avoided
- USDA accepted

PART NO	TYPE	APPLICATION	CONCENTRATION	FOAMING	RINSE REQUIRED	CONTAINER TYPE	CONTAINER SIZE	CASE QTY	CASE REQ
PF-EC01	Alkaline	Cond/Evap Coils	4:1 to 8:1	No	Yes (No at 8:1)	Bottle	1 gallon	4	Yes



COIL CLEANERS



PF-C02 Self Rinsing Evaporator Coil Cleaner



- No foaming action – only attacks dirt build-up, not metal
- Rinsing not required – normal condensation will carry away dirt and contamination
- May irritate eyes and skin – excessive contact should be avoided

PART NO	TYPE	APPLICATION	CONCENTRATION	FOAMING	RINSE REQUIRED	CONTAINER TYPE	CONTAINER SIZE	CASE QTY	CASE REQ
PF-C02	Alkaline	Evaporator Coils	Ready to use	No	No	Aerosol	18 oz.	12	Yes



SpeedFoam Heavy Foaming Alkaline Coil Cleaner



Designed for use with SpeedClean CoilJet and Condenser Needle, SpeedyFoam® acid-free coil cleaner delivers superior cleaning power without the harsh effects that other, caustic acid based cleaners have. Its ultra foaming action and clean fresh scent blasts away grime and debris leaving clean coils looking and smelling great.

PART NO	TYPE	APPLICATION	CONCENTRATION	FOAMING	RINSE REQUIRED	CONTAINER TYPE	CONTAINER SIZE	CASE QTY	CASE REQ
SC-FCC-1	Alkaline	Condenser/Evaporator Coils	6:1 to 10:1	Yes - High Foam	No	Bottle	1 gallon	—	—
SC-FCC-4X1	Alkaline	Condenser/Evaporator Coils	6:1 to 10:1	Yes - High Foam	No	Case/Four Bottles	1 gallon	—	—
SC-FCC-5	Alkaline	Condenser/Evaporator Coils	6:1 to 10:1	Yes - High Foam	No	Bottle	5 gallon	—	—

IAQ ASSURANCE PRODUCTS



ClenAir PurCool Condensate Pan Strips



- Keeps condensate drain pans clean and free flowing
- Prevents costly drain pan overflows
- Prevents drain pan rust and corrosion
- Eliminates foul drain pan odors
- Time-release formula lasts up to 6 months

PART NO	DESCRIPTION	CASE QTY	CASE REQ
85-2001D	Condensate Pan Strips (0-5 Tons)	12	Yes
85-2003D	Condensate Pan Strips (5-8 Tons)	12	Yes



ClenAir Odor Neutralizer Gel Tubs



- Place open tub in HVAC ductwork or in room near source of odor
- Available in regular and cherry

PART NO	DESCRIPTION	CASE QTY	CASE REQ
85-1500	ClenAir Gel Tubs - 1/2 lb.	24	Yes
85-1500D	ClenAir Gel Tubs - 1/2 lb. w/Display	12	Yes
85-1501	ClenAir Gel Tubs - 1 lb.	12	Yes
85-1503	ClenAir Gel Tubs - 3 lbs.	4	Yes
85-1530	ClenAir Gel Pail - 30 lbs.	1	-
85-1800D	ClenAir CherryAir Gel Tubs - 1/2 lb.	12	Yes
85-1801	ClenAir CherryAir Gel Tubs - 1 lb.	12	Yes



ClenAir Odor Neutralizer Gel Bricks



- 85-1300C Wall Unit holds 85-1401 Gel Brick for wall mount application
- Adhesive tabs or screws for mounting included

PART NO	DESCRIPTION	CASE QTY	CASE REQ
85-1300C	ClenAir Wall Unit	1	—
85-1401	ClenAir Gel Bricks - 1 lb.	12	Yes
85-1401W	ClenAir Gel Bricks w/Wall Unit - 1 lb.	1	—



IAQ ASSURANCE PRODUCTS



ClenAir Odor Neutralizer Liquid Spray



- Quickly neutralizes airborne odors
- Available either non-scented, mild citrus, or cherry scent
- Spray into ducts, on coils and drain pans, into rooms with foul odors, or onto fouled carpets and upholstery
- Use on fuel oil spills, in garbage areas, locker rooms etc.
- Pour down drains, spray into garbage cans or garbage storage areas
- Non-toxic, environmentally friendly, non-allergenic and non-staining

PART NO	DESCRIPTION	CASE QTY	CASE REQ
85-1600D	ClenAir Spray w/Tray - 16 oz.	12	Yes
85-1610	ClenAir Spray Refill - 1 gallon	4	Yes
85-1700D	ClenAir Citrus Spray w/Tray - 16 oz.	12	Yes
85-1710	ClenAir Citrus Spray Refill - 1 gallon Citrus	4	Yes
85-1900D	ClenAir CherryAir Spray Counter Display - 16 oz.	12	Yes

LEAK DETECTORS

GAS LEAK DETECTORS (BUBBLE TYPE)



Gas Leak Detector



- Detects small and large leaks from pressurized gas systems (bubble-type leak detector)
- Applies directly to the suspected leak location
- Clings to vertical surfaces and the underside surfaces of pipes and tubes
- Rated for use to 27°F

PART NO	DESCRIPTION	CASE QTY	CASE REQ
PF-B32	Preferred Gas Leak Detector Spray Bottle - 32 oz.	12	Yes



Fluorescent Leak Detector



- Bubbles are fluorescent under UV
- Detects small and large leaks from pressurized gas systems (bubble-type leak detector)
- Applies directly to the suspected leak location
- Clings to vertical surfaces and the underside surfaces of pipes and tubes
- Rated for use to 0°F

PART NO	DESCRIPTION	CASE QTY	CASE REQ
PF-24	Preferred Fluorescent Leak Detector Bottle - 8 oz.	24	Yes

REFRIGERANT FLUORESCENT LEAK DETECTOR DYE & INJECTION TOOLS

Fluorescent Refrigerant Dye



- Injects directly into the refrigerant to assist in leak detection
- Glows in response to UV
- Meets or exceeds SAE J2297



PART NO	DESCRIPTION	CASE QTY	CASE REQ
53625	Fluorescent Refrigerant Dye (All Refrigerants/All Oils) - 2 oz.	6	Yes
92708	Fluorescent Refrigerant Dye (All Refrigerants/POE Oil) - 8 oz.	—	—

Cartridge Type Fluorescent Refrigerant Dye



PART NO	DESCRIPTION	CASE QTY	CASE REQ
53825-4	Dye Injector Cartridges - 2 oz. (Pack of 4)	—	—



LEAK DETECTORS



Injection Tool – Fluorescent Refrigerant Dye



- Refillable injector for fluorescent refrigerant dyes
- Includes one coupler for use with automotive AC and one coupler for HVAC
- Includes one 2 oz. bottle of dye

PART NO	DESCRIPTION	CASE QTY	CASE REQ
53123	Refrigerant Dye Injector - Refillable (w/2 oz. Concentrated Dye)	—	—



Injection Tool – Cartridge Type Fluorescent Refrigerant Dye



- Refillable injector for fluorescent refrigerant dyes
- Includes one coupler for use with automotive AC and one coupler for HVAC
- Includes one 2 oz. cartridge of dye

PART NO	DESCRIPTION	CASE QTY	CASE REQ
53223	Refrigerant Dye Injector - Cartridge Type	—	—

REFRIGERATION OILS



Preferred Vacuum Pump Oil



- Highly demulsifiable; separates from water in 25 minutes at 180°F
- Loosens dirt and sludge and cleans pump
- Combination of additives makes for true anti-wear lubricant and lengthens pump life
- Anti-rust ingredient protects internal parts
- Convenient flip-top on quart bottle
- Filtered to 1 micron for high purity

PART NO	DESCRIPTION	CASE QTY	CASE REQ
PF-2600	Preferred Vacuum Pump Oil - 1 quart	12	Yes

INSECT & PEST SPRAYS



Ant & Insect Killer

- Contains the synthetic pyrethroid Permanone®; an aqueous stable microemulsion
- Controls ants, cockroaches, lice, and garden insects for up to four weeks
- For use on inanimate objects or on dogs or livestock and their premises; not for use on humans

PART NO	DESCRIPTION	CASE QTY	CASE REQ
85-RA593	Ant & Insect Killer Aerosol - 17 oz.	12	Yes



Wasp & Hornet Spray



- Fast acting; kills wasps, bees, and hornets on contact
- 20-foot stream provides a safe point of attack
- Dielectric strength of 32,000 volts

PART NO	DESCRIPTION	CASE QTY	CASE REQ
85-200	Wasp & Hornet Aerosol - 14 oz.	12	Yes



CLEANERS, DEGREASERS & DESCALERS



Preferred High Pressure Solvent Cleaner



An easy to use high velocity aerosol. Blasting action and powerful solvents loosens and removes grease and grime. Excellent for cleaning refrigeration condensers, electric equipment, and motors.

- Evaporates quickly and leaves no film
- Ideal for use where water cleanup is difficult
- Non-flammable
- Non-conductive; dielectric strength of 32,000 volts

PART NO	DESCRIPTION	CASE QTY	CASE REQ
PF-4101	Preferred High Pressure Solvent Cleaner Aerosol - 18 oz..	12	Yes



Preferred Nickel Safe Ice Machine Cleaner



- Removes slime and scale build-up and restores efficiency of ice machines
- Fast acting, non-foaming
- Nickel and stainless steel safe; meets Manitowoc spec. GES-6 for ice machine cleaner
- All food-grade ingredients

PART NO	DESCRIPTION	CASE QTY	CASE REQ
PF-316	Preferred Ice Machine Cleaner Bottle - 16 oz..	12	Yes



Nu Line Condensate Drain Line Build-up Remover



Penetrates the slime to coat the walls of the drain line helping the slime to break up, detach from the drain and slide out. It leaves a coating on the walls of the pipe to help prevent new slime from attaching to it for up to three months. Biodegradable and non-corrosive; will not harm metal drain pans.

PART NO	DESCRIPTION	CASE QTY	CASE REQ
85-NL1-8	Nu Line Condensate Drain Line Build-up Remover - 8 oz.	24	Yes
85-NL2-32	Nu Line Condensate Drain Line Build-up Remover - 32 oz.	12	Yes



TOOLS & INSTRUMENTS

- Brazing, Soldering & Welding Equipment**
- Vacuum Pumps & Gauges**
- Refrigerant Recovery Systems**
- Charging Scales**
- Refrigerant Service Manifolds, Gauges & Hoses**
- HVAC Instruments, Meters & Detectors**
- Valve Core & Superheat Measurement Tools**
- Temperature Measurement Tools**
- Wrenches, Pliers, Screwdrivers & Hand Tools**
- Wire Strippers, Crimpers & Cutting Tools**
- Snips**
- Sheet Metal Tools**
- Duct Tools**
- Flaring & Swaging Tools**
- Tube Benders & Cutters**
- Saws, Knives & Blades**
- Plastic Pipe Cutters – PVC, PEX**
- Levels**
- Tape Measures**
- Caulking Guns**
- Flashlights**
- Tool Bags & Carriers**
- Sprayers**
- CoilJet Portable Coil Cleaner**
- BucketVac Job Site Vacuum**



BRAZING, SOLDERING & WELDING EQUIPMENT

OUTFITS

Welding/Brazing Outfits



PART NO	VENDOR PART NO	HANDLE	CUTTING ATTACH	CUTTING TIP	BRAZING TIP/NOZZLE	TANK KEY	CARRYING STAND	OXYGEN CYL	FUEL CYL	OXYGEN REG	FUEL REG	HOSE	GOGGLES	ACETYL CK VALVE	OXYGEN CK VALVE	STRIKER
87-K23	K23	87-71	—	—	87-TYPE17#0 87-TYPE17#2	Yes	—	—	—	87-RO	87-RMC2	87-H32A	Yes	—	—	87-FL34
87-K23C	K23C	87-71	—	—	87-TYPE17#0 87-TYPE17#2	Yes	87-500S	—	—	87-RO	87-RMC2	87-H32A	Yes	—	—	87-FL34
87-K23P	K23P	87-71	—	—	87-TYPE17#0 87-TYPE17#2	Yes	87-511	—	—	87-RO	87-RMC2	87-H32A	Yes	—	—	87-FL34

Welding/Brazing Outfit – Cap n Hook



PART NO	VENDOR PART NO	HANDLE	CUTTING ATTACH	CUTTING TIP	BRAZING TIP/NOZZLE	TANK KEY	CARRYING STAND	OXYGEN CYL	FUEL CYL	OXYGEN REG	FUEL REG	HOSE	GOGGLES	ACETYL CK VALVE	OXYGEN CK VALVE	STRIKER
87-K22C	K22C	87-71	—	—	87-TYPE#2	Yes	87-500S	—	—	87-RO	87-RMC2	87-H32A	Yes	—	—	87-FL3

Welding/Brazing/Cutting Outfits



PART NO	VENDOR PART NO	HANDLE	CUTTING ATTACH	CUTTING TIP	BRAZING TIP/NOZZLE	TANK KEY	CARRYING STAND	OXYGEN CYL	FUEL CYL	OXYGEN REG	FUEL REG	HOSE	GOGGLES	ACETYL CK VALVE	OXYGEN CK VALVE	STRIKER
87-KL71-4	KL71-4	87-71	Yes	Yes	87-TYPE17#0 87-TYPE17#1, 87-TYPE17#2	Yes	—	—	—	87-RO	87-RMC2	87-H32A	Yes	—	—	87-FL34
87-KLC100P	KLC100P	87-71	Yes	Yes	87-TYPE17#0 87-TYPE17#2	Yes	87-511	—	—	Yes	Yes	87-H32A	Yes	—	—	87-FL34



BRAZING, SOLDERING & WELDING EQUIPMENT

OUTFITS

Welding/Brazing/Cutting Outfits



PART NO	VENDOR PART NO	HANDLE	CUTTING ATTACH	CUTTING TIP	BRAZING TIP/NOZZLE	TANK KEY	CARRYING STAND	OXYGEN CYL	FUEL CYL	OXYGEN REG	FUEL REG	HOSE	GOGGLES	ACETYL CK VALVE	OXYGEN CK VALVE	STRIKER
0386-1320	CST-P	Yes	—	—	0387-0040 0387-0042	—	Yes (MC & R)	—	—	Yes	Yes	0386-1094	Yes	Yes	Yes	Yes
0386-1321	CST-PT	Yes	—	—	0387-0040 0387-0042	Yes	Yes (MC & R)	Type R	Type MC	Yes	Yes	0386-1094	Yes	Yes	Yes	Yes
0386-1322	CST-CP	Yes	Yes	Yes	0387-0040 0387-0042	—	Yes	—	—	Yes	Yes	0386-1094	Yes	Yes	Yes	Yes
0386-1323	CST-CPT	Yes	Yes	Yes	0387-0040 0387-0042	Yes	Yes (MC & R)	Type R	Type MC	Yes	Yes	0386-1094	Yes	Yes	Yes	Yes
0386-1324	CST-CM	Yes	Yes	Yes	0387-0040 0387-0042	—	Yes (MC & R)	—	—	Yes	Yes	0386-1094	Yes	Yes	Yes	Yes
0386-1325	CST-150C	Yes	Yes	Yes	0387-0040 0387-0042	—	—	—	—	Yes	Yes	0386-1094	Yes	Yes	Yes	Yes
0386-1326	CST-150	Yes	Yes	Yes	0387-0040 0387-0042	—	—	—	—	Yes	Yes	0386-1094	Yes	Yes	Yes	Yes

TORCH KITS

87-89600 (89600) Air/Acetylene Torch Kit



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
87-89600	89600	3	1-5/8	87-TH6	87-H12	87-RB	87-A-3	RB

0386-0335 (X-3B) Air/Acetylene Torch Kit



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0335	X-3B	3	1-5/8	0386-0308	0386-1090	0386-0725	0386-0101	B

0386-0336 (X-4B) Air/Acetylene Torch Kit



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0336	X-4B	3-1/2	2	0386-0308	0386-1090	0386-0725	0386-0102	B

TOOLS & INSTRUMENTS



BRAZING, SOLDERING & WELDING EQUIPMENT

TORCH KITS



0386-0338 (X-5B) Air/Acetylene Torch Kit



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0338	X-5B	1-1/2	3/4	0386-0308	0386-1090	0386-0725	0386-0102	B



0386-0339 (X-6MC) Air/Acetylene Torch Kit



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0339	X-6MC	2	1	0386-0308	0386-1090	0386-0726	0386-0101	MC



0386-0832 (PL-5ADLX-MC) Air/Acetylene Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0832	PL-5ADLX-MC	1-1/2	3/4	0386-0308	0386-1090	0386-0726	Self-Igniting 3/16 in.	MC



0386-0833 (PL-5ADLX-B) Air/Acetylene Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0833	PL-5ADLX-B	1-1/2	3/4	0386-0308	0386-1090	0386-0725	Self-Igniting 3/16 in.	B



0386-0834 (PL-8ADLX-MC) Air/Acetylene Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0834	PL-8ADLX-MC	2	1	0386-0308	0386-1090	0386-0726	Self-Igniting 5/16 in.	MC



0386-0835 (PL-8ADLX-B) Air/Acetylene Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0835	PL-8ADLX-B	2	1	0386-0308	0386-1090	0386-0725	Self-Igniting 5/16 in.	B



BRAZING, SOLDERING & WELDING EQUIPMENT

TORCH KITS



0386-0836 (PL-12ADLX-B)
Air/Acetylene Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0836	PL-12ADLX-B	3-1/2	2	0386-0308	0386-1090	0386-0725	Self-Igniting 3/8 in.	B



0426-0011 (TDLX2003)
Air/Acetylene Torch Kit w/Carrying Stand – Self-Igniting



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0426-0011	TDLX2003	2	1/2 to 1	0386-0308	0386-1090	0386-0726	0386-0103	MC



0386-0574 (TDLX2003B)
Air/Acetylene Torch Kit w/Carrying Tote – Self-Igniting



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	HANDLE	HOSE	REGULATOR	INCLUDES TIP	TANK CONNECTION
0386-0574	TDLX2003B	1/4 to 2	1/8 to 1	0386-0308	0386-1090	0386-0725	0386-0101	B

HAND TORCH KITS

Propane/MAPP Hand Torch Kit



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)
87-RP3T5	RP3T5	Up to 1	Up to 5/8	Up to 1-1/2	Up to 7/8

Propane/MAPP Hand Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)
87-RP3T6	RP3T6	Up to 1	Up to 5/8	Up to 1-1/2	Up to 7/8

0386-0403 (STK-9) Propane/MAPP Hand Torch Kit



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)	INCLUDES TIP
0386-0403	STK-9	1/4 to 3	1/4 to 1	1/4 to 3-1/2	1/4 to 1-3/4	0386-0171

TOOLS & INSTRUMENTS



BRAZING, SOLDERING & WELDING EQUIPMENT

HAND TORCH KITS



0386-0575 (STK-31) Propane/MAPP Hand Torch Kit



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)	INCLUDES TIP
0386-0575	STK-31	Up to 3	Up to 1	Up to 3-1/2	Up to 1-3/4	0386-0170



0386-1283 (STK-11) Propane/MAPP Hand Torch Kit – Double Tip



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)	INCLUDES TIP
0386-1283	STK-11	1 to 4	1/2 to 2	1-1/2 to 2	3/4 to 3	0386-1282



0386-0851 (STK-99) Propane/MAPP Hand Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)	INCLUDES TIP
0386-0851	STK-99	1/4 to 3	1/4 to 1	1/4 to 3-1/2	1/4 to 1-3/4	0386-0850



0386-1293 (TX504) Propane/MAPP Hand Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)	INCLUDES TIP
0386-1293	TX504	3/4 to 3	1/4 to 1	3/4 to 4	1/4 to 1-1/4	0386-1296



0386-1297 (TX503) Propane/MAPP Hand Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)	INCLUDES TIP
0386-1297	TX503	1/8 to 2	1/16 to 3/4	1/8 to 3	1/16 to 1	0386-1298



0386-1299 (TX500) Propane/MAPP Hand Torch Kit – Self-Igniting



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)	INCLUDES TIP
0386-1299	TX500	1/8 to 3	1/16 to 1	1/8 to 4	1/16 to 1-1/4	0386-129



BRAZING, SOLDERING & WELDING EQUIPMENT

HAND TORCH KITS



0386-0170 (ST-1) Propane/MAPP Tip



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)
0386-0170	ST-1	1/8 to 1/2	1/8 to 3/8	1/8 to 3/4	1/8 to 1/2



0386-0171 (ST-3) Propane/MAPP Tip



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)
0386-0171	ST-3	1/4 to 3	1/4 to 1	1/4 to 3-1/2	1/4 to 1-3/4



0386-1282 (ST-11) Propane/MAPP Tip



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)
0386-1282	ST-11	1 to 4	1/2 to 2	1-1/2 to 6	3/4 to 3



0386-1296 (T-504) Propane/MAPP Tip



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)
0386-1296	T-504	3/4 to 3	1/4 to 1	3/4 to 4	1/4 to 1-1/4



0386-1298 (T-503) Propane/MAPP Tip



PART NO	VENDOR PART NO	PROPANE SOFT SOLDER COPPER TUBE SIZE (IN)	PROPANE SILVER BRAZE COPPER TUBE SIZE (IN)	MAPP SOFT SOLDER COPPER TUBE SIZE (IN)	MAPP SILVER BRAZE COPPER TUBE SIZE (IN)
0386-1298	T503	1/8 to 2	1/16 to 3/4	1/8 to 3	1/16 to 1



Oxy/Acetylene Brazing Nozzles



PART NO	TIP SIZE (IN)	OXY/ACETYL SILVER BRAZE COPPER TUBE SIZE (IN)	USED WITH HANDLE
0387-0040	0	1/4 to 1	0386-0311
0387-0039	00	1/8 to 3/4	0386-0311
0387-0041	1	1/4 to 1-1/4	0386-0311
0387-0042	2	1/2 to 1-1/2	0386-0311
0387-0043	3	3/4 to 1-3/4	0386-0311
0325-0087	4	3/4 to 2	0386-0311



BRAZING, SOLDERING & WELDING EQUIPMENT

ACETYLENE TIPS

Acetylene Twister Tips



PART NO	VENDOR PART NO	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)
87-A-11	A-11	1-1/4 to 3	7/8 to 1-5/8
87-A-3	A-3	Up to 1	Up to 1/2
87-A-5	A-5	3/4 to 1-1/2	1/4 to 3/4
87-A-8	A-8	1 to 2	1/2 to 1

Type17 Weld/Braze Tips



PART NO	VENDOR PART NO	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)	WELDING MATERIAL THICKNESS (IN)
87-TYPE17#0	TYPE 17#0	1/2	5/64
87-TYPE17#2	TYPE 17#2	1	1/8
87-TYPE17#3	TYPE 17#3	1-1/2	3/16
87-TYPE17#4	TYPE 17#4	2	1/4

Micro 6000 Miniature Tips



PART NO	VENDOR PART NO	OXY/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)
87-MTW#2	MTW#2	Up to 1

Rosebud Heating Tips



PART NO	VENDOR PART NO	OXY/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)
87-TYPE17#15	TYPE 17#15	1/8 to 2-5/8
87-TYPE17-30	TYPE 17#30	1/2 to 6

Extreme Standard Tips



PART NO	VENDOR PART NO	TIP SIZE (IN)	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)
0386-0100	A-2	1/8	1/8 to 1/2	1/8 to 1/4
0386-0101	A-3	3/16	1/4 to 1	1/8 to 1/2
0386-0102	A-5	1/4	3/4 to 1-1/2	1/4 to 3/4
0386-0103	A-8	5/16	1 to 2	1/2 to 1
0386-0104	A-11	7/16	1-1/2 to 3	7/8 to 1-5/8
0386-0105	A-14	1/2	2 to 3-1/2	1 to 2
0386-0106	A-32	3/4	4 to 6	1-1/2 to 4

Extreme Self-Igniting Tips



PART NO	VENDOR PART NO	TIP SIZE (IN)	AIR/ACETYLENE SOFT SOLDER COPPER TUBE SIZE (IN)	AIR/ACETYLENE SILVER BRAZE COPPER TUBE SIZE (IN)
0386-0818	PL-5A	3/16	3/4 to 1-1/2	1/4 to 3/4
0386-0874	PL-3A	1/4	1/4 to 1	1/8 to 1/2
0386-0819	PL-8A	5/16	1 to 2	1/2 to 1
0386-0820	PL-12A	3/8	2 to 4	1 to 2



BRAZING, SOLDERING & WELDING EQUIPMENT

TORCH HANDLES



87-TH6 (TH6) Air/Acetylene Torch Handle



PART NO	VENDOR PART NO	FUEL	HOSE CONNECTION
87-TH6	TH6	Air/Acetylene	A-LH (3/8-24)



87-71 (71) Oxy/Acetylene Torch Handle



PART NO	VENDOR PART NO	FUEL	HOSE CONNECTION
87-71	71	Oxy/Acetylene	A- LH (3/8-24) and A-RH (3/8-24)



Check Valve for Torch/Welding Handles

Provides protection against reverse flow of gases, but not flame flashback.



PART NO	VENDOR PART NO	DESCRIPTION
87-TCVA	TCVA	Check Valves [A-LH (3/8-24) and A-RH (3/8-24)]



0386-0308 (G4) Oxy/Acetylene Torch Handle



PART NO	VENDOR PART NO	FUEL	HOSE CONNECTION
0386-0308	G4	Air/Acetylene	A-LH (3/8-24)



0386-0311 (103-01FP) Oxy/Acetylene Torch Handle



PART NO	VENDOR PART NO	FUEL	HOSE CONNECTION
0386-0311	103-01FP	Oxy/Acetylene	A- LH (3/8-24) and A-RH (3/8-24)

CUTTING TOOLS



Cutting Attachment – Oxy/Acetylene



PART NO	VENDOR PART NO	DESCRIPTION
87-CA550	CA550	Cutting Attachment - Oxy/Acetylene



Cutting Tip – Oxy/Acetylene



PART NO	VENDOR PART NO	DESCRIPTION
87-5-101#OD	5-101#OD	Oxy/Acetylene Cutting Tip



Cutting Attachment – Oxy/Acetylene



PART NO	DESCRIPTION
0387-0003	Cutting Attachment - Oxy/Acetylene (CA1260-CS)



BRAZING, SOLDERING & WELDING EQUIPMENT

REGULATORS



Regulators – Acetylene



PART NO	FUEL	HIGH PRESSURE GAUGE (PSIG)	LOW PRESSURE GAUGE (PSIG)	DELIVERY RANGE (PSIG)	GAUGE DIAMETER (IN)	INLET CONNECT (CGA)	OUTLET CONNECTION
87-RB	Acetylene	400 (Full)	—	2 to 15	1-1/2	520	A-LH (3/8-24)
87-RMC2	Acetylene	400 (Full)	30	2 to 15	1-1/2	200	A-LH (3/8-24)



Regulators – Nitrogen



PART NO	FUEL	HIGH PRESSURE GAUGE (PSIG)	LOW PRESSURE GAUGE (PSIG)	DELIVERY RANGE (PSIG)	GAUGE DIAMETER (IN)	INLET CONNECT (CGA)	OUTLET CONNECTION
87-R1563	Nitrogen	4000	300	5 to 175	1-1/2	580	1/4 SAE male



Regulators – Nitrogen/CO2



PART NO	FUEL	HIGH PRESSURE GAUGE (PSIG)	LOW PRESSURE GAUGE (PSIG)	DELIVERY RANGE (PSIG)	GAUGE DIAMETER (IN)	INLET CONNECT (CGA)	OUTLET CONNECTION
87-RHP400	Nitrogen, CO2	4000	600	20 to 400	1-1/2	580	1/4 SAE male
87-RHP500	Nitrogen, CO2	4000	600	20 to 500	1-1/2	580	1/4 SAE male



Regulators – Oxygen



PART NO	FUEL	HIGH PRESSURE GAUGE (PSIG)	LOW PRESSURE GAUGE (PSIG)	DELIVERY RANGE (PSIG)	GAUGE DIAMETER (IN)	INLET CONNECT (CGA)	OUTLET CONNECTION
87-RO	Oxygen	4000	100	2 to 60	1-1/2	540	A-RH (3/8-24)



Regulators – Acetylene (MC or B Tanks)



PART NO	VENDOR REF NO	FUEL	INLET CONNECT (CGA)	OUTLET CONNECTION
0386-0725	AR-B	Acetylene	(Fits B tank)	A-LH (3/8-24)
0386-0726	AR-MC	Acetylene	(Fits MC tank)	A-LH (3/8-24)



Regulators – Acetylene



PART NO	FUEL	HIGH PRESSURE GAUGE (PSIG)	LOW PRESSURE GAUGE (PSIG)	DELIVERY RANGE (PSIG)	GAUGE DIAMETER (IN)	INLET CONNECT (CGA)	OUTLET CONNECTION
0386-0784	Acetylene	400	30	2 to 15	1-1/2	200	A-LH (3/8-24)



Regulators – Nitrogen



PART NO	FUEL	HIGH PRESSURE GAUGE (PSIG)	LOW PRESSURE GAUGE (PSIG)	DELIVERY RANGE (PSIG)	GAUGE DIAMETER (IN)	INLET CONNECT (CGA)	OUTLET CONNECTION
0386-0814	Nitrogen	4000	600	0 to 500	1-1/2	580	1/4 SAE male



BRAZING, SOLDERING & WELDING EQUIPMENT

REGULATORS



Regulators – Oxygen



PART NO	FUEL	HIGH PRESSURE GAUGE (PSIG)	LOW PRESSURE GAUGE (PSIG)	DELIVERY RANGE (PSIG)	GAUGE DIAMETER (IN)	INLET CONNECT (CGA)	OUTLET CONNECTION
0386-0786	Oxygen	4000	100	4 to 80	1-1/2	540	A-RH (3/8-24)

GAUGES



Gauges



PART NO	VENDOR PART NO	FUEL	MAXIMUM PRESSURE (PSIG)	GAUGE DIAMETER (IN)	STEEL CASE COLOR	PROTECTIVE BOOT	THREAD SIZE NPT (IN)
87-G15-D	G15-D	Acetylene	30	1-1/2	Red	Yes	1/8
87-G19-D	G19-D	Acetylene	400 (Full)	1-1/2	Red	Yes	1/8
87-G49-D	G49-D	—	100	1-1/2	Green	Yes	1/8
87-G7SD	G7SD	—	4,000	1-1/2	Gold	—	1/8
87-G56-D	G56-D	—	4,000	1-1/2	Green	Yes	1/8
87-G8D	G8D	—	600	1-1/2	Brass	—	1/8

HOSES



Acetylene Hoses – UniWeld



PART NO	VENDOR PART NO	FITTING TYPE	HOSE LENGTH (FT)
87-H12	H12	A-LH (3/8-24)	12-1/2



Acetylene Hoses – TurboTorch



PART NO	VENDOR PART NO	FITTING TYPE	HOSE LENGTH (FT)
0386-1090	AH-12	A-LH (3/8-24)	12
0386-1091	AH-24	A-LH (3/8-24)	24

HOSES

Oxy/Acetylene Hose Sets – UniWeld



PART NO	VENDOR PART NO	FITTING TYPE	HOSE LENGTH (FT)
87-H32A	H32A	A-LH (3/8-24) and A-RH (3/8-24)	12-1/2



Oxy/Acetylene Hose Sets – TurboTorch



PART NO	VENDOR PART NO	FITTING TYPE	HOSE LENGTH (FT)
0386-1094	252-03P	A-LH (3/8-24) and A-RH (3/8-24)	12-1/2



BRAZING, SOLDERING & WELDING EQUIPMENT

TANK CARRYING STANDS



Tank Carrying Stand – One B Tank



PART NO	VENDOR PART NO	DESCRIPTION
87-502	502	Tank Carrying Stand - One B Tank



Tank Carrying Stand – One MC Tank & One R Tank



PART NO	VENDOR PART NO	DESCRIPTION
87-500S	500S	Tank Carrying Stand - One MC Tank & One R Tank



Tank Carrying Stand – One MC, PDC, or MDC Tank & One R Tank



PART NO	VENDOR PART NO	DESCRIPTION
87-511	511	Tank Carrying Stand - One MC, PDC, or MDC Tank & One R Tank



Tank Carrying Stand – One 40/55 cu. ft. Nitrogen Tank or One 10 lb. CO2 Tank



PART NO	VENDOR PART NO	DESCRIPTION
87-516	516	Tank Carrying Stand - One 40/55 cu. ft. Nitrogen Tank or One 10 pound CO2 Tank



Tank Carrying Handle – One B Tank



PART NO	VENDOR REF NO	DESCRIPTION
1421-0016	TT-150 B	Tank Carrying Handle - One B Tank



BRAZING, SOLDERING & WELDING EQUIPMENT

TANK CARRYING STANDS



Tank Carrying Stand – One B Tank



PART NO	VENDOR REF NO	DESCRIPTION
1421-0034	TT-B	Tank Carrying Stand - One B Tank



Tank Carrying Stand – One MC Tank & One R Tank



PART NO	VENDOR REF NO	DESCRIPTION
1421-0036	TT-MCR	Tank Carrying Stand - One MC Tank & One R Tank



Tank Carrying Stand – One MC Tank & One R Tank (Turbo Tote)



PART NO	VENDOR REF NO	DESCRIPTION
0386-1241	—	Tank Carrying Stand - One MC Tank & One R Tank (Turbo Tote)



Tank Carrying Stand – One MC Tank or One MT-1 MAPP Tank



PART NO	VENDOR REF NO	DESCRIPTION
1421-0035	TT-MC	Tank Carrying Stand - One MC Tank or One MT-1 MAPP Tank



87-BG1 (BG1) Blow Gun



PART NO	VENDOR PART NO	DESCRIPTION
87-BG1	BG1	Blow Gun



BRAZING, SOLDERING & WELDING EQUIPMENT



Nitrogen Blow Gun Kits



PART NO	DESCRIPTION
0386-1234	Nitrogen Purge & Blow Gun Kit - Fits 20 Cu. Ft. Tank Not Included (NPK-20)
0386-1236	Nitrogen Purge & Blow Gun Kit - Fits 40 Cu. Ft. Tank Not Included (NPK-40)
0426-0009	Nitrogen Purge & Blow Gun Kit - Includes 40 Cu. Ft. Tank (SKP-40T)



Flint Lighters



PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
87-FL3437	FL3437	Flint Lighter w/5 Spare Flints	—	—
87-FL34	FL34	Flint Lighter	10	Yes

SOLDERING IRONS & GUNS



Soldering Irons



- Stainless steel barrel
- Lightweight heat and impact resistant pencil handle
- Power indicator light

PART NO	INPUT VOLTAGE (V)	OUTPUT (W)	TEMP RANGE (°F)	LENGTH (IN)	COMPONENTS INCLUDED
87-SP23L	120	25	750	8-1/4	Replaceable - Includes MT1 1/8 in. Nickel plated copper tip
87-SP40L	120	40	900	8-1/4	Replaceable - Includes MT10 1/4 in. Nickel plated copper tip



Soldering Guns



- Fingertip trigger selects high (1st position) or low output (2nd position)
- Efficient tin-plated copper tip
- Light illuminates work

PART NO	VENDOR PART NO	INPUT VOLTAGE (V)	OUTPUT (W)	TEMP RANGE (°F)
87-D550	D550	120	260/200	1100/900

VACUUM PUMPS & GAUGES



VACUUM PUMPS – MASTERCool



Vacuum Pumps – Two Stage

PART NO	VENDOR PART NO	NO OF STAGES	FREE AIR DISPLACEMENT (CFM)	ULTIMATE VACUUM (MICRONS HG)	HORSE POWER (HP)	NOMINAL PUMP SPEED (RPM)	INLET PORTS	SUPPLY VOLTAGE (V)	WEIGHT (LBS)
87-90060	90060	2	1.5	50	1/6	3450	1/4 in. SAE, 1/2 in. ACME	120	12
90065	90065	2	5	25	1/3	1725	1/4 in. SAE, 3/8 in. SAE, 1/2 in. ACME	120	32
90066-2V-110	90066-2V-110	2	6	15	1/3	3440	1/4 in. SAE, 3/8 in. SAE, 1/2 in. ACME	120	25
90067	90067	2	7.5	25	1/2	1725	1/4 in. SAE, 3/8 in. SAE, 1/2 in. ACME	120	34
90070-2V-110	90070-2V-110	2	10	12	1/2	3440	1/4 in. SAE, 3/8 in. SAE, 1/2 in. ACME	120	33

Vacuum Pumps – Single Stage

PART NO	VENDOR PART NO	NO OF STAGES	FREE AIR DISPLACEMENT (CFM)	ULTIMATE VACUUM (MICRONS HG)	HORSE POWER (HP)	NOMINAL PUMP SPEED (RPM)	INLET PORTS	SUPPLY VOLTAGE (V)	WEIGHT (LBS)
90062	90062	1	2	70	1/3	1725	1/4 in. SAE, 1/2 in. ACME	120	28



REFRIGERANT RECOVERY SYSTEMS



69000 Refrigerant Recovery System



PART NO	VENDOR PART NO	MAX RECOVERY RATE DIRECT VAPOR (LBS/MIN)	MAX RECOVERY RATE DIRECT LIQUID (LBS/MIN)	MAX RECOVERY RATE PUSH-PULL LIQUID (LBS/MIN)	MAXIMUM WORKING PRESSURE (PSI)	SUPPLY VOLTAGE (V)	HORSE POWER (HP)	WEIGHT (LBS)
69000	69000	0.75	2.50	12	500	120	1/2	38

CHARGING SCALES



98210 (98210-A) Charging Scales – Programmable



- Allows user to program desired quantities; before charge is complete, an alarm sounds allowing ample time to turn off refrigerant supply
- Tank capacity programming feature allows user to know the amount of refrigerant in the tank at any time
- Repeat feature allows user to charge previously stored amount

PART NO	VENDOR PART NO	PROGRAMMABLE	CAPACITY (LBS)	ACCURACY (%)	RESOLUTION (OZ)	BATTERY
98210	98210	Yes	240	0.1	+/- 0.32	One 9 VDC



98230 Charging Scale Solenoid Module for 98210 (98210-A)



This module turns the 98210 scales into automatic programmable scales by allowing the user to control the exact amount of refrigerant being transferred. Also allows pausing of refrigerant transfer. The compact design is battery powered (9V), lightweight, portable and works with all types of refrigerant. Includes a short hose for tank connection, USB cord and 1/4 inch SAE x 1/2 inch ACME adapter.

PART NO	VENDOR PART NO	DESCRIPTION
98230	98230	Charging Scale Solenoid Module

REFRIGERANT SERVICE MANIFOLDS, GAUGES & HOSES

SERVICE MANIFOLDS & GAUGES



Digital Aluminum Service Manifolds & Gauges



Large easy to read LCD displays pressures, saturated temperatures, actual temperatures, superheat and subcooling temperatures for over 60 refrigerants. When used with the clamp-on thermocouple connector, it will display the actual temperature and automatically calculates the superheat or subcool temperature. When the vacuum sensor cable is attached to the manifold it will display deep vacuum. To ensure lasting performance and durability, the manifold case is constructed of ABS material and protected by a rugged rubber boot.

PART NO	VENDOR PART NO	REFRIGERANT SCALES	PRESSURE SCALES	TEMP SCALES	MANIFOLD TYPE	MANIFOLD MATERIAL	HOSE TYPE	HOSE LENGTH (IN)	GAUGE DIA (IN)	GAUGE TYPE	SIGHT GLASS
99661-A	99661-A	All	psi, in. Hg, Bar, MPa, kg/sq. cm	F,C	2-Way	Aluminum	Manifold, Standard Hoses, Vacuum Sensor, Thermocouple, Case	5	—	Digital	Yes
99103	99103	All	psi, in. Hg, Bar, MPa, kg/sq. cm	F,C	2-Way	Aluminum	Manifold only	—	—	Digital	Yes



REFRIGERANT SERVICE MANIFOLDS, GAUGES & HOSES



Aluminum Ball Valve Service Manifold & Gauges (4-Way)

cps⁺

- Stainless steel ball valve design controls flow smoothly and quickly with only a quarter turn
- Silicone dampened gauges smooth out needle movement

PART NO	VENDOR PART NO	REFRIGERANT SCALES	PRESSURE SCALES	TEMP SCALES	MANIFOLD TYPE	MANIFOLD MATERIAL	HOSE TYPE	HOSE LENGTH (IN)	GAUGE DIA (IN)	GAUGE TYPE	SIGHT GLASS
95361	95361	R-12, R-22, R-502	psi	F	4-Way	Aluminum	Standard w/Anti-Blowback Fittings	5	3-1/8	Dry	Yes



Aluminum Ball Valve Service Manifold & Gauges (3-Way)

cps⁺

- Stainless steel ball valve design controls flow smoothly and quickly with only a quarter turn
- Silicone dampened gauges smooth out needle movement

PART NO	VENDOR PART NO	REFRIGERANT SCALES	PRESSURE SCALES	TEMP SCALES	MANIFOLD TYPE	MANIFOLD MATERIAL	HOSE TYPE	HOSE LENGTH (IN)	GAUGE DIA (IN)	GAUGE TYPE	SIGHT GLASS
59861	59861	R-22, R-404A, R-410A	psi	F	3-Way	Aluminum	Premium w/Ball Valves	5	3-1/8	Dry	Yes



Aluminum Service Manifolds & Gauges

cps⁺

- Free-floating piston type valves reduce O-Ring wear
- Silicone dampened gauges smooth out needle movement

PART NO	VENDOR PART NO	REFRIGERANT SCALES	PRESSURE SCALES	TEMP SCALES	MANIFOLD TYPE	MANIFOLD MATERIAL	HOSE TYPE	HOSE LENGTH (IN)	GAUGE DIA (IN)	GAUGE TYPE	SIGHT GLASS
95661	95661	R-12, R-22, R-502	psi	F	2-Way	Aluminum	Standard w/Anti-Blowback Fittings	5	2-1/2	Dry	Yes
57161	57161	R-22, R-404A, R-410A	psi	F	2-Way	Aluminum	Premium w/Standard Fittings	5	3-1/8	Dry	Yes

SERVICE MANIFOLDS & GAUGES

Brass Service Manifolds & Gauges

cps⁺



PART NO	VENDOR PART NO	REFRIGERANT SCALES	PRESSURE SCALES	TEMP SCALES	MANIFOLD TYPE	MANIFOLD MATERIAL	HOSE TYPE	HOSE LENGTH (IN)	GAUGE DIA (IN)	GAUGE TYPE	SIGHT GLASS
87-33636	33636	R-12, R-22, R-502	psi	F	2-Way	Brass	Standard w/Standard Fittings	3	2-1/2	Dry	No
33661	33661	R-12, R-22, R-502	psi	F	2-Way	Brass	Standard w/Standard Fittings	5	2-1/2	Dry	No
35161	35161	R-12, R-22, R-502	psi	F	2-Way	Brass	Standard w/Anti-Blowback Fittings	5	3-1/8	Dry	No
59161	59161	R-22, R-404A, R-410A	psi	F	2-Way	Brass	Premium w/Standard Fittings	5	3-1/8	Dry	No
59261	59261	R-22, R-404A, R-410A	psi	F	2-Way	Brass	Premium w/Ball Valves	5	3-1/8	Dry	No



REFRIGERANT SERVICE MANIFOLDS, GAUGES & HOSE

REFRIGERANT GAUGES



Refrigerant Gauges – Mastercool



PART NO	VENDOR PART NO	REFRIGERANT SCALES	PRESSURE SCALES	TEMP SCALES	FITTING SIZE (IN)	GAUGE DIA (IN)	GAUGE TYPE	GAUGE USAGE
87-RGCH	RGCH	R-12, R-22, R-502	psi	F	1/8 NPT	2-1/2	Dry	High Side
87-RGRH	RGRH	R-410A	psi, kPa	F,C	1/8 NPT	3-1/8	Glycerin Filled	High Side
87-RGCL	RGCL	R-12, R-22, R-502	psi	F	1/8 NPT	2-1/2	Dry	Low Side



Gauge Protector Set



- Unique ribbing deadens bumps and deflects shocks
- Fits 3-1/8 inch diameter gauges

PART NO	VENDOR PART NO	DESCRIPTION
91553	91553	Gauge Protector Set - Red & Blue (For 3-1/8 in. diameter gauges)

REFRIGERANT CHARGING HOSES



Refrigerant Charging Hoses – Standard Fittings



PART NO	VENDOR PART NO	SET TYPE	FITTING SIZE (IN)	HOSE LENGTH (FT)	HOSE FITTINGS	HOSE WORKING PRESSURE (PSI)	HOSE BURST PRESSURE (PSI)	HOSE COLOR
40336	40336	Set of 3	1/4 SAE	3	Standard	750	3000	Blue, Red, Yellow
40360	40360	Set of 3	1/4 SAE	5	Standard	750	3000	Blue, Red, Yellow
40372	40372	Set of 3	1/4 SAE	6	Standard	750	3000	Blue, Red, Yellow
48604	48604	Single	3/8 SAE	5	Standard	800	4000	Black
41601	41601	Single	1/4 SAE	5	Standard	750	3000	Blue
41603	41603	Single	1/4 SAE	5	Standard	750	3000	Red
41602	41602	Single	1/4 SAE	5	Standard	750	3000	Yellow



Refrigerant Charging Hoses – Anti-Blowback Fittings



Automatic sealing valve eliminates refrigerant loss and blowback.

PART NO	VENDOR PART NO	SET TYPE	FITTING SIZE (IN)	HOSE LENGTH (FT)	HOSE FITTINGS	HOSE WORKING PRESSURE (PSI)	HOSE BURST PRESSURE (PSI)	HOSE COLOR
45360	45360	Set of 3	1/4 SAE	5	Anti-Blowback	750	3000	Blue, Red, Yellow
46360	46360	Set of 3	1/4 SAE	5	Anti-Blowback	800	4000	Blue, Red, Yellow
45601	45601	Single	1/4 SAE	5	Anti-Blowback	750	3000	Blue
45603	45603	Single	1/4 SAE	5	Anti-Blowback	750	3000	Red
45602	45602	Single	1/4 SAE	5	Anti-Blowback	750	3000	Yellow



Refrigerant Hose Extensions with Ball Valves



PART NO	VENDOR PART NO	DESCRIPTION
66434R	66434R	Adapter - 1/4 in.SAE x 16 mm Automotive Quick Connect Coupler (R-134a - High Side)
66534R	66534R	Adapter - 1/4 in. SAE x 13 mm Automotive Quick Connect Coupler (R-134a - Low Side)



Adapters – 1/4 in. SAE x Automotive Quick Connect (R-134a)



PART NO	VENDOR PART NO	SET TYPE	FITTING SIZE (IN)	HOSE LENGTH (FT)	HOSE FITTINGS	HOSE WORKING PRESSURE (PSI)	HOSE BURST PRESSURE (PSI)	HOSE COLOR
90262	90262	Set of 3	1/4 SAE	—	Straight	750	3000	Blue, Red, Yellow
90263-R	90263-R	Single	1/4 SAE	—	45 degree	750	3000	Blue
90265-R	90265-R	Single	1/4 SAE	—	45 degree	750	3000	Red
90264-R	90264-R	Single	1/4 SAE	—	45 degree	750	3000	Yellow

TOOLS & INSTRUMENTS



HVAC INSTRUMENTS, METERS & DETECTORS

ELECTRONIC REFRIGERANT LEAK DETECTORS



55100 Electronic Leak Detector

- Three sensitivity ranges
- Detects all CFC, HCFC and HFC refrigerants
- Minimum leak rate detection capability: 1/10 oz./year
- LED visual indicator
- 16 inch long cable probe
- Includes a custom molded carrying case



PART NO	VENDOR PART NO	DESCRIPTION
55100	55100	Electronic Leak Detector

ELECTRONIC/UV REFRIGERANT LEAK DETECTORS



55200 Electronic/UV Leak Detector Kit

- Combines electronic and UV leak detection in one tool
- Six sensitivity ranges
- Detects all CFC, HCFC and HFC refrigerants
- Minimum leak rate detection capability: 1/10 oz./year
- LED visual indicator
- 16 inch long cable probe
- Includes a custom molded carrying case



PART NO	VENDOR PART NO	DESCRIPTION
55200	55200	Electronic/UV Leak Detector Kit



55300 Electronic/UV Leak Detector with Cartridge Type Dye Injector

Same as 55200 except includes cartridge type dye injector.



PART NO	VENDOR PART NO	DESCRIPTION
55300	55300	Electronic/UV Leak Detector Kit with Cartridge Type Dye Injector

UV REFRIGERANT LEAK DETECTORS



53400 UV Leak Detector Kit

- 50W rechargeable UV detector for use with refrigeration dyes
- Rechargeable battery with 120V charger
- Kit includes UV glasses and carrying case



PART NO	VENDOR PART NO	DESCRIPTION
53400	53400	UV Leak Detector Kit



53450 UV Leak Detector Kit with Refillable Dye Injector

Same as 53400 except includes refillable dye injector.



PART NO	VENDOR PART NO	DESCRIPTION
53450	53450	UV Leak Detector Kit with Refillable Dye Injector



HVAC INSTRUMENTS, METERS & DETECTORS

UV REFRIGERANT LEAK DETECTORS



53450-C UV Leak Detector Kit with Cartridge Type Dye Injector



Same as 53400 except includes cartridge type dye injector.

PART NO	VENDOR PART NO	DESCRIPTION
53450-C	53450-C	UV Leak Detector Kit with Cartridge Type Dye Injector

REPLACEMENT SENSORS FOR REFRIGERANT LEAK DETECTORS



Replacement Sensor for 55100 and 55200



PART NO	VENDOR PART NO	DESCRIPTION
55100-SEN	55100-SEN	Replacement Sensor for 55100 and 55200



875026 (0632 3170) Electronic Flue Gas Spillage Detector (317)



Gives off a visible and audible alarm when heating flue gases are detected. Flexible 8 inch probe for inaccessible locations.

PART NO	VENDOR PART NO	DESCRIPTION
875026	0632 3170	Electronic Flue Gas Spillage Detector (317)



875036 (0632 3173) CO Monitor (317-3)



- Detect the presence of carbon monoxide (CO) in ambient air and warns user with both visual and audible alarm
- Detection range 0 to 1,999 ppm; resolution 1 ppm
- Reaction time of 40 seconds
- Includes carrying pouch and earphone

PART NO	VENDOR PART NO	DESCRIPTION
875036	0632 3173	CO Monitor (317-3)



875043 (0560 0610) Pocket Air Velocity, Temperature, Humidity Meter (410-2)



- Airflow ranges from 80 to 4000 ft./min; temperature range 14 to 122°F; humidity range 0 to 100% RH
- Measures air velocity, temperature, relative humidity, wet bulb temperature and dew point
- Includes carrying pouch

PART NO	VENDOR PART NO	DESCRIPTION
875043	0560 4102	Pocket Air Velocity/Temperature/Humidity Meter (410-2)



875044 (0560 0510) Pocket Digital Manometer (510)



- Pressure range to 44.15 in. W.C.
- Scales in Pa, hPa, mBar, mm W.C., in. W.C, mm Hg, in. Hg and psi
- Easy to use one button operation
- Includes magnet for mounting during measurements
- Includes carrying pouch

PART NO	VENDOR PART NO	DESCRIPTION
875044	0560 0510	Pocket Digital Manometer (510)



HVAC INSTRUMENTS, METERS & DETECTORS



875042 (0560 0610) Pocket Temperature, Humidity Meter (610)



- Measures temperature and relative humidity
- Temperature range 14 to 122°F; humidity range 0 to 100% RH
- Humidity scales in %RH and wet bulb
- Includes carrying pouch

PART NO	VENDOR PART NO	DESCRIPTION
875042	0560 0610	Pocket Temperature/Humidity Meter (610)



875041 (0560 0810) Pocket Temperature Meter (810)



- Simultaneously measures temperatures using both IR and ambient air
- Temperature range -58 to 660°F
- Includes carrying pouch

PART NO	VENDOR PART NO	DESCRIPTION
875041	0560 0810	Pocket Temperature Meter (810)



52245 Digital Pressure/Temperature Chart



- Pocket sized device offers fast and accurate temperature references on a large easy to read LCD display
- Includes charts for sixty refrigerants
- Pressure charts in psi, Bar and MPa; temperature in F and C

PART NO	VENDOR PART NO	DESCRIPTION
52245	52245	Digital Pressure/Temperature Chart

VALVE CORE & SUPERHEAT MEASUREMENT TOOLS



SUPERHEAT MEASUREMENT SETS

91499 Superheat Measurement Kit



Combines a core removal tool and thermometer to create a reliable and accurate way to measure superheat; allows temperature probe to directly measure refrigerant temperature.

PART NO	VENDOR PART NO	DESCRIPTION
91499	91499	Superheat Measurement Kit

VALVE CORE REMOVAL TOOLS



91490 Valve Core Removal Tool



- Permits valve core replacement with minimal refrigerant loss
- Connects to any 1/4 inch SAE male flare service port
- Uses a reliable 1/4 turn ball valve design to shut-off and control refrigerant flow

PART NO	VENDOR PART NO	DESCRIPTION
91490	91490	Valve Core Removal Tool



91496 Valve Core Removal Tool



- Permits valve core replacement with minimal refrigerant loss
- Connects to any 1/4 inch SAE male flare service port
- Uses a reliable 1/4 turn ball valve design to shut-off and control refrigerant flow
- Includes a 1/4 inch SAE male flare service port to allow refrigerant recovery or recharge, system evacuation and system pressure measurement

PART NO	VENDOR PART NO	DESCRIPTION
91496	91496	Valve Core Removal Tool



TEMPERATURE MEASUREMENT TOOLS

MULTI-INPUT DIGITAL INSTRUMENT 3-ZONE & ACCESSORIES



SRH77A-E 3-Zone Temperature / Humidity Instrument



When temperature and relative humidity measurements are critical, the SRH77A is the expert's choice. Features include: a backlit display for dark environments; sealed keypad which protects the instrument from spills and dust; and a battery eliminator jack. View temperature differential, %RH, and wet-bulb. You will find this to be an accurate and fast service tool. The bright blue, durable carrying case makes this tool easy to find when on location or in the back of a service truck.

- 3 Zones [3 independent temperatures], -40°F to 300°F capable
- Zone 1 temperature Range: -40°F to 300°F w/supplied 1075 probe
- Zone 2 temperature Range: -25°F to 212°F w/supplied 4011 probe
- Zone 3 temperature range: 0°F to 150°F w/supplied 5028 probe
- Probes: 1075 puncture type, 5028 air/RH type, 4011 pipe strap type
- Thermistor sensing for fast response time
- Temperature °F/°C switchable
- Humidity range: 10 – 95% RH
- Independent minimum / maximum temperature memory
- Temperature, temperature differential, temperature min/max, %RH, wet bulb measurements,
- Backlit display w/auto shutoff
- Power auto shutoff w/disable
- Sealed keyboard
- Optional battery eliminator
- Battery life: 90 hours

PART NO	VENDOR PART NO	DESCRIPTION
SRH77A-E	SRH77A-E	3-Zone Temperature / Humidity Instrument



SH66A-E 3-Zone Temperature Instrument



For applications when multiple temperature measurements are needed, this is the instrument to use. Features include: a backlit display for dark environments; a sealed keypad which protects the instrument from spills and dust; and a battery eliminator jack. Simultaneously measures suction and liquid line temperatures, as well as temperatures across condensing coils, evaporator coils and ambient temperatures. View temperature differential between zones 1 and 2 and review min / max temperatures from all three zones.

- 3 Zones [3 independent temperatures], -40°F to 300°F capable
- Zone 1 temperature Range: -40°F to 300°F w/supplied 1075 probe
- Zone 2 temperature Range: -25°F to 212°F w/supplied 4011 probe
- Zone 3 temperature range: -40°F to 200°F w/supplied 2010 probe
- Probes: 1075 puncture type, 2010 air/surface type, 4011 pipe strap type
- Thermistor sensing for fast response time
- Temperature °F/°C switchable
- Independent minimum / maximum temperature memory
- Temperature, temperature differential, temperature min/max
- Backlit display w/auto shutoff
- Power auto shutoff w/disable
- Sealed keyboard
- Optional battery eliminator
- Battery life: 90 hours

PART NO	VENDOR PART NO	DESCRIPTION
SH66A-E	SH66A-E	3-Zone Temperature Instrument



4005MK Pipe Clamp Thermocouple Temperature Probe



- Temperature range -20°F to 300°F
- Spring clamp mounting (up to 1-3/8 inches diameter)
- Type K thermocouple
- 2 second response time

PART NO	VENDOR PART NO	DESCRIPTION
4005MK	4005MK	Pipe Clamp Thermocouple Temperature Probe



TEMPERATURE MEASUREMENT TOOLS

MULTI-INPUT DIGITAL INSTRUMENT 3-ZONE & ACCESSORIES



4011 Pipe Strap Thermistor Temperature Probe

- Temperature range -25°F to 212°F
- Strap (11 inch long) for pipe surface mounting
- Thermistor 2 second response time
- 6 foot cord length



PART NO	VENDOR PART NO	DESCRIPTION
4011	4011	Pipe Strap Thermistor Temperature Probe



2010 Thermister Air Probe

- Temperature range -40°F to 200°F
- Allow approximately 20 seconds response time
- Shaft length 1/2 inch



PART NO	VENDOR PART NO	DESCRIPTION
2010	2010	Thermister Probe - 0.5 in.



4005i Cordless Pipe Clamp Temperature Instrument with Probe

- Temperature range -20°F to 300°F
- Spring clamp mounting (up to 1-3/8 inches diameter)
- Retractable 2-1/2 inch puncture probe
- LCD display
- Min/Max/Hold with auto shutoff (5 minutes)
- One hand operation



PART NO	VENDOR PART NO	DESCRIPTION
4005i	4005i	Cordless Pipe Clame Temperature Instrument with Probe

INFRARED THERMOMETERS



52224A Infrared Thermometer

- Temperature range -58 to 932°F
- 12:1 distance to spot ratio
- Includes laser pointer
- Includes plastic shell carrying case



PART NO	VENDOR PART NO	DESCRIPTION
52224A	52224A	Infrared Thermometer

POCKET THERMOMETERS



1246-02-1 Pocket Thermometer – Analog

- Temperature range 0 to 220°F
- 5 inch Stainless steel probe
- Includes protective sleeve with pocket clip and calibration wrench
- NSF®/ANSI Standard 2 Food Equipment Listed



PART NO	VENDOR PART NO	DESCRIPTION
1246-02-1	1246-02-1	Pocket Thermometer - Analog



DPP400W-0-8 Pocket Thermometer – Digital

- Temperature range -40°F to 392°F
- 2-3/4 inch stainless steel probe
- Includes protective sleeve with pocket clip
- NSF/ANSI Standard 2 Food Equipment Listed
- Water resistant IPX-7, immersion 30 minutes at 1 meter



PART NO	VENDOR PART NO	DESCRIPTION
DPP400W-0-8	DPP400W-0-8	Pocket Thermometer - Digital



TEMPERATURE MEASUREMENT TOOLS

POCKET THERMOMETERS



DT300-0-8 Pocket Thermometer – Digital

- Temperature range -40°F to 302°F
- 4-5/8 inch stainless steel probe
- Includes protective sleeve with pocket clip



PART NO	VENDOR PART NO	DESCRIPTION
DT300-0-8	DT300-0-8	Pocket Thermometer - Digital



DFP450W-0-8 Pocket Thermometer – Digital

- Temperature range -40°F to 450°F with alarm
- 4-3/4 inches stainless steel probe
- NSF/ANSI Standard 2 Food Equipment Listed
- Includes protective sleeve with pocket clip
- Water resistant IPX-7, immersion 30 minutes at 1 meter



PART NO	VENDOR PART NO	DESCRIPTION
DFP450W-0-8	DFP450W-0-8	Pocket Thermometer - Digital



52223-A Pocket Thermometer – Digital

- Temperature range -58 to 302°F
- 5 inch stainless steel probe
- Includes protective sleeve with pocket clip



PART NO	VENDOR PART NO	DESCRIPTION
52223-A	52223-A	Pocket Thermometer - Digital

PANEL THERMOMETERS & ACCESSORIES



6142-20-3 Panel Thermometer – Analog

- Temperature range -40°F to 60°F
- Nickel / Tin-plated bulb and capillary
- Stainless steel case with 2 inch dial



PART NO	VENDOR PART NO	DESCRIPTION
6142-20-3	6142-20-3	Panel Thermometer - Analog (Round)



DM120-0-3 Panel Thermometer – Digital

- Temperature Range -40°F to 120°F
- Battery powered
- 10 - 15 sec response time
- LCD display



PART NO	VENDOR PART NO	DESCRIPTION
DM120-0-3	DM120-0-3	Panel Thermometer - Digital (Round)



SP160-01-8 Panel Thermometer – Digital

- Temperature Range -58°F to 158°F
- Solar powered with battery back-up
- 10 - 15 sec response time
- LCD display



PART NO	VENDOR PART NO	DESCRIPTION
SP160-01-8	SP160-01-8	Panel Thermometer - Digital (Rectangular)



TEMPERATURE MEASUREMENT TOOLS

TESTOVIEW FIBERSCOPES



TestoView Fiberscopes

Powerful fiber optic scope allows examination of areas normally hidden from sight. Ideal for internal inspection of furnaces, ducts, A/C systems, interior structures, between walls and many other HVAC and industrial applications. Includes a comfortable grip handle for long term inspections, a convenient on/off light switch and an easily adjustable eyepiece.



- Spring lock flexible shaft holds shape
- Superior optics; 40 degree viewing angle; 0.4 inch and up viewing distance
- 25 hour battery life
- Bright white lighting with high/low beam

PART NO	VENDOR PART NO	DESCRIPTION
875011	400632 0319	TestoView Fiberscope - 18 in. (318-2)
875012	400632 0318	TestoView Fiberscope - 36 in. (318-1)



Magnetic Attachment for TestoView Fiberscopes



PART NO	VENDOR PART NO	DESCRIPTION
875017	400554 1321	Magnet for TestoView Fiberscope



Mirror Attachment for TestoView Fiberscopes



PART NO	VENDOR PART NO	DESCRIPTION
875016	400544 1320	Inspection Mirror for TestoView Fiberscope

WRENCHES – REFRIGERATION SERVICE WRENCHES



87-68309 (68309) Refrigeration Service Wrench – Ratcheting



PART NO	VENDOR PART NO	HEX SOCKET SIZES (IN)	SQUARE SOCKET SIZES (IN)	TYPE	WRENCH CONFIG
87-68309	68309	—	3/16, 1/4, 1/2, 9/16	Reversible Ratchet	Flat



87-68310 (68310) Refrigeration Service Wrench – Ratcheting



PART NO	VENDOR PART NO	HEX SOCKET SIZES (IN)	SQUARE SOCKET SIZES (IN)	TYPE	WRENCH CONFIG
87-68310	68310	—	3/16, 1/4, 5/16, 3/8	Reversible Ratchet	Flat



70082 Refrigeration Service Wrench – Ratcheting



PART NO	VENDOR PART NO	HEX SOCKET SIZES (IN)	SQUARE SOCKET SIZES (IN)	TYPE	WRENCH CONFIG
70082	70082	—	1/4, 3/8, 3/16 and 5/16	Reversible Ratchet	Flat

WRENCHES – ADJUSTABLE WRENCHES (CRESCENT-STYLE)



Adjustable Wrenches – Extra Capacity



- Precision-machine jaws are individually selected and assembled by hand for smooth operation
- Knurl turns smoothly for easy operation
- Forged heat-treated alloy steel for maximum strength and light weight
- High polish chrome finish

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)
87-D507-6	D507-6	6-3/8	15/16
87-D507-8	D507-8	8-3/8	1-1/8
87-D507-10	D507-10	10-3/8	1-5/16
87-D507-12	D507-12	12-3/8	1-1/2



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

WRENCHES – ADJUSTABLE WRENCHES (CRESCENT-STYLE)



Adjustable Wrenches – Standard Capacity



- Precision-machine jaws are individually selected and assembled by hand for smooth operation
- Knurl turns smoothly for easy operation
- Forged heat-treated alloy steel for maximum strength and light weight
- High polish chrome finish

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)
87-D500-18	D500-18	18-1/4	2-1/16

PLIERS – CHANNEL-LOCK PLIERS (PUMP PLIERS)



Channel-Lock Pliers



- Secure tongue and groove design for non-slip grip – even with heavy pressure
- Wide range of versatile jaw positions

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)	HANDLE FINISH	HANDLE COLOR
87-D502-6	D502-6	6-1/2	7/8	Plastic-dipped	Yellow
87-D502-10	D502-10	10	1-3/4	Plastic-dipped	Yellow
87-D502-12	D502-12	12-1/4	2-3/8	Plastic-dipped	Yellow



Channel-Lock Pliers (Journeyman)



- Secure tongue and groove design for non-slip grip – even with heavy pressure
- Wide range of versatile jaw positions
- Tension-loaded joint to reduce handle wobble for sure gripping
- Induction-hardened jaws for long life

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)	HANDLE FINISH	HANDLE COLOR
87-J502-10	J502-10	10-1/4	1-3/4	Journeyman	Yellow/Black

PLIERS – SLIP-JOINT PLIERS



Slip-Joint Pliers



- Shear-type cutter for precision wire cutting
- Two versatile jaw positions
- Serrated jaws provide sure-gripping power
- Nickel-chrome plated for long life
- Knurled handles for greater leverage

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	JAW WIDTH (IN)	HANDLE FINISH	HANDLE COLOR
87-D511-6	D511-6	6-9/16	1-3/16	1-3/16	Plastic-dipped	Turquoise Blue



Slip-Joint Pliers – Hose Clamp



- Quickly installs and removes spring-tension hose clamps
- Grips with either end or side of jaws for work in confined areas
- Nickel-chrome plated for long life

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	JAW WIDTH (IN)	HANDLE FINISH	HANDLE COLOR
87-D514-8	D514-8	8-1/16	1-3/8	1-1/4	Plastic-dipped	Turquoise Blue



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

PLIERS – SIDE-CUTTING PLIERS



Side-Cutting Pliers – High-Leverage

- Induction-hardened cutting knives for long life
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other plier designs
- Streamlined design with sure-gripping, cross-hatched knurled jaws



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	HANDLE FINISH	HANDLE COLOR
87-D213-8NE	D213-8NE	8-11/16	1-7/16	Plastic-dipped	Dark Blue
87-D213-9NE	D213-9NE	9-3/8	1-19/32	Plastic-dipped	Dark Blue



Side-Cutting Pliers – High-Leverage – Heavy-Duty

- Induction-hardened cutting knives for long life
- Cuts ACSR, screws, nails and most hardened wire
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other plier designs
- Streamlined design with sure-gripping, cross-hatched knurled jaws
- Features combination polished and black-oxide finish



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	HANDLE FINISH	HANDLE COLOR
87-D2000-9NE	D2000-9NE	9-3/8	1-19/32	Plastic-dipped	Royal Blue



Side-Cutting Pliers – High-Leverage – Heavy-Duty (Journeyman)

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	HANDLE FINISH	HANDLE COLOR
87-J2000-9NE	J2000-9NE	9-1/2	1-19/32	Journeyman	Light Blue/Black



Side-Cutting Pliers – High-Leverage/Connector Crimping

- Induction-hardened cutting knives for long life
- Crimping die behind hinge for superior leverage crimping non-insulated connectors, lugs and terminals
- High-leverage design; rivet is closer to the cutting edge for 46% greater cutting and gripping power than other plier designs
- Streamlined design with rounded nose and sure-gripping, cross-hatched knurled jaws



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	HANDLE FINISH	HANDLE COLOR
87-D213-9NE-CR	D213-9NE-CR	9-3/8	1-19/32	Plastic-dipped	Yellow

PLIERS – DIAGONAL-CUTTING PLIERS



Diagonal-Cutting Pliers – High-Leverage – Heavy-Duty (Journeyman)

- Induction-hardened knives for long life
- High-leverage design; rivet is closer to the cutting edge for 36% greater cutting and gripping power than other plier designs
- Short jaws and beveled cutting edges permit close cutting of wire



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	JAW WIDTH (IN)	HANDLE FINISH	HANDLE COLOR
87-J2000-28	J2000-28	8-1/8	13/16	1-3/16	Journeyman	Light Blue/Black



Diagonal-Cutting Pliers – High-Leverage – Angled Head

Angled head design for easy work in confined spaces.



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	JAW WIDTH (IN)	HANDLE FINISH	HANDLE COLOR
87-D248-8	D248-8	8-1/16	13/16	1-3/16	Plastic-dipped	Red



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

PLIERS – DIAGONAL-CUTTING PLIERS



Diagonal-Cutting Pliers – High-Leverage – Angled Head – Heavy-Duty



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	JAW WIDTH (IN)	HANDLE FINISH	HANDLE COLOR
87-D2000-48	D2000-48	8-1/16	13/16	1-3/16	Plastic-dipped	Royal Blue



Diagonal-Cutting Pliers – High-Leverage – Angled Head – Heavy-Duty (Journeyman)



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	JAW WIDTH (IN)	HANDLE FINISH	HANDLE COLOR
87-J2000-48	J2000-48	8-1/8	13/16	1-3/16	Journeyman	Light Blue/Black



Diagonal-Cutting Pliers – Tapered Nose

Easy working in confined spaces.



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	JAW WIDTH (IN)	HANDLE FINISH	HANDLE COLOR
87-D202-6	D202-6	6-1/8	13/16	11/16	Plastic-dipped	Red



Diagonal-Cutting Pliers – Tapered Nose – Heavy Duty



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	JAW LENGTH (IN)	JAW WIDTH (IN)	HANDLE FINISH	HANDLE COLOR
87-D220-7	D220-7	7-11/16	1	31/32	Plastic-dipped	Red

PLIERS – NEEDLE-NOSE (LONG-NOSE) PLIERS



Needle-Nose Pliers – Midget Slim-Nose



- Lightweight slim-nose pliers for precision subminiature assembly work
- Knurled jaws for sure-wrapping and looping
- Curved handles provide greater tool control

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)	HANDLE FINISH	HANDLE COLOR
87-D321-41/2C	D321-41/2C	4-13/16	1-1/16	Plastic-dipped	Royal Blue



Needle-Nose Pliers – Long Reach



- Knurled jaws for sure wrapping and looping
- Extended handles provide added reach and leverage

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)	HANDLE FINISH	HANDLE COLOR
87-D314-8	D314-8	8-1/8	1-15/16	Plastic-dipped	Yellow



Needle-Nose Pliers – Side-Cutting



- Induction-hardened long-lasting cutting knives
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)	HANDLE FINISH	HANDLE COLOR
87-D203-6	D203-6	6-5/8	1-7/8	Plastic-dipped	Yellow
87-D203-7	D203-7	7-3/16	2-7/16	Plastic-dipped	Yellow



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

PLIERS – NEEDLE-NOSE (LONG-NOSE) PLIERS



Needle-Nose Pliers – Side-Cutting (Journeyman)

- Induction-hardened long-lasting cutting knives
- Knurled jaws for sure-wrapping and looping



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)	HANDLE FINISH	HANDLE COLOR
87-J203-6	J203-6	6-3/4	1-7/8	Journeyman	Yellow/Black



Needle-Nose Pliers – Side-Cutting/Wire Stripping – Heavy-Duty

- Cleanly strips 12 AWG wire
- Heavier design for greater cutting power
- Induction-hardened long-lasting cutting knives
- Knurled jaws for sure-wrapping and looping



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)	HANDLE FINISH	HANDLE COLOR
87-D203-8N	D203-8N	8-7/16	2-5/16	Plastic-dipped	Yellow



Needle-Nose Pliers – Side-Cutting/Wire Stripping/Wire Crimping – Heavy-Duty

- Cleanly strips 12 AWG wire; crimps connectors, lugs and terminals
- Heavier design for greater cutting power
- Induction-hardened long-lasting cutting knives
- Knurled jaws for sure-wrapping and looping



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)	HANDLE FINISH	HANDLE COLOR
87-D203-8N	D203-8N	8-7/16	2-5/16	Plastic-dipped	Yellow

PLIERS – NEEDLE-NOSE (LONG-NOSE) PLIERS



Insulated Needle-Nose Pliers – Side-Cutting – Heavy Duty

- Insulated handles rated up to 1000V
- Individually tested to exceed standards
- Extended handles provide added reach and leverage
- Induction-hardened cutting knives for long life
- Heavier design for easier, more comfortable cutting



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	MAX JAW CAPACITY (IN)	HANDLE FINISH	HANDLE COLOR
87-D203-8-INS	D203-8-INS	8-7/8	2-5/16	Insulated	Orange

HEX KEYS – FOLDING HEX-KEY SETS

Folding Hex-Key Sets

Hex ends are square-cut for a secure full-depth fit and maximum contact with the hex socket to prevent slippage and stripping of the socket.



PART NO	VENDOR PART NO	DESCRIPTION
87-70579	70579	3/16, 7/32, 1/4, 5/16, 3/8
87-70581	70581	0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32
87-70591	70591	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4

Folding Hex-Key Sets (Grip-It)

- Grip-It® handle provides sturdy comfortable grip to maximize torque
- Hex ends are square-cut for a secure full-depth fit and maximum contact with the hex socket to prevent slippage and stripping of the socket



PART NO	VENDOR PART NO	DESCRIPTION
87-70570	70570	3/16, 7/32, 1/4, 5/16, 3/8
87-70574	70574	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4
87-70575	70575	0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

HEX KEYS – L-STYLE HEX-KEY SETS



L-Style Hex-Key Caddy Sets (Square-Cut)



- L-style hex keys in convenient caddy sets
- Caddy contains a unique locking feature and marked slots for each key
- Hex ends are square-cut for a secure full-depth fit and maximum contact with the hex socket to prevent slippage and stripping of the socket

PART NO	VENDOR PART NO	DESCRIPTION
87-LLK12	LLK12	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16



L-Style Hex-Key Caddy Sets (Ball Ends)



Ball-end works on angles up to 30 degrees.

PART NO	VENDOR PART NO	DESCRIPTION
87-BLK12	BLK12	0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16



HEX KEYS – T-HANDLE HEX-KEY SETS

T-Handle Hex-Key Sets with Stand



Furnished complete with a rugged metal stand for convenient hanging, storage on bench or wall.

PART NO	VENDOR PART NO	DESCRIPTION
87-70153	70153	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8

SCREWDRIVERS – CUSHION-GRIP SCREWDRIVERS

- Cushion-Grip handle allows for greater torque and comfort
- Integral flanges inside handle provide solid twist-resistant blade anchor
- Special heat-treated shafts
- Patented Tip-Ident® quickly identifies the type of screwdriver and tip



Cushion-Grip Cabinet-Tip Screwdrivers – Round-Shanks



Narrow cabinet tip permits blade access where space is limited.

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-601-3	601-3	6-3/4	3	Round	Cabinet	3/16
87-601-4	601-4	7-3/4	4	Round	Cabinet	3/16
87-601-6	601-6	9-3/4	6	Round	Cabinet	3/16
87-601-8	601-8	11-3/4	8	Round	Cabinet	3/16



Cushion-Grip Cabinet-Tip Screwdrivers – Heavy-Duty Round-Shanks



Narrow cabinet tip permits blade access where space is limited.

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-605-4	605-4	8-11/32	4	Round	Cabinet	1/4
87-605-6	605-6	10-11/32	6	Round	Cabinet	1/4
87-605-8	605-8	12-11/32	8	Round	Cabinet	1/4

TOOLS & INSTRUMENTS



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

SCREWDRIVERS – CUSHION-GRIP SCREWDRIVERS



Cushion-Grip Keystone-Tip Screwdrivers – Heavy-Duty Round-Shanks



Hex bolster reinforces shank for hard use and allows wrench-assisted turning.

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-602-4	602-4	8-11/32	4	—	—	1/4
87-602-6	602-6	10-5/16	6	—	—	5/16
87-602-8	602-8	13-7/16	8	—	—	3/8



Cushion-Grip Keystone-Tip Screwdrivers – Heavy-Duty Square-Shanks



- Heavy-duty square shank for wrench-assisted turning
- Bolster reinforces shank for hard use
- Designed for the most demanding uses

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-600-4	600-4	8-11/32	4	Square	Keystone	1/4
87-600-6	600-6	10-15/16	6	Square	Keystone	5/16
87-600-8	600-8	13-7/16	8	Square	Keystone	3/8



Cushion-Grip Profilated Phillips-Tip Screwdrivers – Round-Shanks



- Tips are precision-machined to provide a more consistent geometric symmetry than conventional Phillips-tip screwdrivers
- Provides accurate fit and torque without slippage

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	PHILLIPS SIZE
87-603-1	603-1	3-7/16	1-1/2	Round	Phillips - Profilated	#2
87-603-4	603-4	8-5/16	4	Round	Phillips - Profilated	#2

SCREWDRIVERS – CUSHION-GRIP SCREWDRIVER SETS



2-Piece Cushion-Grip Stubby Screwdriver Set



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE LENGTH (IN)	TIP STYLE	TIP WIDTH	SHANK STYLE
87-85071	85071	3-7/16	1-1/2	Keystone	1/4 in.	Round
		3-7/16	1-1/2	Phillips	#2	Round



7-Piece Cushion-Grip Screwdriver Set



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE LENGTH (IN)	TIP STYLE	TIP WIDTH	SHANK STYLE
87-85076	85076	8-11/32	4	Keystone	1/4	Square
		10-15/16	6	Keystone	5/16	Round
		6-3/4	3	Cabinet	3/16	Round
		9-3/4	6	Cabinet	3/16	Round
		8-11/32	4	Cabinet	1/4	Round
		6-3/4	3	Phillips	#1	Round
		8-5/16	4	Phillips	#2	Round



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

SCREWDRIVERS – PLASTIC HANDLE SCREWDRIVERS

- Tough amber plastic handle
- Integral flanges inside handle provide solid twist-resistant shaft anchor



Plastic-Handle Cabinet-Tip Screwdrivers – Round-Shanks



- Small-diameter shank for use in recessed holes or tight places
- Well-suited for electrical and telecommunications work

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-A216-6	A216-6	9	6	Round	Cabinet	1/8
87-A3166	A316-6	9-5/8	6	Round	Cabinet	3/16



Plastic-Handle Keystone-Tip Screwdrivers – Round-Shanks



- Oversized handle is 35% larger than comparable screwdriver handles
- Delivers up to 50% extra power to perform tough jobs with minimum effort

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-BD144	BD144	8-1/2	4	Round	Keystone	1/4



Plastic-Handle Keystone-Tip Screwdrivers – Square-Shanks



- Oversized handle is 35% larger than comparable screwdriver handles
- Delivers up to 50% extra power to perform tough jobs with minimum effort
- Square shank for wrench-assisted turning

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-BD286	BD286	10-1/2	6	Square	Keystone	1/4



Plastic-Handle Profilated Phillips-Tip Screwdrivers – Round-Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-BD122	BD122	8-1/2	4	Round	Phillips	#2



Plastic-Handle Cabinet-Tip Screwdrivers – Pocket-Clip



Includes convenient pocket clip.

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-A130-3	A130-3	4-7/8	3	Round	Cabinet	1/8
87-A116-3	A116-3	5-7/16	3	Round	Cabinet	3/32

SCREWDRIVERS – SCREW-HOLDING SCREWDRIVERS



Slotted Screw-Holding Screwdrivers



- Split-blade screw-holding driver wedges into screw slot
- Positive gripping action holds, starts, and drives slotted screws in awkward, hard to reach places
- Not designed for torquing or tightening
- Blade thickness of 0.043 inches expanding to 0.085 inches

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-K38	K38	11-3/4	8	—	Slotted - Screw Holding	1/4



Phillips-Tip Screw-Holding Screwdrivers



- Blade separates to hold the fastener
- Not designed for torquing or tightening
- Positive gripping action holds and starts Phillips screws in awkward, hard to reach places

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	SHANK STYLE	TIP DESCRIPTION	TIP WIDTH (IN)
87-K16	K16	7	—	—	Phillips - Screw Holding	All



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

SCREWDRIVERS – SPECIALTY SCREWDRIVERS



10-in-1 Screwdriver/Nut Driver

Includes two nut drivers (1/4 and 5/16 inch); two Phillips-tip (#1 and #2); two TORX bits (#10 and #15) and two square-recess bits (#1 and #2).



PART NO	VENDOR PART NO	DESCRIPTION
87-32477	32477	10-in-1 Screwdriver/Nut Driver



5-in-1 Screwdriver/Nut Driver

Includes 5/16 inch nut driver; two Phillips-tip (#1 and #2); two standard-tips (3/16 and 9/32)



PART NO	VENDOR PART NO	DESCRIPTION
87-32476	32476	5-in-1 Screwdriver/Nut Driver



4-in-1 Screwdriver/Nut Driver

Includes standard-tips (3/16 and 9/32 inch) and two Phillips-tips (#1 and #2).



PART NO	VENDOR PART NO	DESCRIPTION
87-32460	32460	4-in-1 Screwdriver

NUT DRIVERS – CUSHION-GRIP NUT DRIVERS

- Cushion-Grip handle allows for greater torque and comfort
- Patented Tip-Ident® quickly identifies nut driver and size



Cushion-Grip Nut Drivers – 3 Inch Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	HEX SIZE (IN)
87-630-1/4	630-1/4	6-3/4	3	1/4
87-630-5/16	630-5/16	6-3/4	3	5/16
87-630-3/8	630-3/8	6-3/4	3	3/8
87-630-7/16	630-7/16	7-5/16	3	7/16



Cushion-Grip Nut Drivers – 6 Inch Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	HEX SIZE (IN)
87-646-1/4	646-1/4	9-3/4	6	1/4
87-646-5/16	646-5/16	9-3/4	6	5/16
87-646-3/8	646-3/8	9-3/4	6	3/8
87-646-1/2	646-1/2	10-5/16	6	1/2



Cushion-Grip Magnetic Long Nut Drivers – 18 Inch Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	HEX SIZE (IN)
87-618-1/4M	618-1/4M	21-3/4	18	1/4
87-618-5/16	618-5/16M	21-3/4	18	5/16



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

NUT DRIVERS – PLASTIC-HANDLE NUT DRIVERS



Plastic-Handle Stubby Nut Drivers – 1-1/4 Inch Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	HEX SIZE (IN)
87-SS8-1/4	SS8	3-3/4	1-1/4	1/4
87-SS10-5/16	SS10	3-3/4	1-1/4	5/16
87-SS12-3/8	SS12	3-3/4	1-1/4	3/8



Plastic-Handle Nut Drivers – 3 Inch Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	HEX SIZE (IN)
87-S8-1/4	S8	6-5/8	3	1/4
87-S10-5/16	S10	6-5/8	3	5/16
87-S12-3/8	S12	6-5/8	3	3/8
87-S14-7/16	S14	7	3	7/16
87-S11-11/32	S11	6-5/8	3	11/32



Plastic-Handle Nut Drivers – 6 Inch Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	HEX SIZE (IN)
87-S86-1/4	S86	9-5/8	6	1/4
87-S106-5/16	S106	9-5/8	6	5/16
87-S126-3/8	S126	9-5/8	6	3/8
87-S116-11/32	S116	9-5/8	6	11/32



Plastic-Handle Long Nut Drivers – 18 Inch Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	HEX SIZE (IN)
87-S818M	S818M	21-5/8	18	1/4
87-S1018M	S1018M	21-5/8	18	5/16



Plastic-Handle Magnetic Nut Drivers – 3 Inch Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	HEX SIZE (IN)
87-S8M-1/4	S8M	6-5/8	3	1/4
87-S10M-5/16	S10M	6-5/8	3	5/16



Plastic-Handle Magnetic Nut Drivers – 6 Inch Shanks



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	BLADE/SHANK LENGTH (IN)	HEX SIZE (IN)
87-S86M-1/4	S86M	9-5/8	6	1/4
87-S106M-5/16	S106M	9-5/8	6	5/16

NUT DRIVERS – NUT DRIVER SETS



7-Piece Plastic-Handle Nut Driver Set – 3 Inch Shanks



- Set contains seven hollow-shaft nut drivers in the most popular hex sizes
- Convenient vinyl pouch hangs up, rolls up

PART NO	VENDOR PART NO	INCLUDES SIZES (IN)
87-K7	K7	3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

NUT DRIVERS – NUT DRIVER SETS



7-Piece Cushion-Grip Nut Driver Set – 3 Inch Shanks



- Cushion-Grip handle allows for greater torque and comfort
- General-purpose selection of the most frequently used nut drivers with 3 inch shanks
- Patented Tip-Ident® quickly identifies nut driver and size
- Includes reusable plastic container

PART NO	VENDOR PART NO	INCLUDES SIZES (IN)
87-631S	631	3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2



7-Piece Cushion-Grip Nut Driver Set – 6 Inch Shanks



- Cushion-Grip handle allows for greater torque and comfort
- General-purpose selection of the most frequently used nut drivers with 3 inch shanks
- Patented Tip-Ident® quickly identifies nut driver and size
- Includes reusable plastic container

PART NO	VENDOR PART NO	INCLUDES SIZES (IN)
87-647L	647	3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2



2-Piece Cushion-Grip Magnetic Nut Driver Set – 1-1/2 Inch Shanks



Rare earth magnetic tip.

PART NO	VENDOR PART NO	INCLUDES SIZES (IN)
87-610M	610M	1/4, 5/16




2-Piece Cushion-Grip Magnetic Nut Driver Set – 3 Inch Shanks



Rare earth magnetic tip.

PART NO	VENDOR PART NO	INCLUDES SIZES (IN)
87-630M	630M	—



2-Piece Cushion-Grip Magnetic Nut Driver Set – 6 Inch Shanks



Rare earth magnetic tip.

PART NO	VENDOR PART NO	INCLUDES SIZES (IN)
87-646M	646M	1/4, 5/16

TAPPING TOOLS AND AWLS



Six-in-One Tapping Tool



- Two high-carbon steel taps are secured in reversible holder
- Quickly forms new threads, reforms burred threads and cleans out plaster obstructions
- Taps sizes 6-32, 8-32, 10-32, 10-24, 12-24 and 1/4-20
- Each tap size rethreads to next larger size if threads are stripped

PART NO	VENDOR PART NO	DESCRIPTION
87-627-20	627-20	Tapping Tool - Six In One



WRENCHES, PLIERS, SCREWDRIVES & HAND TOOLS

TAPPING TOOLS AND AWLS



Cushion-Grip Scratch Awl



- Professional heavy-duty hard-pointed awl
- Scribes metal, starts screw holes, performs a variety of piercing and punching jobs
- Rigid, chrome-plated, heat-treated, tempered-steel shank has full reinforcing bolster at handle for extra strength and for handle impact reinforcement
- Internal flanges provide solid shank anchor
- Cushion-Grip handle allows for greater comfort

PART NO	VENDOR PART NO	DESCRIPTION
87-650	650	Scratch Awl - Cushion Grip



Beverage Tool



- Suitable for users from the apprentice to the demanding professional
- Cushion-Grip handle resists slippage and provides the comfort needed for frequent use
- Bottle cap Tip-Ident® allows for quick identification in tool pouches or crowded drawers
- Professionally designed and rigorously tested by an expert team to handle both foreign and domestic applications
- High-quality stainless steel construction

PART NO	VENDOR PART NO	DESCRIPTION
87-98002BT	98002BT	Beverage Tool



Riveting Hammer



High-carbon steel round head is forged and hardened; flat striking surface with rounded crosspeen; straight-grain American hickory handle is stained and lacquered.

PART NO	VENDOR PART NO	DESCRIPTION
821-12	821-12	Riveting Hammer (12 oz.)

WIRE STRIPPERS, CRIMPERS & CUTTING TOOLS



87-K1412 (K1412) Wire Strippers/Cutters



- Quickly removes outer jacket of Type NM-B nonmetallic-sheathed cable
- Narrow nose fits into tight places
- Stripping holes easily remove insulation
- Precision shear-type blades for square, clean cuts on solid copper wire

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	STRIPS (AWG)	CABLE SHEARING - NM CABLE	SCREW/BOLT SHEARING SIZE
87-K1412	K1412	7-7/10	12-14	12/2, 14/2	6-32, 8-32



87-11045 (11045) & Wire Strippers/Cutters



- Compact lightweight wire-stripping and cutting tool
- Narrow nose fits into tight places
- Spring-loaded for self-opening action
- Wire looping and bending holes
- Hardened steel with precision ground stripping holes
- Do not use for cutting steel wire or bolts

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	STRIPS (AWG)	CABLE SHEARING - NM CABLE	SCREW/BOLT SHEARING SIZE
87-11045	11045	6-1/4	10-18 (solid)	—	—



87-11049 (11049) Wire Strippers/Cutters



- Compact lightweight wire-stripping and cutting tool
- Narrow nose fits into tight places
- Spring-loaded for self-opening action
- Wire looping and bending holes
- Hardened steel with precision ground stripping holes
- Do not use for cutting steel wire or bolts

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	STRIPS (AWG)	CABLE SHEARING - NM CABLE	SCREW/BOLT SHEARING SIZE
87-11049	11049	6-1/4	8-18 (stranded)	—	—



WIRE STRIPPERS, CRIMPERS & CUTTING TOOLS



87-11055 (11055) Wire Strippers/Cutters



- Curved handles help reach into confined areas
- Spring-loaded for self-opening action
- Strong gripping serrated nose for easy bending, shaping and pulling of wire
- Handy closure lock for convenient storage
- Precision shear-type blades for clean cuts on solid and stranded copper wire

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	STRIPS (AWG)	SCREW/BOLT SHEARING SIZE
87-11055	11055	7-1/8	10-18 (solid), 12-20 (stranded)	6-32, 8-32



87-11057 (11057) Wire Strippers/Cutters



- Curved handles help reach into confined areas
- Spring-loaded for self-opening action
- Strong gripping serrated nose for easy bending, shaping and pulling of wire
- Handy closure lock for convenient storage
- Precision shear-type blades for clean cuts on solid and stranded copper wire

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	STRIPS (AWG)	SCREW/BOLT SHEARING SIZE
87-11057	11057	7-1/8	20-30 (solid), 22-32 (stranded)	6-32, 8-32



87-1011 (1011) Wire Strippers/Cutters



- Scissors action of 1/2 inch wide cutter makes clean cuts with little effort
- Spring-loaded for self-opening action
- Serrated nose jaws to bend, shape or pull wire; holes for looping wire ends

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTS (AWG)	STRIPS (AWG)
87-1011	1011	6-1/8	10-20	10-20



87-1001 (1001) Multi-Purpose Electrician's Tool



- Crimps, cuts and strips; cleanly shears bolts
- Two wire cutters; one at tip the other halfway back near stripping holes-double the utility of this tool
- Pivot nut adjusts tension
- Left and right-hand holes near tip for looping wire ends
- Wire cutter in nose and below pivot
- Crimping dies color-coded for easy identification

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	STRIPS (AWG)	CRIMPS INSULATED (AWG)	CRIMPS NON-INSULATED (AWG)	SCREW/BOLT SHEARING SIZE
87-1001	1001	8-1/2	8-22 (solid), 10-26 (stranded)	10-22	10-22	4-40, 6-32, 8-32, 10-24, 10-32



87-1005 (1005) Crimping/Cutting Tool – Insulated/Non-Insulated Terminals



- Tapered nose design for working in confined spaces
- Crimping die marked for insulated and non-insulated solderless terminals and connectors
- Special hardened wire cutter in nose

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	STRIPS (AWG)	CRIMPS INSULATED (AWG)	CRIMPS NON-INSULATED (AWG)
87-1005	1005	9-3/4	—	10-22	10-22



87-1006 (1006) Crimping/Cutting Tool – Non-Insulated/Insulated Terminals



- Designed for crimping non-insulated solderless terminals and connectors
- Tapered nose for working in confined spaces
- Special hardened wire cutter in nose

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	STRIPS (AWG)	CRIMPS INSULATED (AWG)	CRIMPS NON-INSULATED (AWG)
87-1006	1006	9-3/4	—	—	10-22



WIRE STRIPPERS, CRIMPERS & CUTTING TOOLS



87-D275-5 (D275-5) Lightweight Flush Diagonal-Cutting Electronics Pliers



- Shear cutting greatly reduces cutting effort and minimizes fly-off
- Cushioned grips and steel return spring for increased comfort during repetitive cutting
- Ultra slim profile increases access in confined areas

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTS (AWG)
87-D275-5	D275-5	5	Up to 18



87-63050 (63050) High-Leverage Cable Cutters



- Shear cutting greatly reduces cutting effort and minimizes fly-off
- Cushioned grips and steel return spring for increased comfort during repetitive cutting
- Ultra slim profile increases access in confined areas

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CABLE CUTTING CAPACITY
87-63050	63050	9-1/2	4/0 aluminum, 2/0 soft copper, 100 pair 24 AWG communications wire

SNIPS

AVIATION SNIPS – OFFSET – KLEIN TOOLS



Offset snips flow material away from blades making long cuts easier and cut tighter curves.



87-2100L (2100L) Offset Aviation Snips – Left

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-2100L	2100L	9-1/2	1-1/4	Left	18	22



87-2101R (2101R) Offset Aviation Snips – Right

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-2101R	2101R	9-1/2	1-1/4	Right	18	22



87-2100S (2100S) Offset Aviation Snips – Straight

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-2100S	2102S	9-1/2	1-1/2	Straight	18	22

AVIATION SNIPS – OFFSET – MIDWEST



Offset snips flow material away from blades making long cuts easier and cut tighter curves.



87-P6510L (P6510L) Offset Aviation Snips – Left

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6510L	P6510L	10	1-1/4	Left	18	22



87-P6510R (P6510R) Offset Aviation Snips – Right

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6510R	P6510R	10	1-1/4	Right	18	22



87-P6510S (P6510S) Offset Aviation Snips – Straight

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6510S	P6510S	10	1-1/4	Straight	18	22



SNIPS

AVIATION SNIPS – OFFSET – MIDWEST (SPECIAL HARDNESS/HEAVY DUTY)

Specially heat-treated steel extends blade life cutting hardened sheet metals such as stainless steel, Inconel and titanium.



87-SSP6716L (SSP6716L) Offset Aviation Snips – Left

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-SSP6716L	SSP6716L	10	1-3/8	Left	—	22



87-SSP6716R (SSP6716R) Offset Aviation Snips – Right

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-SSP6716R	SSP6716R	10	1-3/8	Right	—	22

AVIATION SNIPS – STANDARD – MIDWEST



87-P6716L (P6716L) Standard Aviation Snips – Left

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6716L	P6716L	10	1-3/8	Left	18	22



87-P6716R (P6716R) Standard Aviation Snips – Right

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6716R	P6716R	10	1-3/8	Right	18	22



87-P6716S (P6716S) Standard Aviation Snips – Straight

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6716S	P6716S	10	1-1/2	Straight	18	22

AVIATION SNIPS – UPRIGHT – MIDWEST

Right angle blades make cutting complete circles easier in tight spaces using a push or pull motion.



87-P6900L (P6900L) Upright Aviation Snips – Left

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6900L	P6900-L	8	1-1/4	Left	24	28



87-P6900R (P6900R) Upright Aviation Snips – Right

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6900R	P6900-R	8	1-1/4	Right	24	28

AVIATION SNIPS – LONG STRAIGHT CUT – MIDWEST

Makes long cuts faster on a variety of materials.



87-P6716A (P6716A) Aviation Snips – Straight (Long Cut)

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6716A	P6716A	12	3	Straight	20	24



SNIPS

TINNER SNIPS



Midwest tinner snips feature hot-drop forged blades for exceptional strength and edge life, "Kush'n-Kote" vinyl grips to comfort user's hand and a full polish finish.



87-P77S (P77S) Straight Tinner Snips - 7 Inch

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P77S	P77S	7	1-3/4	—	24	28



87-P107S (P107S) Straight Tinner Snips - 10 Inch

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P107S	P107S	10	2-1/2	—	22	26



87-P127S (P127S) Straight Tinner Snips - 12 Inch

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P127S	P127S	12	3	—	20	22



87-P147C (P147C) Combination Tinner Snips - 14 Inch

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P147C	P147C	14	3-7/8	—	18	22



87-P77D (P77D) Circular "Duckbill" Tinner Snips - 7 Inch

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P77D	P77D	7	1-3/4	—	26	28



87-P107D (P107D) Circular "Duckbill" Tinner Snips - 10 Inch

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P107D	P107D	10	2-1/2	—	24	26



87-P127D (P127D) Circular "Duckbill" Tinner Snips - 12 Inch

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P127D	P127D	12	3	—	22	24



87-P167B (P167B) Bulldog Tinner Snips - 16 Inch

PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P167B	P167B	16	2-1/2	—	16	18



SNIPS

SPECIALTY SNIPS



87-P657N (P657N) Needle Nose Snips

Cuts intricate curves; forged blades for strength and sharpness.



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P657N	P657N	6-1/2	1-1/4	—	24	28



87-2103 (2103) Bulldog/Notch Snips



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-2103	2103	9-1/4	7/8	Notch	18	22



87-P6716B (P6716B) Bulldog/Notch Snips



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6716B	P6716B	9-1/2	—	Notch	16	18



87-P6300 (P6300) Cable Cutter Snips

Compound leverage handles and M2 tool steel blade inserts, easily cuts heavy cable and wire.



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	CUTTING LENGTH (IN)	CUTTING PATTERN	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-P6300	P6300	9	1/8	5/32	1/8	



87-M1200 (M1200) Replaceable Blade Snips

Use in either hand; cuts straight, as well as wide curves; blades are replaceable.



PART NO	VENDOR PART NO	DESCRIPTION
87-M1200	M1200	Snips - Replaceable Blade - 12 in



87-M1200R (M1200R) Replacement Blades for 87-M1200



PART NO	VENDOR PART NO	DESCRIPTION
87-M1200R	M1200R	Replacement Blades for 87-M1200 (M1200)

SEAMERS



87-86552 (86552) Seamer - Offset



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	THROAT DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-86552	86552	8	1-1/4	3	22	24



87-FCTMS2 (FCTMS2) Seamer - Offset



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	THROAT DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-FCTMS2	FCTMS2	8-1/4	1-1/4	3-3/16	22	26



SHEET METAL TOOLS

SEAMERS



87-86553 (86553) Seamer – Straight



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	THROAT DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-86553	86553	8-3/8	1-1/4	3	22	24



87-FCTMS1 (FCTMS1) Seamer – Straight



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	THROAT DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-FCTMS1	FCTMS1	8-1/4	1-1/4	3-3/16	22	26



87-FCTMS6 (FCTMS6) Seamer – Straight



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	THROAT DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-FCTMS6	FCTMS6	8-1/4	1-1/4	6	22	26

NOTCHERS



87-86551 (86551) Notcher



PART NO	VENDOR PART NO	THROAT DEPTH (IN)	NOTCH ANGLE (DEGREES)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-86551	86551	13/16	30	—	22	24



87-FCTMN1 (FCTMN1) Notcher



PART NO	VENDOR PART NO	THROAT DEPTH (IN)	NOTCH ANGLE (DEGREES)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-FCTMN1	FCTMN1	13/16	31	—	22	26

CRIMPERS



87-86550 (86550) Crimper – 5-Blade



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	THROAT DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-86550	86550	9	1-1/2	3/4	24	28



87-FCTMC5 (FCTMC5) Crimper – 5-Blade



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	THROAT DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-FCTMC5	FCTMC5	10	1-3/4	7/8	24	28



87-FCTMC5S (FCTMC5S) Crimper – 5-Blade



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	THROAT DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-FCTMC5S	FCTMC5S	9-1/4	1-1/4	13/16	24	28

SNAP LOCK PUNCHES



87-FCTML1 (FCTML1) Snap Lock Punch



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	THROAT DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-FCTML1	FCTML1	8	3/8	3/8	24	28



SHEET METAL TOOLS

FOLDING TOOLS



87-FCTMF1 (FCTMF1) Folding Tool



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	FOLD DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-FCTMF1	FCTMF1	12	3/8, 1	—	24	28



87-FCTMF2 (FCTMF2) Folding Tool



PART NO	VENDOR PART NO	OVERALL LENGTH (IN)	FOLD DEPTH (IN)	JAW WIDTH (IN)	METAL THICKNESS COLD ROLLED SHEET METAL (GAUGE)	METAL THICKNESS STAINLESS STEEL (GAUGE)
87-FCTMF2	FCTMF2	18	3/8, 1	—	24	28

DUCT TOOLS



87-FCTMX1 (FCTMX1) Duct Slitter



Used to scribe a line or pierce and enlarge holes in sheet metal.

PART NO	VENDOR PART NO	DESCRIPTION
87-FCTMX1	FCTMX1	Duct Slitter



87-FCTMP1 (FCTMP1) Pipe Duct Cutter - Double Cut



Three hardened steel blades cleanly cut 1/8 inch wide tracks, producing a uniform cut leaving both edges clean. Suitable for 22 gauge cold-rolled sheet steel and 24 gauge stainless steel.

PART NO	VENDOR PART NO	DESCRIPTION
87-FCTMP1	FCTMP1	Pipe Duct Cutter - Double Cut



87-FCTMD1 (FCTMD1) Duct Stretcher - Offset



Aligns and pulls ductwork together, easing installation of drive cleats. Offset handle protects hand.

PART NO	VENDOR PART NO	DESCRIPTION
87-FCTMD1	FCTMD1	Duct Stretcher - Offset

Round Hole Duct Cutter



For use with ductboard from 1 to 1-1/2 inches thick. Cuts 3 to 20 inch diameter openings.


PART NO	DESCRIPTION
87-40060	Round Hole Duct Cutter

Ductboard Hand Tools

For use with ductboard up to 1 inch thick.



PART NO	DESCRIPTION
87-40066	90° Miter Cut Tool - Red
87-40076	Corner Tool (Left Only) - Orange
87-40074	Corner Tool (Right Only) - Orange
87-40072	End Cut-Off Tool (4-in-1) - Blue
87-40068	Female/Rabbit Tool - Gray





FLARING & SWAGING TOOLS

FLARING TOOLS



70051 Flaring Tool



PART NO	VENDOR PART NO	FLARES TUBE OD (IN)	FLARE ANGLE (DEGREES)	COMPATIBLE TUBE MATERIALS
70051	70051	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 5/8	45	Copper, aluminum, brass, thin wall steel



70052 Flaring Tool



PART NO	VENDOR PART NO	FLARES TUBE OD (IN)	FLARE ANGLE (DEGREES)	COMPATIBLE TUBE MATERIALS
70052	70052	3/16, 1/4, 5/16, 3/8, 1/2, 5/8	45	Copper, aluminum, brass, thin wall steel

FLARING & SWAGING TOOL SETS



70053 Flaring and Swaging Tool Set

PART NO	VENDOR PART NO	SWAGES TUBE OD (IN)	FLARES TUBE OD (IN)	FLARE ANGLE (DEGREES)	COMPATIBLE TUBE MATERIALS
70053	70053	3/16, 1/4, 5/16, 3/8, 1/2, 5/8, 3/4	1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4	45	Copper, aluminum, brass, thin wall steel

SWAGING TOOLS – HYDRAULIC



Hydraulic Swaging Kit (Hydra-Swage)



Fabricates and expands tubing using hydraulic power. Includes swaging tool, expander heads, burr removal tool and carrying case.

PART NO	SWAGES TUBE OD (IN)	COMPATIBLE TUBE MATERIALS
71600	3/8, 1/2, 5/8, 3/4, 7/8, 1, 1-1/8	Copper, aluminum, brass, thin wall steel



Additional/Replacement Expander Heads for Hydra-Swage Kit



Additional larger expander heads available as accessories for the 71600 kit.

PART NO	DESCRIPTION
71600-03	Expander Head - Hydra-Swage (3/8 in. O.D. Copper Tube)
71600-11	Expander Head - Hydra-Swage (1-3/8 in. O.D. Copper Tube)
71600-13	Expander Head - Hydra-Swage (1-5/8 in. O.D. Copper Tube)
71600-17	Expander Head - Hydra-Swage (2-1/8 in. O.D. Copper Tube)



FLARING & SWAGING TOOLS

SWAGING TOOLS – PUNCH TYPE



87-70006 (70006) Multi-Step Swaging Tool – Punch Type



PART NO	SWAGES TUBE OD (IN)	COMPATIBLE TUBE MATERIALS
87-70006	3/16, 1/4, 5/16, 3/8, 1/2, 5/8	Copper, aluminum, brass, thin wall steel



70040 Multi-Step Swaging Tool – Punch Type



PART NO	SWAGES TUBE OD (IN)	COMPATIBLE TUBE MATERIALS
70040	1/4, 5/16, 3/8, 1/2, 5/8	Copper, aluminum, brass, thin wall steel



70048 Swaging Tool 5-Piece Set – Punch Type



PART NO	SWAGES TUBE OD (IN)	COMPATIBLE TUBE MATERIALS
70048	1/4, 5/16, 3/8, 1/2, 5/8	Copper, aluminum, brass, thin wall steel

TUBE BENDERS & CUTTERS

TUBE CUTTERS



70027 Tube Cutter – Mini



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70027	70027	1/8 to 5/8	Copper, aluminum, brass, thin wall steel



70029 Tube Cutter – Midi



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70029	70029	3/8 to 1-1/8	Copper, aluminum, brass, thin wall steel



70033 Tube Cutter – Heavy-Duty



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70033	70033	1/8 to 1-1/8	Copper, aluminum, brass, thin wall steel



70035 Tube Cutter – Heavy-Duty



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70035	70035	1/4 to 1-5/8	Copper, aluminum, brass, thin wall steel



70037 Tube Cutter – Sliding Ratchet Style



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70037	70037	1/4 to 2-5/8	Copper, aluminum, brass, thin wall steel



70038 Tube Cutter – Sliding Ratchet Style



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70038	70038	1/4 to 3-1/8	Copper, aluminum, brass, thin wall steel



TUBE BENDERS & CUTTERS



70090 Tube Cutter Set



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70090	70090	1/8 to 5/8 (70027) 3/8 to 1-1/8 (70029) 1/8 to 1-1/8 (70033)	Copper, aluminum, brass, thin wall steel



70031 Tube Cutter - Ratchet Style



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70031	70031	5/16 to 1-1/8	Copper, aluminum, brass, thin wall steel



87-70024 (70024) Tube Cutter - Mini



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
87-70024	70024	1/4 to 1-1/8	Copper, aluminum, brass, thin wall steel



87-70001 (70001) Tube Cutter - Premium



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
87-70001	70001	1/8 to 1-1/4	Copper, aluminum, brass, thin wall steel

TUBE BENDERS - LEVER STYLE



70069 Tube Bender - Lever Style (Multi Size)



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70069	70069	3/16, 1/4, 5/16, 3/8	Copper, aluminum, brass, thin wall steel

TUBE BENDERS - RATCHET STYLE



70070 Tube Bender Kit - Ratchet Style



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
70070	3/8, 1/2, 5/8, 3/4, 7/8	1/8 to 1-1/8	Copper, aluminum, brass, thin wall steel



CH-404L Tube Bender Kit - Ratchet Style

PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
CH-404L	3/8, 1/2, 5/8, 3/4, 7/8	1/8 to 1-1/8	Copper, aluminum, brass, thin wall steel



TUBE BENDERS & CUTTERS

DUCT KNIVES & JAB SAWS



87-40062 Duct Knife

For scoring and stripping fiberglass.

PART NO	DESCRIPTION
87-40062	Duct Knife - 4 in. Blade



875034 Duct Knife

Dual edge blade – both non-serrated; includes sheath.

PART NO	DESCRIPTION
875034	Duct Knife w/Sheath - 6 in. Blade (Dual Edge)



87-725 (725) Jab Saw

- Cuts drywall, wallboard, plywood and plastic
- Triple ground teeth for a fast cut
- Blade cuts in both directions (push and pull)
- Hardened carbon steel blade for durability
- Hardened beveled blade point for scoring and plunge cuts
- Comfort-cushion grip with thumb groove
- Handle structure designed for strength and durability
- Flat-end grip for palming or punching through drywall



PART NO	VENDOR PART NO	DESCRIPTION
87-725	725	Jab Saw - 6 in.

UTILITY KNIVES & BLADES



87-44105 (44105) Utility Knife

- Retractable blade locks in three positions
- Notch in bottom for cutting of cord or twine up to 1/8 inch diameter with blade in any position
- No tools required for quick blade change
- Includes 3 heavy-duty blades, stored in handle



PART NO	VENDOR PART NO	DESCRIPTION
87-44105	44105	Utility Knife



87-44107 (44107) Utility Knife

- Retractable blade locks in three positions
- Curved handle design with slip-resistant grip for comfort and ease of use
- No tools required for quick blade change
- Plastic holster with belt clip for convenient use
- Safety overlap-handle design for heavy-duty cutting
- Includes one heavy-duty blade and stores up to ten blades in handle



PART NO	VENDOR PART NO	DESCRIPTION
87-44107	44107	Utility Knife - Klein Kurve



87-44101 (44101) Utility Knife Blades (Pack of 5)

- Heavy-duty razor-edged blades
- Universal size fits Klein and most other makes of utility knives
- Blades are reversible for extra life
- Made in the U.S.A.



PART NO	VENDOR PART NO	DESCRIPTION
87-44101	44101	Utility Knife Blades (Pack of 5)



SAWS, KNIVES & BLADES

HACKSAWS & BLADES



87-701S (701S) Hacksaw



- Blade has three teeth sizes
- Blade converts quickly from 90 to 45 degrees for standard or flush-cut applications
- Pivot-lock adjusts blade tension for straighter cuts and longer blade life
- Set screw allows for storage of extra blades and secures blade for “jab” sawing
- Aluminum finger grip handle and front end
- Thumb guard for two-hand sawing

PART NO	VENDOR PART NO	DESCRIPTION
87-701S	701S	Dual-Purpose Hacksaw - Golden Tri-Cut 3-in1 Blade (12 in. Blade)

Hacksaw Blades Bi-Metal



- Special high-speed steel teeth fused to regular carbon-steel body provide superior cutting and longer life
- Withstands greater saw tension for less blade flexing
- Fits all 12 inch hacksaws
- Blue finish

PART NO	VENDOR PART NO	DESCRIPTION	CASE QTY	CASE REQ
87-1224BI-P	1224BI-P	Hacksaw Blade - Bi-Metal - 12 in. - 24 TPI	10	Yes
87-1232BI-P	1232BI-P	Hacksaw Blade - Bi-Metal - 12 in. - 32 TPI	10	Yes

PLASTIC PIPE CUTTERS – PVC, PEX



875490 Plastic Pipe Cutter – Ratchet Style

PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
875490	CH-42-3.3	Up to to 1-5/8	PVC, PEX, all other plastic pipe



87-70078 (70078) Plastic Pipe Cutter – Ratchet Style



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
87-70078	70078	Up to to 1-5/8	PVC, PEX, all other plastic pipe



80011 Plastic Pipe Cutter – Ratchet Style



PART NO	VENDOR PART NO	CUTS TUBE OD (IN)	DESCRIPTION
80011	80011	Up to 1-1/2	PVC, PEX, all other plastic pipe

LEVELS



Rare Earth Magnet Torpedo Level



- Powerful rare earth magnet holds firmly to iron and steel surfaces; up to five times stronger than strip magnets
- Strong die-cast aluminum frame feature convenient built-in hanging hole; machined edges for accurate readings
- Grooved edge for pipe and conduit work
- Top-read window simplifies viewing in tight areas
- Yellow vials framed with E-Z SEE™ glow-in-the-dark material for easier viewing in dimly lit areas

PART NO	VENDOR PART NO	DESCRIPTION
87-931-9RE	931-9RE	Level - Rare Earth Magnet Torpedo Level (9 in. long)



TAPE MEASURES



Tape Measure – Magnetic Tip



- Comfortable non-slip rubber jacket for easy gripping and impact protection
- Rare earth magnetic tip sticks to iron and steel surfaces for simple one person measurements
- Oversized bold black numbers on first 11 inches for easy reading

PART NO	VENDOR PART NO	DESCRIPTION
93125	93125	Tape Measure - 25 ft. x 1 in. wide (Magnetic Single Hook)



Tape Measure – Double Sided



- Comfortable non-slip rubber jacket for easy gripping and impact protection
- Double-sided rule for easy reading of elevation, flat surface and pipe conduit measurements
- Oversized bold black numbers on first 11 inches for easy reading; 16 and 19 inch red stud markings

PART NO	VENDOR PART NO	DESCRIPTION
930-25	930-25	Tape Measure - 25 ft. x 1 in. wide (Double-Sided)



Tape Measure – High-Visibility Case



- Oversized numbers for easy reading
- High-visibility high-impact orange case makes it easy to find in a tool box, pouch, and on the jobsite

PART NO	VENDOR PART NO	DESCRIPTION
87-928-16HV	928-16HV	Tape Measure - 16 ft. x 1 in. wide (High Visibility)



Tape Measures – Chrome Case



- Lightweight, high strength chrome finished case
- Bright yellow blade has clear easy-to-read numerals

PART NO	VENDOR PART NO	DESCRIPTION
87-2212	2212	Tape Measure - 12 ft. x 1/2 in. wide (Chrome)
87-2212DX	2212DX	Tape Measure - 12 ft. x 1/2 in. wide (Chrome) Decimal-Fraction
87-2316	2316	Tape Measure - 16 ft. x 3/4 in. wide (Chrome)

CAULKING GUNS



87-250 Caulking Gun

PART NO	DESCRIPTION
87-250	Caulking Gun - Smooth Rod Dripless - 11 oz



87-M0016 Caulking Gun

PART NO	DESCRIPTION
87-M0016	Caulking Gun - Cradle - 11 oz



87-M0017 Caulking Gun

PART NO	DESCRIPTION
87-M0017	Caulking Gun - Skeleton - 11 oz



FLASHLIGHTS



Flashlight with Extendable Magnetic Pickup

- Magnets on both grip acts as a third hand
- Magnet on light end for fastener retrieval
- Telescopes from 6-1/2 to 21 inches
- Flexible shaft for hard-to-reach places
- Three super-bright LEDs
- Uses four LR44 batteries (included)

PART NO	DESCRIPTION
EMF-1	Flashlight - Extendable Magnetic

TOOL BAGS & CARRIERS



Canvas Zipper Bag

- No. 10 canvas bag with strong zipper
- Convenient storage for pliers, wrenches and other tools
- 12-1/2 inches long x 7 inches high



PART NO	VENDOR PART NO	DESCRIPTION
87-5139	5139	Canvas Zipper Bag



Canvas Tool Bag

- Heavy-duty No. 8 natural canvas
- Rivet-reinforced for durability
- Steel-frame mouth with hinge for rugged use
- Stitched and riveted leather handles for comfort and strength
- Two retaining straps with buckles provide secure closure
- Moisture-resistant, vinyl bottom, and lower sides
- Non-scratch studs on base protect against wear
- 16 inches long x 6 inches wide x 14 inches deep



PART NO	VENDOR PART NO	DESCRIPTION
87-5102-16	5102-16	Tool Bag - Canvas



Tool Tote with Shoulder Strap

- Water-resistant to avoid the buildup of mold and mildew
- Constructed of double-layered 600 x 300 denier polyester to resist wear and tear on the jobsite
- 2 inch wide polypropylene padded carrying handles with comfortable leather wrap
- Contoured, padded, slip-resistant should strap for hands-free mobility
- Durable molded bottom with drain holes to prevent wear retention
- Five interior pockets and seven exterior pockets
- 15-1/2" long x 7-1/2" wide x 10" deep



PART NO	VENDOR PART NO	DESCRIPTION
87-58888	58888	Tool Tote



Mobile Phone Holders

- Fits most mobile phones
- Metal belt clip for simple mounting and removal from belts up to 2 inches wide
- Closable flap features genuine Velcro brand touch fastener
- Closed bottom for convenient storage



PART NO	VENDOR PART NO	DESCRIPTION
87-5715M	5715M	Mobile Phone Holder - Medium (5-1/2 in. x 2-5/8 in.)
87-5715	5715	Mobile Phone Holder - Large (6-1/2 in. x 3-5/8 in.)



TOOL BAGS & CARRIERS



Padded Adjustable Shoulder Strap

- Shoulder strap for canvas tool bags
- Adjustable from both ends for a perfect fit



PART NO	VENDOR PART NO	DESCRIPTION
87-58889	58889	Shoulder Strap - Padded Adjustable

SPRAYERS



Condenser Needle

This powerful tool connects to a standard garden hose and is designed to clean condenser coils for the inside and out.



PART NO	DESCRIPTION
CN-03	Condenser Needle

COILJET PORTABLE COIL CLEANER



CJ-95 CoilJet Portable Coil Cleaning System

Portable power for the inside and out. The CoilJet® from SpeedClean™ makes quick work of cleaning debris and grime from condenser and evaporator coils. Now deliver professional results in a convenient and rechargeable battery powered solution – no more garden hoses or pump sprays needed. The CoilJet delivers a powerful spray of water and cleaning chemical from the included tanks to wash even the dirtiest coils, without damaging sensitive fins. And the small portable size lets you clean coils from the front or back of the coil – a proven method for increasing coil cleaning and system efficiency. CoilJet makes cleaning coils quick and easy. Now that's smart.

- Portable and rechargeable; clean coils in hard to reach areas such as rooftops and attics where access to power and water is limited
- Powerful 100 psi, 0.5 gpm spray cleans debris and grime without damaging fins
- Optional spray wand with 90° nozzle lets you clean from the inside out
- Forces dirt and debris back in the direction it entered
- Deep cycle, 12V, 7A rechargeable battery lasts all day
- 3.375 gallon water capacity; 1.75 quart chemical capacity
- Includes: CoilJet System, 2 standard spray tips, rechargeable battery, SpeedyFoam cleaner, and AC charger



PART NO	DESCRIPTION
CJ-95	CoilJet Portable Coil Cleaning System



Foaming Nozzle Assembly

Creates ultra foaming action to coat coils.



PART NO	DESCRIPTION
CJ-9619	Foaming Nozzle Assembly



Quick Disconnect Adapters

PART NO	DESCRIPTION
CJ-QDN-45	Quick Disconnect Adapter for CJ-95 - 45 degree
CJ-QDN-90	Quick Disconnect Adapter for CJ-95 90 degree



Quick Disconnect Nozzles

PART NO	DESCRIPTION
CJ-QDN-0003R	Quick Disconnect Nozzle for CJ-95 - Pinpoint
CJ-QDN-1503Y	Quick Disconnect Nozzle for CJ-95 - 15 Degree





COILJET PORTABLE COIL CLEANER

Spray Wands

Optional spray wands allow cleaning from the inside of coils.



PART NO	DESCRIPTION
8945	Spray Wand - 36 in. long - 90 degree
8945-24	Spray Wand - 24 in. long - 90 degree
8945-48	Spray Wand - 48 in. long - 90 degree
8945-60	Spray Wand - 60 in. long - 90 degree



Sectional Stainless Steel Spray Wand



PART NO	DESCRIPTION
CJ-WWSS	Sectional Stainless Wand - 36 in.
CJ-WWSS-EXT	Extension for CJ-WWSS - 16 in.



Extension Lances



PART NO	DESCRIPTION
CJ-9657	Extension Lance Assembly - 36 in.
CJ-9658	Extension Lance Assembly - 48 in.
CJ-9659	Extension Lance Assembly - 60 in.



Vehicle Adapter for Battery Charger

Easily recharges the CoilJet on the go.



PART NO	DESCRIPTION
8944	Vehicle Adapter for Battery Charger



Battery Charger



PART NO	DESCRIPTION
CJ-9693	Battery Charger for CJ-95 CoilJet



Battery Charger w/Lugs to Charge Battery Outside of Unit



PART NO	DESCRIPTION
8924	Battery Charger with Lugs (to charge battery outside of unit)



Battery



PART NO	DESCRIPTION
CJ-9689	Battery for CJ-95 for CoilJet



Charger Kit (Includes Battery & Charger)



PART NO	DESCRIPTION
CJ95-KIT-SB	Charger Kit for CJ-95 (w/charger & battery)

TOOLS & INSTRUMENTS



BUCKETVAC JOB SITE VACUUM



BV-5 BucketVac (Includes Head, Accessories and Bucket)

Includes BucketVac head, 5 gallon bucket, hose (2" x 2', stretches to 6'), crevice tool, bulk pickup tool, floor tool, brush tool, two 12" wands, three standard filters.



PART NO	DESCRIPTION
BV-5	BucketVac (Includes Head, Accessories and Bucket)



BV-5-HD BucketVac (Includes Head and Accessories)

Includes BucketVac head, hose (2" x 2', stretches to 6'), crevice tool, bulk pickup tool, floor tool, brush tool, two 12" wands, three standard filters. Bucket not included.



PART NO	DESCRIPTION
BV-5-HD	BucketVac (Includes Head and Accessories)



Replacement Filters

Includes six replacement filters for general use; 10 micron.



PART NO	DESCRIPTION
BV-5-STDFLTR-6PK	BucketVac Replacement Filter (Pack of 6)



Replacement Hose

2" x 2' hose; stretches to 6'.



PART NO	DESCRIPTION
BV-5-11	BucketVac Replacement Hose



Extension Wands

Includes three 12 inch extensions wands.



PART NO	DESCRIPTION
BV-EXTWAND-3PK	BucketVac Extension Wand (Pack of 3)



Crevice Tool

Includes three 12 inch extensions wands.



PART NO	DESCRIPTION
BV-5-20	BucketVac Crevice Tool



Floor Tool

Perfect for large floor surface cleanup.



PART NO	DESCRIPTION
BV-5-19	BucketVac Floor Tool



Round Brush Tool

Makes pickup on sensitive surfaces easier and more efficient.



PART NO	DESCRIPTION
BV-5-24	BucketVac Round Brush Tool



BUCKETVAC JOB SITE VACUUM



BucketVac Bucket - 5 gallon

PART NO	DESCRIPTION
BV-5-BUCKET	BucketVac Bucket - 5 gallon

NOTES: _____



WATER HEATER PARTS

Electric Water Heater Elements

Element Accessories

Heater Tune-Up Kit – Electric Water Heaters

Thermocouples – Gas Water Heaters

Installation Accessories

Fittings & Nipples – Water Heaters

T&P Valve Run-Off Tubes

Dip Tubes

Anode Rods

Water Heater Drain Pans

Water Heater Stand

Floodstop Leak Detector Systems



RESIDENTIAL ELECTRIC WATER HEATER CONSTRUCTION

TEMPERATURE AND PRESSURE RELIEF VALVE

Commonly referred to as the "T&P" valve. This safety device opens to allow water to escape from the water heater in the unlikely event that either the tank pressure or temperature becomes excessive.

PLASTIC LINED NIPPLES/HEAT TRAPS

Thermoplastic lined nipples impede galvanic corrosion. "Heat trap" nipples also contain a check valve to reduce heat loss between hot water in the tank and cold water pipes.

UPPER THERMOSTAT

Maintains desired temperature of the water by controlling the power going to the heating elements. Also controls the lower thermostat.

ANODE ROD

A replaceable component made of magnesium alloy or other metals that protects the tank against premature corrosion.

COLD WATER INLET AND DIP TUBE

The connection point for incoming cold water. The inlet connects directly to a dip tube which directs the incoming water to the bottom of the tank.

HEATING ELEMENTS


The heart of an electric water heater. Heating elements generate the heat required to bring the water in the tank to the desired temperature. Elements are made from either Stainless Steel or Copper. The voltage and wattage requirements are dependent on the heater's capacity.

LOWER THERMOSTAT

Maintains desired temperature of the water by regulating the power going to the lower heating element.

DRAIN VALVE

Plastic or metal valve that allows the tank to be emptied should service be required.





ELECTRIC WATER HEATER ELEMENTS

SCREW-IN ELEMENTS – 1 INCH

- Fits most water heaters – screw-in elements with 1 inch NPSM threads fit most water heaters which use screw-in type elements.
- Sheath Material Guide
Stainless Steel: premium corrosion protection for long life
Copper: high quality corrosion protection; may be coated within, nickel or other protective finish
- Watt Density Guide – lower watt density means the element stays cooler and will last longer.
LWD: low watt density (100 watts/square inch or less)
MWD: medium watt density (101 – 150 watts/square inch)
HWD: high watt density (over 150 watts/square inch)



UV12904

Stainless Steel

PART NO	INPUT VOLTAGE (V)	WATTAGE @120V (W)	WATTAGE @240V (W)	WATT DENSITY CLASS	ELEMENT LENGTH FLANGE TO TIP (IN)	OUTER SHEATH MATERIAL
UV13050B*	120	1500	—	LWD	7.48	Stainless Steel (Incoloy)
UV13050A*	240	—	2500	LWD	10.83	Stainless Steel (Incoloy)
UV12903	240	—	3500	LWD	13.90	Stainless Steel (Chromalox)
UV12904#	240	—	4500	LWD	13.44	Stainless Steel (Incoloy)
UV12905*	240	—	5500	MWD	13.27	Stainless Steel (Incoloy)



UV12896

Copper

PART NO	INPUT VOLTAGE (V)	WATTAGE @120V (W)	WATTAGE @240V (W)	WATT DENSITY CLASS	ELEMENT LENGTH FLANGE TO TIP (IN)	OUTER SHEATH MATERIAL
UV12890*	120	1500	—	MWD	7.63	Copper (with Plating)
UV12892*	120	2000	—	HWD	7.54	Copper (with Plating)
UV12891*	240	—	1500	MWD	7.63	Copper (with Plating)
UV12893*	240	—	2000	HWD	7.56	Copper (with Plating)
UV12894*	240	—	2500	HWD	9.38	Copper (with Plating)
UV12895*	240	—	3000	HWD	10.56	Copper (with Plating)
UV12896*	240	—	3500	HWD	12.60	Copper (with Plating)
UV12897*	240	—	3800	HWD	13.44	Copper (with Plating)
UV12898	240	—	4000	HWD	13.47	Copper (with Plating)
UV13049*	240	—	4500	HWD	7.96	Copper (with Plating)
UV12901*	240	—	4500	MWD	11.76	Copper (with Plating)
UV12899*	240	—	4500	HWD	13.50	Copper (with Plating)
UV12900*	240	—	5500	HWD	9.60	Copper (with Plating)



UV12902

SCREW-IN ELEMENTS – 1-3/8 INCH

Copper

PART NO	INPUT VOLTAGE (V)	WATTAGE @120V (W)	WATTAGE @240V (W)	WATT DENSITY CLASS	ELEMENT LENGTH FLANGE TO TIP (IN)	OUTER SHEATH MATERIAL
UV12902	240	—	4500	MWD	11.83	Copper (with Plating)

SSR = Stainless Steel Resistored SS = Stainless Steel CR = Copper Resistored CU = Copper
HWD = High Watt Density MWD = Medium Watt Density LWD = Low Watt Density

*Add 12PK to the end of the part number to order in case packs of twelve. #Add 6PK to the end of the part number to order in case packs of six.



ELECTRIC WATER HEATER ELEMENTS

FLANGE ELEMENTS – RAISED

- Sheath Material Guide
Stainless Steel: premium corrosion protection for long life
Copper: high quality corrosion protection; may be coated with tin, nickel or other protective finish
- Watt Density Guide – lower watt density means the element stays cooler and will last longer.
LWD: low watt density (100 watts/square inch or less)
MWD: medium watt density (101 – 150 watts/square inch)
HWD: high watt density (over 150 watts/square inch)



UV13048

Stainless Steel

PART NO	INPUT VOLTAGE (V)	WATTAGE @240V (W)	WATT DENSITY CLASS	ELEMENT LENGTH FLANGE TO TIP (IN)	OUTER SHEATH MATERIAL
UV12911*	240	2500	LWD	10.81	Stainless Steel (Chromalox)
UV13048*	240	4500	LWD	13.94	Stainless Steel (Incoloy)



UV13047C

Copper

PART NO	INPUT VOLTAGE (V)	WATTAGE @120V (W)	WATTAGE @240V (W)	WATT DENSITY CLASS	ELEMENT LENGTH FLANGE TO TIP (IN)	OUTER SHEATH MATERIAL
UV12944*	120	1500	—	MWD	7.68	Copper (with Plating)
UV12908*	240	—	1500	MWD	6.18	Copper (with Plating)
UV13047D*	240	—	2500	HWD	9.44	Copper (with Plating)
UV13047A*	240	—	3000	HWD	10.66	Copper (with Plating)
UV12909*	240	—	3500	HWD	12.75	Copper (with Plating)
UV13047C*	240	—	4500	HWD	7.94	Copper (with Plating)
UV12910#	240	—	4500	HWD	13.68	Copper (with Plating)
UV13047B*	240	—	5500	HWD	10.03	Copper (with Plating)



UV12907

FLANGE ELEMENTS – FLAT

Copper

PART NO	INPUT VOLTAGE (V)	WATTAGE @240V (W)	WATT DENSITY CLASS	ELEMENT LENGTH FLANGE TO TIP (IN)	OUTER SHEATH MATERIAL
UV13051*	240	4500	MWD	11.75	Copper (with Plating)
UV12907*	240	4500	HWD	13.50	Copper (with Plating)

SSR = Stainless Steel Resistored SS = Stainless Steel CR = Copper Resistored CU = Copper
HWD = High Watt Density MWD = Medium Watt Density LWD = Low Watt Density

*Add 12PK to the end of the part number to order in case packs of twelve. #Add 6PK to the end of the part number to order in case packs of six.



ELEMENT ACCESSORIES



UV38628

Element Wrench

- Specially designed to fit all screw-in electric water heater elements.
- Fits standard 1-1/2" hex heads used on most water heaters
- Allows use of screwdriver for additional leverage

PART NO	DESCRIPTION
UV38628*	Element Wrench (Fits 1-1/2 in. Hex)



UV12914

Element Gasket Kit

Includes all gaskets commonly used with various types of water heater elements.

- Round gasket for screw-in elements: 1-1/4" ID x 1-1/2" OD x 5/32" thick
- Round gasket for flange elements: 1-1/8" ID x 1-11/16" OD x 1/2" thick
- Square gasket for flange elements: 1-1/4" opening, 2-1/2 x 2-1/2", 1/16" thick

PART NO	DESCRIPTION
UV12914*	Element gasket kit



UV6830

Adapt-O-Flange Element Conversion Kit

Allows the use of a standard screw-in element in a water heater that originally used a flange element.

PART NO	DESCRIPTION
UV6830*	Adapt-O-Flange Element Conversion Kit



Continuity Tester

Designed specifically for use with electric water heater elements by determining whether the internal filament inside the element is intact. Includes LED probe and alligator clamp with 23-1/2" long lead.

PART NO	DESCRIPTION
UV49859	Continuity tester w/ 23-1/2" lead alligator clip

HEATER TUNE-UP KIT – ELECTRIC WATER HEATERS



Provides a quick and easy way to replace the most common items on the most popular water heaters.

- Includes two 240V/4500W screw-in elements with gaskets
- Includes both upper and lower thermostat

PART NO	DESCRIPTION
UV20018*	Electric Water Heater Tune-Up Kit




THERMOSTATS – ELECTRIC WATER HEATERS

ELECTRIC THERMOSTATS WITH HIGH LIMIT CONTROL

2-Pole High Limit – Normally Open/Normally Closed Thermostat Contacts (TOD)


The most popular upper thermostat in residential electric water heaters. These heaters often have a “non-simultaneous” design, which means only one element is on at any given time. Manufactured by TOD. See below for a similar design from APCOM.



PART NO	HIGH LIMIT SETTING (F)	CONTACT CONFIG	HIGH LIMIT ADJUSTMENT RANGE (F)	THERMOSTAT CONTACT CONFIG	THERMOSTAT HIGH LIMIT CONTROL	MANUFACTURER	MANUFACTURER SERIES
UV11698*	170	DPST	90 to 150	SPDT	Manual Reset	TOD	59T/66T

2-Pole High Limit – Normally Open/Normally Closed Thermostat Contacts (APCOM)


The most popular upper thermostat in residential electric water heaters. These heaters often have a “non-simultaneous” design, which means only one element is on at any given time. Manufactured by APCOM. See above for a similar design from Therm-O-Disc (TOD).



PART NO	HIGH LIMIT SETTING (F)	CONTACT CONFIG	HIGH LIMIT ADJUSTMENT RANGE (F)	THERMOSTAT CONTACT CONFIG	THERMOSTAT HIGH LIMIT CONTROL	MANUFACTURER	MANUFACTURER SERIES
UV13359*	180	DPST	110 to 160	SPDT	Manual Reset	APCOM	WH10A

2-Pole High Limit – Normally Closed Thermostat Contacts (TOD)


Commonly used as the upper thermostat in residential electric water heaters with “simultaneous” design, which means both elements are on at the same time.



PART NO	HIGH LIMIT SETTING (F)	CONTACT CONFIG	HIGH LIMIT ADJUSTMENT RANGE (F)	THERMOSTAT CONTACT CONFIG	THERMOSTAT HIGH LIMIT CONTROL	MANUFACTURER	MANUFACTURER SERIES
UV11699*	170	DPST	90 to 150	SPST	Manual Reset	TOD	59T/66T

2-Pole High Limit – Normally Closed Thermostat Contacts (TOD)

Commonly used for 120V residential water heaters with only one element.




PART NO	HIGH LIMIT SETTING (F)	CONTACT CONFIG	HIGH LIMIT ADJUSTMENT RANGE (F)	THERMOSTAT CONTACT CONFIG	THERMOSTAT HIGH LIMIT CONTROL	MANUFACTURER	MANUFACTURER SERIES
UV11700*	170	SPST	90 to 150	SPST	Manual Reset	TOD	59T/66T

ELECTRIC THERMOSTATS WITHOUT HIGH LIMIT CONTROL

Electric Thermostats without High Limit Control (TOD)


Used as the lower thermostat in residential electric water heaters. Manufactured by TOD. See below for a similar design from APCOM.



PART NO	THERMOSTAT ADJ RANGE (F)	THERMOSTAT CONTACT CONFIG	MANUFACTURER	MANUFACTURER SERIES
UV11695*	90 to 150	SPST	TOD	59T

Electric Thermostats without High Limit Control (APCOM)

Used as the lower thermostat in residential electric water heaters. Manufactured by APCOM. See above for a similar design from Therm-O-Disc (TOD).



PART NO	THERMOSTAT ADJ RANGE (F)	THERMOSTAT CONTACT CONFIG	MANUFACTURER	MANUFACTURER SERIES
UV13360*	110 to 160	SPST	APCOM	WH9



THERMOCOUPLES – GAS WATER HEATERS



Universal Thermocouples

These thermocouples can be used for a wide variety of manufacturers. Includes positioning adapters for various pilot configurations.

PART NO	OVERALL LENGTH (IN.)	BULB DIAMETER (IN.)	BULB LENGTH (IN.)	GAS VALVE END FITTING O.D. (IN.)
UV6379L	18	3/16	2-1/8	11/32-32NS
UV6379R	24	3/16	2-1/8	11/32-32NS
UV6379S	36	3/16	2-1/8	11/32-32NS
UV6379T	48	3/16	2-1/8	11/32-32NS

INSTALLATION ACCESSORIES

Water Connection Kits



PART NO	DESCRIPTION
UV20009	Water Connection Kit – 12 in. Connectors
UV20010	Water Connection Kit – 15 in. Connectors
UV20011	Water Connection Kit – 18 in. Connectors
UV20012	Water Connection Kit – 12 in. Connectors (Includes Compression Fittings)

Copper Flexible Water Connectors



PART NO	LENGTH (IN)	CONNECTOR TUBE MATERIAL	CONNECTOR TUBE OD (IN)	FITTING 1 TYPE	FITTING 1 SIZE (IN)	FITTING 2 TYPE	FITTING 2 SIZE (IN)
UV10351	12	Copper	3/4	NPT – Female	3/4	NPT - Female	3/4
UV10505	15	Copper	3/4	NPT – Female	3/4	NPT - Female	3/4
UV10506*	18	Copper	3/4	NPT – Female	3/4	NPT - Female	3/4

Stainless Steel Flexible Water Connectors



- Flexible stainless steel corrugated connector provides for easy installation
- Gaskets included on both ends to prevent leaks

PART NO	LENGTH (IN)	CONNECTOR TUBE MATERIAL	CONNECTOR TUBE OD (IN)	FITTING 1 TYPE	FITTING 1 SIZE (IN)	FITTING 2 TYPE	FITTING 2 SIZE (IN)
UV12927	12	Stainless Steel	3/4	NPT – Female	3/4	NPT - Female	3/4
UV12928	15	Stainless Steel	3/4	NPT – Female	3/4	NPT - Female	3/4
UV12929	18	Stainless Steel	3/4	NPT – Female	3/4	NPT - Female	3/4

Gas Water Heater Installation Kits

Contains most of the commonly needed basic installation items for most residential gas water heaters.



PART NO	DESCRIPTION
UV20015	Gas Water Heater Installation Kit – 12 in. Connectors
UV20016*	Gas Water Heater Installation Kit – 15 in. Connectors
UV20017	Gas Water Heater Installation Kit – 18 in. Connectors

Electric Water Heater Installation Kits

Contains most of the commonly needed basic installation items for most residential electric water heaters.



PART NO	DESCRIPTION
UV20013*	Electric Water Heater Installation Kit – 15 in. Connectors
UV20014	Electric Water Heater Installation Kit – 18 in. Connectors



FITTINGS & NIPPLES – WATER HEATERS



Dielectric Union

Connects copper pipe to threaded connection. Dielectric insulator helps prevent corrosion at junction between dissimilar metals.

PART NO	FITTING 1 PLUMBING SIZE (IN)	FITTING 1 TYPE	FITTING 2 NPT SIZE (IN)	FITTING 2 TYPE	MATERIAL
UV13045	3/4	Sweat	3/4	Pipe thread – Female	Brass / Zinc plated steel



Compression Fittings (Sets of 2)

Connects copper pipe to threaded connection. No soldering required.

PART NO	FITTING 1 PLUMBING SIZE (IN)	FITTING 1 TYPE	FITTING 2 NPT SIZE (IN)	FITTING 2 TYPE	MATERIAL
UV10354	1/2	Compression	3/4	Pipe thread - Male	Brass
UV10374	3/4	Compression	3/4	Pipe thread - Male	Brass



Nipples – Plastic Lined (Sets of 2)

Plastic lined nipples are used for the hot and cold water connections of the water heater.

PART NO	NPT THREAD SIZE (IN)	LENGTH (IN)	HEAT TRAP TYPE	MATERIAL
UV8397G*	3/4	2-1/4	—	Zinc plated steel / Polypropylene liner



Nipples – Plastic Lined with Heat Trap (sets of 2)

Used for the hot and cold water connections of the water heater. The integral heat traps prevent conductive heat loss between the heated water in the water heater and the connected piping.

PART NO	NPT THREAD SIZE (IN)	LENGTH (IN)	HEAT TRAP TYPE	MATERIAL
UV12992*	3/4	3	Flapper	Zinc plated steel / Polypropylene liner



Drain Valve – Brass with Screwdriver Handle

Connects copper pipe to threaded connection. No soldering required.

PART NO	BODY MATERIAL	SHANK LENGTH (IN)	TANK FITTING SIZE NPT (IN)	GARDEN HOSE FITTING SIZE ACTUAL (IN)	GARDEN HOSE FITTING SIZE NHR NOM (IN)
UV12112G	Brass	2-1/4	3/4	1-1/16	3/4



Drain Valve – Poly with Handgrip Handle

PART NO	BODY MATERIAL	SHANK LENGTH (IN)	TANK FITTING SIZE NPT (IN)	GARDEN HOSE FITTING SIZE ACTUAL (IN)	GARDEN HOSE FITTING SIZE NHR NOM (IN)
UV12039*	Poly	2-1/4	3/4	1-1/16	3/4



T&P Valves

Temperature and pressure relief valves are emergency safety limit devices that will prevent or relieve overheated water or excessive pressure.

PART NO	OVERALL LENGTH (IN)	BODY LENGTH (IN)	SENSOR LENGTH (IN)	NLET THREAD SIZE NPT (IN)	OUTLET THREAD SIZE NPT (IN)	CSA CAPACITY (BTU/HR)	MAX PRESSURE SETTING (PSI)	MAX TEMP SETTING (F)
UV6571B*	7-1/4	3-1/4	4	3/4	3/4	105,000	150	210
UV8346	7-1/4	4-1/4	3	3/4	3/4	105,000	150	210



T&P VALVE RUN-OFF TUBES

These tubes connect to the temperature and pressure relieve valve (T&P Valve) to direct any water released away from the water heater and into a drain.



T&P Valve Run-Off Tube (Top Mount)

Recommended when the T&P Valve is located on the top of the water heater.

PART NO	CONFIGURATION	NPT NIPPLE THREAD SIZE (IN)	TUBE DIAMETER (IN)	TOTAL LENGTH (IN)
UV11956B	Top mount	3/4	13/16	58-1/2 x 12-1/2



T&P Valve Run-Off Tube (Side Mount)

Recommended when the T&P Valve is located on the side of the water heater.

PART NO	CONFIGURATION	NPT NIPPLE THREAD SIZE (IN)	TUBE DIAMETER (IN)	TOTAL LENGTH (IN)
UV11955C	Side mount	3/4	13/16	63

DIP TUBES

Dip Tubes are located at the cold water inlet to your water heater. They direct the water down into the lower part of the tank. As it is heated, the water then rises to the top of the tank where it is withdrawn from the outlet tube. There are several different types of outlets, open, helix and closed. Each of these will distribute the water into the tank in a different way. It is generally recommended that you replace your dip tube with the same type already in the heater. Note that an open end tubes can be cut to length if it is too long for shorter tanks.



Dip Tube - Flare with Open End

PART NO	TUBE DIAMETER (IN)	TOTAL LENGTH (IN)	INLET FITTING	TUBE MATERIAL
UV11248R	3/4	54-3/4	Flare	Polypropylene



Dip Tubes - Heat Trap Nipple with Open End

PART NO	NPT NIPPLE THREAD SIZE (IN)	NIPPLE LENGTH (IN)	TUBE DIAMETER (IN)	TOTAL LENGTH (IN)	INLET FITTING	TUBE MATERIAL
UV12933	3/4	2	1/2	53	Nipple	Polypropylene

ANODE RODS

Anode rods are the most important line of defense in increasing water heater tank life and preventing leaks. These devices work because the metal in the rod is more easily corroded than the metal of the water heater tank. You should check and replace your anode rod on a regular basis. When the rod is depleted, it can no longer protect your tank.



Anode Rod - Magnesium

PART NO	TOTAL LENGTH (IN)	ROD DIAMETER (IN)	HEX HEAD SIZE (IN)	NPT THREAD SIZE (IN)	ANODIC MATERIAL
UV11524C	44-3/16	0.840	1-1/16	3/4	Magnesium



ANODE RODS

Anode Rod – Aluminum

- Special aluminum anode rods for applications where “sulfur smell” in water is a problem
- Can be cut to length for shorter tanks

PART NO	TOTAL LENGTH (IN)	ROD DIAMETER (IN)	HEX HEAD SIZE (IN)	NPT THREAD SIZE (IN)	ANODIC MATERIAL
UV12938	42	0.625	1-1/8	3/4	—

Flexible Anode Rod – Aluminum

- Special anode rod for applications where access to the top of tank is restricted (such as when the water heater is installed underneath a staircase or in a crawlspace). Flexible rod links allow the rod to be fed into the tank opening in these low clearance installations.
- Links can be removed for shorter tanks

PART NO	TOTAL LENGTH (IN)	ROD DIAMETER (IN)	HEX HEAD SIZE (IN)	NPT THREAD SIZE (IN)	ANODIC MATERIAL
UV99004	42	0.750	1-1/16	3/4	Aluminum

WATER HEATER DRAIN PANS

Water Heater Drain Pans – Plastic

Durable plastic drain pans with 1 in. glue PVC fitting; for electric water heaters only.

PART NO	BOTTOM DIAMETER (IN)	TOP DIAMETER (IN)	HEIGHT (IN)	DRAIN HOLE SIZE (IN)	MATERIAL
UV12934	20	22	2-3/4	1-3/8	Plastic
UV12937	22	24	2-3/4	1-3/8	Plastic
UV12935	24	26	2-3/4	1-3/8	Plastic
UV12936	26	28	2-3/4	1-3/8	Plastic

Water Heater Drain Pans – Aluminum

Aluminum drain pans with 1 in. glue PVC fitting; for gas or electric water heaters.

PART NO	BOTTOM DIAMETER (IN)	TOP DIAMETER (IN)	HEIGHT (IN)	DRAIN HOLE SIZE (IN)	MATERIAL
UV12939	20	21	2-1/8	1-3/8	Aluminum
UV12941	22	23	2-1/8	1-3/8	Aluminum
UV12942	24	25	2-1/8	1-3/8	Aluminum
UV12940	26	28	2	1-3/8	Aluminum

WATER HEATER STAND

- Durable galvanized steel water heater stand
- Recommended for 30 to 50 gallon water heater; 660 pound weight limit
- Easy screw and nut assembly

PART NO	DESCRIPTION
UV13044	Water Heater Stand – 21 in. x 21 in. x 16 in.



FLOODSTOP LEAK DETECTOR SYSTEMS

Household water damage exceeds \$5 billion each year and the average flood costs homeowners more than \$5,500. The vast majority of water damage is related to leaking washing machines, dishwashers, water heaters and ice makers. The FloodStop™ leak detection systems automatically sense water leaks and shut off the water supply to the controlled appliances. Features include:

- Automatic shut-off ball valves with high quality solid brass bodies and durable 5-stage gearboxes for reliable operation
- Multiple power options; Includes 120VAC power supply; can use 4C batteries as either backup or primary power if AC is not available
- Vacation settings allow valve shut-off when away
- Low profile sensors (less than 1/8 inch high) allow for placement under appliances or in tight spaces
- Easy installation
- Includes a set of normally open and normally closed alarm contacts
- 1-year limited warranty

Water Heater Point of Use Leak Detector System

Designed specifically to monitor and stop leaks around water heaters.

- Includes 3/4 inch NPT automatic shut-off ball valve
- Includes one leak detector; additional leak detectors may be added in series



PART NO	APPLICATION	NPT BALL VALVE CONNECTION SIZE (IN)
UV34NPT	Water Heater Point of Use	3/4

Washing Machine Point of Use Leak Detector System

Designed specifically to monitor and stop leaks around washing machines.

- Includes two 3/4 inch NPT automatic shut-off ball valves for use with standard washing machine supply hoses
- Includes one leak detector; additional leak detectors may be added in series



PART NO	APPLICATION	NPT BALL VALVE CONNECTION SIZE (IN)
UV34H-90	Washing Machine Point of Use	3/4

Whole House Wireless Leak Detector System

The whole house wireless system provides complete home protection by installing the automatic shut-off ball valve at the main water supply entrance and placing wireless sensors at potential leak points. Leak sensors and the controller wirelessly communicate through INSTEON® technology which uses both the existing home electric wiring and radio-frequency communication. INSTEON adds remote control and automation to lighting and home control applications of all types. An INSTEON program called ALL Link allows for opening and closing the ball valve remotely from anywhere in the world.

- Available with three size of automatic shut-off ball valves: 3/4, 1 or 1-1/4 inch NPT
- Includes four wireless leak sensor modules and four leak sensor pads
- Expandable to a total of 31 wireless sensor modules; each sensor module can support dozens of additional sensor pads with a range up to 6 ft. from the module
- Each leak sensor module can act as a signal booster (repeater) if used with AC power



PART NO	APPLICATION	NPT BALL VALVE CONNECTION SIZE (IN)
UV34NPTW	Whole House – Wireless	3/4
FS1NPTW	Whole House – Wireless	1
FS125NPTW	Whole House – Wireless	1-1/4



LEAK DETECTOR SYSTEM ACCESSORIES



CEXT-9 Control Extension Wire – 9 ft.

- Allows ball valve to be mounted 9 ft. further away from the control module
- Compatible with all FloodStop™ leak detector systems

PART NO	DESCRIPTION
CEXT-9	FloodStop Control Extension Wire – 9 ft.



CEXT-9 Control Extension Wire – 9 ft.

- Allows the control unit to be mounted 9 ft. further away from the transformer
- Compatible with all FloodStop™ leak detector systems

PART NO	DESCRIPTION
WAE-9	FloodStop Transformer Extension Cord – 9 ft.



XS-01 Wired Water Sensor Pad

- Allows dozens of additional sensor pads to be wired in series
- Includes 3 ft. long cable
- Compatible with Water Heater and Washing Machine Point of Use FloodStop™ leak detector systems

PART NO	DESCRIPTION
XS-01	FloodStop Wired Water Sensor Pad



XS-02 Wireless Water Sensor Pad

- Allows dozens of additional sensor pads to be wired in series
- Range up to 6 ft. from the sensor module
- Compatible with Whole House Wireless FloodStop™ leak detector systems

PART NO	DESCRIPTION
XS-02	FloodStop Wireless Sensor Pad



XSM Wireless Sensor Module

- Allows up to 31 wireless sensor modules to be added to the system
- Compatible with Whole House Wireless FloodStop™ leak detector systems

PART NO	DESCRIPTION
XSM	FloodStop Wireless Sensor Module

Ball Valve Units

- Available in various sizes and connection configurations
- Compatible with all FloodStop™ leak detector systems

PART NO	DESCRIPTION
FS3/4C	Ball Valve Unit – 3/4 Compression Fitting (Water Heaters/Main Water Lines)
FS3/8C	Ball Valve Unit – 3/8 in. Compression Fitting (Ice Makers/Dishwashers/Toilets)
FS1NPT	Ball Valve Unit – 1 in. NPT (Water Heaters/Main Water Lines)
FS3/8CD	Ball Valve Unit – Dual 3/8 in. Compression Fitting (Sinks - Hot/Cold)
FS125NPT	Ball Valve Unit – 1-1/4 in. NPT (Water Heaters/Main Water Lines)
FS1/4C	Ball Valve Unit – 1/4 in. Compression Fitting (Ice Maker or Water Filter)



PART NO	DESCRIPTION	PAGE
430	Blower Motor - 3/4 hp 120-208-230/1/60 (3450 rpm/1 spd) . . .	26
1000	FAST-STAT 1000 Wire Extender	13
1220	Humidifier Pad	21
1412	Humidifier Pad	21
1507	Lineset Tape - Black - 2 in. x 60 yds.	77
1859	Condenser Motor - 1/6 hp 208-230/1/60 (1075 rpm/1 spd) . . .	28
1860	Condenser Motor - 1/4 hp 208-230/1/60 (1075 rpm/1 spd) . . .	28
1861	Condenser Motor - 1/3 hp 208-230/1/60 (1075 rpm/1 spd) . . .	28
1862	Condenser Motor - 1/2 hp 208-230/1/60 (1075 rpm/1 spd) . . .	28
1863	Blower Motor - 1/4 hp 120/1/60 (1075 rpm/3 spd)	26
1864	Blower Motor - 1/3 hp 120/1/60 (1075 rpm/3 spd)	26
1865	Blower Motor - 1/2 hp 120/1/60 (1075 rpm/3 spd)	26
1868	Condenser Motor - 3/4 hp 208-230/1/60 (1075 rpm/1 spd) . . .	28
1893	Blower Motor - 3/4 hp 120-208-230/1/60 (1725 rpm/1 spd) . . .	26
1971	Blower Motor - 1/4 hp 208-230/1/60 (1075 rpm/3 spd)	26
1972	Blower Motor - 1/3 hp 208-230/1/60 (1075 rpm/3 spd)	26
1973	Blower Motor - 1/2 hp 208-230/1/60 (1075 rpm/3 spd)	26
2010	Thermister Probe - 0.5 in.	126
3000	FAST-STAT 3000 Wire Extender	13
3323	Condenser Motor - 1/3-1/6 hp 208-230/1/60 (1075 rpm/1 spd) . . .	28
4011	Pipe Strap Thermister Temperature Probe	126
5000	FAST-STAT 5000 Wire Extender	13
5460	Blower Motor - 1/6-1/2 hp 120/1/60 (1075 rpm/4 spd)	26
5461	Blower Motor - 1/6-1/2 hp 208-230/1/60 (1075 rpm/4 spd) . . .	26
5462	Condenser Motor - 1/3-1/6 hp 208-230/1/60 (1075 rpm/2 spd) . . .	28
5464	Condenser Motor - 1/3-1/6 hp 208-230/1/60 (825 rpm/2 spd) . . .	28
5465	Condenser Motor - 1/5-1/2 hp 208-230/1/60 (1075 rpm/2 spd) . . .	28
5470	Blower Motor - 1/5-3/4hp 120/1/60 (1075 rpm/4 spd)	26
5471	Blower Motor - 1/5-3/4hp 208-230/1/60 (1075 rpm/4 spd) . . .	26
7000	FAST-STAT 7000 Wire Extender	13
8100	Blower Motor - 1/3 hp 120/1/60 (1725 rpm/1 spd)	26
8200	Blower Motor - 1/2 hp 120/1/60 (1725 rpm/1 spd)	26
8431	Liquid-Tight Flexible Non-Metallic Conduit (1/2 in. x 100 ft.) . . .	34
8432	Liquid-Tight Flexible Non-Metallic Conduit (3/4 in. x 100 ft.) . . .	34
8904	Blower Motor - 3/4 hp 120/1/60 (1075 rpm/3 spds)	26
8905	Blower Motor - 3/4 hp 208-230/1/60 (1075 rpm/3 spds)	26
8924	Battery Charger with Lugs (to charge battery outside of unit) . . .	155
8944	Vehicle Adapter for Battery Charger	155
8945	Spray Wand - 36 in. long - 90°	155
9000	FAST-STAT 9000 Wire Extender	13
31229	Great White Pipe Joint Compound with PTFE - 1 oz.	95
31230	Great White Pipe Joint Compound with PTFE - 4 oz.	95
31231	Great White Pipe Joint Compound with PTFE - 8 oz.	95
31232	Great White Pipe Joint Compound with PTFE - 16 oz.	95
31233	Great White Pipe Joint Compound with PTFE - 32 oz.	95
31261	Great Blue Pipe Joint Compound - 4 oz.	95
31262	Great Blue Pipe Joint Compound - 8 oz.	95
33661	Manifold - Brass 2-Way - R-12/R-22/R-502 (w/Hoses - 5 ft.) . . .	120
35161	Manifold - Brass 2-Way - R-12/R-22/R-502	120
40336	Refrigerant Hose Set - 3 ft. (Standard Fittings)	121
40360	Refrigerant Hose Set - 5 ft. (Standard Fittings)	121
40372	Refrigerant Hose Set - 6 ft. (Standard Fittings)	121
41601	Refrigerant Hose - Blue 5 ft. (Standard Fittings)	121
41602	Refrigerant Hose - Yellow 5 ft. (Standard Fittings)	121
41603	Refrigerant Hose - Red 5 ft. (Standard Fittings)	121
45360	Refrigerant Hose Set - 5 ft. (Anti-Blowback Fittings)	121
45601	Refrigerant Hose - Blue 5 ft. (Anti-Blowback Fittings)	121
45602	Refrigerant Hose - Yellow 5 ft. (Anti-Blowback Fittings)	121
45603	Refrigerant Hose - Red 5 ft. (Anti-Blowback Fittings)	121
46360	Refrigerant Hose Set - 5 ft. (Anti-Blowback Fittings)	121
48604	Refrigerant Hose - Black 5 ft. (Standard Fittings)	121
52245	Digital Pressure/Temperature Chart	124
53123	Refrigerant Dye Injector - Refillable (w/2 oz. Concentrated Dye) . . .	103
53223	Refrigerant Dye Injector - Cartridge Type	103
53400	UV Leak Detector Kit	122

PART NO	DESCRIPTION	PAGE
53450	UV Leak Detector Kit with Refillable Dye Injector	122
53625	Fluorescent Refrigerant Dye (All Refrigerants/All Oils) - 2 oz. . . .	102
55100	Electronic Leak Detector	122
55200	Electronic/UV Leak Detector Kit	122
55300	Electronic/UV Leak Detector Kit with Cartridge Type Dye Injector . . .	122
57161	Manifold - Aluminum 2-Way - R-22/R-404A/R-410A	120
59161	Manifold - Brass 2-Way - R-22/R-404A/R-410A	120
59261	Manifold - Brass 2-Way - R-22/R-404A/R-410A	120
59861	Manifold - Aluminum 3-Way - R-22/R-404A/R-410A	120
62010	Refrigerant Recovery Cylinder - 400 psi (30 lbs)	66
62011	Refrigerant Recovery Cylinder - 400 psi (30 lbs) w/Float Switch . . .	66
63010	Refrigerant Recovery Cylinder - 400 psi (50 lbs)	66
65010	Refrigerant Recovery Cylinder - 400 psi (50 lbs) w/Float Switch . . .	66
67010	Refrigerant Recovery Cylinder - 400 psi (30 lbs) w/Float Switch . . .	66
69000	Refrigerant Recovery System	119
70027	Tube Cutter - Mini	148
70029	Tube Cutter - Midi	148
70031	Tube Cutter - Ratchet Style	149
70033	Tube Cutter - Heavy Duty	148
70035	Tube Cutter - Heavy Duty	148
70037	Tube Cutter - Sliding Ratchet Style	148
70038	Tube Cutter - Sliding Ratchet Style	148
70040	Multi-Step Swaging Tool - Punch Type	148
70048	Swaging Tool Set - Punch Type (Set of 5)	148
70051	Flaring Tool	147
70052	Flaring Tool	147
70053	Flaring and Swaging Tool Set	147
70069	Tube Bender - 3/16 in., 1/4 in., 5/16 in. and 3/8 in.	149
70070	Tube Bender Kit - Ratchet Style	149
70082	Refrigeration Service Wrench - Ratcheting	128
70090	Tube Cutter Set - 3 Piece w/Case	149
71600	Tubing Expander - Hydra-Swage	147
80011	Pipe Cutter - PVC - Ratchet Style	151
86690	Novent 1/4 in. Universal Starter Pack	77
90062	Vacuum Pump - 2 CFM - 120V	118
90065	Vacuum Pump - 5 CFM - 120V (2-Stage)	118
90067	Vacuum Pump - 7.5 CFM - 120V (2-Stage)	118
90262	Refrigerant Hose Extension Set w/Ball Valve	121
91490	Valve Core Removal Tool	124
91496	Valve Core Removal Tool	124
91499	Superheat Measurement Kit	124
91553	Gauge Protector Set - Red & Blue	121
92708	Fluorescent Refrigerant Dye (All Refrigerants/POE Oil) - 8 oz. . . .	102
93125	Tape Measure - 25 ft. x 1 in. wide (Magnetic Single Hook)	152
95361	Manifold - Aluminum 4-Way - R-12/R-22/R-502	120
95661	Manifold - Aluminum 2-Way - R-12/R-22/R-502	120
98210	Charging Scales - Programmable	119
98230	Charging Scale Solenoid Module	119
98250	Electronic Tank Heater	67
99103	Manifold - Digital 2-Way	119
200782	Electrical Tape (PVC) - 3/4 in. x 66 ft	76
362206	Nipple - Black Pipe (1/2 in. x Close)	60
362207	Nipple - Black Pipe (1/2 in. x 1-1/2 in. long)	60
362208	Nipple - Black Pipe (1/2 in. x 2 in. long)	60
362209	Nipple - Black Pipe (1/2 in. x 2-1/2 in. long)	60
362210	Nipple - Black Pipe (1/2 in. x 3 in. long)	60
362211	Nipple - Black Pipe (1/2 in. x 3-1/2 in. long)	60
362213	Nipple - Black Pipe (1/2 in. x 4-1/2 in. long)	60
362214	Nipple - Black Pipe (1/2 in. x 5 in. long)	60
362215	Nipple - Black Pipe (1/2 in. x 5-1/2 in. long)	60
362216	Nipple - Black Pipe (1/2 in. x 6 in. long)	60
362218	Nipple - Black Pipe (1/2 in. x 7 in. long)	60
362220	Nipple - Black Pipe (1/2 in. x 8 in. long)	60
362222	Nipple - Black Pipe (1/2 in. x 9 in. long)	60
362224	Nipple - Black Pipe (1/2 in. x 10 in. long)	60



PART NO	DESCRIPTION	PAGE	PART NO	DESCRIPTION	PAGE
362226	Nipple - Black Pipe (1/2 in. x 11 in. long)	60	362353	Nipple - Black Pipe (1-1/2 in. x 6 in. long)	62
362228	Nipple - Black Pipe (1/2 in. x 12 in. long)	60	362357	Nipple - Black Pipe (1-1/2 in. x 8 in. long)	62
362231	Cut Black Pipe - (1/2 in. x 15 in. long)	60	362361	Nipple - Black Pipe (1-1/2 in. x 10 in. long)	62
362233	Cut Black Pipe - (1/2 in. x 18 in. long)	60	362365	Nipple - Black Pipe (1-1/2 in. x 12 in. long)	62
362234	Cut Black Pipe - (1/2 in. x 24 in. long)	60	362371	Cut Black Pipe - (1-1/2 in. x 18 in. long)	62
362235	Cut Black Pipe - (1/2 in. x 30 in. long)	60	362377	Cut Black Pipe - (1-1/2 in. x 24 in. long)	62
362237	Cut Black Pipe - (1/2 in. x 48 in. long)	60	362378	Nipple - Black Pipe (2 in. x Close)	63
362238	Nipple - Black Pipe (1/2 in. x 60 in. long)	60	362379	Nipple - Black Pipe (2 in. x 2-1/2 in. long)	63
362241	Nipple - Black Pipe (3/4 in. x Close)	61	362381	Nipple - Black Pipe (2 in. x 3-1/2 in. long)	63
362242	Nipple - Black Pipe (3/4 in. x 1-1/2 in. long)	61	362382	Nipple - Black Pipe (2 in. x 4 in. long)	63
362244	Nipple - Black Pipe (3/4 in. x 2-1/2 in. long)	61	362384	Nipple - Black Pipe (2 in. x 5 in. long)	63
362245	Nipple - Black Pipe (3/4 in. x 3 in. long)	61	362385	Nipple - Black Pipe (2 in. x 5-1/2 in. long)	63
362246	Nipple - Black Pipe (3/4 in. x 3-1/2 in. long)	61	362386	Nipple - Black Pipe (2 in. x 6 in. long)	63
362247	Nipple - Black Pipe (3/4 in. x 4 in. long)	61	362390	Nipple - Black Pipe (2 in. x 8 in. long)	63
362248	Nipple - Black Pipe (3/4 in. x 4-1/2 in. long)	61	362394	Nipple - Black Pipe (2 in. x 10 in. long)	63
362249	Nipple - Black Pipe (3/4 in. x 5 in. long)	61	362398	Nipple - Black Pipe (2 in. x 12 in. long)	63
362251	Nipple - Black Pipe (3/4 in. x 6 in. long)	61	362404	Cut Black Pipe - (2 in. x 18 in. long)	63
362253	Nipple - Black Pipe (3/4 in. x 7 in. long)	61	425004	Circuit Breaker - 20A (1-Pole)	37
362255	Nipple - Black Pipe (3/4 in. x 8 in. long)	61	425007	Circuit Breaker - 20A (1-Pole)	37
362257	Nipple - Black Pipe (3/4 in. x 9 in. long)	61	425015	Circuit Breaker - 20A (1-Pole)	37
362259	Nipple - Black Pipe (3/4 in. x 10 in. long)	61	425017	Circuit Breaker - 50A (2-Pole)	37
362261	Nipple - Black Pipe (3/4 in. x 11 in. long)	61	425018	Circuit Breaker - 20A (1-Pole)	37
362263	Nipple - Black Pipe (3/4 in. x 12 in. long)	61	425021	Circuit Breaker - 60A (2-Pole)	37
362268	Cut Black Pipe - (3/4 in. x 18 in. long)	61	425022	Circuit Breaker - 20A (1-Pole)	37
362276	Nipple - Black Pipe (1 in. x Close)	61	425029	Circuit Breaker - 20A (1-Pole)	37
362277	Nipple - Black Pipe (1 in. x 2 in. long)	61	425031	Circuit Breaker - 60A (2-Pole)	37
362278	Nipple - Black Pipe (1 in. x 2-1/2 in. long)	61	425032	Circuit Breaker - 20A (1-Pole)	37
362279	Nipple - Black Pipe (1 in. x 3 in. long)	61	425034	Circuit Breaker - 60A (2-Pole)	37
362280	Nipple - Black Pipe (1 in. x 3-1/2 in. long)	61	425035	Circuit Breaker - 20A (2-Pole)	37
362282	Nipple - Black Pipe (1 in. x 4-1/2 in. long)	61	425037	Circuit Breaker - 50A (2-Pole)	37
362283	Nipple - Black Pipe (1 in. x 5 in. long)	61	439100	Turbo200 Capacitor	38
362284	Nipple - Black Pipe (1 in. x 5-1/2 in. long)	61	439101	Turbo200X Capacitor	38
362285	Nipple - Black Pipe (1 in. x 6 in. long)	61	439102	Turbo200 MINI Capacitor	38
362287	Nipple - Black Pipe (1 in. x 7 in. long)	61	439103	TurboMeter (DSC)	38
362289	Nipple - Black Pipe (1 in. x 8 in. long)	61	455001	Liquid-Tight Conduit Fitting - 1/2 in. Straight (Quick Twist)	34
362291	Nipple - Black Pipe (1 in. x 9 in. long)	61	455002	Liquid-Tight Conduit Fitting - 1/2 in. 90° (Quick Twist)	34
362293	Nipple - Black Pipe (1 in. x 10 in. long)	61	455003	Liquid-Tight Conduit Fitting - 3/4 in. Straight (Quick Twist)	34
362295	Nipple - Black Pipe (1 in. x 11 in. long)	61	455004	Liquid-Tight Conduit Fitting - 3/4 in. 90° (Quick Twist)	34
362297	Nipple - Black Pipe (1 in. x 12 in. long)	61	455005	Liquid-Tight Conduit Fitting - 1/2 in. Straight	34
362303	Cut Black Pipe - (1 in. x 18 in. long)	61	523000	Clear Cleaner - 128 oz.	97
362309	Cut Black Pipe - (1 in. x 24 in. long)	61	523001	Clear Cleaner - 32 oz.	97
362310	Nipple - Black Pipe (1-1/4 in. x Close)	62	523003	Clear Cleaner - 8 oz.	97
362312	Nipple - Black Pipe (1-1/4 in. x 2-1/2 in. long)	62	523004	Purple Primer - NSF Listed - 128 oz.	97
362313	Nipple - Black Pipe (1-1/4 in. x 3 in. long)	62	523005	Purple Primer - NSF Listed - 32 oz.	97
362314	Nipple - Black Pipe (1-1/4 in. x 3-1/2 in. long)	62	523006	Purple Primer - NSF Listed - 16 oz.	97
362315	Nipple - Black Pipe (1-1/4 in. x 4 in. long)	62	523007	Purple Primer - NSF Listed - 8 oz.	97
362316	Nipple - Black Pipe (1-1/4 in. x 4-1/2 in. long)	62	540031	FilterLock - Filter Slot Cover	39
362317	Nipple - Black Pipe (1-1/4 in. x 5 in. long)	62	572001	Brazing Rods - 5/64 in. diameter x 20 in. - 0% Silver	79
362318	Nipple - Black Pipe (1-1/4 in. x 5-1/2 in. long)	62	583002	Pipe Flashing - Aluminum Self-Seal	87
362319	Nipple - Black Pipe (1-1/4 in. x 6 in. long)	62	583004	Pipe Flashing - Aluminum Self-Seal	87
362321	Nipple - Black Pipe (1-1/4 in. x 7 in. long)	62	583010	Pipe Flashing - Aluminum Self-Seal (Black)	87
362323	Nipple - Black Pipe (1-1/4 in. x 8 in. long)	62	583014	Pipe Flashing - Poly Universal	87
362327	Nipple - Black Pipe (1-1/4 in. x 10 in. long)	62	583016	Pipe Flashing - Poly Universal	87
362329	Nipple - Black Pipe (1-1/4 in. x 11 in. long)	62	583018	Pipe Flashing - Poly Universal	87
362331	Nipple - Black Pipe (1-1/4 in. x 12 in. long)	62	595001	Oil Nozzle - Hollow Spray (0.75A, 30°)	42
362337	Cut Black Pipe - (1-1/4 in. x 18 in. long)	62	595002	Oil Nozzle - Solid Spray (0.75B, 30°)	43
362343	Cut Black Pipe - (1-1/4 in. x 24 in. long)	62	595003	Oil Nozzle - All Purpose (0.75W, 30°)	45
362344	Nipple - Black Pipe (1-1/2 in. x Close)	62	595004	Oil Nozzle - Hollow Spray (0.80A, 30°)	42
362345	Nipple - Black Pipe (1-1/2 in. x 2 in. long)	62	595005	Oil Nozzle - Solid Spray (0.80B, 30°)	43
362346	Nipple - Black Pipe (1-1/2 in. x 2-1/2 in. long)	62	595006	Oil Nozzle - All Purpose (0.80W, 30°)	45
362347	Nipple - Black Pipe (1-1/2 in. x 3 in. long)	62	595007	Oil Nozzle - Hollow Spray (0.85A, 30°)	43
362348	Nipple - Black Pipe (1-1/2 in. x 3-1/2 in.)	62	595008	Oil Nozzle - Solid Spray (0.85B, 30°)	44
362349	Nipple - Black Pipe (1-1/2 in. x 4 in. long)	62	595010	Oil Nozzle - Hollow Spray (0.90A, 30°)	43
362351	Nipple - Black Pipe (1-1/2 in. x 5 in. long)	62	595011	Oil Nozzle - Solid Spray (0.90B, 30°)	44
362352	Nipple - Black Pipe (1-1/2 in. x 5-1/2 in. long)	62	595012	Oil Nozzle - All Purpose (0.90W, 30°)	35



PART NO	DESCRIPTION	PAGE
595015	Oil Nozzle - Hollow Spray (1.00A, 30°)	43
595017	Oil Nozzle - All Purpose (1.00W, 30°)	45
595020	Oil Nozzle - Hollow Spray (1.10A, 30°)	43
595021	Oil Nozzle - Solid Spray (1.10B, 30°)	44
595022	Oil Nozzle - All Purpose (1.10W, 30°)	45
595025	Oil Nozzle - Hollow Spray (0.75A, 45°)	42
595026	Oil Nozzle - Hollow Spray (0.75A, 60°)	42
595027	Oil Nozzle - Hollow Spray (0.75A, 70°)	42
595028	Oil Nozzle - Hollow Spray (0.75A, 80°)	42
595029	Oil Nozzle - Hollow Spray (0.75A, 90°)	42
595030	Oil Nozzle - Solid Spray (0.75B, 45°)	43
595031	Oil Nozzle - Solid Spray (0.75B, 60°)	43
595032	Oil Nozzle - Solid Spray (0.75B, 70°)	43
595033	Oil Nozzle - Solid Spray (0.75B, 80°)	43
595034	Oil Nozzle - Solid Spray (0.75B, 90°)	43
595036	Oil Nozzle - All Purpose (0.75W, 60°)	45
595037	Oil Nozzle - All Purpose (0.75W, 70°)	45
595038	Oil Nozzle - All Purpose (0.75W, 80°)	45
595039	Oil Nozzle - All Purpose (0.75W, 90°)	45
595040	Oil Nozzle - Hollow Spray (0.80A, 45°)	42
595041	Oil Nozzle - Hollow Spray (0.80A, 60°)	42
595042	Oil Nozzle - Hollow Spray (0.80A, 70°)	43
595043	Oil Nozzle - Hollow Spray (0.80A, 80°)	43
595044	Oil Nozzle - Hollow Spray (0.80A, 90°)	43
595045	Oil Nozzle - Solid Spray (0.80B, 45°)	43
595046	Oil Nozzle - Solid Spray (0.80B, 60°)	44
595047	Oil Nozzle - Solid Spray (0.80B, 70°)	44
595048	Oil Nozzle - Solid Spray (0.80B, 80°)	44
595049	Oil Nozzle - Solid Spray (0.80B, 90°)	44
595050	Oil Nozzle - All Purpose (0.80W, 45°)	45
595051	Oil Nozzle - All Purpose (0.80W, 60°)	45
595052	Oil Nozzle - All Purpose (0.80W, 70°)	45
595053	Oil Nozzle - All Purpose (0.80W, 80°)	45
595054	Oil Nozzle - All Purpose (0.80W, 90°)	45
595055	Oil Nozzle - Hollow Spray (0.85A, 45°)	43
595056	Oil Nozzle - Hollow Spray (0.85A, 60°)	43
595057	Oil Nozzle - Hollow Spray (0.85A, 70°)	43
595058	Oil Nozzle - Hollow Spray (0.85A, 80°)	43
595059	Oil Nozzle - Hollow Spray (0.85A, 90°)	43
595060	Oil Nozzle - Solid Spray (0.85B, 45°)	44
595061	Oil Nozzle - Solid Spray (0.85B, 60°)	44
595062	Oil Nozzle - Solid Spray (0.85B, 70°)	44
595063	Oil Nozzle - Solid Spray (0.85B, 80°)	44
595064	Oil Nozzle - Solid Spray (0.85B, 90°)	44
595065	Oil Nozzle - All Purpose (0.85W, 45°)	45
595066	Oil Nozzle - All Purpose (0.85W, 60°)	45
595067	Oil Nozzle - All Purpose (0.85W, 70°)	45
595068	Oil Nozzle - All Purpose (0.85W, 80°)	45
595069	Oil Nozzle - All Purpose (0.85W, 90°)	45
595070	Oil Nozzle - Hollow Spray (0.90A, 45°)	43
595071	Oil Nozzle - Hollow Spray (0.90A, 60°)	43
595072	Oil Nozzle - Hollow Spray (0.90A, 70°)	43
595073	Oil Nozzle - Hollow Spray (0.90A, 80°)	43
595074	Oil Nozzle - Hollow Spray (0.90A, 90°)	43
595075	Oil Nozzle - Solid Spray (0.90B, 45°)	44
595076	Oil Nozzle - Solid Spray (0.90B, 60°)	44
595077	Oil Nozzle - Solid Spray (0.90B, 70°)	44
595078	Oil Nozzle - Solid Spray (0.90B, 80°)	44
595079	Oil Nozzle - Solid Spray (0.90B, 90°)	44
595080	Oil Nozzle - All Purpose (0.90W, 45°)	45
595081	Oil Nozzle - All Purpose (0.90W, 60°)	45
595082	Oil Nozzle - All Purpose (0.90W, 70°)	45
595083	Oil Nozzle - All Purpose (0.90W, 80°)	45
595084	Oil Nozzle - All Purpose (0.90W, 90°)	45
595095	Oil Nozzle - Hollow Spray (1.00A, 45°)	43

PART NO	DESCRIPTION	PAGE
595096	Oil Nozzle - Hollow Spray (1.00A, 60°)	43
595097	Oil Nozzle - Hollow Spray (1.00A, 70°)	43
595098	Oil Nozzle - Hollow Spray (1.00A, 80°)	43
595099	Oil Nozzle - Hollow Spray (1.00A, 90°)	43
595100	Oil Nozzle - Solid Spray (1.00B, 45°)	44
595101	Oil Nozzle - Solid Spray (1.00B, 60°)	44
595102	Oil Nozzle - Solid Spray (1.00B, 70°)	44
595103	Oil Nozzle - Solid Spray (1.00B, 80°)	44
595104	Oil Nozzle - Solid Spray (1.00B, 90°)	44
595105	Oil Nozzle - All Purpose (1.00W, 45°)	45
595106	Oil Nozzle - All Purpose (1.00W, 60°)	45
595107	Oil Nozzle - All Purpose (1.00W, 70°)	45
595109	Oil Nozzle - All Purpose (1.00W, 90°)	45
595120	Oil Nozzle - Hollow Spray (1.10A, 45°)	43
595121	Oil Nozzle - Hollow Spray (1.10A, 60°)	43
595123	Oil Nozzle - Hollow Spray (1.10A, 80°)	43
595124	Oil Nozzle - Hollow Spray (1.10A, 90°)	43
595125	Oil Nozzle - Solid Spray (1.10B, 45°)	44
595126	Oil Nozzle - Solid Spray (1.10B, 60°)	44
595127	Oil Nozzle - Solid Spray (1.10B, 70°)	44
595128	Oil Nozzle - Solid Spray (1.10B, 80°)	44
595129	Oil Nozzle - Solid Spray (1.10B, 90°)	44
595130	Oil Nozzle - All Purpose (1.10W, 45°)	45
595131	Oil Nozzle - All Purpose (1.10W, 60°)	45
595132	Oil Nozzle - All Purpose (1.10W, 70°)	45
595133	Oil Nozzle - All Purpose (1.10W, 80°)	45
595134	Oil Nozzle - All Purpose (1.10W, 90°)	45
595145	Oil Nozzle - Solid Spray (0.65B, 80°)	43
595147	Oil Nozzle - Hollow Spray (0.55A, 80°)	42
595148	Oil Nozzle - Hollow Spray (0.55A, 90°)	42
611004	Gas Ball Valve - Heavy Duty (3/4 in. NPT)	59
611005	Gas Ball Valve - Heavy Duty (1 in. NPT)	59
640010	Duct Strap - Polypropylene - 1-3/4 in. x 100 yards (Black)	78
640011	Duct Strap - 26 Gauge Galvanized - 1 in. x 100 ft.	78
640012	Duct Strap - 30 Gauge Galvanized - 1 in. x 100 ft.	78
640013	Duct Strap - 30 Gauge Galvanized - 1-1/2 in. x 100 ft.	78
640014	Duct Strap - 26 Gauge Galvanized - 1-1/2 in. x 100 ft.	78
640015	Duct Strap - 22 Gauge Galvanized - 1 in. x 100 ft.	78
640016	Hanger Strap - 28 Gauge Galvanized - 3/4 in. x 100 ft.	78
640017	Hanging Wire - Galvanized 18 Gauge (5 lb. Roll - 830 ft.)	78
640021	Duct Strap - Polypropylene - 3 in. x 100 yards (Silver)	78
640022	Duct Strap - Polypropylene - 3 in. x 100 yards (Black)	78
660101	Elbow - 90° Black Pipe Fitting (1/4 in.)	63
660102	Elbow - 90° Black Pipe Fitting (3/8 in.)	63
660103	Elbow - 90° Black Pipe Fitting (1/2 in.)	63
660104	Elbow - 90° Black Pipe Fitting (3/4 in.)	63
660105	Elbow - 90° Black Pipe Fitting (1 in.)	63
660106	Elbow - 90° Black Pipe Fitting (1-1/4 in.)	63
660107	Elbow - 90° Black Pipe Fitting (1-1/2 in.)	63
660108	Elbow - 90° Black Pipe Fitting (2 in.)	63
660121	Street Elbow - 90° Black Pipe Fitting (1/4 in.)	64
660122	Street Elbow - 90° Black Pipe Fitting (3/8 in.)	64
660123	Street Elbow - 90° Black Pipe Fitting (1/2 in.)	64
660124	Street Elbow - 90° Black Pipe Fitting (3/4 in.)	64
660125	Street Elbow - 90° Black Pipe Fitting (1 in.)	4
660126	Street Elbow - 90° Black Pipe Fitting (1-1/4 in.)	4
660127	Street Elbow - 90° Black Pipe Fitting (1-1/2 in.)	64
660128	Street Elbow - 90° Black Pipe Fitting (2 in.)	64
660147	Reducing Elbow - 90° Black Pipe Fitting (3/4 in. x 1/2 in.)	63
660149	Reducing Elbow - 90° Black Pipe Fitting (1 in. x 3/4 in.)	63
660181	Elbow - 45° Black Pipe Fitting (1/4 in.)	63
660182	Elbow - 45° Black Pipe Fitting (3/8 in.)	63
660183	Elbow - 45° Black Pipe Fitting (1/2 in.)	63
660184	Elbow - 45° Black Pipe Fitting (3/4 in.)	63
660185	Elbow - 45° Black Pipe Fitting (1 in.)	63



PART NO	DESCRIPTION	PAGE	PART NO	DESCRIPTION	PAGE
660186	Elbow - 45° Black Pipe Fitting (1-1/4 in.)	63	670002	All-Purpose Regular Clear Cement - 8 oz.	96
660187	Elbow - 45° Black Pipe Fitting (1-1/2 in.)	63	670003	All-Purpose Regular Clear Cement - 4 oz.	96
660188	Elbow - 45° Black Pipe Fitting (2 in.)	63	670004	PVC Regular Clear Cement - 128 oz.	96
660201	Street Elbow - 45° Black Pipe Fitting (1/4 in.)	64	670005	PVC Regular Clear Cement - 32 oz.	96
660202	Street Elbow - 45° Black Pipe Fitting (3/8 in.)	64	670006	PVC Regular Clear Cement - 16 oz.	96
660203	Street Elbow - 45° Black Pipe Fitting (1/2 in.)	64	670007	PVC Regular Clear Cement - 8 oz.	96
660204	Street Elbow - 45° Black Pipe Fitting (3/4 in.)	64	670008	PVC Regular Clear Cement - 4 oz.	96
660205	Street Elbow - 45° Black Pipe Fitting (1 in.)	64	670009	PVC All-Weather Cement - 32 oz.	96
660206	Street Elbow - 45° Black Pipe Fitting (1-1/4 in.)	64	670010	PVC All-Weather Cement - 16 oz.	96
660207	Street Elbow - 45° Black Pipe Fitting (1-1/2 in.)	64	670011	CPVC Medium Orange Cement - 8 oz.	97
660208	Street Elbow - 45° Black Pipe Fitting (2 in.)	64	670012	CPVC Medium Orange Cement - 4 oz.	97
660221	Tee - Black Pipe Fitting (1/4 in. x 1/4 in. x 1/4 in.)	65	670013	PVC Medium Gray Cement -32 oz.	97
660222	Tee - Black Pipe Fitting (3/8 in. x 3/8 in. x 3/8 in.)	65	670014	PVC Rain-R-Shine Blue Cement - 32 oz.	97
660223	Tee - Black Pipe Fitting (1/2 in. x 1/2 in. x 1/2 in.)	65	670015	PVC Rain-R-Shine Blue Cement - 16 oz.	97
660224	Tee - Black Pipe Fitting (3/4 in. x 3/4 in. x 3/4 in.)	65	670016	PVC Rain-R-Shine Blue Cement - 8 oz.	97
660225	Tee - Black Pipe Fitting (1 in. x 1 in. x 1 in.)	65	670024	PVC Heavy Duty Clear Cement - 4 oz.	96
660226	Tee - Black Pipe Fitting (1-1/4 in. x 1-1/4 in. x 1-1/4 in.)	65	670025	PVC Heavy Duty Clear Cement - 8 oz.	96
660227	Tee - Black Pipe Fitting (1-1/2 in. x 1-1/2 in. x 1-1/2 in.)	65	670026	PVC Heavy Duty Clear Cement - 16 oz.	96
660228	Tee - Black Pipe Fitting (2 in. x 2 in. x 2 in.)	65	670027	PVC Heavy Duty Clear Cement - 32 oz.	96
660246	Reducing Tee - Black Pipe Fitting (3/4 in. x 3/4 in. x 1/2 in.)	65	686012	Vinyl Tubing - Clear - 1/4 in. I.D. (100 ft. Roll)	55
660247	Reducing Tee - Black Pipe Fitting (3/4 in. x 1/2 in. x 1/2 in.)	65	686013	Vinyl Tubing - Clear - 3/8 in. I.D. (100 ft. Roll)	55
660248	Reducing Tee - Black Pipe Fitting (3/4 in. x 1/2 in. x 3/4 in.)	65	686014	Vinyl Tubing - Clear - 1/2 in. I.D. (100 ft. Roll)	55
660251	Reducing Tee - Black Pipe Fitting (1 in. x 1 in. x 1/2 in.)	65	686015	Vinyl Tubing - Clear - 5/8 in. I.D. (100 ft. Roll)	55
660322	Coupling - Black Pipe Fitting (3/8 in.)	64	686016	Vinyl Tubing - Clear - 3/4 in. I.D. (100 ft. Roll)	55
660323	Coupling - Black Pipe Fitting (1/2 in.)	64	686017	Vinyl Tubing - Clear - 7/8 in. I.D. (50 ft. Roll)	55
660324	Coupling - Black Pipe Fitting (3/4 in.)	64	686018	Vinyl Tubing - Clear - 1 in. I.D. (50 ft. Roll)	55
660325	Coupling - Black Pipe Fitting (1 in.)	64	686027	Thread Sealing Tape (Teflon) - White - 1/2 in. x 260 in.	95
660326	Coupling - Black Pipe Fitting (1-1/4 in.)	64	686028	Thread Sealing Tape (Teflon) - White - 1/2 in. x 520 in.	95
660327	Coupling - Black Pipe Fitting (1-1/2 in.)	64	849101	Shoe Covers - Dark Blue (Bag of 10 Pairs)	83
660328	Coupling - Black Pipe Fitting (2 in.)	64	849114	Shoe Covers - Yellow (Box of 50 Pairs)	83
660399	Bushing - Black Pipe Fitting (3/4 in. x 1/2 in.)	64	849115	Shoe Covers - Light Blue (Box of 50 Pairs)	83
660402	Bushing - Black Pipe Fitting (1 in. x 1/2 in.)	64	849120	Shoe Covers - Waterproof - Dark Blue (Box of 50 Pairs)	83
660403	Bushing - Black Pipe Fitting (1 in. x 3/4 in.)	64	849121	Coveralls - Dark Blue - L	84
660451	Cap - Black Pipe Fitting (1/4 in.)	65	849122	Coveralls - Dark Blue - XL	84
660452	Cap - Black Pipe Fitting (3/8 in.)	65	849125	Coveralls - EnviroShield Hooded - White - XL	84
660453	Cap - Black Pipe Fitting (1/2 in.)	65	849129	Gloves - Powderfree Latex - L	83
660454	Cap - Black Pipe Fitting (3/4 in.)	65	849133	Gloves - Powdered Latex - XL	83
660455	Cap - Black Pipe Fitting (1 in.)	65	849135	Gloves - Powderfree Nitrile - L	83
660456	Cap - Black Pipe Fitting (1-1/4 in.)	65	849136	Gloves - Powderfree Nitrile - XL	83
660457	Cap - Black Pipe Fitting (1-1/2 in.)	65	849152	Dust Mask - Dust Filter (Box of 50)	83
660458	Cap - Black Pipe Fitting (2 in.)	65	849166	Gloves - Black Mamba Powderfree - Textured - L	83
660471	Plug - Black Pipe Fitting (1/4 in.)	65	849167	Gloves - Black Mamba Powderfree - Textured - XL	83
660472	Plug - Black Pipe Fitting (3/8 in.)	65	849169	Gloves - Black Mamba Powderfree - Textured - M	83
660473	Plug - Black Pipe Fitting (1/2 in.)	65	864001	Anti-Vibration Pad - Rubber (2 in. x 2 in. x 3/8 in.)	58
660474	Plug - Black Pipe Fitting (3/4 in.)	65	864002	Anti-Vibration Pad - Rubber/Cork (2 in. x 2 in. x 7/8 in.)	58
660475	Plug - Black Pipe Fitting (1 in.)	65	864003	Anti-Vibration Pad - Rubber (3 in. x 3 in. x 3/8 in.)	58
660476	Plug - Black Pipe Fitting (1-1/4 in.)	65	864004	Anti-Vibration Pad - Rubber/Cork (3 in. x 3 in. x 7/8 in.)	58
660477	Plug - Black Pipe Fitting (1-1/2 in.)	65	864005	Anti-Vibration Pad - Rubber (4 in. x 4 in. x 3/8 in.)	58
660478	Plug - Black Pipe Fitting (2 in.)	65	864006	Anti-Vibration Pad - Rubber/Cork (4 in. x 4 in. x 7/8 in.)	58
660511	Union - Black Pipe Fitting (1/4 in.)	65	864007	Anti-Vibration Pad - Rubber (6 in. x 6 in. x 3/8 in.)	58
660512	Union - Black Pipe Fitting (3/8 in.)	65	864008	Anti-Vibration Pad - Rubber/Cork (6 in. x 6 in. x 7/8 in.)	58
660513	Union - Black Pipe Fitting (1/2 in.)	65	864009	Anti-Vibration Pad - Rubber (18 in. x 18 in. x 3/8 in.)	58
660514	Union - Black Pipe Fitting (3/4 in.)	65	864010	Anti-Vibration Pad - Rubber/Cork (18 in. x 18 in. x 7/8 in.)	58
660515	Union - Black Pipe Fitting (1 in.)	65	864011	Anti-Vibration Pad - EVA (2 in. x 2 in. x 7/8 in.)	58
660516	Union - Black Pipe Fitting (1-1/4 in.)	65	864012	Anti-Vibration Pad - EVA (3 in. x 3 in. x 7/8 in.)	58
660517	Union - Black Pipe Fitting (1-1/2 in.)	65	864013	Anti-Vibration Pad - EVA (4 in. x 4 in. x 7/8 in.)	58
660518	Union - Black Pipe Fitting (2 in.)	65	864014	Anti-Vibration Pad - EVA (18 in. x 18 in. x 7/8 in.)	58
660545	Reducing Coupling - Black Pipe Fitting (1/2 in. x 3/8 in.)	64	864017	Light Bulb (Rough Service) - 50 Watt	87
660549	Reducing Coupling - Black Pipe Fitting (3/4 in. x 1/2 in.)	64	864018	Light Bulb (Rough Service) - 75 Watt	87
660552	Reducing Coupling - Black Pipe Fitting (1 in. x 1/2 in.)	64	864019	Light Bulb (Rough Service) - 100 Watt	87
660553	Reducing Coupling - Black Pipe Fitting (1 in. x 3/4 in.)	64	864020	Chip Brush - 1/2 in. Wide	77
660554	Reducing Coupling - Black Pipe Fitting (1-1/4 in. x 1/2 in.)	64	864021	Chip Brush - 1 in. Wide	77
660556	Reducing Coupling - Black Pipe Fitting (1-1/4 in. x 1 in.)	64	864022	Chip Brush - 1-1/2 in. Wide	77
670000	All-Purpose Regular Clear Cement - 32 oz.	96	864023	Chip Brush - 2 in. Wide	77
670001	All-Purpose Regular Clear Cement - 16 oz.	96	864024	Chip Brush - 2-1/2 in. Wide	77



PART NO	DESCRIPTION	PAGE	PART NO	DESCRIPTION	PAGE
864025	Chip Brush - 3 in. Wide	77	92120003	Eco Pad Equipment Pad - 24 in. x 36 in. x 2 in.	57
864030	Duct Tape - Foil - UL Classified - 3 in. x 50 yds.	70	92120007	Eco Pad Equipment Pad - 30 in. x 30 in. x 2 in.	57
864031	Duct Tape - Foil - UL181A-P/UL181B-FX - 2-1/2 in. x 60 yds.	70	92120009	Eco Pad Equipment Pad - 30 in. x 40 in. x 2 in.	57
864032	Duct Tape - Silver Cloth - 2 in. x 60 yds.	71	92120011	Eco Pad Equipment Pad - 33 in. x 33 in. x 2 in.	57
864033	Duct Tape - FSK - UL Classified - 3 in. x 50 yds.	70	92120013	Eco Pad Equipment Pad - 33 in. x 45 in. x 2 in.	57
864034	Duct Tape - Silver - UL181B-FX - 2 in. x 120 yds.	70	92120015	Eco Pad Equipment Pad - 36 in. x 36 in. x 2 in.	57
864035	Carton Sealing Tape - 2 in. x 55 yds.	77	92120017	Duragrid Equipment Pad - Black - 36 in. x 48 in. x 2 in.	57
875011	TestoView Fiberscope - 18 in. (318-2)	128	93110001	Duragrid Equipment Pad - Gray - 24 in. x 24 in. x 3 in.	57
875012	TestoView Fiberscope - 36 in. (318-1)	128	93110002	Duragrid Equipment Pad - Gray - 24 in. x 36 in. x 3 in.	57
875016	Inspection Mirror for TestoView Fiberscope	128	93110003	Duragrid Equipment Pad - Gray - 24 in. x 36 in. x 2 in.	57
875017	Magnet for TestoView Fiberscope	128	93110006	Duragrid Equipment Pad - Gray - 30 in. x 30 in. x 3 in.	57
875026	Electronic Flue Gas Spillage Detector (317)	123	93110007	Duragrid Equipment Pad - Gray - 30 in. x 36 in. x 3 in.	57
875034	Duct Knife w/Sheath - 6 in. Blade (Dual Edge)	150	93110008	Duragrid Equipment Pad - Gray - 30 in. x 40 in. x 3 in.	57
875036	CO Monitor (317-3)	123	93110009	Duragrid Equipment Pad - Gray - 30 in. x 42 in. x 3 in.	57
875041	Pocket Temperature Meter (810)	124	93110010	Duragrid Equipment Pad - Gray - 33 in. x 33 in. x 3 in.	57
875042	Pocket Temperature/Humidity Meter (610)	124	93110011	Duragrid Equipment Pad - Gray - 33 in. x 38 in. x 3 in.	57
875043	Pocket Air Velocity/Temperature/Humidity Meter (410-2)	123	93110012	Duragrid Equipment Pad - Gray - 33 in. x 45 in. x 3 in.	58
875044	Pocket Digital Manometer (510)	123	93110013	Duragrid Equipment Pad - Gray - 33 in. x 48 in. x 3 in.	58
875490	Pipe Cutter - PVC - Ratchet Style	151	93110014	Duragrid Equipment Pad - Gray - 36 in. x 36 in. x 3 in.	58
6602431	Reducing Tee - Black Pipe Fitting (1/2 in. x 1/2 in. x 3/4 in.)	65	93110016	Duragrid Equipment Pad - Gray - 36 in. x 48 in. x 3 in.	58
21006137	Carbon Monoxide Alarm - AC Powered - PDQ Pack	14	93110017	Duragrid Equipment Pad - Gray - 42 in. x 50 in. x 3 in.	58
21006462	Carbon Monoxide Alarm - AC Powered - Bulk Pack	14	93110018	Duragrid Equipment Pad - Gray - 50 in. x 50 in. x 3 in.	58
21008908	Carbon Monoxide Alarm - Battery Operated - Bulk Pack	15	93110019	Duragrid Equipment Pad - Gray - 50 in. x 60 in. x 3 in.	58
32140312	Thermostat Cable (Plenum Rated) - 18/2 Solid - 250 ft. Spool	66	93110020	Duragrid Equipment Pad - Gray - 50 in. x 70 in. x 3 in.	58
32145012	Thermostat Cable (Plenum Rated) - 18/2 Solid - 500 ft. Spool	66	93120004	Eco Pad Equipment Pad - 24 in. x 48 in. x 3 in.	57
32760312	Thermostat Cable (Plenum Rated) - 18/5 Solid - 250 ft. Spool	66	93120006	Eco Pad Equipment Pad - 30 in. x 30 in. x 3 in.	57
32765012	Thermostat Cable (Plenum Rated) - 18/5 Solid - 500 ft. Spool	66	93120010	Eco Pad Equipment Pad - 33 in. x 33 in. x 3 in.	57
47070307	Thermostat Cable - 20/8 Solid - 250 ft. Spool	66	93120011	Eco Pad Equipment Pad - 33 in. x 38 in. x 3 in.	57
47070907	Thermostat Cable - 20/8 Solid - 250 ft. Speedbag	66	93120012	Eco Pad Equipment Pad - 33 in. x 45 in. x 3 in.	57
47104807	Thermostat Cable - 18/2 Solid - 500 ft. Spool	66	93120014	Eco Pad Equipment Pad - 36 in. x 36 in. x 3 in.	57
47105807	Thermostat Cable - 18/2 Solid - 500 ft. Speedbag	66	93120016	Eco Pad Equipment Pad - 36 in. x 48 in. x 3 in.	57
47114807	Thermostat Cable - 18/3 Solid - 500 ft. Spool	66	93120018	Eco Pad Equipment Pad - 50 in. x 50 in. x 3 in.	57
47115807	Thermostat Cable - 18/3 Solid - 500 ft. Speedbag	66	93120019	Eco Pad Equipment Pad - 50 in. x 60 in. x 3 in.	57
47120307	Thermostat Cable - 18/4 Solid - 250 ft. Spool	66	93120020	Eco Pad Equipment Pad - 50 in. x 70 in. x 3 in.	57
47120907	Thermostat Cable - 18/4 Solid - 250 ft. Speedbag	66	93120021	Eco Pad Equipment Pad - 24 in. x 24 in. x 3 in.	57
47130307	Thermostat Cable - 18/5 Solid - 250 ft. Spool	66	93120022	Eco Pad Equipment Pad - 24 in. x 36 in. x 3 in.	57
47130907	Thermostat Cable - 18/5 Solid - 250 ft. Speedbag	66	93120025	Eco Pad Equipment Pad - 36 in. x 67 in. x 3 in.	57
47140307	Thermostat Cable - 18/6 Solid - 250 ft. Spool	66	02466TN10	BOSS 635 Contact/Spray Adhesive	92
47140907	Thermostat Cable - 18/6 Solid - 250 ft. Speedbag	66	03-3060-80-L	Gloves - General Utility Plus - Large	81
47160307	Thermostat Cable - 18/8 Solid - 250 ft. Spool	66	03-3060-80-M	Gloves - General Utility Plus - Medium	81
47160907	Thermostat Cable - 18/8 Solid - 250 ft. Speedbag	66	03-3060-80-S	Gloves - General Utility Plus - Small	81
47180307	Thermostat Cable - 18/10 Solid - 250 ft. Spool	66	03-3060-80-XL	Gloves - General Utility Plus - X-Large	81
47180907	Thermostat Cable - 18/10 Solid - 250 ft. Speedbag	66	03-3060-80-XXL	Gloves - General Utility Plus - XX-Large	81
47614812	Thermostat Cable (Plenum Rated) - 18/3 Solid - 500 ft. Spool	66	03-3060-80-XXXL	Gloves - General Utility Plus - XXX-Large	81
47630312	Thermostat Cable (Plenum Rated) - 18/5 Solid - 250 ft. Spool	66	03-3110-80-L	Gloves - Carpenter Plus - Large	81
47640312	Thermostat Cable (Plenum Rated) - 18/6 Solid - 250 ft. Spool	66	03-3110-80-M	Gloves - Carpenter Plus - Medium	81
47660312	Thermostat Cable (Plenum Rated) - 18/8 Solid - 250 ft. Spool	66	03-3110-80-S	Gloves - Carpenter Plus - Small	81
92110001	Duragrid Equipment Pad - Gray - 18 in. x 36 in. x 2 in.	57	03-3110-80-XL	Gloves - Carpenter Plus - X-Large	81
92110002	Duragrid Equipment Pad - Gray - 24 in. x 24 in. x 2 in.	57	03-3110-80-XXL	Gloves - Carpenter Plus - XX-Large	81
92110003	Duragrid Equipment Pad - Gray - 24 in. x 36 in. x 2 in.	57	03-3200-78-L	Gloves - Anti-Vibe XT - Large	82
92110004	Duragrid Equipment Pad - Gray - 24 in. x 42 in. x 2 in.	57	03-3200-78-M	Gloves - Anti-Vibe XT - Medium	82
92110005	Duragrid Equipment Pad - Gray - 24 in. x 48 in. x 2 in.	57	03-3200-78-S	Gloves - Anti-Vibe XT - Small	82
92110007	Duragrid Equipment Pad - Gray - 30 in. x 30 in. x 2 in.	57	03-3200-78-XL	Gloves - Anti-Vibe XT - X-Large	82
92110008	Duragrid Equipment Pad - Gray - 30 in. x 36 in. x 2 in.	57	03-3200-78-XXL	Gloves - Anti-Vibe XT - XX-Large	82
92110009	Duragrid Equipment Pad - Gray - 30 in. x 40 in. x 2 in.	57	03-3450-80-L	Gloves - Waterproof Winter Plus - Large	82
92110010	Duragrid Equipment Pad - Gray - 30 in. x 42 in. x 2 in.	57	03-3450-80-M	Gloves - Waterproof Winter Plus - Medium	82
92110011	Duragrid Equipment Pad - Gray - 33 in. x 33 in. x 2 in.	57	03-3450-80-S	Gloves - Waterproof Winter Plus - Small	82
92110012	Duragrid Equipment Pad - Gray - 33 in. x 38 in. x 2 in.	57	03-3450-80-XL	Gloves - Waterproof Winter Plus - X-Large	82
92110013	Duragrid Equipment Pad - Gray - 33 in. x 45 in. x 2 in.	57	03-3450-80-XXL	Gloves - Waterproof Winter Plus - XX-Large	82
92110014	Duragrid Equipment Pad - Gray - 33 in. x 48 in. x 2 in.	58	03-3450-80-XXXL	Gloves - Waterproof Winter Plus - XXX-Large	82
92110015	Duragrid Equipment Pad - Gray - 36 in. x 36 in. x 2 in.	58	0325-0087	Nozzle - Oxy/Acetylene Brazing (O-W-J-CS)	111
92110016	Duragrid Equipment Pad - Gray - 36 in. x 42 in. x 2 in.	127	0386-0100	Tip - Air/Acetylene (A-2)	112
92110017	Duragrid Equipment Pad - Gray - 36 in. x 48 in. x 2 in.	127	0386-0101	Tip - Air/Acetylene (A-3)	112
92120001	Eco Pad Equipment Pad - 18 in. x 36 in. x 2 in.	57	0386-0102	Tip - Air/Acetylene (A-5)	112
92120002	Eco Pad Equipment Pad - 24 in. x 24 in. x 2 in.	57	0386-0103	Tip - Air/Acetylene (A-8)	112



PART NO	DESCRIPTION	PAGE
0386-0104	Tip - Air/Acetylene (A-11)	112
0386-0105	Tip - Air/Acetylene (A-14)	112
0386-0106	Tip - Air/Acetylene (A-32)	112
0386-0170	Tip - Propane/MAPP (ST-1)	111
0386-0171	Tip - Propane/MAPP (ST-3)	111
0386-0308	Torch Handle - Air/Acetylene (G-4)	113
0386-0311	Torch Handle - Oxy/Acetylene (103-01FP)	113
0386-0335	Torch Kit - Air/Acetylene (X-3B)	107
0386-0336	Torch Kit - Air/Acetylene (X-4B)	107
0386-0338	Torch Kit - Air/Acetylene (X-5B)	108
0386-0339	Torch Kit - Air/Acetylene (X-6MC)	108
0386-0403	Hand Torch Kit - Propane/MAPP (STK-9)	109
0386-0574	Air/Acetylene Torch Kit w/Tote - Self-Igniting (TDLX2003B)	109
0386-0575	Hand Torch Kit - Propane/MAPP (STK-31)	110
0386-0725	Regulator - Acetylene B Tank (AR-B)	114
0386-0726	Regulator - Acetylene MC Tank (AR-MC)	114
0386-0784	Regulator - Acetylene (201-05FP)	114
0386-0786	Regulator - Oxygen (221-05FP)	115
0386-0814	Regulator - Nitrogen (245-03P)	114
0386-0818	Tip - Air/Acetylene Self-Lighting (PL-5A)	112
0386-0819	Tip - Air/Acetylene Self-Lighting (PL-8A)	112
0386-0820	Tip - Air/Acetylene Self-Lighting (PL-12A)	112
0386-0832	Torch Kit - Air/Acetylene - Self-Lighting (PL-5ADLX-MC)	108
0386-0833	Torch Kit - Air/Acetylene - Self-Lighting (PL-5ADLX-B)	108
0386-0834	Torch Kit - Air/Acetylene - Self-Lighting (PL-8ADLX-MC)	108
0386-0835	Torch Kit - Air/Acetylene - Self-Lighting (PL-8ADLX-B)	108
0386-0836	Torch Kit - Air/Acetylene - Self-Lighting (PL-12ADLX-B)	109
0386-0851	Hand Torch Kit - Propane/MAPP - Self-Igniting (STK-99)	110
0386-0874	Tip - Air/Acetylene Self-Lighting (PL-3A)	112
0386-1090	Hose - Acetylene - 12 ft.	115
0386-1091	Hose - Acetylene - 24 ft.	115
0386-1094	Hose Set - Oxy/Acetylene - 12-1/2 ft.	115
0386-1234	Nitrogen Purge & Blow Gun Kit - Fits 20 Cu. Ft. (NPK2-0200)	118
0386-1236	Nitrogen Purge & Blow Gun Kit - Fits 40 Cu. Ft. (NPK2-0400)	118
0386-1241	Tank Carrying Stand - One MC Tank & One R Tank (Turbo Tote)	117
0386-1282	Tip - Propane/MAPP (ST-11)	111
0386-1283	Hand Torch Kit - Propane/MAPP - Double Tip (STK-11)	110
0386-1293	Hand Torch Kit - Propane/MAPP - Self-Igniting (TX504)	110
0386-1296	Tip - Propane/MAPP (T-504)	111
0386-1297	Hand Torch Kit - Propane/MAPP - Self-Igniting (TX503)	110
0386-1298	Tip - Propane/MAPP (T-503)	111
0386-1299	Hand Torch Kit - Propane/MAPP - Self-Igniting (TX500)	110
0386-1320	Welding/Brazing/Cutting Outfit	107
0386-1321	Welding/Brazing/Cutting Outfit	107
0386-1322	Welding/Brazing/Cutting Outfit	107
0386-1323	Welding/Brazing/Cutting Outfit	107
0386-1324	Welding/Brazing/Cutting Outfit	107
0386-1325	Welding/Brazing/Cutting Outfit	107
0386-1326	Welding/Brazing/Cutting Outfit	107
0387-0003	Cutting Attachment - Oxy/Acetylene (CA1260-CS)	113
0387-0039	Nozzle - Oxy/Acetylene Brazing (3-W-J-CS)	111
0387-0040	Nozzle - Oxy/Acetylene Brazing (00-W-J-CS)	111
0387-0041	Nozzle - Oxy/Acetylene Brazing (1-W-J-CS)	111
0387-0042	Nozzle - Oxy/Acetylene Brazing (1-W-J-CS)	111
0387-0043	Nozzle - Oxy/Acetylene Brazing (2-W-J-CS)	111
0426-0009	Nitrogen Purge & Blow Gun Kit - Includes 40 Cu. Ft. Tank	118
0426-0011	Turbo Day Air/Fuel Starter Kit	109
05-3080-70-L	Gloves - General Utility lined with Kevlar - Large	81
05-3080-70-M	Gloves - General Utility lined with Kevlar - Medium	81
05-3080-70-S	Gloves - General Utility lined with Kevlar - Small	81
05-3080-70-XL	Gloves - General Utility lined with Kevlar - X-Large	81
05-3080-70-XXL	Gloves - General Utility lined with Kevlar - XX-Large	81
1246-02-1	Pocket Thermometer - Analog	126
1421-0016	Tank Carrying Handle - One B Tank	116
1421-0034	Tank Carrying Stand - One B Tank	116

PART NO	DESCRIPTION	PAGE
1421-0035	Tank Carrying Stand - One MC Tank or One MT-1 MAPP Tank	116
1421-0036	Tank Carrying Stand - One MC Tank & One R Tank	116
17580B	Oil Nozzle - Solid Spray (1.75B, 80°)	43
1859H	Condenser Motor - 1/6 hp 208-230V/1/60 (1075 rpm/1 spd)	30
1860H	Condenser Motor - 1/4 hp 208-230V/1/60 (1075 rpm/1 spd)	30
1861H	Condenser Motor - 1/3 hp 208-230V/1/60 (1075 rpm/1 spd)	30
1862H	Condenser Motor - 1/2 hp 208-230V/1/60 (1075 rpm/1 spd)	30
1868H	Condenser Motor - 3/4 hp 208-230V/1/60 (1075 rpm/1 spd)	30
1870H	Condenser Motor - 1/2 hp 208-230V/1/60 (825 rpm/1 spd)	28
1872H	Condenser Motor - 1/8 hp 208-230V/1/60 (825 rpm/1 spd)	28
1873H	Condenser Motor - 1/6 hp 208-230V/1/60 (825 rpm/1 spd)	30
1874H	Condenser Motor - 1/4 hp 208-230V/1/60 (825 rpm/1 spd)	30
1875H	Condenser Motor - 1/3 hp 208-230V/1/60 (825 rpm/1 spd)	28
1E56N-444	Mechanical Thermostat (GE/HP: 1H/1C) - Vertical	10
1F56N-444	Mechanical Thermostat (GE/HP: 1H/1C) - Horizontal	10
1F78-144	70 Series Non-Programmable Thermostat (GE/HP: 1H/1C)	10
1F78-151	70 Series Programmable Thermostat (GE/HP: 1H/1C)	10
1F79-111	70 Series Non-Programmable Thermostat (HP: 2H/1C)	10
1F80-0261	Blue 2" Programmable Thermostat (GE/HP: 1H/1C)	9
1F80-0471	80 Series Blue Programmable Thermostat (GE/HP: 1H/1C)	8
1F82-0261	Blue 2" Programmable Thermostat (HP: 2H/1C)	9
1F83-0471	80 Series Blue Non-Prog Thermostat (GE: 1H/1C, HP: 3H/2C)	9
1F85-0422	Blue Universal Prog Thermostat (GE: 2H/2C, HP: 3H/2C)	8
1F85-0477	Blue 4" Programmable (GE: 2H/2C, HP: 3H/2C)	8
1F85-277	80 Series Programmable Thermostat (GE: 2H/2C, HP: 3H/2C)	9
1F85-NL1-8	Condensate Drain Line Build-Up Remover - 8 oz.	104
1F85-NL2-32	Condensate Drain Line Build-Up Remover - 32 oz.	104
86-0244	Blue 2" Non-Programmable Thermostat (GE/HP: 1H/1C)	9
1F86-0471	80 Series Blue Non-Programmable Thermostat (GE/HP: 1H/1C)	9
1F86-241	80 Series Non-Programmable Thermostat (GE/HP: 1H/1C)	10
1F89-0211	80 Series Non-Programmable Thermostat (HP: 2H/1C)	9
1F95-1277	90 Series Blue Touchscreen Thermostat (GE: 2H/2C, HP: 3H/2C)	8
1F95-1291	90 Series Blue Touchscreen T-Stat (GE: 2H/2C, HP: 4H/2C) w/Humidity	8
1F95-397	90 Series Prog Thermostat (GE: 2H/2C, HP: 3H/2C) w/Humidity	8
1F95CA-397	90 Series Prog Thermostat (GE: 2H/2C, HP: 3H/2C) w/Humidity	8
1F97-1277	90 Series Blue Touchscreen Thermostat (GE/HP: 1H/1C)	8
24V/PWRPK	Replacement 24V Power Head	23
255649-102	Trion Media Replacement Filter - 5 in. x 20 in. x 25 in. (Case)	18
362001AP	Black Pipe Nipple Assortment - 66 Assorted 1/2 in. Nipples	63
362002AP	Black Pipe Nipple Assortment - 66 Assorted 3/4 in. Nipples	63
362003AP	Black Pipe Nipple Assortment - 60 Assorted 1 in. Nipples	63
362004AP	Black Pipe Nipple Assortment - 60 Assorted 1-1/4 in. Nipples	63
362007AP	Black Pipe Nipple Assortment - 11 Assorted 1/2 in. Nipples	63
362008AP	Black Pipe Nipple Assortment - 11 Assorted 3/4 in. Nipples	63
362272B	Cut Black Pipe - (3/4 in. x 24 in.)	61
362272H	Cut Black Pipe - (3/4 in. x 30 in.)	61
362272N	Cut Black Pipe - (3/4 in. x 36 in.)	61
362309F	Cut Black Pipe - (1 in. x 30 in.)	61
362309L	Cut Black Pipe - (1 in. x 36 in.)	61
362343F	Cut Black Pipe - (1-1/4 in. x 30 in.)	62
362343L	Cut Black Pipe - (1-1/4 in. x 36 in.)	62
362377F	Cut Black Pipe - (1-1/2 in. x 30 in.)	62
362377L	Cut Black Pipe - (1-1/2 in. x 36 in.)	62
362410F	Cut Black Pipe - (2 in. x 30 in.)	63
362410L	Cut Black Pipe - (2 in. x 36 in. long)	63
3736H	Condenser Motor - 1/4 hp 460/1/60 (1075 rpm/1 spd)	30
3737H	Condenser Motor - 1/3 hp 460/1/60 (1075 rpm/1 spd)	30
3738H	Condenser Motor - 1/2 hp 460/1/60 (1075 rpm/1 spd)	30
4005i	Cordless Pipe Clame Temperature Instrument w/Probe	126
4005MK	Pipe Clamp Thermocouple Temperature Probe	125
41-25066-02	Dehumidistat	14
42-20224-09	Circuit Breaker - 60A (2-Pole)	37
44-ABC1-5PK	Fuse - 1A Ceramic Fast Acting - 1-1/4 in. (5 Pack)	35
44-ABC10-5PK	Fuse - 10A Ceramic Fast Acting - 1-1/4 in. (5 Pack)	35
44-ABC15-5PK	Fuse - 15A Ceramic Fast Acting - 1-1/4 in. (5 Pack)	35



PART NO	DESCRIPTION	PAGE
44-ABC2-5PK	Fuse - 2A Ceramic Fast Acting - 1-1/4 in. (5 Pack)	35
44-ABC20-5PK	Fuse - 20A Ceramic Fast Acting - 1-1/4 in. (5 Pack)	35
44-ABC25-5PK	Fuse - 25A Ceramic Fast Acting - 1-1/4 in. (5 Pack)	35
44-ABC3-5PK	Fuse - 3A Ceramic Fast Acting - 1-1/4 in. (5 Pack)	35
44-ABC30-5PK	Fuse - 30A Ceramic Fast Acting - 1-1/4 in. (5 Pack)	35
44-ABC5-5PK	Fuse - 5A Ceramic Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC1-5PK	Fuse - 1A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC10-5PK	Fuse - 10A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC15-5PK	Fuse - 15A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC2-5PK	Fuse - 2A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC20-5PK	Fuse - 20A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC25-5PK	Fuse - 25A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC3-5PK	Fuse - 3A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC30-5PK	Fuse - 30A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC4-5PK	Fuse - 4A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC5-5PK	Fuse - 5A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-AGC7-5PK	Fuse - 7A Glass Fast Acting - 1-1/4 in. (5 Pack)	35
44-ATC2-5PK	Fuse - 2A Blade Type - Automotive (5 Pack)	36
44-ATC3-5PK	Fuse - 3A Blade Type - Automotive (5 Pack)	36
44-ATC5-5PK	Fuse - 5A Blade Type - Automotive (5 Pack)	36
44-ECNR-100-5PK	Fuse - 100A RK5 Branch Circuit (5 Pack)	36
44-ECNR-15-10PK	Fuse - 15A RK5 Branch Circuit (10 Pack)	36
44-ECNR-20-10PK	Fuse - 20A RK5 Branch Circuit (10 Pack)	36
44-ECNR-25-10PK	Fuse - 25A RK5 Branch Circuit (10 Pack)	36
44-ECNR-30-10PK	Fuse - 30A RK5 Branch Circuit (10 Pack)	36
44-ECNR-35-10PK	Fuse - 35A RK5 Branch Circuit (10 Pack)	36
44-ECNR-40-10PK	Fuse - 40A RK5 Branch Circuit (10 Pack)	36
44-ECNR-45-10PK	Fuse - 45A RK5 Branch Circuit (10 Pack)	36
44-ECNR-50-10PK	Fuse - 50A RK5 Branch Circuit (10 Pack)	36
44-ECNR-60-10PK	Fuse - 60A RK5 Branch Circuit (10 Pack)	36
44-ECSR-100-5PK	Fuse - 100A RK5 Branch Circuit (5 Pack)	36
44-ECSR-125-1PK	Fuse - 125A RK5 Branch Circuit (1 Pack)	36
44-ECSR-20-10PK	Fuse - 20A RK5 Branch Circuit (10 Pack)	36
44-ECSR-30-10PK	Fuse - 30A RK5 Branch Circuit (10 Pack)	36
44-ECSR-60-10PK	Fuse - 60A RK5 Branch Circuit (10 Pack)	36
44-GMA1A-5PK	Fuse - 1A Glass Fast Acting - 20 mm/0.788 in. (5 Pack)	35
44-GMA2A-5PK	Fuse - 2A Glass Fast Acting - 20 mm/0.788 in. (5 Pack)	35
44-GMA3A-5PK	Fuse - 3A Glass Fast Acting - 20 mm/0.788 in. (5 Pack)	35
44-GMA5A-5PK	Fuse - 5A Glass Fast Acting - 20 mm/0.788 in. (5 Pack)	35
44-MDL1-5PK	Fuse - 1A Glass Time Delay - 1-1/4 in. (5 Pack)	35
44-MDL10-5PK	Fuse - 10A Glass Time Delay - 1-1/4 in. (5 Pack)	35
44-MDL15-5PK	Fuse - 15A Glass Time Delay - 1-1/4 in. (5 Pack)	35
44-MDL2-5PK	Fuse - 2A Glass Time Delay - 1-1/4 in. (5 Pack)	35
44-MDL20-5PK	Fuse - 20A Glass Time Delay - 1-1/4 in. (5 Pack)	35
44-MDL25-5PK	Fuse - 25A Glass Time Delay - 1-1/4 in. (5 Pack)	35
44-MDL3-5PK	Fuse - 3A Glass Time Delay - 1-1/4 in. (5 Pack)	35
44-MDL30-5PK	Fuse - 30A Glass Time Delay - 1-1/4 in. (5 Pack)	35
44-MDL5-5PK	Fuse - 4A Glass Time Delay - 1-1/4 in. (5 Pack)	35
44-MDL7-5PK	Fuse - 5A Glass Time Delay - 1-1/4 in. (5 Pack)	35
45-25055-99	Humidistat	14
5080A	Oil Nozzle - Hollow Spray (0.50A, 80°)	42
52223-A	Pocket Thermometer - Digital	127
52224A	Infrared Thermometer	126
53450-C	UV Leak Detector Kit with Cartridge Type Dye Injector	123
53825-4	Dye Injector Cartridges - 2 oz. (Pack of 4)	102
540031	FilterLock	23
54-25051-03	MERV 8 Media Filter Replacement - 5 in. x 20 in. x 20 in.	18
54-25051-04	MERV 8 Media Filter Replacement - 5 in. x 16 in. x 25 in.	18
54-CT500-R	Replacement Media (3 Pack)	22
5462H	Condenser Motor - 1/3-1/6 hp 208-230V/1/60 (1075 rpm/2 spd)	30
5464H	Condenser Motor - 1/3-1/6 hp 208/230V (825 rpm/2 spd)	30
5465H	Condenser Motor - 1/5-1/2 hp 208-230/1075 rpm/2 spd	30
55100-SEN	Replacement Sensor for 55100 and 55200	123
56-17070-01	Motor Rain Shield Cap	30
56-17846-02	Motor Rain Shield Cap	30

PART NO	DESCRIPTION	PAGE
56-23001-03	Bolt Kit - Shell Stud	32
56-23001-05	Condenser Motor Ring Mount Kit	32
56-23001-07	Resilient Ring Kit	32
56-23001-08	Mounting Kit - Blower	32
56-23001-09	Mounting Kit - Blower	32
59-101	Replacement Cartridge - Fuel Oil Filter (101)	47
59-18056-02	Oil Nozzle - Solid Spray (0.85B, 80°)	44
59-22709-01	Oil Nozzle - Solid Cone (0.50R-D, 70°)	45
59-22709-02	Oil Nozzle - Solid Cone (0.60AR, 60°)	46
59-22709-04	Oil Nozzle - Solid Spray (0.85B, 70°)	44
59-22709-05	Oil Nozzle - Solid Spray (1.00B, 70°)	44
59-22709-06	Oil Nozzle - Solid Spray (1.20B, 70°)	44
59-22709-07	Oil Nozzle - Solid Spray (1.35B, 70°)	44
59-22709-08	Oil Nozzle - Solid Spray (0.50B, 70°)	43
59-22709-09	Oil Nozzle - Solid Spray (0.60B, 70°)	43
59-22709-10	Oil Nozzle - Solid Spray (0.75B Del-O-Flo, 70°)	44
59-22709-11	Oil Nozzle - Solid Spray (0.85B Del-O-Flo, 70°)	44
59-22709-12	Oil Nozzle - Solid Spray (0.50B Del-O-Flo, 70°)	44
59-22709-13	Oil Nozzle - Solid Spray (0.60B Del-O-Flo, 70°)	44
59-77	Fuel Oil Filter (77)	46
59-88-CR	Replacement Cartridge - Fuel Oil Filter (88-CR)	47
59-99	Fuel Oil Filter (99)	46
59-RF-1	Replacement Cartridge - Fuel Oil Filter (RF-1)	46
59-RF-2	Replacement Cartridge - Fuel Oil Filter (RF-2)	46
59-RF-4	Replacement Cartridge - Fuel Oil Filter (RF-4)	46
5SME39HXL110	Evergreen Blower Motor - 1/2 hp 120-230/1/50-60	28
5SME39SXL111	Evergreen Blower Motor - 1 hp 120-230/1/50-60	28
6060B	Oil Nozzle - Solid Spray (0.60B, 60°)	43
6080A	Oil Nozzle - Hollow Spray (0.60A, 80°)	42
6080B	Oil Nozzle - Hollow Spray (0.60B, 80°)	43
61-25122-01	Gas Ball Valve (1/2 in. NPT)	59
61-25122-02	Gas Ball Valve (3/4 in. NPT)	59
6142-20-3	Panel Thermometer - Analog (Round)	127
62-25079-01	Thermocouple	42
62-25079-02	Thermocouple	42
62-25079-03	Thermocouple	42
62-25079-04	Thermocouple	42
62-25079-95	Thermocouple	42
62-25079-96	Thermocouple	42
62-25079-97	Thermocouple	42
62-25113-01	Thermocouple	42
62-25113-02	Thermocouple	42
62-25113-03	Thermocouple	42
6560B	Oil Nozzle - Solid Spray (0.65B, 60°)	43
6570A	Oil Nozzle - Hollow Spray (0.65A, 70°)	42
6570B	Oil Nozzle - Solid Spray (0.65B, 70°)	43
6580A	Oil Nozzle - Hollow Spray (0.65A, 80°)	42
66434R	Adapter - 1/4 in. SAE x 16 mm Auto Quick Connect	121
66534R	Adapter - 1/4 in. SAE x 13 mm Auto Quick Connect	121
71600-03	Expander Head - Hydra-Swage (3/8 in. O.D. Copper Tube)	147
71600-11	Expander Head - Hydra-Swage (1-3/8 in. O.D. Copper Tube)	147
71600-13	Expander Head - Hydra-Swage (1-5/8 in. O.D. Copper Tube)	147
71600-17	Expander Head - Hydra-Swage (2-1/8 in. O.D. Copper Tube)	147
7580B	Oil Nozzle - Hollow Spray (0.75B, 80°)	43
777ID	Electrical Tape (PVC) - 3/4 in. x 60 ft.	76
82-21802-08	Copper 90° Street Elbow (Short Radius)	100
82-21802-10	Copper 90° Street Elbow (Short Radius)	100
82-21802-12	Copper 90° Street Elbow (Short Radius)	100
82-21802-14	Copper 90° Street Elbow (Short Radius)	100
82-21802-18	Copper 90° Street Elbow (Short Radius)	100
82-21802-22	Copper 90° Street Elbow (Short Radius)	100
82-21802-28	Copper 45° Street Elbow (Short Radius)	100
82-21802-30	Copper 45° Street Elbow (Short Radius)	100
82-21802-32	Copper 45° Street Elbow (Short Radius)	100
82-21802-34	Copper 45° Street Elbow (Short Radius)	100



PART NO	DESCRIPTION	PAGE
82-21802-38	Copper 45° Street Elbow (Short Radius)	100
82-21802-42	Copper 45° Street Elbow (Short Radius)	100
82-21803-06	Copper Coupling	99
82-21803-08	Copper Coupling	99
82-21803-10	Copper Coupling	99
82-21803-12	Copper Coupling	99
82-21803-14	Copper Coupling	99
82-21803-18	Copper Coupling	99
82-21803-22	Copper Coupling	99
82-21804-08	Copper Reducer Coupling	99
82-21804-10	Copper Reducer Coupling	99
82-21804-12	Copper Reducer Coupling	99
82-21804-14	Copper Reducer Coupling	99
82-21804-18	Copper Reducer Coupling	99
82-21804-22	Copper Reducer Coupling	99
82-21804-32	Copper Reducer Coupling	99
82-A00325	Brass Straight Fitting - External Flare to External Flare	98
82-A00327	Brass Straight Fitting - External Flare to External Flare	98
82-A00330	Brass Straight Fitting - External Flare to External NPTFE	98
82-A00335	Brass Elbow - 90°	98
82-A00345	Brass Tee - Two Way (External Branch)	98
82-A00401	Copper Gasket	99
82-A00402	Copper Gasket	99
82-A00479	Brass Straight Fitting - Internal Flare to External Flare	98
82-A00481	Brass Straight Fitting - Internal Flare to External Flare	98
82-A01199	Brass Straight Fitting - External Flare to External NPTFE	98
82-A04540	Brass Straight Fitting - External Flare to External NPTFE	98
82-A04544	Brass Sealing Cap - Hex Head Flare Fitting	99
82-A04545	Brass Sealing Cap - Hex Head Flare Fitting	99
82-A04585	Brass Straight Fitting - External Flare to External NPTFE	98
82-A04780	Brass Straight Fitting - External Flare to External NPTFE	98
82-A04890	Brass Elbow - 90°	98
82-A04993	Brass Straight Fitting - External Flare to External NPTFE	98
82-A06330	Brass Tee - Three Way (Internal Branch)	98
82-A13563	Brass Straight Fitting - Int Flare to Int Flare Straight Fitting	98
82-A13565	Brass Straight Fitting - Int Flare to Int Flare Straight Fitting	98
82-A15725	Brass Straight Fitting - Internal Flare to Tube Extension Solder	98
82-A15726	Brass Straight Fitting - Internal Flare to Tube Extension Solder	98
82-A15728	Brass Straight Fitting - Internal Flare to Tube Extension Solder	98
82-A16447	Brass Sealing Cap - Serrated Head Flare Fitting	99
82-A5051	Brass Forged Flare Tube Nut	99
82-A5052	Brass Forged Flare Tube Nut	99
82-A5053	Brass Forged Flare Tube Nut	99
82-A5157	Brass Forged Flare Tube Nut	99
821-12	Riveting Hammer (12 oz.)	139
84-14X20-1	Dynamic Polarized Media Cleaner - 14 in. x 20 in. x 1 in.	22
84-16X20-1	Dynamic Polarized Media Cleaner - 16 in. x 20 in. x 1 in.	22
84-20X20-1	Dynamic Polarized Media Cleaner - 20 in. x 20 in. x 1 in.	22
84-24X24-1	Dynamic Polarized Media Cleaner - 24 in. x 24 in. x 1 in.	22
84-24X36-1	Dynamic Polarized Media Cleaner - 24 in. x 36 in. x 1 in.	22
84-25055-01	Humidifier Pad	21
84-25055-02	Humidifier Pad	21
84-25055-03	Humidifier Pad	21
84-4A10	Humidifier Pad	21
84-4A97	Humidifier Pad	21
84-4EP	Humidifier Pad	21
84-A12	Humidifier Pad	21
84-A20	Humidifier Pad	21
84-A35	Humidifier Pad	21
84-A40	Humidifier Pad	21
84-ACS-2-18	Condensate Overflow Safety Switch - Pan Mount	51
84-ACS-2-72	Condensate Overflow Safety Switch - Pan Mount	51
84-CT500	Console Unit - 500 CFM	22
84-EC-400-115	Mini-Split Condensate Pump	51

PART NO	DESCRIPTION	PAGE
84-EC-400-230	Mini-Split Condensate Pump	51
84-G13	Humidifier Pad	21
84-G20	Humidifier Pad	21
84-HM1	Humidifier Pad	21
84-HM2	Humidifier Pad	21
84-J-100	Condensate Overflow Safety Switch - Pan Mount	52
84-KT-15-1UL	Condensate Pump	50
84-KT-15X-1UL	Condensate Pump	50
84-KT-15X-1ULT	Condensate Pump	50
84-KT3-1UL	Condensate Pump	50
84-SS1	Condensate Overflow Safety Switch	52
84-SS2	Condensate Overflow Safety Switch	52
84-SS3	Condensate Overflow Safety Switch	52
84-VCC-20ULS	Condensate Pump	50
84-VCC-20ULS-230	Condensate Pump	50
84-VCL-24ULS	Condensate Pump	50
84-VCMA-15UL	Condensate Pump	50
84-VCMA-15ULS	Condensate Pump	50
84-VCMA-15ULST	Condensate Pump	50
84-VCMA-20UL-230	Condensate Pump	50
84-VCMA-20ULS	Condensate Pump	50
84-VCMA-20ULS-230	Condensate Pump	50
84-VCMA-20ULST-230	Condensate Pump	50
85-10116	WD-40 - 16 oz. Aerosol Can	95
85-110054	WD-40 - 8 oz. Aerosol Can	95
85-110075	WD-40 - 11 oz. Aerosol Can	95
85-110078	WD-40 - 11 oz. Aerosol Can (Smart Straw)	95
85-1300C	ClenAir Wall Unit	101
85-1401	ClenAir Gel Bricks - 1 lb.	101
85-1401W	ClenAir Gel Bricks w/Wall Unit - 1 lb.	101
85-1500	ClenAir Gel Tub - 1/2 lb.	101
85-1500D	ClenAir Gel Tub - 1/2 lb. w/Display	101
85-1501	ClenAir Gel Tub - 1 lb.	101
85-1503	ClenAir Gel Tub - 3 lbs.	101
85-1530	ClenAir Gel Pail - 30 lbs.	101
85-1600D	ClenAir Spray w/Tray - 16 oz.	102
85-1610	ClenAir Spray Refill - 1 gallon	102
85-1700D	ClenAir Citrus Spray w/Tray - 16 oz.	102
85-1710	ClenAir Citrus Spray Refill - 1 gallon Citrus	102
85-1800D	ClenAir CherryAir Gel Tub - 1/2 lb.	101
85-1801	ClenAir CherryAir Gel Tub - 1 lb.	101
85-1900D	ClenAir CherryAir Spray Counter Display - 16 oz.	102
85-2001D	Condensate Pan Strips (0-5 Tons)	101
85-2003D	Condensate Pan Strips (5-8 Tons)	101
85-RA593	Ant & Insect Killer	103
85-200	Wasp & Hornet Spray	103
8570A	Oil Nozzle - Hollow Spray (0.85A, 70°)	43
86-05857-00	Trouble Light	39
86-05858-00	Trouble Light	39
86-1273-3	ColdShield Thermal Gel - Spray Bottle (32 oz.)	80
86-1274-7	ColdShield Thermal Paste - Tub (32 oz.)	80
86-136	BOSS 136 Fireblock/Draftstop Sealant (10.1 oz. tube)	92
86-139	BOSS 139 Fire Mortar Cement (10.1 oz. tube)	92
86-155206	UL 181 A-P B-FX Listed Foil Tape	76
86-232035	Duct Tape - Foil (Cold Temperature)	76
86-25161-04	Abrasive Cloth - 120 grit (1-1/2 in. x 10 yards)	80
86-25172-01	Hanging Wire - Galvanized 18 Gauge (2 lb. Roll - 330 ft.)	78
86-25172-02	Hanging Wire - 18 Gauge (2 lb. Roll - 330 ft.)	78
86-25172-03	Hanger Strap - Polymeric - 3/4 in. x 100 ft.	78
86-25172-04	Hanger Strap - 28 Gauge Galvanized - 3/4 in. x 10 ft.	78
86-25172-05	Hose Clamps - Size 12	55
86-25172-06	Hose Clamps - Size 16	55
86-25172-07	Hose Clamps - Size 20	55
86-25254-01	Solder (Stay-Brite 8)	79
86-25254-02	Solder (Stay-Brite)	79



PART NO	DESCRIPTION	PAGE
86-25254-03	Solder (Bridgit)	80
86-25254-04	Soldering Flux (Stay-Clean) Paste - Jar (4 oz)	80
86-25254-05	Brazing Rods (Dynaflow)	79
86-25254-06	Brazing Rods (Stay-Silv 15)	78
86-25254-08	Brazing Kit (Safety-Silv 45)	79
86-25254-09	Brazing Flux (Stay-Silv) - Bottle (6.5 oz)	79
86-25254-10	Soldering Kit (ALSOLDER 500)	80
86-25254-12	Brazing Rods (Harris 0)	79
86-25254-13	Brazing Rods (Stay-Silv 5)	79
86-25254-14	Brazing Rods (Stay-Silv 6)	78
86-333	BOSS 333 Polyurethane Expanding Foam (12 oz. can)	91
86-33324	BOSS 333 Polyurethane Expanding Foam (24 oz. can)	91
86-360W	BOSS 360 Acrylic Latex Painters Caulk (10.1 oz. tube)	93
86-362W	BOSS 362 Siliconized Acrylic Latex Caulk (10.1 oz. tube)	94
86-376R	BOSS 376 HVAC/R Hi-Temp Red Silicone Sealant (10.1 oz. tube)	94
86-812	BOSS 812 Draft/Smoke Stop Foam (24 oz. can)	91
86-814	BOSS 814 Latex Intumescent Firestop Sealant (10.1 oz. tube)	94
86-816R	BOSS 816 Intumescent Firestop Sealant (10.1 oz. tube)	94
86-826-Y	Corrosion Control Tape - Yellow - 2 in. x 100 ft.	77
86-ERFS	Fuse Display (Includes Fuses)	36
86-ERFS-E	Fuse Display (Empty)	36
86-N322	Duct Tape - Foil - UL Classified - 2 in. x 50 yds.	72
86-N322-3	Duct Tape - Foil - UL Classified - 3 in. x 50 yds.	72
86-N324-P	Duct Tape - Foil - UL181A-P/UL181B-FX - 2-1/2 in. x 60 yds.	71
86-N345	Duct Tape - Silver Cloth - 3 in. x 50 yds.	72
86-N357	Duct Tape - Silver Cloth - 2 in. x 60 yds.	73
86-N357-B	Duct Tape - Black Cloth - 2 in. x 60 yds.	73
86-N357-SA	Spray Adhesive - Low VOC (17 oz. Aerosol)	92
86-N396	Duct Tape - Silver Cloth - 2 in. x 60 yds.	72
86-N398	Duct Tape - Silver Cloth - 2 in. x 60 yds.	73
86-N398-B	Duct Tape - Black Cloth - 2 in. x 60 yds.	73
86-N398-P	Duct Tape - Printed Silver Cloth - 2 in. x 60 yds.	73
86-N557-P	Duct Tape - Silver Cloth - UL181B-FX - 2 in. x 60 yds.	71
86-NFSK	Duct Tape - FSK - 3 in. x 50 yds.	72
86-P223	Duct Tape - Silver Cloth - 2 in. x 60 yds.	75
86-P227	Duct Tape - Silver Cloth - 2 in. x 60 yds.	75
86-P243	Duct Tape - Silver Cloth - 2 in. x 60 yds.	75
86-P243-B	Duct Tape - Black Cloth - 2 in. x 60 yds.	75
86-P251	Duct Tape - Silver Cloth - 2 in. x 60 yds.	75
86-P337	Duct Tape - Foil - UL Classified - 2 in. x 50 yds.	74
86-P337-3	Duct Tape - Foil - UL Classified - 3 in. x 50 yds.	74
86-P338	Duct Tape - FSK - 3 in. x 50 yds.	74
86-P339-P	Duct Tape - Foil - UL181A-P/UL181B-FX - 2-1/2 in. x 60 yds.	73
86-P360-17	Waterproofing/Repair Tape - 2 in. x 100 ft.	76
86-P360-35	Waterproofing/Repair Tape - 3 in. x 50 ft.	76
86-P44	Spray Adhesive (17 oz. Aerosol)	92
86-P50	Duct Strap - Polyethylene - 1-3/4 in. x 100 yards (Black)	78
86-P57-P	Duct Tape - Silver Cloth - UL181B-FX - 2 in. x 60 yds.	74
87-1001	Electrician's Tool - Wire Stripper/Cutter	140
87-1005	Crimping/Cutting Tool (Insulated/Non-Insulated Terminals)	140
87-1006	Crimping/Cutting Tool (Non-Insulated Terminals)	140
87-1011	Wire Stripper/Cutter	140
87-11045	Wire Stripper/Cutter	139
87-11049	Wire Stripper/Cutter	139
87-11055	Wire Stripper/Cutter	140
87-11057	Wire Stripper/Cutter	140
87-1224BI-P	Hacksaw Blade - Bi-Metal - 12 in. - 24 TPI	151
87-1232BI-P	Hacksaw Blade - Bi-Metal - 12 in. - 32 TPI	151
87-2100L	Aviation Snips - Offset - Left	141
87-2100S	Aviation Snips - Offset - Straight	141
87-2101R	Aviation Snips - Offset - Right	141
87-2103	Snips - Bulldog/Notch	144
87-2212	Tape Measure - 12 ft. x 1/2 in. wide (Chrome)	152
87-2212DX	Tape Measure - 12 ft. x 1/2 in. wide (Chrome) Decimal-Fraction	152
87-2316	Tape Measure - 16 ft. x 3/4 in. wide (Chrome)	152

PART NO	DESCRIPTION	PAGE
87-250	Caulking Gun - Smooth Rod Dripleless - 11 oz.	152
87-32460	4-in-1 Screwdriver	136
87-32476	5-in-1 Screwdriver/Nut Driver	225
87-32477	10-in-1 Screwdriver/Nut Driver	136
87-33636	Manifold - Brass 2-Way - R-12/R-22/R-502 (w/Hoses - 3 ft.)	120
87-40060	Round HoleDuct Cutter	146
87-40062	Duct Knife - 4 in. Blade	150
87-40066	90V/Miter Cut Tool - Red	146
87-40068	Female/Rabbit Tool - Gray	146
87-40072	End Cut-Off Tool (4-in-1) - Blue	146
87-40074	Corner Tool (Right Only) - Orange	146
87-40076	Corner Tool (Left Only) - Orange	146
87-44101	Utility Knife Blades (Pack of 5)	150
87-44105	Utility Knife	150
87-44107	Utility Knife - Klein Kurve	150
87-5-101#0D	Oxy/Acetylene Cutting Tip	113
87-500S	Tank Carrying Stand - 1 MC Tank & One R Tank	116
87-502	Tank Carrying Stand - 1 B Tank	116
87-5102-16	Tool Bag - Canvas	153
87-511	Tank Carrying Stand - 1 MC/PDC/MDC Tank & 1 R Tank	116
87-5139	Canvas Zipper Bag	153
87-51431	Hand Cleaner - Heavy Duty - 15 oz.	86
87-516	Tank Stand - 40/55 cu. ft. Nitro Tank or 10 pound CO2 Tank	116
87-5715	Mobile Phone Holder - Large (6-1/2 in. x 3-5/8 in.)	153
87-5715M	Mobile Phone Holder - Medium (5-1/2 in. x 2-5/8 in.)	153
87-58888	Tool Tote	153
87-58889	Shoulder Strap - Padded Adjustable	154
87-600-4	Cushion-Grip Keystone-Tip Screwdriver - Hvy-Dty Sqr-Shnk	134
87-600-6	Cushion-Grip Keystone-Tip Screwdriver - Hvy-Dty Sqr-Shnk	134
87-600-8	Cushion-Grip Keystone-Tip Screwdriver - Hvy-Dty Sqr-Shnk	134
87-601-3	Cushion-Grip Cabinet-Tip Screwdriver - Round-Shank	133
87-601-4	Cushion-Grip Cabinet-Tip Screwdriver - Round-Shank	133
87-601-6	Cushion-Grip Cabinet-Tip Screwdriver - Round-Shank	133
87-601-8	Cushion-Grip Cabinet-Tip Screwdriver - Round-Shank	133
87-602-4	Cushion-Grip Keystone-Tip Screwdriver - Hvy-Dty Rd-Shank	134
87-602-6	Cushion-Grip Keystone-Tip Screwdriver - Hvy-Dty Rd-Shank	134
87-602-8	Cushion-Grip Keystone-Tip Screwdriver - Hvy-Dty Rd-Shank	134
87-603-1	Cushion-Grip Profilated Phillips-Tip Screwdriver - Rd-Shank	134
87-603-4	Cushion-Grip Profilated Phillips-Tip Screwdriver - Rd-Shank	134
87-605-4	Cushion-Grip Cabinet-Tip Screwdriver - Hvy-Dty Rd-Shank	133
87-605-6	Cushion-Grip Cabinet-Tip Screwdriver - Hvy-Dty Rd-Shank	133
87-605-8	Cushion-Grip Cabinet-Tip Screwdriver - Hvy-Dty Rd-Shank	133
87-610M	2-Piece Cushion-Grip Mag Nut Driver Set - 1-1/2 in. shank	138
87-618-1/4M	Cushion-Grip Magnetic Long Nut Driver - 18 in. shank	136
87-618-5/16	Cushion-Grip Magnetic Long Nut Driver - 18 in. shank	136
87-627-20	Tapping Tool - Six In One	138
87-630-1/4	Cushion-Grip Nut Driver - 3 in. shank	136
87-630-3/8	Cushion-Grip Nut Driver - 3 in. shank	136
87-630-5/16	Cushion-Grip Nut Driver - 3 in. shank	136
87-630-7/16	Cushion-Grip Nut Driver - 3 in. shank	136
87-63050	Cable Cutter - High-Leverage	141
87-630M	2-Piece Cushion-Grip Magnetic Nut Driver Set - 3 in. shank	138
87-631S	7-Piece Cushion-Grip Nut Driver Set - 3 in. shank	138
87-646-1/2	Cushion-Grip Nut Driver - 6 in. shank	136
87-646-1/4	Cushion-Grip Nut Driver - 6 in. shank	136
87-646-3/8	Cushion-Grip Nut Driver - 6 in. shank	136
87-646-5/16	Cushion-Grip Nut Driver - 6 in. shank	136
87-646M	2-Piece Cushion-Grip Magnetic Nut Driver Set - 6 in. shank	138
87-647L	7-Piece Cushion-Grip Nut Driver Set - 6 in. shank	138
87-650	Scratch Awl - Cushion Grip	139
87-68309	Refrigeration Service Wrench - Ratcheting	128
87-68310	Refrigeration Service Wrench - Ratcheting	128
87-70001	Tube Cutter - Premium	149
87-70006	Multi-Step Swaging Tool - Punch Type	148
87-70024	Tube Cutter - Mini	149



PART NO	DESCRIPTION	PAGE
87-70078	Pipe Cutter - PVC - Ratchet Style	151
87-70153	T-Handle Hex-Key Set with Stand	133
87-701S	Hacksaw - Golden Tri-Cut 3-in1 Blade (12 in. Blade)	151
87-70570	Folding Hex-Key Set (Grip-It)	132
87-70574	Folding Hex-Key Set (Grip-It)	132
87-70575	Folding Hex-Key Set (Grip-It)	132
87-70579	Folding Hex-Key Set	132
87-70581	Folding Hex-Key Set	132
87-70591	Folding Hex-Key Set	132
87-71	Torch Handle - Oxy/Acetylene	113
87-725	Jab Saw - 6 in.	150
87-85071	2-Piece Cushion-Grip Stubby Screwdriver Set	134
87-85076	7-Piece Cushion-Grip Screwdriver Set	134
87-86550	Sheet Metal Crimper - 5-Blade	145
87-86551	Sheet Metal Notcher	145
87-86552	Sheet Metal Seamer - Offset	144
87-86553	Sheet Metal Seamer - Straight	145
87-89600	Torch Kit - Air/Acetylene	107
87-90060	Vacuum Pump - 1.5 CFM - 120V (2-Stage)	118
87-928-16HV	Tape Measure - 16 ft. x 1 in. wide (High Visibility)	152
87-931-9RE	Level - Rare Earth Magnet Torpedo Level (9 in. long)	151
87-98002BT	Beverage Tool	138
87-A-11	Tip - Air/Acetylene (Twister A-11)	112
87-A-3	Tip - Air/Acetylene (Twister A-3)	112
87-A-5	Tip - Air/Acetylene (Twister A-5)	112
87-A-8	Tip - Air/Acetylene (Twister A-8)	112
87-A116-3	Plastic-Handle Cabinet-Tip Screwdriver - Pocket-Clip	135
87-A130-3	Plastic-Handle Cabinet-Tip Screwdriver - Pocket-Clip	135
87-A216-6	Plastic-Handle Cabinet-Tip Screwdriver - Round-Shank	135
87-A3166	Plastic-Handle Cabinet-Tip Screwdriver - Round-Shank	135
87-BD122	Plastic-Handle Profilated Phillips-Tip Screwdriver - Rnd-Shnk	135
87-BD144	Plastic-Handle Keystone-Tip Screwdriver - Round-Shank	135
87-BD286	Plastic-Handle Keystone-Tip Screwdriver - Square-Shank	135
87-BG1	Blow Gun	117
87-BLK12	L-Style Hex-Key Caddy Set (Ball Ends)	133
87-CA550	Cutting Attachment - Oxy/Acetylene	113
87-D2000-48	Diagonal-Cutting Pliers - High Leverage - Angle Hd - Hvy-Dty	131
87-D2000-9NE	Side-Cutting Pliers - High-Leverage - Heavy-Duty	130
87-D202-6	Diagonal-Cutting Pliers - Tapered Nose - Heavy-Duty	131
87-D203-6	Needle-Nose Pliers - Side-Cutting	131
87-D203-7	Needle-Nose Pliers - Side-Cutting	131
87-D203-8-INS	Insulated Needle-Nose Pliers - Side-Cutting - Hvy-Dty	132
87-D203-8N	Needle-Nose Pliers - Side-Cutting/Wire Stripping - Hvy-Dty	132
87-D203-8NCR	Needle-Nose Pliers - Side-Cutting/Stripping/Crimping - Hvy-Dty	132
87-D213-8NE	Side-Cutting Pliers - High-Leverage	130
87-D213-9NE	Side-Cutting Pliers - High-Leverage	130
87-D213-9NE-CR	Side-Cutting Pliers - High-Leverage/Connector Crimping	130
87-D220-7	Diagonal-Cutting Pliers - Tapered Nose	131
87-D228-7	Diagonal-Cutting Pliers - High-Leverage	219
87-D248-8	Diagonal-Cutting Pliers - High-Leverage - Angled Head	130
87-D275-5	Lightweight Flush Cutting Pliers	141
87-D314-8	Needle-Nose Pliers - Long Reach	131
87-D321-41/2C	Needle-Nose Pliers - Midget Slim-Nose	131
87-D500-18	Adjustable Wrench - Standard Capacity	129
87-D502-10	Channel-Lock Pliers	129
87-D502-12	Channel-Lock Pliers	129
87-D502-6	Channel-Lock Pliers	129
87-D507-10	Adjustable Wrench - Extra Capacity	128
87-D507-12	Adjustable Wrench - Extra Capacity	128
87-D507-6	Adjustable Wrench - Extra Capacity	128
87-D507-8	Adjustable Wrench - Extra Capacity	128
87-D511-6	Slip-Joint Pliers	129
87-D514-8	Slip-Joint Pliers - Hose Clamp	129
87-D550	Soldering Gun - Professional (260W)	118
87-FCTMC5	Sheet Metal Crimper - 5-Blade	145

PART NO	DESCRIPTION	PAGE
87-FCTMC5S	Sheet Metal Crimper - 5-Blade	145
87-FCTMD1	Duct Stretcher - Offset	146
87-FCTMF1	Sheet Metal Folding Tool - 12 in. Flat	146
87-FCTMF2	Sheet Metal Folding Tool - 18 in. Flat	146
87-FCTML1	Snap Lock Punch	145
87-FCTMN1	Sheet Metal Notcher	145
87-FCTMP1	Pipe Duct Cutter - Double Cut	146
87-FCTMS1	Sheet Metal Seamer - Straight	145
87-FCTMS2	Sheet Metal Seamer - Offset	144
87-FCTMS6	Sheet Metal Seamer - Straight	145
87-FCTMX1	Duct Slitter	146
87-FL34	Flint Lighter	118
87-FL3437	Flint Lighter w/5 Spare Flints	118
87-FP-2	Fuse Puller (13/32 in. to 13/16 in.)	36
87-FP-3	Fuse Puller (1 in. to 1-3/4 in.)	36
87-G15-D	Gauge - Acetylene (30 psig)	115
87-G19-D	Gauge - Acetylene (400 psig)	115
87-G49-D	Gauge - Oxygen (100 psig)	115
87-G56-D	Gauge - Oxygen (4,000 psig)	115
87-G7SD	Gauge (4,000 psig)	115
87-G8D	Gauge (600 psig)	115
87-H12	Hose - Acetylene - 12-1/2 ft.	115
87-H32A	Hose Set - Oxy/Acetylene - 12-1/2 ft.	115
87-J2000-28	Diagonal-Cutting Pliers - Hgh-Lvrg - Hvy-Dty (Journeyman)	130
87-J2000-48	Diagonal-Cutting Pliers - Hgh-Lvrg - Angl Hd - Hvy-Dty (Jrnymn)	131
87-J2000-9NE	Side-Cutting Pliers - Hgh-Lvrg - Hvy-Dty (Journeyman)	219
87-J203-6	Needle-Nose Pliers - Side-Cutting (Journeyman)	132
87-J502-10	Channel-Lock Pliers (Journeyman)	129
87-K1412	Wire Stripper/Cutter - NM Cable	139
87-K16	Phillips-Tip Screw-Holding Screwdriver	135
87-K22C	Welding/Brazing Outfit - Cap'n Hook	106
87-K23	Welding/Brazing Outfit	106
87-K23C	Welding/Brazing Outfit	106
87-K23P	Welding/Brazing Outfit	106
87-K38	Slotted Screw-Holding Screwdriver	136
87-K7	7-Piece Plastic-Handle Nut Driver Set - 3 in. shank	137
87-KL71-4	Welding/Brazing/Cutting Outfit	106
87-KLC100P	Welding/Brazing/Cutting Outfit	106
87-LLK12	L-Style Hex-Key Caddy Set (Square-Cut)	133
87-M0016	Caulking Gun - Cradle - 11 oz.	152
87-M0017	Caulking Gun - Skeleton - 11 oz.	152
87-M1200	Snips - Replaceable Blade - 12 in.	144
87-M1200R	Replacement Blades for 87-M1200 (M1200)	144
87-MTW#2	Tip - Welding (Micro 6000)	194
87-P107D	Tinner Snips - Circular - 10 in.	143
87-P107S	Tinner Snips - Straight - 10 in.	143
87-P127D	Tinner Snips - Circular - 12 in.	143
87-P127S	Tinner Snips - Straight - 12 in.	143
87-P147C	Tinner Snips - Combination - 14 in.	143
87-P167B	Tinner Snips - Bulldog - 16 in.	143
87-P6300	Snips - Cable Cutter	144
87-P6510L	Aviation Snips - Offset - Left	141
87-P6510R	Aviation Snips - Offset - Right	141
87-P6510S	Aviation Snips - Offset - Straight	141
87-P657N	Needle Nose Snips	144
87-P6716A	Aviation Snips - Straight (Long Cut)	142
87-P6716B	Snips - Bulldog/Notch	144
87-P6716L	Aviation Snips - Left	142
87-P6716R	Aviation Snips - Right	142
87-P6716S	Aviation Snips - Straight	142
87-P6900L	Aviation Snips - Upright - Left	142
87-P6900R	Aviation Snips - Upright - Right	142
87-P77D	Tinner Snips - Circular - 7 in.	143
87-P77S	Tinner Snips - Straight - 7 in.	143
87-R1563	Regulator - Nitrogen/CO2/Air	196



PART NO	DESCRIPTION	PAGE
87-RB	Regulator - Acetylene	114
87-RHP400	Regulator - Nitrogen/CO2	114
87-RHP500	Regulator - Nitrogen/CO2	114
87-RMC2	Regulator - Acetylene	114
87-RO	Regulator - Oxygen	114
87-RP3T5	Hand Torch Kit - Propane/MAPP	109
87-RP3T6	Hand Torch Kit - Propane/MAPP - Self-Igniting	109
87-S10-5/16	Plastic-Handle Nut Driver - 3 in. shank	137
87-S1018M	Plastic-Handle Long Nut Driver - 18 in. shank	137
87-S106-5/16	Plastic-Handle Nut Driver - 6 in. shank	137
87-S106M-5/16	Plastic-Handle Magnetic Nut Driver - 6 in. shank	137
87-S10M-5/16	Plastic-Handle Magnetic Nut Driver - 3 in. shank	137
87-S11-11/32	Plastic-Handle Nut Driver - 3 in. shank	137
87-S116-11/32	Plastic-Handle Nut Driver - 6 in. shank	137
87-S12-3/8	Plastic-Handle Nut Driver - 3 in. shank	137
87-S126-3/8	Plastic-Handle Nut Driver - 6 in. shank	137
87-S14-7/16	Plastic-Handle Nut Driver - 3 in. shank	137
87-S8-1/4	Plastic-Handle Nut Driver - 3 in. shank	137
87-S818M	Plastic-Handle Long Nut Driver - 18 in. shank	137
87-S86-1/4	Plastic-Handle Nut Driver - 6 in. shank	137
87-S86M-1/4	Plastic-Handle Magnetic Nut Driver - 6 in. shank	137
87-S8M-1/4	Plastic-Handle Magnetic Nut Driver - 3 in. shank	137
87-SP23L	Soldering Iron (25W)	118
87-SP40L	Soldering Iron (40W)	118
87-SS10-5/16	Plastic-Handle Stubby Nut Driver - 1-1/4 in. shank	137
87-SS12-3/8	Plastic-Handle Stubby Nut Driver - 1-1/4 in. shank	137
87-SS8-1/4	Plastic-Handle Stubby Nut Driver - 1-1/4 in. shank	137
87-SSP6716L	Aviation Snips - Offset - Left (Special Hardness)	142
87-SSP6716R	Aviation Snips - Offset - Right (Special Hardness)	142
87-TCVA	Check Valves [A-LH (3/8-24) and A-RH (3/8-24)]	113
87-TH6	Torch Handle - Air/Acetylene	113
87-TYPE17-30	Rosebud Heating Tip 17#30 (7 in)	112
87-TYPE17#0	Tip - Welding/Brazing (Type17#0)	194
87-TYPE17#15	Rosebud Heating Tip 17#15 (7 in)	112
87-TYPE17#2	Tip - Welding/Brazing (Type17#2)	194
87-TYPE17#3	Tip - Welding/Brazing (Type17#3)	194
87-TYPE17#4	Tip - Welding/Brazing (Type17#4)	194
8945-24	Spray Wand - 24 in. long - 90°	246
8945-48	Spray Wand - 48 in. long - 90°	246
8945-60	Spray Wand - 60 in. long - 90°	246
90066-2V-110	Vacuum Pump - 2-Stage - 6 CFM, 1/3 hp	118
90070-2V-110	Vacuum Pump - 2-Stage - 10 CFM, 1/2 hp	118
90263-R	Refrigerant Hose Extension w/Ball Valve - Blue	121
90264-R	Refrigerant Hose Extension w/Ball Valve - Yellow	121
90265-R	Refrigerant Hose Extension w/Ball Valve - Red	121
930-25	Tape Measure - 25 ft. x 1 in. wide (Double-Sided)	152
99661-A	Manifold - Digital 2-Way	119
A224	Motor Shaft Adapter (1/2 in. to 5/8 in.)	32
AB111	Safety Glasses - Kirova Black/Clear	85
AB111AR	Safety Glasses - Kirova Anti-Reflective	85
AB112	Safety Glasses - Kirova Black/yellow	85
AC11810	Tubing Insulation - 1-1/8 in. I.D. x 1 in. Wall x 6 ft.	89
AC11810SSPT	Tubing Insulation w/Protape - 1-1/8 in. I.D. x 1 in. Wall x 6 ft.	90
AC118112	Tubing Insulation - 1-1/8 in. I.D. x 1-1/2 in. Wall x 6 ft.	89
AC11812	Tubing Insulation - 1-1/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC11812SSPT	Tubing Insulation w/Protape - 1-1/8 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC11834	Tubing Insulation - 1-1/8 in. I.D. x 3/4 in. Wall x 6 ft.	88
AC11834SSPT	Tubing Insulation w/Protape - 1-1/8 in. I.D. x 3/4 in. Wall x 6 ft.	90
AC11838	Tubing Insulation - 1-1/8 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC11838SSPT	Tubing Insulation w/Protape - 1-1/8 in. I.D. x 3/8 in. Wall x 6 ft.	90
AC1210	Tubing Insulation - 1/2 in. I.D. x 1 in. Wall x 6 ft.	89
AC1212	Tubing Insulation - 1/2 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC1212SSPT	Tubing Insulation w/Protape - 1/2 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC1234	Tubing Insulation - 1/2 in. I.D. x 3/4 in. Wall x 6 ft.	88
AC1234SSPT	Tubing Insulation w/Protape - 1/2 in. I.D. x 3/4 in. Wall x 6 ft.	90

PART NO	DESCRIPTION	PAGE
AC1238	Tubing Insulation - 1/2 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC1238SSPT	Tubing Insulation w/Protape - 1/2 in. I.D. x 3/8 in. Wall x 6 ft.	90
AC13810	Tubing Insulation - 1-3/8 in. I.D. x 1 in. Wall x 6 ft.	89
AC13810SSPT	Tubing Insulation w/Protape - 1-3/8 in. I.D. x 1 in. Wall x 6 ft.	90
AC13812	Tubing Insulation - 1-3/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC13812SSPT	Tubing Insulation w/Protape - 1-3/8 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC13834	Tubing Insulation - 1-3/8 in. I.D. x 3/4 in. Wall x 6 ft.	88
AC13834SSPT	Tubing Insulation w/Protape - 1-3/8 in. I.D. x 3/4 in. Wall x 6 ft.	90
AC13838	Tubing Insulation - 1-3/8 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC13838SSPT	Tubing Insulation w/Protape - 1-3/8 in. I.D. x 3/8 in. Wall x 6 ft.	90
AC1412	Tubing Insulation - 1/4 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC1438	Tubing Insulation - 1/4 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC15810	Tubing Insulation - 1-5/8 in. I.D. x 1 in. Wall x 6 ft.	89
AC15810SSPT	Tubing Insulation w/Protape - 1-5/8 in. I.D. x 1 in. Wall x 6 ft.	90
AC15812	Tubing Insulation - 1-5/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC15812SSPT	Tubing Insulation w/Protape - 1-5/8 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC15834	Tubing Insulation - 1-5/8 in. I.D. x 3/4 in. Wall x 6 ft.	88
AC15834SSPT	Tubing Insulation w/Protape - 1-5/8 in. I.D. x 3/4 in. Wall x 6 ft.	90
AC15838	Tubing Insulation - 1-5/8 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC15838SSPT	Tubing Insulation w/Protape - 1-5/8 in. I.D. x 3/8 in. Wall x 6 ft.	90
AC17812SSPT	Tubing Insulation w/Protape - 1-7/8 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC21810	Tubing Insulation - 2-1/8 in. I.D. x 1 in. Wall x 6 ft.	89
AC21812	Tubing Insulation - 2-1/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC21834	Tubing Insulation - 2-1/8 in. I.D. x 3/4 in. Wall Thickness x 6 ft.	90
AC21838	Tubing Insulation - 2-1/8 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC21838SSPT	Tubing Insulation w/Protape - 2-1/8 in. I.D. x 3/8 in. Wall x 6 ft.	90
AC23810	Tubing Insulation - 2-3/8 in. I.D. x 1 in. Wall x 6 ft.	89
AC23810SSPT	Tubing Insulation w/Protape - 2-3/8 in. I.D. x 1 in. Wall x 6 ft.	90
AC23812	Tubing Insulation - 2-3/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC23812SSPT	Tubing Insulation w/Protape - 2-3/8 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC23838	Tubing Insulation - 2-3/8 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC25810	Tubing Insulation - 2-5/8 in. I.D. x 1 in. Wall x 6 ft.	89
AC25812	Tubing Insulation - 2-5/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC25838	Tubing Insulation - 2-5/8 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC25838SSPT	Tubing Insulation w/Protape - 2-5/8 in. I.D. x 3/8 in. Wall x 6 ft.	90
AC31210	Tubing Insulation - 3-1/2 in. I.D. x 1 in. Wall x 6 ft.	89
AC31210SSPT	Tubing Insulation w/Protape - 3-1/2 in. I.D. x 1 in. Wall x 6 ft.	90
AC31212SSPT	Tubing Insulation w/Protape - 3-1/2 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC31812	Tubing Insulation - 3-1/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC31838	Tubing Insulation - 3-1/8 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC31838SSPT	Tubing Insulation w/Protape - 3-1/8 in. I.D. x 3/8 in. Wall x 6 ft.	90
AC3410	Tubing Insulation - 3/4 in. I.D. x 1 in. Wall x 6 ft.	89
AC3410SSPT	Tubing Insulation w/Protape - 3/4 in. I.D. x 1 in. Wall x 6 ft.	90
AC3412	Tubing Insulation - 3/4 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC3412SSPT	Tubing Insulation w/Protape - 3/4 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC3434	Tubing Insulation - 3/4 in. I.D. x 3/4 in. Wall x 6 ft.	88
AC3434SSPT	Tubing Insulation w/Protape - 3/4 in. I.D. x 3/4 in. Wall x 6 ft.	90
AC3438	Tubing Insulation - 3/4 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC3438SSPT	Tubing Insulation w/Protape - 3/4 in. I.D. x 3/8 in. Wall x 6 ft.	90
AC35812	Tubing Insulation - 3-5/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC3810	Tubing Insulation - 3/8 in. I.D. x 1 in. Wall x 6 ft.	89
AC3812	Tubing Insulation - 3/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC3812SSPT	Tubing Insulation w/Protape - 3/8 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC3834	Tubing Insulation - 3/8 in. I.D. x 3/4 in. Wall x 6 ft.	88
AC3834SSPT	Tubing Insulation w/Protape - 3/8 in. I.D. x 3/4 in. Wall x 6 ft.	90
AC3838	Tubing Insulation - 3/8 in. I.D. x 3/8 in. Wall x 6 ft.	88
AC41212	Tubing Insulation - 4-1/2 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC51234	Tubing Insulation - 5-1/2 in. I.D. x 3/4 in. Wall x 6 ft.	88
AC5810	Tubing Insulation - 5/8 in. I.D. x 1 in. Wall x 6 ft.	89
AC5810SSPT	Tubing Insulation w/Protape - 5/8 in. I.D. x 1 in. Wall x 6 ft.	90
AC5812	Tubing Insulation - 5/8 in. I.D. x 1/2 in. Wall x 6 ft.	89
AC5812SSPT	Tubing Insulation w/Protape - 5/8 in. I.D. x 1/2 in. Wall x 6 ft.	90
AC5834	Tubing Insulation - 5/8 in. I.D. x 3/4 in. Wall x 6 ft.	88
AC5834SSPT	Tubing Insulation w/Protape - 5/8 in. I.D. x 3/4 in. Wall x 6 ft.	90
AC5838	Tubing Insulation - 5/8 in. I.D. x 3/8 in. Wall x 6 ft.	88



PART NO	DESCRIPTION	PAGE	PART NO	DESCRIPTION	PAGE
AC5838SSPT	Tubing Insulation w/Protape - 5/8 in. I.D. x 3/8 in. Wall x 6 ft.	90	CSSD54-36	Gas Connector - 1/2 in. Male x 1/2 in. Female x 36 in.	59
AC7810	Tubing Insulation - 7/8 in. I.D. x 1 in. Wall x 6 ft.	89	D12812025	ProGlo Neon Work Light - Orange (16/3 SJTW)	39
AC7810SSPT	Tubing Insulation w/Protape - 7/8 in. I.D. x 1 in. Wall x 6 ft.	90	D12923025	Work Light - 25 ft. (ProGlo Orange 12/3 SJTW)	39
AC7812	Tubing Insulation - 7/8 in. I.D. x 1/2 in. Wall x 6 ft.	89	D12925025	Work Light - 25 ft. (ProGlo Blue 12/3 SJTW)	39
AC7812SSPT	Tubing Insulation w/Protape - 7/8 in. I.D. x 1/2 in. Wall x 6 ft.	90	D75	Wholehouse Dehumidifier - 75 Pint	22
AC7834	Tubing Insulation - 7/8 in. I.D. x 3/4 in. Wall x 6 ft.	88	D95	Wholehouse Dehumidifier - 95 Pint	22
AC7834SSPT	Tubing Insulation w/Protape - 7/8 in. I.D. x 3/4 in. Wall x 6 ft.	90	DFP450W-0-8	Pocket Thermometer - Digital	127
AC7838	Tubing Insulation - 7/8 in. I.D. x 3/8 in. Wall x 6 ft.	88	DM120-0-3	Panel Thermometer - Digital (Round)	127
AC7838SSPT	Tubing Insulation w/Protape - 7/8 in. I.D. x 3/8 in. Wall x 6 ft.	90	DPP400W-0-8	Pocket Thermometer - Digital	126
ACGUKIT	AC Security Cage	56	DT300-0-8	Pocket Thermometer - Digital	127
ADH-12PBTBLK	Black Adhesive for Aerocel Tubing - 1/2 pint	91	DZ111	Safety Glasses - Zorge Clear	86
ADH-1GPBLK	Black Adhesive for Aerocel Tubing - 1 gallon	91	DZ111-2.0	Safety Glasses - Zorge Magnifier- Black/Clear Lens.	86
ADH-1PBTBLK	Black Adhesive for Aerocel Tubing - 1 pint	91	DZ111AR	Safety Glasses - Zorge Black/Anti-Reflective	86
AG-G26X56	Drain Pan - Secondary - Horiz Install w/Float Switch System	56	DZ112	Safety Glasses - Zorge Yellow	86
AG-G28X57	Drain Pan - Secondary - Horiz Install w/Float Switch System	56	DZ116	Safety Glasses - Zorge Smoke	86
AG-G28X69	Drain Pan - Secondary - Horiz Install w/Float Switch System	56	EMF-1	Flashlight - Extendable Magnetic	86
AG-G30X50	Drain Pan - Secondary - Horiz Install w/Float Switch System	56	EZT-107	Cross Trap Kit - 3/4 in. Side Entry	53
AG-G30X62	Drain Pan - Secondary - Horiz Install w/Float Switch System	56	EZT-113	Cross Trap Kit - 3/4 in. Economy	53
AG-GF30X36	Drain Pan - Secondary - Vert Install w/Float Switch System	56	EZT-113B	Cross Trap Kit - 3/4 in. Economy w/Brush	53
AG-GF34X64	Drain Pan - Secondary - Horiz Install w/Float Switch System	56	EZT-119	Cross Trap Kit - 1 in. Standard	53
AG-GF34X79	Drain Pan - Secondary - Horiz Install w/Float Switch System	56	EZT-150	UltraTrap Waterless Trap Kit	54
AG-T30X62	Drain Pan - Secondary - Horiz Install w/Float Switch System	56	EZT-205	Deep Cross Trap Kit - 3/4 in. w/Float Switch	54
AG-T32X32	Drain Pan - Secondary - Vert Install w/Float Switch System	56	EZT-207	Cross Trap Kit - 3/4 in. Switched Side Entry	54
BV-5	BucketVac (Includes Head, Accessories and Bucket)	156	EZT-210	Cross Trap Kit - 3/4 in. Standard w/Float Switch	54
BV-5-11	BucketVac Replacement Hose	156	EZT-211	Cross Trap Kit - 3/4 in. Standard w/Float Switch)	54
BV-5-19	BucketVac Floor Tool	156	EZT-219	Cross Trap Kit - 1 in. w/Float Switch	55
BV-5-20	BucketVac Crevice Tool	156	EZT-224	Condensate Overflow Safety Switch - Auxiliary Mount	52
BV-5-24	BucketVac Round Brush Tool	156	EZT-225	Condensate Overflow Safety Switch - Main or Auxiliary Mount	52
BV-5-BUCKET	BucketVac Bucket - 5 gallon	157	EZT-226	Condensate Overflow Safety Switch - Auxiliary Mount	53
BV-5-HD	BucketVac (Includes Head and Accessories)	156	EZT-228	Condensate Overflow Safety Switch - Visual Indicator	53
BV-5-STDFLTR-6PK	BucketVac Replacement Filter (Pack of 6)	156	EZT-250	UltraTrap Switched Waterless Trap Kit - Pos.	55
BV-EXTWAND-3PK	BucketVac Extension Wand (Pack of 3)	156	EZT-406	Flexible Cleaning Brush	54
CEXT-9	FloodStop Control Extension Wire - 9 ft.	170	EZT-414	Clean-Out Cross - 3/4 in. w/2 Caps	54
CH-404L	Tube Bender Kit - Ratchet Style	149	EZT-626	Combo Pack (EZT-113 & EZT-226)	55
CJ-95	CoilJet Portable Coil Cleaning System	154	F1451328	Remote Indoor Sensor	12
CJ-9619	Foaming Nozzle Assembly	154	F1451378	Remote Outdoor Sensor	12
CJ-9657	Extension Lance Assembly - 36 in.	155	F29-0143	Thermostat Guard	12
CJ-9658	Extension Lance Assembly - 48 in.	155	F29-0222	Thermostat Guard	12
CJ-9659	Extension Lance Assembly - 60 in.	155	F61-2252	Wall Plate	11
CJ-9689	Battery for CJ-95 for CoilJet	155	F61-2300	Wall Plate	11
CJ-9693	Battery Charger for CJ-95 CoilJet	155	F61-2301	Adapter Plate (W/R Low Voltage Stat)	11
CJ-QDN-0003R	Quick Disconnect Nozzle for CJ-95 - Pinpoint	154	F61-2500	Wall Plate	11
CJ-QDN-1503Y	Quick Disconnect Nozzle for CJ-95 - 15°	154	F61-2510	Wall Plate	11
CJ-QDN-45	Quick Disconnect Adapter for CJ-95 - 45°	154	F61-2550	Wall Plate	11
CJ-QDN-90	Quick Disconnect Adapter for CJ-95 90°	154	F61-2600	Wall Plate	11
CJ-WWSS	Sectional Stainless Wand - 36 in.	155	F61-2634	Wall Plate	12
CJ-WWSS-EXT	Extension for CJ-WWSS - 16 in.	155	FC100A1003	Media Air Filter - 16 x 20	18
CJ95-KIT-SB	Charger Kit for CJ-95 (w/charger & battery)	155	FC100A1011	Media Air Filter - 20 x 20	18
CN-03	Condenser Needle	154	FC100A1029	Media Air Filter - 16 x 25	18
CSSC11-24	Gas Connector - 3/4 in. Male x 3/4 in. Male x 24 in.	60	FC100A1037	Media Air Filter - 20 x 25	18
CSSC14-24	Gas Connector - 3/4 in. Male x 1/2 in. Male x 24 in.	60	FS1/4C	Ball Valve Unit - 1/4 in. Compression Fitting	170
CSSC14-30	Gas Connector - 3/4 in. Male x 1/2 in. Male x 30 in.	60	FS125NPT	Ball Valve Unit - 1-1/4 in. NPT	170
CSSC14-36	Gas Connector - 3/4 in. Male x 1/2 in. Male x 36 in.	60	FS125NPTW	FloodStop Wireless Whole House Leak Detection System	169
CSSC14-48	Gas Connector - 3/4 in. Male x 1/2 in. Male x 48 in.	60	FS1NPT	Ball Valve Unit - 1 in. NPT (Water Heaters/Main Water Lines)	170
CSSC21-24	Gas Connector - 3/4 in. Male x 3/4 in. Female x 24 in.	60	FS1NPTW	FloodStop Wireless Whole House Leak Detection System	169
CSSC44-18	Gas Connector - 1/2 in. Male x 1/2 in. Male x 18 in.	60	FS3/4C	Ball Valve Unit - 3/4 Compression Fitting	170
CSSC44-24	Gas Connector - 1/2 in. Male x 1/2 in. Male x 24 in.	60	FS3/8C	Ball Valve Unit - 3/8 in. Compression Fitting	170
CSSC44-36	Gas Connector - 1/2 in. Male x 1/2 in. Male x 36 in.	60	FS3/8CD	Ball Valve Unit - Dual 3/8 in. Compression Fitting	170
CSSC4K-24	Gas Connector - 1/2 in. Male x 1/2 in. Female x 24 in.	59	H8908ASPST	Humidistat	14
CSSC54-12	Gas Connector - 1/2 in. Male x 1/2 in. Female x 12 in.	60	H8908DSPST	Dehumidistat	14
CSSC54-18	Gas Connector - 1/2 in. Male x 1/2 in. Female x 18 in.	60	HC26E1004	Hummidifier Pad.	21
CSSC54-24	Gas Connector - 1/2 in. Male x 1/2 in. Female x 24 in.	60	MAU2-10-12S	Adapter - 3/4 Male NPT x 5/8 in. Male Flare	60
CSSC54-36	Gas Connector - 1/2 in. Male x 1/2 in. Female x 36 in.	60	MAU2-10-8S	Adapter - 1/2 Male NPT x 5/8 in. Male Flare	60
CSSC54-48	Gas Connector - 1/2 in. Male x 1/2 in. Female x 48 in.	60	MCB1013	Merchant Coupling (1/2 in.)	64
CSSD4K-36	Gas Connector - 1/2 in. Male x 1/2 in. Female x 36 in.	59	MCB1014	Merchant Coupling (3/4 in.)	64



PART NO	DESCRIPTION	PAGE
PD362212	Nipple - Black Pipe (1/2 in. x 4 in. long)	60
PD362236	Cut Black Pipe - (1/2 in. x 36 in. long)	60
PD362243	Nipple - Black Pipe (3/4 in. x 2 in. long)	61
PD362250	Nipple - Black Pipe (3/4 in. x 5-1/2 in. long)	61
PD362281	Nipple - Black Pipe (1 in. x 4 in. long)	61
PD362311	Nipple - Black Pipe (1-1/4 in. x 2 in. long)	62
PD362380	Nipple - Black Pipe (2 in. x 3 in. long)	63
PD362410	Cut Black Pipe - (2 in. x 24 in. long)	63
PD455006	Liquid-Tight Conduit Fitting - 1/2 in. 90°	34
PD455007	Liquid-Tight Conduit Fitting - 3/4 in. Straight	34
PD455008	Liquid-Tight Conduit Fitting - 3/4 in. 90°	34
PD455009	Liquid-Tight Flexible Non-Metallic Conduit (1 in. x 100 ft.)	34
PD455151	Hose Clamps - B6H - clamp range 3/8 in x 7/8 in.	55
PD523002	Clear Cleaner - 16 oz.	97
PD595009	Oil Nozzle - All Purpose (0.85W, 30°)	45
PD595016	Oil Nozzle - Solid Spray (1.00B, 30°)	44
PD595108	Oil Nozzle - All Purpose (1.00W, 80°)	45
PD595122	Oil Nozzle - Hollow Spray (1.10A, 70°)	43
PD595146	Oil Nozzle - Hollow Spray (0.50A, 70°)	42
PD595149	Oil Nozzle - All Purpose (0.60W, 80°)	45
PD595164	Oil Nozzle - Hollow Cone (0.50A, 90°)	42
PD640360	Duct Strap - Polyethylene - 1-3/4 in. x 100 yards (Black)	78
PD849170	Youngstown Glove 24 Pair Counter Display	82
PF-24	Fluorescent Leak Detector	102
PF-316	Nickel Safe Ice Machine Cleaner	104
PF-832	Gas Leak Detector	102
PF-1101	Preferred Heavy Foaming Alkaline Condenser Coil Cleaner	100
PF-2600	Vacuum Pump Oil	103
PF-2800	Preferred Foam Insulation Tape	91
PF-4101	High Pressure Solvent Cleaner	104
PF-C02	Self Rinsing Evaporator Coil Cleaner	101
PF-EC01	Enviro-Safe Condenser Coil Cleaner	100
PF-H-2902	Preferred Sealing Gum Slug - 2 lbs.	91
PF-H-BM01	Black Max Heavy Foaming Alkaline Condenser Coil Cleaner	100
PF-WP75	Preferred Heavy Duty Hand Wipes - Bucket of 75	86
PF425066	Contactator - 30A 1-Pole (24V coil)	39
PF425068	Contactator - 30A 2-Pole (24V coil)	39
PF425069	Contactator - 40A 2-Pole (24V coil)	39
PF425070	Contactator - 30A 3-Pole (24V coil)	39
PF433401	Capacitor - 3/370 Single Oval	37
PF433402	Capacitor - 5/370 Single Oval	37
PF433403	Capacitor - 7.5/370 Single Oval	37
PF433404	Capacitor - 10/370 Single Oval	37
PF433405	Capacitor - 12.5/370 Single Oval	37
PF433406	Capacitor - 15/370 Single Oval	37
PF433407	Capacitor - 20/370 Single Oval	37
PF433410	Capacitor - 35/370 Single Oval	37
PF433421	Capacitor - 5/440 Single Oval	37
PF433422	Capacitor - 10/440 Single Oval	37
PF433427	Capacitor - 4/370 Single Oval	37
PF433433	Capacitor - 7.5/440 Single Oval	37
PF8405207	Electronic Air Cleaner - 1400 CFM	19
PF8405208	Electronic Air Cleaner - 2000 CFM	19
PF8405209	Electronic Air Cleaner - 1400 CFM	19
PF845001	Preferred Media Air Cleaner - 2000 CFM	18
PF845003	Preferred Media Air Cleaner - 2000 CFM	18
PF845005	Preferred Media Air Cleaner - 1400 CFM	18
PF845006	Preferred Media Air Cleaner - 1400 CFM	18
PF845101	Preferred MERV 8 Media Filter 5 in. x 20 in. x 25 in.	18
PF845102	Preferred MERV 8 Media Filter 5 in. x 16 in. x 25 in.	18
PF845104	Preferred MERV 8 Media Filter 5 in. x 20 in. x 20 in.	18
PF845409	Humidifier - Flow-Thru Bypass	20
PF845410	Humidifier - Flow-Thru Bypass (Water Saver)	20
PF845411	Humidifier - Power	20
PF845412	Humidifier - Power (Water Saver)	20

PART NO	DESCRIPTION	PAGE
PF849040	HVAC Whip - 1/2 in. x 6 ft. Non-Metallic	34
PF849042	HVAC Whip - 3/4 in. x 6 ft. Non-Metallic	34
SC-100-B	SlimDuct 90° Vertical Elbow - 4 in. x 2-3/4 in. (Brown)	69
SC-100-I	SlimDuct 90° Vertical Elbow - 4 in. x 2-3/4 in. (Ivory)	69
SC-100-W	SlimDuct 90° Vertical Elbow - 4 in. x 2-3/4 in. (White)	69
SC-140-B	SlimDuct 90° Vertical Elbow - 5-1/2 in. x 3 in. (Brown)	69
SC-140-I	SlimDuct 90° Vertical Elbow - 5-1/2 in. x 3 in. (Ivory)	69
SC-140-W	SlimDuct 90° Vertical Elbow - 5-1/2 in. x 3 in. (White)	69
SC-77-B	SlimDuct 90° Vertical Elbow - 3 in. x 2-1/2 in. (Brown)	69
SC-77-I	SlimDuct 90° Vertical Elbow - 3 in. x 2-1/2 in. (Ivory)	69
SC-77-W	SlimDuct 90° Vertical Elbow - 3 in. x 2-1/2 in. (White)	69
SC-FCC-1	SpeedyFoam Coil Cleaner - 1 gallon	101
SC-FCC-4X1	SpeedyFoam Coil Cleaner - 1 gallon (Case of 4)	101
SC-FCC-5	SpeedyFoam Coil Cleaner - 5 gallon	101
SCF-100-B	SlimDuct 45° Vertical Elbow - 4 in. x 2-3/4 in. (Brown)	69
SCF-100-I	SlimDuct 45° Vertical Elbow - 4 in. x 2-3/4 in. (Ivory)	69
SCF-100-W	SlimDuct 45° Vertical Elbow - 4 in. x 2-3/4 in. (White)	69
SCF-140-B	SlimDuct 45° Vertical Elbow - 5-1/2 in. x 3 in. (Brown)	69
SCF-140-I	SlimDuct 45° Vertical Elbow - 5-1/2 in. x 3 in. (Ivory)	69
SCF-140-W	SlimDuct 45° Vertical Elbow - 5-1/2 in. x 3 in. (White)	69
SCF-77-B	SlimDuct 45° Vertical Elbow - 3 in. x 2-1/2 in. (Brown)	69
SCF-77-I	SlimDuct 45° Vertical Elbow - 3 in. x 2-1/2 in. (Ivory)	69
SCF-77-W	SlimDuct 45° Vertical Elbow - 3 in. x 2-1/2 in. (White)	69
SD-100-B	SlimDuct - 4 in. x 2-3/4 in. x 78 in. (Brown)	67
SD-100-I	SlimDuct - 4 in. x 2-3/4 in. x 78 in. (Ivory)	67
SD-100-W	SlimDuct - 4 in. x 2-3/4 in. x 78 in. (White)	67
SD-140-B	SlimDuct - 5-1/2 in. x 3 in. x 78 in. (Brown)	67
SD-140-I	SlimDuct - 5-1/2 in. x 3 in. x 78 in. (Ivory)	67
SD-140-W	SlimDuct - 5-1/2 in. x 3 in. x 78 in. (White)	67
SD-77-B	SlimDuct - 3 in. x 2-1/2 in. x 78 in. (Brown)	67
SD-77-I	SlimDuct - 3 in. x 2-1/2 in. x 78 in. (Ivory)	67
SD-77-W	SlimDuct - 3 in. x 2-1/2 in. x 78 in. (White)	67
SDK115	Safety Glasses - Khor Black/Copper Driving	85
SEN-100-B	SlimDuct End Fitting - 4 in. x 2-3/4 in. (Brown)	68
SEN-100-I	SlimDuct End Fitting - 4 in. x 2-3/4 in. (Ivory)	68
SEN-100-W	SlimDuct End Fitting - 4 in. x 2-3/4 in. (White)	68
SEN-140-B	SlimDuct End Fitting - 5-1/2 in. x 3 in. (Brown)	68
SEN-140-I	SlimDuct End Fitting - 5-1/2 in. x 3 in. (Ivory)	68
SEN-140-W	SlimDuct End Fitting - 5-1/2 in. x 3 in. (White)	68
SEN-77-B	SlimDuct End Fitting - 3 in. x 2-1/2 in. (Brown)	68
SEN-77-I	SlimDuct End Fitting - 3 in. x 2-1/2 in. (Ivory)	68
SEN-77-W	SlimDuct End Fitting - 3 in. x 2-1/2 in. (White)	68
SF-100-800-I	SlimDuct Flexible Elbow - 4 in. x 2-3/4 in. (Ivory)	69
SF-100-800-W	SlimDuct Flexible Elbow - 4 in. x 2-3/4 in. (White)	69
SF-140-800-I	SlimDuct Flexible Elbow - 5-1/2 in. x 3 in. (Ivory)	69
SF-77-1000-I	SlimDuct Flexible Elbow - 4 in. x 2-3/4 in. (Ivory)	69
SF-77-500-B	SlimDuct Flexible Elbow - 3 in. x 2-1/2 in. (Brown)	69
SF-77-500-I	SlimDuct Flexible Elbow - 3 in. x 2-1/2 in. (Ivory)	69
SF-77-500-W	SlimDuct Flexible Elbow - 3 in. x 2-1/2 in. (White)	69
SFJ-100-B	SlimDuct Flexible Adapter - 4 in. x 2-3/4 in. (Brown)	69
SFJ-100-I	SlimDuct Flexible Adapter - 4 in. x 2-3/4 in. (Ivory)	69
SFJ-100-W	SlimDuct Flexible Adapter - 4 in. x 2-3/4 in. (White)	69
SFJ-77-B	SlimDuct Flexible Adapter - 3 in. x 2-1/2 in. (Brown)	69
SFJ-77-I	SlimDuct Flexible Adapter - 3 in. x 2-1/2 in. (Ivory)	69
SFJ-77-W	SlimDuct Flexible Adapter - 3 in. x 2-1/2 in. (White)	69
SH66A-E	3-Zone Temperature Instrument	125
SI1805SIUS11	Condensate Pump	51
SI1820SIUS11	Condensate Pump	51
SI3000SIUS11	Mini-Split Condensate Pump	51
SI3000SIUS23	Mini-Condensate Pump - 230V	51
SI3200SIUS11	Mini-Split Condensate Pump	51
SI3200SIUS23	Mini-Split Condensate Pump	51
SJ-100-B	SlimDuct Coupler - 4 in. x 2-3/4 in. (Brown)	67
SJ-100-I	SlimDuct Coupler - 4 in. x 2-3/4 in. (Ivory)	67
SJ-100-W	SlimDuct Coupler - 4 in. x 2-3/4 in. (White)	67



PART NO	DESCRIPTION	PAGE
SJ-140-B	SlimDuct Coupler - 5-1/2 in. x 3 in. (Brown)	67
SJ-140-I	SlimDuct Coupler - 5-1/2 in. x 3 in. (Ivory)	67
SJ-140-W	SlimDuct Coupler - 5-1/2 in. x 3 in. (White)	67
SJ-77-B	SlimDuct Coupler - 3 in. x 2-1/2 in. (Brown)	67
SJ-77-I	SlimDuct Coupler - 3 in. x 2-1/2 in. (Ivory)	67
SJ-77-W	SlimDuct Coupler - 3 in. x 2-1/2 in. (White)	67
SK-100-B	SlimDuct 90° Flat Elbow - 4 in. x 2-3/4 in. (Brown)	68
SK-100-I	SlimDuct 90° Flat Elbow - 4 in. x 2-3/4 in. (Ivory)	68
SK-100-W	SlimDuct 90° Flat Elbow - 4 in. x 2-3/4 in. (White)	68
SK-140-B	SlimDuct 90° Flat Elbow - 5-1/2 in. x 3 in. (Ivory)	68
SK-140-I	SlimDuct 90° Flat Elbow - 5-1/2 in. x 3 in. (Ivory)	68
SK-140-W	SlimDuct 90° Flat Elbow - 5-1/2 in. x 3 in. (Ivory)	68
SK-77-B	SlimDuct 90° Flat Elbow - 3 in. x 2-1/2 in. (Brown)	68
SK-77-I	SlimDuct 90° Flat Elbow - 3 in. x 2-1/2 in. (Ivory)	68
SK-77-W	SlimDuct 90° Flat Elbow - 3 in. x 2-1/2 in. (White)	68
SK-XL116	Safety Glasses - Kazbek XL- Black/Smoke	85
SKF-100-B	SlimDuct 45° Flat Elbow - 4 in. x 2-3/4 in. (Brown)	68
SKF-100-I	SlimDuct 45° Flat Elbow - 4 in. x 2-3/4 in. (Ivory)	69
SKF-100-W	SlimDuct 45° Flat Elbow - 4 in. x 2-3/4 in. (White)	69
SKF-140-B	SlimDuct 45° Flat Elbow - 5-1/2 in. x 3 in. (Brown)	68
SKF-140-I	SlimDuct 45° Flat Elbow - 5-1/2 in. x 3 in. (Ivory)	69
SKF-140-W	SlimDuct 45° Flat Elbow - 5-1/2 in. x 3 in. (White)	69
SKF-77-B	SlimDuct 45° Flat Elbow - 3 in. x 2-1/2 in. (Brown)	68
SKF-77-I	SlimDuct 45° Flat Elbow - 3 in. x 2-1/2 in. (Ivory)	69
SKF-77-W	SlimDuct 45° Flat Elbow - 3 in. x 2-1/2 in. (White)	69
SM-501-N	Smoke Detector - Ionization	23
SM-501-P	Smoke Detector - Photoelectric	23
SP-100-B	SlimDuct Soffit Inlet - 4 in. x 2-3/4 in. (Brown)	68
SP-100-I	SlimDuct Soffit Inlet - 4 in. x 2-3/4 in. (Ivory)	68
SP-100-W	SlimDuct Soffit Inlet - 4 in. x 2-3/4 in. (White)	68
SP-140-B	SlimDuct Soffit Inlet - 5-1/2 in. x 3 in. (Brown)	68
SP-140-I	SlimDuct Soffit Inlet - 5-1/2 in. x 3 in. (Ivory)	68
SP-140-W	SlimDuct Soffit Inlet - 5-1/2 in. x 3 in. (White)	68
SP-77-B	SlimDuct Soffit Inlet - 3 in. x 2-1/2 in. (Brown)	68
SP-77-I	SlimDuct Soffit Inlet - 3 in. x 2-1/2 in. (Ivory)	68
SP-77-W	SlimDuct Soffit Inlet - 3 in. x 2-1/2 in. (White)	68
SP160-01-8	Panel Thermometer - Digital (Rectangular)	127
SRH77A-E	3-Zone Temperature/Humidity Instrument	125
SS-1	GE Hard Start Kit 3-1/2 to 5 Ton	39
SS-5	GE Hard Start Kit 1 to 3 Ton	39
SW-100-B	SlimDuct Wall Inlet - 4 in. x 2-3/4 in. (Brown)	68
SW-100-I	SlimDuct Wall Inlet - 4 in. x 2-3/4 in. (Ivory)	68
SW-100-W	SlimDuct Wall Inlet - 4 in. x 2-3/4 in. (White)	68
SW-140-B	SlimDuct Wall Inlet - 5-1/2 in. x 3 in. (Brown)	68
SW-140-I	SlimDuct Wall Inlet - 5-1/2 in. x 3 in. (Ivory)	68
SW-140-W	SlimDuct Wall Inlet - 5-1/2 in. x 3 in. (White)	68
SW-77-B	SlimDuct Wall Inlet - 3 in. x 2-1/2 in. (Brown)	68
SW-77-I	SlimDuct Wall Inlet - 3 in. x 2-1/2 in. (Ivory)	68
SW-77-W	SlimDuct Wall Inlet - 3 in. x 2-1/2 in. (White)	68
SW111AF	Safety Glasses - Dakura Black/Clear Anti-Fog	84
SW111AR	Safety Glasses - Dakura Black/Anti-Reflective	84
TPPR060500251	Aerocel Protape - 2 in. x 82 ft.	91
TPPR060750251	Aerocel Protape - 3 in. x 82 ft.	91
TSBK215	Safety Glasses - Khor Polarized Copper	85
TSBK218	Safety Glasses - Khor Polarized Blue	85
TSKAP218	Safety Glasses - Kazbek Polarized Blue	85
TSKXL-111	Safety Glasses - Kazbek XL Black Clear	85
TSM21-G15-7	Safety Glasses - Dakura Polarized Silver	85
TSM215	Safety Glasses - Dakura Polarized Copper	85
TSM215CF	Safety Glasses - Dakura Polarized Camo/Copper	84
TSM216	Safety Glasses - Dakura Black Smoke Polarized	84
TSM216CF	Safety Glasses - Dakura Polarized Camo/Smoke	84
TSRAP	Safety Glasses - Reclus Polarized Black/Aqua Percision Blue	85
TSRG216	Safety Glasses - Reclus Polarized Smoke	86
TurboLytic50	Universal Motor Start Capacitor - 302/330 MFD	38

PART NO	DESCRIPTION	PAGE
TXB21-G15-7	Safety Glasses - Brazeau Black/Polarized G15 Silver Mirror	84
TXBG216	Safety Glasses - Brazeau Polarized Smoke	84
UV10351	Flexible Water Connectors - Copper - 12 in.	165
UV10354	Compression Fitting Connectors (3/4 in. NPT x 1/2 in. tube)	166
UV10374	Compression Fitting Connector (3/4 in. NPT x 3/4 in. tube)	166
UV10505	Flexible Water Connectors - Copper - 15 in.	165
UV10506	Flexible Water Connectors - Copper - 18 in.	165
UV11248R	Dip Tube - 3/4 in. diameter x 54-3/4 in.	167
UV11524C	Anode Rod - 0.840 in. diameter x 44-3/16 in.	167
UV11695	Thermostat - Electric	164
UV11698	Thermostat - Electric	164
UV11699	Thermostat - Electric	164
UV11700	Thermostat - Electric	164
UV11955C	T&P Run-Off Tube - Side Mount	167
UV11956B	T&P Run-Off Tube - Top Mount	167
UV12039	Drain Valve - Poly	166
UV12112G	Drain Valve - Brass	166
UV12890	Element - 120V/1500W Copper - 1 in. Screw-in	161
UV12891	Element - 240V/1500W Copper - 1 in. Screw-in	161
UV12892	Element - 120V/2000W Copper - 1 in. Screw-in	161
UV12893	Element - 240V/2000W Copper - 1 in. Screw-in	161
UV12894	Element - 240V/2500W Copper - 1 in. Screw-in	161
UV12895	Element - 240V/3000W Copper - 1 in. Screw-in	161
UV12896	Element - 240V/3500W Copper - 1 in. Screw-in	161
UV12897	Element - 240V/3800W Copper - 1 in. Screw-in	161
UV12898	Element - 240V/4000W Copper - 1 in. Screw-in	161
UV12899	Element - 240V/4500W Copper - 1 in. Screw-in	161
UV12900	Element - 240V/5500W Copper - 1 in. Screw-in	161
UV12901	Element - 240V/4500W Copper - 1 in. Screw-in	161
UV12902	Element - 240V/4500W Copper - 1-3/8 in. Screw-in	161
UV12903	Element - 240V/3500W Stainless Steel - 1 in. Screw-in	161
UV12904	Element - 240V/4500W Stainless Steel - 1 in. Screw-in	161
UV12905	Element - 240V/5500W Stainless Steel - 1 in. Screw-in	161
UV12907	Element - 240V/4500W Copper - Flat Flange	162
UV12908	Element - 240V/1500W Copper - Flange	162
UV12909	Element - 240V/3500W Copper - Flange	162
UV12910	Element - 240V/4500W Copper - Flange	162
UV12911	Element - 240V/2500W Stainless Steel - Flange	162
UV12914	Element Gasket Kit	163
UV12927	Flexible Water Connectors - Stainless Steel - 12 in.	165
UV12928	Flexible Water Connectors - Stainless Steel - 15 in.	165
UV12929	Flexible Water Connectors - Stainless Steel - 18 in.	165
UV12933	Dip Tube/Nipple - 1/2 in. diameter x 53 in.	167
UV12934	Water Heater Drain Pan - Plastic (20 in. diameter)	168
UV12935	Water Heater Drain Pan - Plastic (24 in. diameter)	168
UV12936	Water Heater Drain Pan - Plastic (26 in. diameter)	168
UV12937	Water Heater Drain Pan - Plastic (22 in. diameter)	168
UV12938	Anode Rod - 0.625 in. diameter x 42 in. - Aluminum	168
UV12939	Water Heater Drain Pan - Aluminum (20 in. diameter)	168
UV12940	Water Heater Drain Pan - Aluminum (26 in. diameter)	168
UV12941	Water Heater Drain Pan - Aluminum (22 in. diameter)	168
UV12942	Water Heater Drain Pan - Aluminum (24 in. diameter)	168
UV12944	Element - 120V/1500W Copper - Flange	162
UV12992	Nipples - Heat Trap - (3/4 in. NPT x 3 in.) - Pack of 2	166
UV13044	Water Heater Stand - 21 in. x 21 in. x 16 in.	168
UV13045	Dielectric Union (3/4 in. NPT x 3/4 in. tube)	166
UV13047A	Element - 240V/3000W Copper - Flange	162
UV13047B	Element - 240V/5500W Copper - Flange	162
UV13047C	Element - 240V/4500W Copper - Flange	162
UV13047D	Element - 240V/2500W Copper - Flange	162
UV13048	Element - 240V/4500W Stainless Steel - Flange	162
UV13049	Element - 240V/4500W Copper - 1 in. Screw-in	161
UV13050A	Element - 240V/2500W Stainless Steel - 1 in. Screw-in	161
UV13050B	Element - 120V/1500W Stainless Steel - 1 in. Screw-in	161
UV13051	Element - 240V/4500W Copper - Flat Flange	162



PART NO	DESCRIPTION	PAGE
UV13359	Thermostat - Electric	254
UV13360	Thermostat - Electric	254
UV20009	Water Connection Kit - 12 in. Connectors	165
UV20010	Water Connection Kit - 15 in. Connectors	165
UV20011	Water Connection Kit - 18 in. Connectors	165
UV20012	Water Connection Kit - 12 in. Connectors	165
UV20013	Electric Water Heater Installation Kit - 15 in. Connectors	165
UV20014	Electric Water Heater Installation Kit - 18 in. Connectors	165
UV20015	Gas Water Heater Installation Kit - 12 in. Connectors	165
UV20016	Gas Water Heater Installation Kit - 15 in. Connectors	165
UV20017	Gas Water Heater Installation Kit - 18 in. Connectors	165
UV20018	Electric Water Heater Tune-Up Kit	163
UV34H-90	FloodStop Washing Machine Leak Detection System	169
UV34NPT	FloodStop Water Heater Leak Detection System	169
UV34NPTW	FloodStop Wireless Whole House Leak Detection System	169
UV38628	Element Wrench (Fits 1-1/2 in. Hex)	163

PART NO	DESCRIPTION	PAGE
UV49859	Continuity Tester w/ 23-1/2 in. lead alligator clip	163
UV6379L	Thermocouple Kit - 18 in.	165
UV6379R	Thermocouple Kit - 24 in.	165
UV6379S	Thermocouple Kit - 36 in.	165
UV6379T	Thermocouple Kit - 48 in.	165
UV6571B	Temperature and Pressure Relief Valve (T&P)	166
UV6830	Adapt-O-Flange Element Conversion Kit	163
UV8346	Temperature and Pressure Relief Valve (T&P) - Long Shank	166
UV8397G	Nipples - Plastic Lined (3/4 in. NPT x 2-1/4 in.) - Pack of 2	166
UV99004	Flexible Anode Rod - 0.750 in. diameter x 42 in. - Aluminum	168
WAE-9	FloodStop Transformer Extension Cord - 9 ft.	170
XB116-G	Safety Glasses - Brazeau Black Gargoyle Series/Smoke	84
XB116-S	Safety Glasses - Brazeau Black Skull Series/Smoke	84
XS-01	FloodStop Wired Water Sensor Pad	170
XS-02	FloodStop Wireless Sensor Pad	170
XSM	FloodStop Wireless Sensor Module	170

CATEGORY	PAGE
THERMOSTATS & ALARMS	
Emerson (White-Rodgers) Thermostats	8
Wall Plates	11
Thermostat Guards	12
Emerson (White-Rodgers) Remote Temperature Sensors	12
Fast-Stat Wire Extenders	13
Humidistats & Dehumidistats	14
Carbon Monoxide (CO) Alarms	14
INDOOR AIR QUALITY	
Media Air Cleaners	18
Replacement Media Filters	18
Electronic Air Cleaners (EAC)	19
Whole House Humidifiers	20
Humidifier Pads	21
Whole-House Dehumidifiers	22
Dynamic Console Room Units	22
Dynamic Polarized Media Air Cleaners	22
Filterlock - Filter Slot Cover	23
MOTORS	
Indoor Blower Motors	26
Outdoor Condenser Motors	28
Motor Mounting	32
CONTROLS & ELECTRICAL	
Whips	34
Liquid-Tight Conduit	34
Liquid-Tight Conduit Fittings	34
Fuses & Fuse Holders	35
Circuit Breakers	37
Capacitors	37
Turbo200 Family Capacitors	38
Contactors	39
Trouble/Work Lights	39
Start Kits	39
GAS & OIL HEATING	
Thermocouples	42
Burner Nozzles	42
Fuel Oil Filters	46

CATEGORY	PAGE
SUPPLIES	
Condensate Pumps	50
Condensate Overflow Safety Switches	51
Condensate Traps	53
Clear Vinyl Tubing	55
Hose Clamps	55
Auxiliary Drain Pans	56
AC Guard Security Cage	56
Equipment Pads	57
Anti-Vibration Pads	58
Gas Ball Valves	59
Flexible Gas Connectors	59
Black Iron Pipe & Fittings	60
Thermostat Cable	66
Refrigerant Recovery Cylinders	66
Tank Heater	67
SlimDuct Lineset Ducting System	67
Tapes	70
Chip Brushes	77
Duct Strap & Hanging Wire	78
Brazing & Soldering Supplies	78
Abrasive Cloth	80
Clothing & Personal Protection Equipment	81
Cleaning Supplies & Hand Cleaner	86
Light Bulbs	87
Pipe Flashing	87
Insulation, Sealing & Gasket Materials	88
Adhesives	92
Caulking, Sealants & Fire Stop	93
WD-40	95
Thread Sealants & Joint Compounds	95
Plastic Pipe Cements & Primers	96
Brass Fittings	98
Copper Fittings	99
Coil Cleaners	100
IAQ Assurance Products	101
Leak Detectors	102
Refrigerant Oils	103
Insect & Pest Sprays	103
Cleaners, Degreasers & Descalers	104

CATEGORY	PAGE
TOOLS & INSTRUMENTS	
Brazing, Soldering & Welding Equipment	106
Vacuum Pumps & Gauges	118
Refrigerant Recovery Systems	119
Charging Scales	119
Refrigerant Service Manifolds, Gauges & Hoses	119
HVAC Instruments, Meters & Detectors	122
Valve Core & Superheat Measurement Tools	124
Temperature Measurement Tools	124
Wrenches, Pliers, Screwdrivers & Hand Tools	129
Wire Strippers, Crimpers & Cutting Tools	139
Snips	141
Sheet Metal Tools	145
Duct Tools	146
Flaring & Swaging Tools	147
Tube Benders & Cutters	148
Saws, Knives & Blades	151
Plastic Pipe Cutters - PVC, PEX	151
Levels	151
Tape Measures	152
Caulking Guns	152
Flashlights	153
Tool Bags & Carriers	153
Sprayers	154
CoilJet Portable Coil Cleaner	154
BucketVac Job Site Vacuum	156
WATER HEATER PARTS	
Electric Water Heater Elements	161
Element Accessories	163
Heater Tune-Up Kit - Electric Water Heaters	163
Thermocouples - Gas Water Heaters	165
Installation Accessories	165
Fittings & Nipples - Water Heaters	166
T&P Valve Run-Off Tubes	167
Dip Tubes	167
Anode Rods	167
Water Heater Drain Pans	168
Water Heater Stand	168
Floodstop Leak Detector Systems	169



Parts & Accessories

4744 Island Ford Road
Randleman, North Carolina 27317

Top quality parts and supplies for HVAC & Plumbing Industries

RESOURCES & TOOLS:

Website: www.preferredproducts.com

Parts-TechSpecs-Manuals-Price-Product Images-Catalog: www.preferredzone.com

Customer Care Center (to place order):

- iStore: for set up www.preferredzone.com
- Email: orders@askpreferred.com
- Fax: 479.648.4792

All other questions/inquiries:

- Phone: 336.495.6800
- Email: info@askpreferred.com
- Fax: 336.495.6867