


No.	DESCRIPTION	MATERIAL
1	STEM	LOW LEAD BRASS ALLOY
2	O-RING	EPDM D2000
3	BALL	LOW LEAD BRASS ALLOY
4	GASKET - SEAL	NITRILE D2000
5	BODY	CAST LOW LEAD BRASS ALLOY
6	O-RING	EPDM D2000
7	END PIECE	CAST LOW LEAD BRASS ALLOY



SIZE	ØA	B	C	D
3/4	.75	3.83	.84	1.39
3/4x1	.75	3.62	.84	1.39
1	1.00	4.11	1.15	1.59
1-1/2	1.50	4.78	1.50	2.24
2	2.00	5.33	1.82	2.56

**NOTE:** ALL WETTED PARTS ARE LOW LEAD BRASS ALLOY

FILEPATH: PROD-ENG/MUELLER/ASYSUBMITTALS/B20045N

DRFTR	JGarvin	2/3/11	<b>Mueller Co.</b>		
CHKR					
ENGR					
MGR					
			UNLESS OTHERWISE NOTED	THIRD ANGLE PROJECTION	
			SURFACE PREPARATION:		
			BREAK CORNER(S) ---- .000		
			SURFACE FINISH -- 000 RMS	REF. No.	
			TOLERANCE(S):	SCALE	
			LINEAR ----- ± .000	NONE	
			ANGULAR ----- ± 0°00'		
			BY	DATE	
			STK No:		
			MAT'L:		
REV	ECR	DESCRIPTION	DATE	BY	CHKR
DESCR. BALL CORPORATION VALVE LOW LEAD BRASS('CC' x 'FIP')					
PER EST NO: DXXXX EST FIN WT = 0.0000 lbs					PART NUMBER B20045N

PART NUMBER  
B20045N  
442-MRKTNG