Honeywell Safety Products

Canada (English) Partners Where To Buy



Product Family Miller MightEvac Self-Retracting Lifeline

The Miller MightEvac combines the superior performance and reliability of the best-selling MightyLite Self-Retracting Lifeline Series with a quick-activating retrieval mechanism for emergency evacuation.

Visit MillerFallProtection.com >



Product Numbers & Ordering Information

	Product Numbers	Details
€48¢ *€#₿	8836/	Bracket Option Wall mount bracket
(⇔•6₽ ⊁€₩₿	8836SS/	Bracket Option Wall mount bracket - stainless steel
(==680 * & # ()	9054EV/	Bracket Option Mounting bracket for MR50 unit
(==680 # L 11 ()	9066EV/	Bracket Option Mounting bracket for MR100 and MR130 units
(==680 # L 11 ()	MR100G/100FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 100-ft; Galvanized Wire Rope Unit (3/16"); Carabiner
	MR100GB/100FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 100-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
9499 8498 1	MR100GB- Z7/100FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 100-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket, Pulley; Carabiner; ANSI Z359-2007 Compliant

Page 1 of 7 © Honeywell International Inc. Q

(=+00≠ *€±0	MR100GC/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
(⇔⊷∩⊅ ≠€₩₿	MR100GCM/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
(=+08⊅ ∦€\$\$\$	MR100GC- Z7/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]; ANSI Z359-2007 Compliant
₩440 #440	MR100GX/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
10-00 10 10-00 10-00 10-00 10 10-00	MR100GXM/100FT	MightEvac Complete Confined Space System 100-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
(~~~∩. ₩\$##()	MR100S/100FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 100-ft; Stainless Steel Wire Rope Unit (3/16"); Carabiner
(~~∩∩ ∦ £ <u>₩</u> }	MR100SB/100FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 100-ft; Stainless Steel Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
(~~∩∩ /* \$ ± \$	MR100SC/100FT	MightEvac Complete Confined Space System 100-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
(⇔⊷∩⊅ ≠€₩₿	MR100SCM/100FT	MightEvac Complete Confined Space System 100-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
(~~∩∩ #\$#₿	MR100SX/100FT	MightEvac Complete Confined Space System 100-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
(~~0∩≠ *€#₿	MR130G/130FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 130-ft; Galvanized Wire Rope Unit (3/16"); Carabiner
(▼●∩♪ ♥€₩₿	MR130GB/130FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 130-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
►●A# ★ \$ # \$	MR130GB- Z7/130FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 130-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner; ANSI Z359-2007 Compliant

(₩000 ₩2448	MR130GC/130FT	MightEvac Complete Confined Space System 130-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
(~~~∩	MR130GC- Z7/130FT	MightEvac Complete Confined Space System 130-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]; ANSI Z359-2007 Compliant
(> ↓ ∩ ⊅ / € ₩ []	MR130GX/130FT	MightEvac Complete Confined Space System 130-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
(=+0) ≠€±0)	MR130S/130FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 130-ft; Stainless Steel Wire Rope Unit (3/16"); Carabiner
(~~~∩. ≠€±8,0	MR130SB/130FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 130-ft; Stainless Steel Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
(~~∩. * € # []	MR130SC/130FT	MightEvac Complete Confined Space System 130-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR130SX/130FT	MightEvac Complete Confined Space System 130-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
(~~0∩≠) *\$##()	MR40K/40FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 40-ft; Kevlar Rope Unit; Carabiner
(=+60) ≠€#₿	MR40KB/40FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 40-ft; Kevlar Rope Unit; Mounting Bracket, Pulley; Carabiner
(===0.0 #€#₿	MR40KC/40FT	MightEvac Complete Confined Space System 40-ft; Kevlar Rope Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
(≂⊕Ω⊅ ₩€₩₿	MR40KCN/40FT	MightEvac Complete Confined Space System 40-ft; Kevlar Wire Rope Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch
(=•00≠ ≠€±80	MR40KX/40FT	MightEvac Complete Confined Space System 40-ft; Kevlar Rope Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
(⇔⊕@@ #€₩₿	MR40KXN/40FT	MightEvac Complete Confined Space System 40-ft; Kevlar Rope Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch

(≈•6• #€#₿	MR50G/50FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 50-ft; Galvanized Wire Rope Unit (3/16"); Carabiner
(>+00≠ ≠\$#0	MR50GB/50FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 50-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner
₩6₽ ₩6₽₿	MR50GB-Z7/50FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 50-ft; Galvanized Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner; ANSI Z359-2007 Compliant
(>+∩ 	MR50GC/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
(=+00 ≠€#₿	MR50GCM/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
(⇔⊕₽⊅ ∦\$\$\$\$	MR50GCM-Z7/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist; ANSI Z359-2007 Compliant
(=+00 #2*	MR50GCN/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch
(~~~∩. /* & ±± ()	MR50GC-Z7/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]; ANSI Z359-2007 Compliant
(~~0∩≠ ≠€ <u>₩</u> ₿	MR50GX/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
₩ • •	MR50GXM/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
(~~∩∩ *€₩₿	MR50GXN/50FT	MightEvac Complete Confined Space System 50-ft; Galvanized Wire Rope (3/16") Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch
(===0.0.0 ₩ € == ()	MR50S/50FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 50-ft; Stainless Steel Wire Rope Unit (3/16"); Carabiner
(~~~∩. ≠\$₩₿	MR50SB/50FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 50-ft; Stainless Steel Wire Rope Unit (3/16"); Mounting Bracket; Pulley; Carabiner

(≈+40.0 #€₩₿	MR50SC/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
~~~∩	MR50SCM/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
(=+0⊅ ≠€#₿	MR50SCN/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; Material Winch
(++0.0 	MR50SC-S/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Stainless Steel Snap Hook and Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
	MR50SC-Z7/50FT	<b>MightEvac Complete Confined Space System</b> 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2], ANSI Z359-2007 Compliant [Note: ANSI Hardware is not Stainless Steel]
₩490 ₩8410	MR50SX/50FT	<b>MightEvac Complete Confined Space System</b> 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
₩6.20 #6.22 ()	MR50SXM/50FT	MightEvac Complete Confined Space System 50-ft; Stainless Steel Wire Rope Unit (3/16") with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3]; ManHandler Hoist
₹480 \$\$#}	MR80K/80FT	MightEvac Self-Retracting Lifeline with Emergency Retrieval 80-ft; Kevlar Rope Unit; Carabiner
(=+0⊅ ≠€#₿	MR80KB/80FT	MightEvac SRL Unit with Emergency Retrieval; Mounting Bracket 80-ft; Kevlar Rope Unit; Mounting Bracket; Pulley; Carabiner
(==00.0 () () () () () () () () () () () () ()	MR80KC/80FT	<b>MightEvac Complete Confined Space System</b> 80-ft; Kevlar Rope Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]
₩6.20 #6.22 ()	MR80KCO/80FT	MightEvac Complete Confined Space System 80-ft; Kevlar Rope Unit with Emergency Retrieval; 7-ft Tripod; Mounting Bracket; Pulleys [2]; Carabiners [2]; Carrying Bags [3], Material Winch
₩6. ₩6. 8	MR80KX/80FT	<b>MightEvac Complete Confined Space System</b> 80-ft; Kevlar Rope Unit with Emergency Retrieval; 9-ft Tripod; Mounting Bracket; Pulley; Carabiner; Carrying Bags [2]

Overview

Key Features

- No annual factory recertification required*

   Significant long-term savings/lower cost of ownership
- 20% lighter than competitive models
- Promotes quick and easy rescue with a 4:1 mechanical advantage (average speed of 25 ft. [7.6m] per minute)
- 310 lb. (1.4kN) weight capacity
- For emergency evacuation only
- · Corrosion-resistant stainless steel/aluminum components
- Convenient, heavy-duty carrying handle
- Available in galvanized or stainless steel wire rope and Kevlar rope in lengths of 50 ft. (15m), 100 ft. (30m) and 130 ft. (40m), or Kevlar rope models in lengths of 40 ft. (12.2m) Model MR40K/40FT, and 80 ft. (24.4m) Model MR80K/80FT.

*Does not apply to Canada due to CSA Z259.2.2-98 requirements. Must be inspected by a Miller authorized service center if involved in a fall or if fails user visual or function inspection.

#### **Recommended Industries/Use**

Mining Municipal Services

#### Hazards

Confined Space
 Fall from height

#### Regulations

· Meets all applicable OSHA, ANSI and CSA standards

#### Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

### **Specifications**

#### **Maximum Working Capacity**

• 310 lbs (1.4kN)

#### **Specification Sheets**

· For a full engineering specification sheet, go to downloads and documentation

#### Literature & Documents

Miller Utility Catalog - US http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/20559 /1033.aspx

Safety at Height Solutions for the Utilities Industry

SP100 Miller MightyLite _MightEvac Spec Sheet - US http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters /Self-Retracting_Lifelines/19164/1033.aspx

Miller MightyLite and MightEvac Spec sheet

MightEvac Manual - US http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters /Self-Retracting_Lifelines/19730/1033.aspx

Miller MightEvac Instruction Manual

## **Training & Proper Use**

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

#### Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

## **Technical Support**

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

#### **RELATED PRODUCTS**

Honeywell International Inc.