For Residential and Commercial Applications

Job Name:	Engineer/Architect:
Job Location:	Wholesaler:
Submittal Date:	Contractor:

G2BRPX19 1/4 Turn Angle Stop – Barbed PEX x Compression

Use: For use in potable water distribution systems in accessible locations only. Not intended for recirculation systems/continuous use temperatures above 115° F. For those applications, use our KTTM series ball stop.

Design Features:

- One-piece shut-off mechanism provides smooth on-off operation
- Positive 1/4 turn shut off
- Corrosion-resistant handle is plated in an attractive chrome finish
- Machined, one-piece brass body provides strength, durability, and long-lasting performance
- Easy-to-remove handle with screw attachment helps protect against accidental operation during rough-ins
- 100% leak tested
- PEX end designed to ASTM F1807
- For use with ASTM F876 PEX tubing, in ASTM F877 water distribution systems using ASTM F1807, and/or F2098 connection methods




Operating Specifications:


Temperature: 40°- 160° F

Pressure: 125 PSI maximum

STOP MATERIAL SPECIFICATIONS		
Body	Brass	
Stem Barrel	Rubber	
Stem Shaft	Glass-filled polypropylene	
O-ring	Rubber	
Handle	ABS, plated or zinc die cast, plated	
Screw	Steel, zinc plated	
Compression Nut	Brass	
Compression Sleeve	Brass	



PART DIMENSIONS (Inches)				
Model	DIM. A	DIM. B		
G2BRPX19X	1.02	2.06		
G2BRPX19L1X	.74	2.06		



Part Listing:

G2BRPX19X C	1/2" nom crimp barb (for PEX) x 3/8" OD compression, chrome plated
G2BRPX19X CM5	1/2" nom crimp barb (for PEX) x 3/8" OD compression, chrome plated
600000044460	4/0"

G2BRPX19L1X CB 1/2" nom crimp barb (for PEX) x 3/8" OD compression, less nut, chrome plated, bulk

G2BRPX19X R 1/2" nom crimp barb (for PEX) x 3/8" OD compression, rough brass

Listings & Certifications:

 IAPMO listed to ASME A112.18.1 / CSA B125.1 (includes NSF/ANSI 372 and NSF61)







This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing Company and shall not be disclosed to others without the written consent of BrassCraft. This specification must be returned to BrassCraft if requested.

