


For Residential and Commercial Applications


Job Name		Engineer / Architect	
Job Location		Wholesaler	
Submittal Date		Contractor	

R1901 Multi-Turn Dual Outlet Stop – Sweat Inlet

Use: For use in potable water distribution systems in accessible locations only. Not intended for recirculation systems/continuous use temperatures above 115° F. For those applications, use our KT™ series ball stop.

Design Features:

- **Machined, one-piece brass body** provides strength, durability, and long-lasting performance
- **Knurled oval handle** provides a secure grip and smooth on/off operation
- **Easy-to-remove handle** with screw attachment protects accidental stop operation during rough-ins
- 



Operating Specifications:

Temperature: 40° - 160° F
Pressure: 125 PSI maximum

STOP MATERIAL SPECIFICATIONS

Body	<i>Brass, plated</i>
Stem	<i>Brass, plated</i>
Bib & Packing Washers	<i>Rubber</i>
Packing Nut	<i>Brass, plated</i>
Handle	<i>Zinc, die cast or zinc, die cast plated</i>
Handle Screw	<i>Steel, zinc plated</i>
Compression Sleeve	<i>Brass</i>
Compression Nut	<i>Brass, plated</i>



Part Listing:

- ☐ R1901LRX C1 1/2" nom sweat x 3/8" OD compression x 3/8" OD compression, chrome plated, window tray
- ☐ R1901LRX R1 1/2" nom sweat x 3/8" OD compression x 3/8" OD compression, rough brass, window tray

This specification and all information contained herein is the confidential and exclusive property of Brasscraft Manufacturing Company and shall not be disclosed to others without the written consent of Brasscraft Mfg. Co. This specification must be returned to Brasscraft Mfg. Co. if requested.

400.79 R1901LRX Multi-Turn Dual Outlet Stop - Sweat Inlet REV 9.19


BrassCraft®

©2019 Brasscraft Manufacturing Company


R1901 Multi-Turn Dual Outlet Stop – Sweat Inlet

PART DIMENSIONS (Inches)			
Model	DIM. A	DIM. B	DIM. C
R1901LRX	1.06	2.46	1.06

Right Side Outlets



Left Side Outlets



Listings & Certifications:

- IAPMO listed to ASME A112.18.1 / CSA B125.1 (includes NSF/ANSI 372 and NSF/ANSI/CAN 61)



This specification and all information contained herein is the confidential and exclusive property of Brasscraft Manufacturing Company and shall not be disclosed to others without the written consent of Brasscraft Mfg. Co. This specification must be returned to Brasscraft Mfg. Co. if requested.

400.79 R1901LRX Multi-Turn Dual Outlet Stop - Sweat Inlet REV 9.19

BrassCraft

©2019 Brasscraft Manufacturing Company