


4					3					2					1																																																																																																																																																																																
NOTES:										BILL OF MATERIAL (CURRENT LEVEL)																																																																																																																																																																																					
1. TO INSPECT ASSEMBLY, FOLLOW FIRST ARTICLE AND IN PROCESS INSPECTION SHEET.										ITEM PT/ASSY DESCRIPTION TYPE QTY.																																																																																																																																																																																					
2 APPLY LOCTITE 680.										1 1-393 1-1/8 18 UNEF MOUNTING KIT ASSEMBLY 1																																																																																																																																																																																					
3 CUT AND SHORTEN O-RING BY .13" TO .20" IN LENGTH BEFORE INSTALLING.										2 1-431 RED SUPPLY LINE ASSEMBLY 1																																																																																																																																																																																					
4 SLIT O-RING BEFORE INSTALLING.										3 1-432 BLUE SUPPLY LINE ASSEMBLY 1																																																																																																																																																																																					
5 APPLY LOCTITE 242.										4 1-433 GREY SUPPLY LINE ASSEMBLY 1																																																																																																																																																																																					
6 CONNECT WHITE AND RED TUBINGS TOGETHER AND WATER TEST WHOLE UNIT.										5 5-052 SPOUT ASM ASSEMBLY 1																																																																																																																																																																																					
7 BAG 92194 IN A SEPARATE BAG.										6 5-061 ADAPTER/CARTRIDGE ASSY ASSEMBLY 1																																																																																																																																																																																					
8 REWORK CARTRIDGE ASSY IF THE HANDLE DOES NOT RETURN TO THE 'OFF' POSITION AUTOMATICALLY AFTER WATER TESTING.										7 10831 ESCUTCHEON (DECK SPOUT) PART 1																																																																																																																																																																																					
9 INSTALLATION TORQUE: 8-14 LB-FT.										8 12657 WATER DISP HANDLE (CONT.) PART 1																																																																																																																																																																																					
10 INSTALLATION TORQUE: 78 LB-IN +/-6 LB-IN.										9 13070 RETAINER PLATE PART 1																																																																																																																																																																																					
11 LUBRICATE SPRING WITH DOW CORNING 111 SILICONE COMPOUND.										10 13288 BODY PART 1																																																																																																																																																																																					
12 APPLY LIGHT FILM OF DOW CORNING 111 SILICONE COMPOUND.										11 13289 NIPPLE PART 1																																																																																																																																																																																					
13 INSTALLATION TORQUE: 10-14 LB-IN										12 50714 WATER DISP. CAR.T HOLDER PART 1																																																																																																																																																																																					
										13 50716 WATER DISP BODY CAP (CONT.) PART 1																																																																																																																																																																																					
										14 50717 WATER DISP SPOUT RETAINER PART 1																																																																																																																																																																																					
										15 50721 WATER DISP LEVER (CONT.) PART 1																																																																																																																																																																																					
										16 91017 O-RING, #2- 012, EPDM, 65-75 DURO, NSF 61 PART 2																																																																																																																																																																																					
										17 91023 O-RING, #2- 019, EPDM, 65-75 DURO, NSF 61 PART 1																																																																																																																																																																																					
										18 91374 RED IDENTIFIER PART 1																																																																																																																																																																																					
										19 91382 O-RING, #2- 012, TEFLON, PART 1																																																																																																																																																																																					
										20 91383 O-RING, #2- 014, TEFLON, NSF 61 PART 1																																																																																																																																																																																					
										21 91424 WSHR, .81 ID X .93 OD X .045 THK, FLT, PLST PART 1																																																																																																																																																																																					
										22 91753 O-RING, # 2-136, EP, 50 DURO - GREY PART 1																																																																																																																																																																																					
										23 92000 SCREW 8 - 32 X 1/8 SS PART 1																																																																																																																																																																																					
										24 92016 SCRW, 10-24 X 3/4 SKT HD FLT PT SS PART 1																																																																																																																																																																																					
										25 92192 SCRW, 10-32 X 5/8 SKT HD CUP PT SS PART 1																																																																																																																																																																																					
										26 92194 COUPLING, 3/8" X 1/4" PART 1																																																																																																																																																																																					
										27 98043 TAG LABEL, HOT WATER WARNING PART 1																																																																																																																																																																																					
<table><tr><td>-</td><td>P</td><td>EN-4300jj</td><td>07/22/21</td><td>R.S.</td></tr><tr><td>-</td><td>N</td><td>EN-3634A</td><td>11/26/19</td><td>C.G.</td></tr><tr><td>-</td><td>M</td><td>EN-3941</td><td>08/28/19</td><td>C.G.</td></tr><tr><td>-</td><td>L</td><td>EN-3862</td><td>05/07/19</td><td>C.G.</td></tr><tr><td>-</td><td>K</td><td>EN-3558o</td><td>01/02/19</td><td>V.V.</td></tr><tr><td>-</td><td>J</td><td>EN-3311</td><td>05/11/17</td><td>J.A</td></tr><tr><td>-</td><td>H</td><td>EN-2601</td><td>09/16/13</td><td>-</td></tr><tr><td>-</td><td>G</td><td>EN-2528</td><td>05/08/13</td><td>-</td></tr><tr><td>-</td><td>F</td><td>EN-2235</td><td>07/30/12</td><td>-</td></tr><tr><td>-</td><td>E</td><td>EN-1675A</td><td>12/14/10</td><td>-</td></tr><tr><td>-</td><td>D</td><td>EN-1300</td><td>10/26/09</td><td>-</td></tr><tr><td>-</td><td>C</td><td>EO-0936</td><td>01/29/08</td><td>-</td></tr><tr><td>-</td><td>B</td><td>EO-0707</td><td>05/24/06</td><td>-</td></tr><tr><td>-</td><td>A</td><td>EO-0461</td><td>12/14/04</td><td>-</td></tr><tr><td>-</td><td>-</td><td>EO-0441</td><td>11/19/04</td><td>-</td></tr></table>										-	P	EN-4300jj	07/22/21	R.S.	-	N	EN-3634A	11/26/19	C.G.	-	M	EN-3941	08/28/19	C.G.	-	L	EN-3862	05/07/19	C.G.	-	K	EN-3558o	01/02/19	V.V.	-	J	EN-3311	05/11/17	J.A	-	H	EN-2601	09/16/13	-	-	G	EN-2528	05/08/13	-	-	F	EN-2235	07/30/12	-	-	E	EN-1675A	12/14/10	-	-	D	EN-1300	10/26/09	-	-	C	EO-0936	01/29/08	-	-	B	EO-0707	05/24/06	-	-	A	EO-0461	12/14/04	-	-	-	EO-0441	11/19/04	-	<table><tr><td>TESTING</td><td>-</td><td>-</td><td>-</td></tr><tr><td>ASSEMBLY</td><td>-</td><td>-</td><td>-</td></tr><tr><td>PLATING</td><td>-</td><td>-</td><td>-</td></tr><tr><td>POLISHING</td><td>-</td><td>NEXT ASSY</td><td>USED ON</td></tr><tr><td>MACHINING</td><td>-</td><td colspan="2">APPLICATION</td></tr><tr><td>TOOLING FIXTURE #</td><td colspan="3">REMOVE ALL BURRS AND SHARP EDGES</td></tr></table>										TESTING	-	-	-	ASSEMBLY	-	-	-	PLATING	-	-	-	POLISHING	-	NEXT ASSY	USED ON	MACHINING	-	APPLICATION		TOOLING FIXTURE #	REMOVE ALL BURRS AND SHARP EDGES			<table><tr><td colspan="2">UNITS ARE: INCHES [MM]</td></tr><tr><td colspan="2">TOLERANCES ARE:</td></tr><tr><td>FRACTIONS DECIMALS</td><td>ANGLES</td></tr><tr><td>±1/16"</td><td>±1°</td></tr><tr><td>.X ±.1 [2.5]</td><td></td></tr><tr><td>.XX ±.06 [1.5]</td><td></td></tr><tr><td colspan="2">(X.XXX) DENOTES CRITICAL DIMS.</td></tr><tr><td colspan="2">ALL THREADS ARE CRITICAL</td></tr><tr><td>DRAWN</td><td>JINSON</td><td>07/22/21</td></tr><tr><td>CHECKED</td><td>R.S.</td><td>07/22/21</td></tr><tr><td>APPROVED</td><td>R.S.</td><td>07/22/21</td></tr></table>										UNITS ARE: INCHES [MM]		TOLERANCES ARE:		FRACTIONS DECIMALS	ANGLES	±1/16"	±1°	.X ±.1 [2.5]		.XX ±.06 [1.5]		(X.XXX) DENOTES CRITICAL DIMS.		ALL THREADS ARE CRITICAL		DRAWN	JINSON	07/22/21	CHECKED	R.S.	07/22/21	APPROVED	R.S.	07/22/21	<table><tr><td colspan="2">BRASSTECH</td><td colspan="2">2001 CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207</td></tr><tr><td colspan="4">INCORPORATED</td></tr><tr><td colspan="4">HOT WATER DISP COMP</td></tr><tr><td colspan="2">DWG NO.</td><td colspan="2">106H</td></tr><tr><td colspan="2">SCALE</td><td colspan="2">.350</td></tr><tr><td colspan="2">REF.</td><td colspan="2">-</td></tr><tr><td colspan="2">SHEET</td><td colspan="2">1 OF 3</td></tr></table>										BRASSTECH		2001 CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207		INCORPORATED				HOT WATER DISP COMP				DWG NO.		106H		SCALE		.350		REF.		-		SHEET		1 OF 3	
-	P	EN-4300jj	07/22/21	R.S.																																																																																																																																																																																											
-	N	EN-3634A	11/26/19	C.G.																																																																																																																																																																																											
-	M	EN-3941	08/28/19	C.G.																																																																																																																																																																																											
-	L	EN-3862	05/07/19	C.G.																																																																																																																																																																																											
-	K	EN-3558o	01/02/19	V.V.																																																																																																																																																																																											
-	J	EN-3311	05/11/17	J.A																																																																																																																																																																																											
-	H	EN-2601	09/16/13	-																																																																																																																																																																																											
-	G	EN-2528	05/08/13	-																																																																																																																																																																																											
-	F	EN-2235	07/30/12	-																																																																																																																																																																																											
-	E	EN-1675A	12/14/10	-																																																																																																																																																																																											
-	D	EN-1300	10/26/09	-																																																																																																																																																																																											
-	C	EO-0936	01/29/08	-																																																																																																																																																																																											
-	B	EO-0707	05/24/06	-																																																																																																																																																																																											
-	A	EO-0461	12/14/04	-																																																																																																																																																																																											
-	-	EO-0441	11/19/04	-																																																																																																																																																																																											
TESTING	-	-	-																																																																																																																																																																																												
ASSEMBLY	-	-	-																																																																																																																																																																																												
PLATING	-	-	-																																																																																																																																																																																												
POLISHING	-	NEXT ASSY	USED ON																																																																																																																																																																																												
MACHINING	-	APPLICATION																																																																																																																																																																																													
TOOLING FIXTURE #	REMOVE ALL BURRS AND SHARP EDGES																																																																																																																																																																																														
UNITS ARE: INCHES [MM]																																																																																																																																																																																															
TOLERANCES ARE:																																																																																																																																																																																															
FRACTIONS DECIMALS	ANGLES																																																																																																																																																																																														
±1/16"	±1°																																																																																																																																																																																														
.X ±.1 [2.5]																																																																																																																																																																																															
.XX ±.06 [1.5]																																																																																																																																																																																															
(X.XXX) DENOTES CRITICAL DIMS.																																																																																																																																																																																															
ALL THREADS ARE CRITICAL																																																																																																																																																																																															
DRAWN	JINSON	07/22/21																																																																																																																																																																																													
CHECKED	R.S.	07/22/21																																																																																																																																																																																													
APPROVED	R.S.	07/22/21																																																																																																																																																																																													
BRASSTECH		2001 CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207																																																																																																																																																																																													
INCORPORATED																																																																																																																																																																																															
HOT WATER DISP COMP																																																																																																																																																																																															
DWG NO.		106H																																																																																																																																																																																													
SCALE		.350																																																																																																																																																																																													
REF.		-																																																																																																																																																																																													
SHEET		1 OF 3																																																																																																																																																																																													
4					3					2					1																																																																																																																																																																																



BRASSTECH			2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207
DWG NO.	106H	REV P	
SCALE .275	REF. -	SHEET 2	OF 3

