



4				3				2				1																																																																																																																																																		
NOTES:												BILL OF MATERIAL (CURRENT LEVEL)																																																																																																																																																		
1. TO INSPECT ASSEMBLY, FOLLOW FIRST ARTICLE AND IN PROCESS INSPECTION SHEET.												ITEM		PT/ASSY		DESCRIPTION		TYPE		QTY.																																																																																																																																										
2 CUT AND SHORTEN O-RING BY .13" TO .20" IN LENGTH BEFORE INSTALLING.												1		1-134		CARTR 3/8 HOT 1/4 TR		PART		1																																																																																																																																										
3 SLIT O-RING BEFORE INSTALLING.												2		1-393		1-1/8 18 UNEF MOUNTING KIT		ASSEMBLY		1																																																																																																																																										
4 APPLY LOCTITE 242.												3		1-431		RED SUPPLY LINE		ASSEMBLY		1																																																																																																																																										
5 CONNECT WHITE AND RED TUBINGS TOGETHER AND WATER TEST WHOLE UNIT.												4		1-432		BLUE SUPPLY LINE		ASSEMBLY		1																																																																																																																																										
6 BAG 92194 IN A SEPARATE BAG.												5		1-433		GREY SUPPLY LINE		ASSEMBLY		1																																																																																																																																										
7 REWORK CARTRIDGE ASSY IF THE HANDLE DOES NOT RETURN TO THE "OFF" POSITION AUTOMATICALLY AFTER WATER TESTING.												6		5-061		ADAPTER/CARTRIDGE ASSY		ASSEMBLY		1																																																																																																																																										
8 INSTALLATION TORQUE: 8-14 LB-FT.												7		11833		ADAPTER		PART		1																																																																																																																																										
9 INSTALLATION TORQUE: 78 LB-IN +/- 6 LB-IN												8		12589		WATER DISP LEVER HUB (TRAD)		PART		2																																																																																																																																										
10 LUBRICATE SPRING WITH DOW CORNING III.												9		12716		ESCUTCHEON		PART		1																																																																																																																																										
11 PRE-CRIMPED THESE PARTS TOGETHER. SEE INSTALLATION INSTRUCTION.												10		13070		RETAINER PLATE		PART		1																																																																																																																																										
12 APPLY THIN FILM OF DOW CORNING III.												11		13282		WATER DISP. BODY H/C (TRAD)		PART		1																																																																																																																																										
13 APPLY LOCTITE 680.												12		13289		NIPPLE		PART		1																																																																																																																																										
14 INSTALLATION TORQUE 10-14 LB-IN												13		50705		WATER DISP BODY CAP		PART		1																																																																																																																																										
												14		50706		WATER DISP SPOUT RET RING		PART		1																																																																																																																																										
												15		50708		WATER DISP HDL BONNET (TRAD)		PART		2																																																																																																																																										
												16		50711		LEVER HANDLE		PART		2																																																																																																																																										
												17		50712		WATER DISP SPOUT SHELL		PART		1																																																																																																																																										
												18		50713		SPOUT, WATER DISP. (TRAD.)		PART		1																																																																																																																																										
												19		50714		WATER DISP. CAR.T HOLDER		PART		2																																																																																																																																										
												20		91017		O-RING, #2- 012, EPDM, 65-75 DURO, NSF 61		PART		2																																																																																																																																										
												21		91217		O-RING, #2-020, EPDM, 65-75 DURO, NSF 61		PART		1																																																																																																																																										
												22		91373		BLUE IDENTIFIER		PART		1																																																																																																																																										
												23		91374		RED IDENTIFIER		PART		1																																																																																																																																										
												24		91382		O-RING, #2- 012, TEFLON.		PART		1																																																																																																																																										
												25		91383		O-RING, #2- 014, TEFLON, NSF 61		PART		1																																																																																																																																										
												26		91762		O-RING, #2-132, EP, 50 DURO - GREY		PART		1																																																																																																																																										
												27		92000		SCREW 8 - 32 X 1/8 SS		PART		2																																																																																																																																										
												28		92016		SCRW, 10-24 X 3/4 SKT HD FLT PT SS		PART		1																																																																																																																																										
												29		92192		SCRW, 10-32 X 5/8 SKT HD CUP PT SS		PART		2																																																																																																																																										
												30		92194		COUPLING, 3/8" X 1/4"		PART		1																																																																																																																																										
												31		92477		SCRW, M4 X 16 SKT FLT HD SS		PART		1																																																																																																																																										
												33		98043		TAG LABEL, HOT WATER WARNING		PART		1																																																																																																																																										
<table><tr><td>-</td><td>U</td><td>EN-4300jj</td><td>04/12/21</td><td>R.S.</td></tr><tr><td>-</td><td>T</td><td>EN-3634A</td><td>11/29/19</td><td>C.G.</td></tr><tr><td>-</td><td>R</td><td>EN-3558a</td><td>05/15/19</td><td>C.G.</td></tr><tr><td>-</td><td>P</td><td>EN-3722</td><td>02/09/19</td><td>C.G.</td></tr><tr><td>-</td><td>N</td><td>EN-3558a</td><td>01/03/18</td><td>V.V.</td></tr><tr><td>-</td><td>M</td><td>EN-3257D</td><td>10/04/17</td><td>V.V.</td></tr><tr><td>-</td><td>L</td><td>EN-3205</td><td>01/23/17</td><td>J.A.</td></tr><tr><td>-</td><td>K</td><td>EN-2601</td><td>09/16/13</td><td>-</td></tr><tr><td>-</td><td>J</td><td>EN-2528</td><td>05/08/13</td><td>-</td></tr><tr><td>-</td><td>H</td><td>EN-2235</td><td>07/30/12</td><td>-</td></tr><tr><td>-</td><td>G</td><td>EN-2186</td><td>06/20/12</td><td>-</td></tr><tr><td>-</td><td>F</td><td>EN-1675A</td><td>12/14/10</td><td>-</td></tr><tr><td>-</td><td>E</td><td>EO-0936</td><td>01/29/08</td><td>-</td></tr><tr><td>-</td><td>D</td><td>EO-0707</td><td>05/24/06</td><td>-</td></tr><tr><td>-</td><td>C</td><td>EO-0478</td><td>02/16/05</td><td>-</td></tr></table>												-	U	EN-4300jj	04/12/21	R.S.	-	T	EN-3634A	11/29/19	C.G.	-	R	EN-3558a	05/15/19	C.G.	-	P	EN-3722	02/09/19	C.G.	-	N	EN-3558a	01/03/18	V.V.	-	M	EN-3257D	10/04/17	V.V.	-	L	EN-3205	01/23/17	J.A.	-	K	EN-2601	09/16/13	-	-	J	EN-2528	05/08/13	-	-	H	EN-2235	07/30/12	-	-	G	EN-2186	06/20/12	-	-	F	EN-1675A	12/14/10	-	-	E	EO-0936	01/29/08	-	-	D	EO-0707	05/24/06	-	-	C	EO-0478	02/16/05	-	<table><tr><td>TESTING</td><td>-</td><td>-</td><td>-</td></tr><tr><td>ASSEMBLY</td><td>-</td><td>-</td><td>-</td></tr><tr><td>PLATING</td><td>-</td><td>-</td><td>-</td></tr><tr><td>POLISHING</td><td>-</td><td>NEXT ASSY</td><td>USED ON</td></tr><tr><td>MACHINING</td><td>-</td><td colspan="2">APPLICATION</td></tr><tr><td>TOOLING FIXTURE #</td><td colspan="3">REMOVE ALL BURRS AND SHARP EDGES</td></tr></table>				TESTING	-	-	-	ASSEMBLY	-	-	-	PLATING	-	-	-	POLISHING	-	NEXT ASSY	USED ON	MACHINING	-	APPLICATION		TOOLING FIXTURE #	REMOVE ALL BURRS AND SHARP EDGES			<table><tr><td colspan="2">UNITS ARE: INCHES [MM]</td></tr><tr><td colspan="2">TOLERANCES ARE:</td></tr><tr><td>FRACTIONS</td><td>DECIMALS ANGLES</td></tr><tr><td>±1/16"</td><td>.X ±.1 [2.5] ±1°</td></tr><tr><td></td><td>.XX ±.06 [1.5]</td></tr><tr><td colspan="2">(X.XXX) DENOTES CRITICAL DIMS.</td></tr><tr><td colspan="2">ALL THREADS ARE CRITICAL</td></tr><tr><td>DRAWN</td><td>JINSON 04/12/21</td></tr><tr><td>CHECKED</td><td>R.S. 04/12/21</td></tr><tr><td>APPROVED</td><td>R.S. 04/12/21</td></tr></table>				UNITS ARE: INCHES [MM]		TOLERANCES ARE:		FRACTIONS	DECIMALS ANGLES	±1/16"	.X ±.1 [2.5] ±1°		.XX ±.06 [1.5]	(X.XXX) DENOTES CRITICAL DIMS.		ALL THREADS ARE CRITICAL		DRAWN	JINSON 04/12/21	CHECKED	R.S. 04/12/21	APPROVED	R.S. 04/12/21	<table><tr><td colspan="2">BRASSTECH INCORPORATED</td><td colspan="2">2001 CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207</td></tr><tr><td colspan="4">H & C WATER DISP, LEVER TRAD</td></tr><tr><td colspan="2">DWG NO. 107</td><td colspan="2">REV U</td></tr><tr><td>SCALE .280</td><td>REF. -</td><td>SHEET 1</td><td>OF 3</td></tr></table>				BRASSTECH INCORPORATED		2001 CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207		H & C WATER DISP, LEVER TRAD				DWG NO. 107		REV U		SCALE .280	REF. -	SHEET 1	OF 3
-	U	EN-4300jj	04/12/21	R.S.																																																																																																																																																										
-	T	EN-3634A	11/29/19	C.G.																																																																																																																																																										
-	R	EN-3558a	05/15/19	C.G.																																																																																																																																																										
-	P	EN-3722	02/09/19	C.G.																																																																																																																																																										
-	N	EN-3558a	01/03/18	V.V.																																																																																																																																																										
-	M	EN-3257D	10/04/17	V.V.																																																																																																																																																										
-	L	EN-3205	01/23/17	J.A.																																																																																																																																																										
-	K	EN-2601	09/16/13	-																																																																																																																																																										
-	J	EN-2528	05/08/13	-																																																																																																																																																										
-	H	EN-2235	07/30/12	-																																																																																																																																																										
-	G	EN-2186	06/20/12	-																																																																																																																																																										
-	F	EN-1675A	12/14/10	-																																																																																																																																																										
-	E	EO-0936	01/29/08	-																																																																																																																																																										
-	D	EO-0707	05/24/06	-																																																																																																																																																										
-	C	EO-0478	02/16/05	-																																																																																																																																																										
TESTING	-	-	-																																																																																																																																																											
ASSEMBLY	-	-	-																																																																																																																																																											
PLATING	-	-	-																																																																																																																																																											
POLISHING	-	NEXT ASSY	USED ON																																																																																																																																																											
MACHINING	-	APPLICATION																																																																																																																																																												
TOOLING FIXTURE #	REMOVE ALL BURRS AND SHARP EDGES																																																																																																																																																													
UNITS ARE: INCHES [MM]																																																																																																																																																														
TOLERANCES ARE:																																																																																																																																																														
FRACTIONS	DECIMALS ANGLES																																																																																																																																																													
±1/16"	.X ±.1 [2.5] ±1°																																																																																																																																																													
	.XX ±.06 [1.5]																																																																																																																																																													
(X.XXX) DENOTES CRITICAL DIMS.																																																																																																																																																														
ALL THREADS ARE CRITICAL																																																																																																																																																														
DRAWN	JINSON 04/12/21																																																																																																																																																													
CHECKED	R.S. 04/12/21																																																																																																																																																													
APPROVED	R.S. 04/12/21																																																																																																																																																													
BRASSTECH INCORPORATED		2001 CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207																																																																																																																																																												
H & C WATER DISP, LEVER TRAD																																																																																																																																																														
DWG NO. 107		REV U																																																																																																																																																												
SCALE .280	REF. -	SHEET 1	OF 3																																																																																																																																																											



BRASSTECH		2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207	
DWG NO.	107	REV	U
SCALE .300	REF. -	SHEET 2	OF 3



BRASSTECH		2001 E. CARNEGIE AVE. SANTA ANA, CA 92705 (949) 417-5207	
DWG NO.	107	REV	U
SCALE	.375	REF.	-
SHEET 3		OF 3	