

2017 Landscape Irrigation Price List* **Euros**





















Main turf discount categories



Category 21: Turf Multi application



GOLF PRODUCTS

Category 31/41: Golf Multi application

Category 42: Golf High end products

Category 43: Golf Exceptions

Category
48

SERVICES

Category **49**

NET



CONSUMER PRODUCTS



AGRICULTURAL PRODUCTS



SPARE PARTS









| Low volume irrigation | |
|--|----|
| Start-up components. | |
| Filters | |
| Distribution components | |
| Fittings for XF serie driplineBarb fittings (17 mm) for XF dripline | |
| Accessories and tools. | |
| Emitters | |
| Distribution components (4-6 mm) | |
| Micro spray heads | |
| Root watering system | 11 |
| Spray heads | |
| UNI-Spray™ Series - Rain Bird quality at Best Price in the Market | 15 |
| 1800™ Spray Head Series - N°1 Selling Spray Head for 25 years! | |
| RD1800 Spray Heads: Built for harsh applications - Operate with dirty water | |
| | |
| Spray head nozzles | 4- |
| MPR Nozzle Series - Matched Precipitation Rates for design flexibilityVAN Nozzle Series - Maximum flexibility to Save Time and Speed-Up installation | |
| HE-VAN Nozzle Series: Perfect Uniformity and Exact Edge Arc Adjustment | |
| U-Series Nozzles - Dual orifices for close-in watering and optimum water distribution | |
| Bubblers. | |
| | |
| Spray head accessories | |
| Adapters | 12 |
| Rotary nozzles | |
| Rotary Nozzles - Reduce your system complexity and cost! | 15 |
| R 13-18 Series (black) | 15 |
| R 17-24 Series (yellow) | 15 |
| ½" Rotor pop-up sprinklers | |
| 3504 Series - Europe's Best-selling ½" Rotor | 11 |
| | |
| ¾" Rotor pop-up sprinklers | |
| 5000 Series - the competitively priced 5004 rotor | |
| 5000 Plus Series - The World's Best Quality Rotor | |
| 5000 Accessories Maxi-Paw - A Tradition of Excellence | |
| Maxi-raw - A Haultion of Excellence | |
| Tools and accessories for spray heads and mid-range rotors | |
| Swing pipe | 16 |
| 1" Rotor pop-up sprinklers | |
| FALCON® 6504 SERIES - Proven Performance | 15 |
| 8005 Series - A Full-Featured State-of-the-Art Commercial Rotor! | |
| | |
| 1.5" Rotor pop-up sprinklers | |
| Eagle 900/950 series - The Rotor that delivers Long-Term Performance Covers for Eagle™ 900/950 | |
| Rain bird swing joints - Innovative Elbow design reduces pressure losses by 50% | |
| Tools and accessories for long - Range rotors | |
| | |
| Above grade impact sprinklers | |
| ½" Full circle sprinklers. | |
| 34" (20 mm) male bearing, full circle impact sprinklers | |
| Maxi-bird™ - Riser-mounted Impact Sprinkler. | |
| 25BPJ-TNT: Impact Sprinkler for use on riser | |
| 65PJ-TNT | |
| 85EWHD SERIES | |
| | |
| SR SPRINKLERS: Longer life, improved Performance and Better | |
| SR2005 | 22 |



| 3PKINKLEKS: Fast Keverse for Dust-Control 1005M-DC - LESS: 43° Trajectory body | 2 |
|--|---|
| Electric valves | |
| | 2 |
| DV Drip valve - Made especially for drip irrigation systems | |
| HV Series: The High Value choice! | |
| JTV Series: Maintenance has never been easier! DV Series: The Right Choice in Valves | |
| <u> </u> | |
| PGA Series: Built to last and last! | |
| PEB/PESB Series: Rain Bird's most durable plastic valve | |
| 300-BPES SERIES: Unique combination construction of brass body and glass-filled nylon bonnet | |
| 100 Series Valve: 3" Plastic valve | |
| Quick coupling valves | |
| Tools and accessories for electric valves | |
| Manifold system | |
| | |
| Electric cables | |
| Electric cables | 2 |
| Dalumua wakia kawaasiaa | |
| Polypro valve box series | |
| VBA series: Valve Boxes with the Best Value for Money | 2 |
| Rain bird valve box series | |
| Rain Bird HDPE Valve Boxes | 2 |
| Rain Bird HDPE Valve box extensions | |
| Rain Bird HDPE Cover only | |
| * | |
| Antivandal accessories for hdpe valve box series | |
| Antivandal accessories for hdpe valve box series | 2 |
| Controllers | |
| | 2 |
| 230 VAC controllers | |
| Battery-powered controllers | |
| WP1 Ag and Cyclik | |
| Central control systems | |
| Central control systems | 3 |
| Weather stations. | |
| | |
| Spare parts | |
| Valve parts | |
| Controller parts | |
| Filter parts | 3 |
| Fittings parts | 3 |
| Non potable products | |
| Non potable products | 2 |
| Non potable products | |
| Aerators | |
| Concept 2: Industrial Aerators | 3 |
| Small & Medium Fountains & aerators | 3 |
| Concept 3: Aerating Fountains | 3 |
| Accessories | |
| Camatana | |
| Services | |
| Standard exchange program. | 3 |
| Gsp system only | |
| Gsp system only | 3 |
| On site assistance | |
| Specific PC services | |
| Training | |

2017 New products

9V WPX controllers



QF dripline Landscape drip



XFCV dripline Landscape drip



IQ / TBOS v 3.0 Central control system



R-VAN Nozzles



Ag LF 2400 LR agricultural sprinklers





| Model | Part Number | Description | Price (€) | Cat. | Qty | Master Qty |
|--|---|--|---|--|---|---|
| START-UP COI | MPONENTS | | | | | |
| CONTROL ZONE | START-UP KIT | | | | | |
| XCZ-075 PRF | X10306 | DV drip ¾ + ¾ Pressure Regulating RBY Filter (Outlet pressure: 2.0 bar - screen: 75 μ) | 39.80 € | 20 | 1 | 10 |
| XCZ-100-PRF | X10308 | 1"DV + 1" Pressure Regulating RBY Filter (Outlet pressure: 2.8 bar - screen: 75 μ) | 40.60 € | 20 | 1 | 10 |
| ICZ075TBOS | X10325 | $34^{\prime\prime}$ DV drip + $34^{\prime\prime}$ Pressure Regulating RBY Filter and 9V solenoid (Outlet pressure: 2.0 bar - screen: 75 μ) | 55.60€ | 20 | 1 | 10 |
| IXZ100TBOS | X10327 | 1" DV + 1" Pressure Regulating RBY Filter and 9V solenoid (Outlet pressure: 2.8 bar - screen: 75 μ) | 59.30 € | 20 | 1 | 10 |
| DV DRIP VALVE: N | NADE ESPECIAL | LY FOR DRIP IRRIGATION SYSTEMS | | | | |
| LFV075 | X12100 | 34" female threaded Low Flow Valve, 24 VAC , DV drip | 26.80 € | 20 | 12 | 12 |
| LFV075-9V | X12105 | 34" female threaded Low Flow Valve, 9V Solenoid DV drip | 43.00 € | 20 | 12 | 12 |
| PRESSURE REGUL | .ATORS | | | | | |
| PSI-M15 | A8860015 | Outlet pressure: 1.00 bar, (0.45 - 5 m³/h) | 12.55 € | 80 | 20 | 80 |
| PSI-M20 | A8860020 | Outlet pressure: 1.40 bar, (0.45 - 5 m³/h) | 12.55 € | 80 | 20 | 80 |
| PSI-M25 | A8860025 | Outlet pressure: 1.75 bar, (0.45 - 5 m³/h) | 12.55 € | 80 | 20 | 80 |
| PSI-M30 | A8860030 | Outlet pressure: 2.10 bar, (0.45 - 5 m³/h) | 12.55 € | 80 | 20 | 80 |
| PSI-M40 | A8860040 | Outlet pressure: 2.80 bar, (0.45 - 5 m³/h) | 12.55 € | 80 | 20 | 80 |
| PSI-M50 | A8860050 | Outlet pressure: 3.50 bar, (0.45 - 5 m³/h) | 12.55 € | 80 | 20 | 80 |
| FILTERS | | | | | | |
| | | | | | | |
| PRESSURE REGUI | ATING FILTER | | | | | |
| PRESSURE REGUL | | 34" RRY pressure regulating filter (Outlet pressure: 2.0 har - screen: 75.11) | 18.80 € | 20 | 5 | 5 |
| PRF-075-RBY | X13000 | 34" RBY pressure regulating filter (Outlet pressure: 2.0 bar - screen: 75 μ) | 18.80 € | 20 | 5 | 5 |
| PRF-075-RBY PRF-100-RBY | X13000 X13013 | 1" RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) | 21.50 € | 20 | 5 | 5 |
| PRF-075-RBY PRF-100-RBY RBY-200MX | X13000 X13013 X14020 | 1" RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen | | | | |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGUL | X13000 X13013 X14020 ATING BASKET | 1" RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER | 21.50 € 8.90 € | 20 20 | 5 | 5 |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGUL | X13000 X13013 X14020 .ATING BASKET X14145 | 1" RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER 1" PRB Basket Filter with integrated pressure regulator (Outlet pressure: 2.8 bar - screen: 75 μ) | 21.50 € 8.90 € 43.60 € | 20 20 20 | 5 6 | 5 6 |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGUL IPRB100 QKCHK-200M | X13000 X13013 X14020 .ATING BASKET X14145 X14136 | 1" RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER | 21.50 € 8.90 € | 20 20 | 5 | 5 |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGUL IPRB100 QKCHK-200M LARGE CAPACITY | X13000 X13013 X14020 ATING BASKET X14145 X14136 | 1"RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER 1"PRB Basket Filter with integrated pressure regulator (Outlet pressure: 2.8 bar - screen: 75 μ) 75 μ replacement screen | 21.50 € 8.90 € 43.60 € 27.20 € | 20 20 20 20 20 | 5 6 1 6 | 5 6 6 |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGULE IPRB100 QKCHK-200M LARGE CAPACITY ILCRBY0755 | X13000 X13013 X14020 .ATING BASKET X14145 X14136 FILTERS X14608 | 1" RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER 1" PRB Basket Filter with integrated pressure regulator (Outlet pressure: 2.8 bar - screen: 75 μ) 75 μ replacement screen 34" Large Capacity screen filter - BSP (130 μ) | 21.50 € 8.90 € 43.60 € 27.20 € | 20 20 20 20 20 | 5 6 1 6 | 5 6 6 6 |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGUL IPRB100 QKCHK-200M LARGE CAPACITY ILCRBY075S ILCRBY075D | X13000 X13013 X14020 ATING BASKET X14145 X14136 FILTERS X14608 X14609 | 1"RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER 1"PRB Basket Filter with integrated pressure regulator (Outlet pressure: 2.8 bar - screen: 75 μ) 75 μ replacement screen 3"Large Capacity screen filter - BSP (130 μ) | 21.50 € 8.90 € 43.60 € 27.20 € | 20 20 20 20 20 20 | 5 6 1 6 | 5 6 6 6 10 |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGUL IPRB100 QKCHK-200M LARGE CAPACITY ILCRBY075S ILCRBY075D ILCRBY100S | X13000 X13013 X14020 .ATING BASKET X14145 X14136 FILTERS X14608 X14609 X14610 | 1"RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER 1"PRB Basket Filter with integrated pressure regulator (Outlet pressure: 2.8 bar - screen: 75 μ) 75 μ replacement screen 34"Large Capacity screen filter - BSP (130 μ) 1"Large capacity screen filter -BSP (130 μ) | 21.50 € 8.90 € 43.60 € 27.20 € 11.60 € 9.30 € | 20 20 20 20 20 20 20 20 | 5 6 1 6 10 10 | 5 6 6 6 10 10 |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGUL IPRB100 QKCHK-200M LARGE CAPACITY ILCRBY0755 ILCRBY075D ILCRBY100S ILCRBY100D | X13000 X13013 X14020 .ATING BASKET X14145 X14136 **FILTERS X14608 X14609 X14610 X14611 | 1"RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER 1"PRB Basket Filter with integrated pressure regulator (Outlet pressure: 2.8 bar - screen: 75 μ) 75 μ replacement screen 34"Large Capacity screen filter - BSP (130 μ) 1"Large capacity disc filter -BSP (130 μ) 1"Large capacity disc filter -BSP (130 μ) | 21.50 € 8.90 € 43.60 € 27.20 € 11.60 € 9.30 € 11.60 € | 20 20 20 20 20 20 20 20 20 | 5 6 1 6 10 10 10 | 5 6 6 6 10 10 10 |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGULE IPRB100 QKCHK-200M LARGE CAPACITY ILCRBY075S ILCRBY075D ILCRBY100S ILCRBY100D ILCRBY150S | X13000 X13013 X14020 ATING BASKET X14145 X14136 FILTERS X14608 X14609 X14610 X14611 X14612 | 1"RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER 1"PRB Basket Filter with integrated pressure regulator (Outlet pressure: 2.8 bar - screen: 75 μ) 75 μ replacement screen 3"Large Capacity screen filter - BSP (130 μ) 1"Large capacity disc filter -BSP (130 μ) 1"Large capacity screen filter -BSP (130 μ) 1"Large capacity disc filter -BSP (130 μ) | 21.50 € 8.90 € 43.60 € 27.20 € 9.30 € 11.60 € 9.30 € 27.70 € | 20 20 20 20 20 20 20 20 20 20 | 5 6 1 6 10 10 10 10 2 | 5 6 6 6 10 10 10 10 2 |
| PRF-075-RBY PRF-100-RBY RBY-200MX PRESSURE REGULE IPRB100 QKCHK-200M LARGE CAPACITY ILCRBY0755 ILCRBY075D ILCRBY1005 ILCRBY1005 | X13000 X13013 X14020 .ATING BASKET X14145 X14136 **FILTERS X14608 X14609 X14610 X14611 | 1"RBY pressure regulating filter (Outlet pressure: 2.8 bar - screen: 75 μ) 75 micron stainless steel replacement screen FILTER 1"PRB Basket Filter with integrated pressure regulator (Outlet pressure: 2.8 bar - screen: 75 μ) 75 μ replacement screen 34"Large Capacity screen filter - BSP (130 μ) 1"Large capacity disc filter -BSP (130 μ) 1"Large capacity disc filter -BSP (130 μ) | 21.50 € 8.90 € 43.60 € 27.20 € 11.60 € 9.30 € 11.60 € | 20 20 20 20 20 20 20 20 20 | 5 6 1 6 10 10 10 | 5 6 6 6 10 10 10 |



| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg | | | | |
|--|-------------------|---|------------|--------|---------------|---------------|-------------------|-----|--|--|--|
| DISTRIBUTION | I COMPONEI | NTS | | | | | | | | | |
| BLANK DRIP TUBI | NG - BLACK | | | | | | | | | | |
| DBL100 | X35492 | Blank Drip Tubing Black 100 m coil | 35.80 € | 20 | 24 | 24 | 6.0 | | | | |
| XF SERIE: XF BLAN | IK DRIP TUBING | - 5 - BROWN: THE MOST FLEXIBLE TUBING | | | | | | | | | |
| XFD1600 | X45009 | XF Blank Drip Tubing Brown 100 m Coil | 49.60 € | 20 | 24 | 24 | 5.5 | | | | |
| XF SERIE: 1.6 l/h XI | F DRIPLINE - BR | POWN: THE MOST FLEXIBLE, KINK-RESISTANT PRESSURE-COMPENSATING IN | ILINE EMIT | TER | | | | | | | |
| XFD1633100 | X44252 | 100 m Coil; Emitter spacing: 33 cm; Flow: 1.6 l/h | 71.59€ | 20 | 24 | 24 | 6.0 | | | | |
| XFD1640100 | X44257 | 100 m Coil; Emitter spacing: 40 cm; Flow: 1.6 l/h | 66.13 € | 20 | 24 | 24 | 6.0 | New | | | |
| XF SERIE: 2.3 I/h XI | F DRIPLINE - BR | OWN: THE MOST FLEXIBLE, KINK-RESISTANT PRESSURE-COMPENSATING IN | ILINE EMIT | TER | | | | | | | |
| XFD233325 | X44200 | 25 m Coil; Emitter spacing: 33 cm; Flow: 2.3 l/h | 20.22€ | 20 | 50 | 50 | 1.5 | | | | |
| XFD233350 | X44201 | 50 m Coil; Emitter spacing: 33 cm; Flow: 2.3 l/h | 37.40 € | 20 | 36 | 36 | 3.0 | | | | |
| XFD2333100 | X44202 | 100 m Coil; Emitter spacing: 33 cm; Flow: 2.3 l/h | 71.59€ | 20 | 24 | 24 | 6.0 | | | | |
| XFD2333200 | X44203 | 200 m Coil; Emitter spacing: 33 cm; Flow: 2.3 l/h | 141.25€ | 20 | 12 | 12 | 12.0 | | | | |
| XFD2340100 | X44212 | 100 m Coil; Emitter spacing: 40 cm; Flow: 2.3 l/h | 66.13€ | 20 | 24 | 24 | 6.0 | | | | |
| XFD2350100 | X44222 | 100 m Coil; Emitter spacing: 50 cm; Flow: 2.3 l/h | 60.03€ | 20 | 24 | 24 | 6.0 | | | | |
| XF SERIE: 2.3 I/h XI | F DRIPLINE - DA | ARK BROWN: THE MOST FLEXIBLE, KINK-RESISTANT PRESSURE-COMPENSAT | ING INLIN | Е ЕМІТ | TER | | | | | | |
| XFDB233325 | X44300 | 25 m Coil; Emitter spacing: 33 cm; Flow: 2.3 l/h - dark brown | 20.22€ | 20 | 50 | 50 | 1.5 | New | | | |
| XFDB233350 | X44301 | 50 m Coil; Emitter spacing: 33 cm; Flow: 2.3 l/h - dark brown | 37.40 € | 20 | 36 | 36 | 3.0 | New | | | |
| XFDB2333100 | X44302 | 100 m Coil; Emitter spacing: 33 cm; Flow: 2.3 l/h - dark brown | 71.59€ | 20 | 24 | 24 | 6.0 | New | | | |
| XF SERIE: 3.5 I/h XF DRIPLINE - BROWN: THE MOST FLEXIBLE, KINK-RESISTANT PRESSURE-COMPENSATING INLINE EMITTER | | | | | | | | | | | |
| XFD3540100 | X44232 | 100 m Coil; Emitter spacing: 40 cm; Flow: 3.5 l/h | 66.13€ | 20 | 24 | 24 | 6.0 | New | | | |
| XF SERIE: 3.5 I/h XF DRIPLINE - DARK BROWN: THE MOST FLEXIBLE, KINK-RESISTANT PRESSURE-COMPENSATING INLINE EMITTER | | | | | | | | | | | |
| XFDB353350 | X44311 | 50 m Coil; Emitter spacing: 33 cm; Flow: 3.5 l/h - dark brown | 37.40 € | 20 | 36 | 36 | 3.0 | New | | | |
| XFDB3533100 | X44312 | 100 m Coil; Emitter spacing: 33 cm; Flow: 3.5 l/h - dark brown | 71.59€ | 20 | 24 | 24 | 6.0 | New | | | |
| XF SERIE: 1.6 l/h XI | F SUB-SURFACE | EDRIP IRRIGATION. THE MOST FLEXIBLE, KINK-RESISTANT PRESSURE-COMP | ENSATING | INLIN | ЕЕМІТ | TER | | | | | |
| XFS1633100 | X48301 | XF SDI Dripline 33 cm emitter spacing 100 m coil length. Flow 1.6 l /h - Brown | 99.20€ | 20 | 24 | 24 | 6.0 | New | | | |
| XF SERIE: 2.3 I/h XI | F SUB-SURFACE | DRIP IRRIGATION. THE MOST FLEXIBLE, KINK-RESISTANT PRESSURE-COMP | ENSATING | INLIN | ЕЕМІТ | TER | | | | | |
| XFS2333100 | X48201 | XF SDI Dripline, 33 cm emitter spacing, 100 m coil length. Flow 2.3I /h - Brown | 99.20€ | 20 | 24 | 24 | 6.0 | | | | |
| XFSV2333100 | X48261 | XF SDI Dripline, 33 cm emitter spacing, 100 m coil length. Flow 2.3 l/ h - Purple | 113.05€ | 20 | 24 | 24 | 6.0 | | | | |
| XF SERIE: XFCV DF | RIPLINE 2.3 I/h V | · WITH HEAVY-DUTY CHECK VALVE. DRIPLINE PRODUCTS FOR USE ON SLOPE | S | | | | | | | | |
| XFCV2333100 | X47201 | XF Series: XFCV Dripline; 100m Coil; Emitter Spacing: 33 cm; Flow: 2.3 l/h | 99.20€ | 20 | 1 | 24 | 5.4 | New | | | |
| XFCV2350100 | X47211 | XF Series: XFCV Dripline; 100m Coil; Emitter Spacing: 50 cm; Flow: 2.3 l/h | 83.13 € | 20 | 1 | 24 | 5.4 | New | | | |
| QF DRIPLINE HEA | DER: THE INDU | STRY'S FIRST PRE-FABRICATED HEADER - QUICK, FLEXIBLE, EASY | | | | | | | | | |
| XQF7512100 | X46200 | 25 mm diameter blank tubing with pre installed fitting - fitting spacing 30 cm - coil length 30 m Specific 25 mm compression fittings and adaptors included* | 149.00€ | 20 | 1 | 8 | 4.0 | New | | | |
| XQF7518100 | X46210 | 25 mm diameter blank tubing with pre installed fitting - fitting spacing 45 cm - coil length 30 m Specific 25 mm compression fittings and adaptors included* | 139.00€ | 20 | 1 | 8 | 4.0 | New | | | |
| RAIN BIRD 1/4" DRI | PLINE: THE PER | FECT CHOICE FOR SMALL-SIZED AREAS | | | | | | | | | |
| LDQ0806100 | X35201 | ¼" Micro tubing. Flow rate: 3 l/h, emitter spacing: 15 cm, coil length 30 m | 25.80 € | 20 | 5 | 125 | 0.8 | | | | |
| LDQ0812100 | X35203 | ¼" Micro tubing. Flow rate: 3 l/h, emitter spacing: 30 cm, coil length 30 m | 18.50€ | 20 | 5 | 125 | 0.8 | | | | |
| | | | | | | | | | | | |




| | | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|---------------|---------------|-------------------|----------------|--|-----------|------|---------------|---------------|-------------------|
| | | FITTINGS (16 m | nm) FOR XF | SERIE DRIPLINE | | | | | |
| ¶ | 7 | AIR/VACUUM RELI | EF VALVE | | | | | | |
| q | | XBER12 | XBER12 | ½"air vacuum valve | 4.10 € | 10 | 10 | 100 | 0.1 |
| * | 3 | LOCK TYPE FITTIN | GS FOR XF DRI | PLINE | | | | | |
| | | BF-12 lock | XP0012 | Quick union coupling for XF Dripline | 0.75€ | 10 | 50 | 500 | 2.0 |
| BF-12 lock | -78 | BF-22 lock | XP0022 | Quick elbow coupling for XF Dripline | 1.17€ | 10 | 50 | 400 | 2.2 |
| - | BF-22 lock | BF-32 lock | XP0032 | Quick tee coupling for XF Dripline | 1.51 € | 10 | 50 | 250 | 3.0 |
| BF-32 lock | | BF-82-50 lock | XP008250 | Quick union coupling for XF Dripline x ½" male threaded | 0.51 € | 10 | 50 | 850 | 3.0 |
| | BF-62-75 lock | BF-62-50 lock | XP006250 | Quick union coupling for XF Dripline x ½" female threaded | 1.24€ | 10 | 50 | 700 | 3.0 |
| BF-82-50 lock | | BF-82-75 lock | XP008275 | Quick union coupling for XF Dripline x ¾" male threaded | 0.48€ | 10 | 50 | 800 | 3.0 |
| N- | DE 02 75 lask | BF-62-75 lock | XP006275 | Quick union coupling for XF Dripline x ¾" female threaded | 1.24€ | 10 | 50 | 600 | 3.0 |
| | BF-82-75 lock | BF-92 lock | XP0092 | Lock type manual valve | 1.79€ | 10 | 10 | 70 | 0.6 |
| BF-plug lock | | BF-plug lock | XP0062 | Quick end-plug for XF Dripline | 0.58€ | 10 | 50 | 1000 | 3.0 |
| | BF-valve lock | BF-valve lock | XP008275V | ¾"Male threaded x lock manual valve | 1.51 € | 10 | 50 | 400 | 3.0 |
| BF-92 lock | | BARB FITTING | 5 (17 mm) F0 | DR XF DRIPLINE | | | | | |
| | 4:0 | XFF SERIES (17 mn | n) - COMPATIBI | LE WITH XF DRIPLINE | | | | | |
| alle. | VEE COUR | XFF-COUP | X36370 | Barb connector (17 mm) for XF Dripline | 0.19€ | 20 | 25 | 250 | 1.8 |
| and it | XFF-COUP | XFF ELBOW | X36372 | Barb Elbow (17 mm) for XF Dripline | 0.31 € | 20 | 25 | 250 | 2.3 |
| XFF-ELBOW | | XFF TEE | X36373 | Barb Tee (17 mm) for XF Dripline | 0.37 € | 20 | 25 | 250 | 3.5 |
| | XFF-MA-050 | XFF-MA-050 | X36374 | Barb Male Adapter 17 mm x ½" for XF Dripline | 0.43 € | 20 | 25 | 250 | 2.2 |
| XFF-MA-075 | 300 | XFF-MA-075 | X36375 | Barb Male Adapter 17 mm x ¾" for XF Dripline | 0.48 € | 20 | 25 | 250 | 2.8 |
| Service . | XFF-TEE | XFF-TMA-050 | X36376 | Barb Male Tee Adapter 17 mm x ½" x 17 mm for XF Dripline | 0.52€ | 20 | 25 | 250 | 3.8 |
| XFF-TMA-050 | | FITINSTOOL | X36380 | Insertion Tool for Rain Bird XFF Barb Fittings | 2.05 € | 20 | 1 | 10 | 1.6 |
| | FITINSTOOL | ACCESSORIES | AND TOOLS | | | | | | |
| 0 | ~ D | ACCESSORIES | | | | | | | |
| | 7 | Clamp | XCL017 | Clamp for tubing | 0.32€ | 10 | 100 | 1500 | 0.5 |
| | a | C12 | XPD3113 | Tie-down stake for tubing | 0.37 € | 10 | 25 | 200 | 0.1 |
| | | 700-CF-22 | XPD3020 | Tubing end closure for tubing | 0.26€ | 10 | 25 | 500 | 0.1 |
| | ₽ | EMA-GPX | XPL1117 | Tubing goof plug | 0.11 € | 10 | 80 | 8000 | 0.3 |
| | | TOOLS | | | | | | | |
| | | XM-Tool | X80100 | Installation tool for self-piercing emitters and goof plug | 2.97 € | 20 | 1 | 20 | 0.1 |
| | 100 | T135SS | T135SS | Tubing cutter | 33.00 € | 20 | 1 | 50 | 0.1 |
| | | | | _ | | | | | |



| | | | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg | |
|-----------|--------|-------------|--------------------|--------------|--|-----------|------|---------------|---------------|-------------------|-----|
| | | | EMITTERS | | | | | | | | Ĺ |
| | | | XB-PC SERIES: PRES | SSURE COMPE | NSATING SELF-PIERCING EMITTERS - COLOR-CODED | | | | | | |
| | | | XB-05PC | X68525 | 2 l/h Flow: blue | 0.24€ | 20 | 100 | 1000 | 0.2 | |
| 4 | - P | 4" | XB-10PC | X68530 | 4 l/h Flow: black | 0.24€ | 20 | 100 | 1000 | 0.2 | |
| _ | | _ | XB-20PC | X68535 | 8 l/h Flow: red | 0.24€ | 20 | 100 | 1000 | 0.2 | ı |
| | | | PC MODULES: POI | NT SOURCE EN | MISSION DEVICES - COLOR-CODED | | | | | | |
| -dll- | | . # | PC-12 | X71012 | 45 I/h Flow: dark brown | 1.42 € | 20 | 10 | 200 | 0.3 | |
| Alle. | | | PC-18 | X71018 | 68 l/h Flow: white | 1.42 € | 20 | 10 | 200 | 0.3 | |
| | | | PRESSURE COMPE | VSATING LOW | FLOW BUBBLER | | | | | | |
| | | | PCT-05 | X73005 | 19 l/h flow Bubbler: light brown | 2.70 € | 20 | 20 | 100 | 0.2 | |
| | | | PCT-07 | X73007 | 26 l/h flow Bubbler: violet | 2.70 € | 20 | 20 | 100 | 0.2 | |
| | | | PCT-10 | X73010 | 38 l/h flow Bubbler: green | 2.70 € | 20 | 20 | 100 | 0.2 | |
| | -10 | 85. | MULTI-OUTLET EM | ITTER | | | | | | | |
| | 4 |) | XB-10-6 | X67000 | 6-outlet emitter; Flow per outlet: 4 l/h | 5.70€ | 20 | 10 | 50 | 2.8 | |
| E | | | EMT-6X | X57000 | 6-outlet manifold; free flowing ¼" barb outlets, ½" threaded inlet | 5.70 € | 20 | 10 | 150 | 0.2 | |
| | J | 1 | XBD-81 | X61000 | Xeri-Bird 8 multi outlet emission device; flow per outlet 4 l/h | 13.63 € | 20 | 1 | 5 | 0.5 | Nev |
| | /// | W | SXB/XS ON SPIKE: A | ADJUSTABLE F | LOW MICRO-SPRAY ON SPIKE | | | | | | |
| | | | SXB-360-SPYK | XPD1403 | 360° Adjustable flow micro-spray on spike | 0.74€ | 10 | 10 | 300 | 0.8 | |
| | + | | XS-360TS-SPYK | XPD1303 | 360° Adjustable flow micro-spray on spike (fan spray) | 1.00€ | 10 | 10 | 300 | 0.8 | |
| | | | MICRO-SPRINKLER | ON SPIKE | | | | | | | |
| | V , | | Jet spike 90° | XT020034 | 90° micro-sprinkler - spike 310 mm | 3.20 € | 10 | 10 | 50 | 0.5 | |
| | | | Jet spike 180° | XT020035 | 180° micro-sprinkler - spike 310 mm | 3.20 € | 10 | 10 | 50 | 0.5 | |
| | | | Jet spike 360° | XT020036 | 360° micro-sprinkler - spike 310 mm | 3.20 € | 10 | 10 | 50 | 0.5 | |
| | \vee | | XS SERIES: ADJUSTA | ABLE FLOW A | ND MICRO-SPRAYS | | | | | | |
| 0 | 0 | П | XS-90 | XPD13118 | 90° self-tapping threaded Micro-Spray | 0.88€ | 10 | 10 | 1000 | 0.7 | |
| 鷝 | | | XS-180 | XPD13128 | 180° self-tapping threaded Micro-Spray | 0.88€ | 10 | 10 | 1000 | 0.7 | |
| - | | | XS-360 | XPD13148 | 360° self-tapping threaded Micro-Spray (18 orifices) | 0.88€ | 10 | 10 | 1000 | 0.7 | |
| | | | DISTRIBUTION | COMPONE | NTS (4-6 mm) | | | | | | |
| | | | TRANSFER FITTING | S FOR 4-6 mn | n TUBING | | | | | | |
| | | | BF-1 | XPD2304 | Barb Connector for 4-6 mm tubing | 0.18€ | 10 | 50 | 5000 | 0.3 | |
| - | | _ | BF-2 | XPD2204 | Barb x Barb Elbow for 4-6 mm tubing | 0.27 € | 10 | 50 | 5000 | 0.3 | |
| | | | BF-3 | XPD2104 | Barb Tee for 4-6 mm tubing | 0.27 € | 10 | 50 | 5000 | 0.3 | |
| | | | DISTRIBUTION ACC | ESSORIES | | | | | | | |
| | "[| - - | SPB-025 | X42030 | Self-piercing barb connector for 16 mm tubing | 0.42 € | 20 | 25 | 500 | 0.1 | |
| 116 | | 1 | PFR/RS | X56500 | Riser/stake assembly - riser 30 cm | 1.10€ | 20 | 250 | 250 | 6.2 | |
| | | 1 | XQ100 | X33010 | 4-6 mm distribution tubing (30 m coil) | 9.40 € | 20 | 10 | 10 | 3.0 | |
| | | | XQ1000 | X33100 | 4-6 mm distribution tubing (300 m coil) | 72.30 € | 20 | 1 | 32 | 30.0 | |
| | | V | XQ1000B | X33101 | Bucket with 4-6 mm distribution tubing (300 m coil) | 79.80 € | 20 | 1 | 32 | 30.0 | |
| PAIN'S BI | | | TS-025 | X54000 | Tubing stake for 6 mm distribution tubing | 0.55 € | 20 | 100 | 1000 | 0.1 | |
| | | 10 | DBC-025 | X50000 | Diffuser bug cap for 6 mm distribution tubing | 0.52 € | 20 | 50 | 1000 | 0.1 | |
| | | | | | | | | | | | |











| ROOTS WATER | NG SYSTEM | 1 | | | | | | | | | | |
|---|-----------|--|---------|----|----|----|-----|--|--|--|--|--|
| RWS SERIES: THE BEST WAY TO ENCOURAGE HEALTHY TREES | | | | | | | | | | | | |
| RWS-BGX | A22430 | RWS includes locking grate, 1401 Bubbler and 45 cm of Swing Pipe. H: 91.4 cm | 47.20 € | 20 | 6 | 6 | 4.7 | | | | | |
| RWS-M-BG | A22460 | RWS-Mini includes locking grate, 1401 Bubbler, spiral barb elbow for attachment of ½″ swing pipe. H: 45.7 cm | 32.10 € | 20 | 12 | 12 | 0.5 | | | | | |
| RWS-S-BG | A22485 | RWS-Shrub includes snap-on cap, 1401 Bubbler, spiral barb elbow for attachment of ½" swing pipe. H: 25.4 cm | 19.50 € | 20 | 20 | 20 | 0.2 | | | | | |
| RWS-SOCK | A22435 | RWS Sand Sock. Total list price for a bag of 6 units | 42.60 € | 20 | 1 | 8 | 0.3 | | | | | |



SPRAY HEADS



| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg | |
|---------------|--------------|---|-----------|------|---------------|---------------|-------------------|----|
| UNI-SPRAY™ SI | ERIES - RAIN | BIRD QUALITY AT BEST PRICE IN THE MARKET | | | | | | |
| US-215 | P2101501 | Pop-up height: 5 cm (2") with pre-installed 15-VAN nozzle | 3.20 € | 20 | 100 | 100 | 5.3 | |
| US-408HE | P40008 | Pop-up height: 10 cm (4") with pre-installed 8-HE-VAN nozzle | 3.20 € | 20 | 50 | 50 | 3.6 | Ne |
| US-410HE | P40010 | Pop-up height: 10 cm (4") with pre-installed 10-HE-VAN nozzle | 3.20 € | 20 | 50 | 50 | 3.6 | Ne |
| US-412HE | P40012 | Pop-up height: 10 cm (4") with pre-installed 12-HE-VAN nozzle | 3.20 € | 20 | 50 | 50 | 3.6 | Ne |
| US-415HE | P40015 | Pop-up height: 10 cm (4") with pre-installed 15-HE-VAN nozzle | 3.20 € | 20 | 50 | 50 | 3.6 | Ne |
| US-418 | P41018 | Pop-up height: 10 cm (4") with pre-installed 18-VAN nozzle | 3.20 € | 20 | 50 | 50 | 3.6 | |
| US-418RN | P40118 | Pop-up height: 10 cm (4") with pre-installed RVAN18 nozzle | 10.10 € | 20 | 50 | 50 | 3.6 | Ne |
| US-424RN | P40124 | Pop-up height: 10 cm (4") with pre-installed RVAN1724 nozzle | 10.10 € | 20 | 50 | 50 | 3.6 | Ne |
| US-400 | P40000 | Pop-up height: 10 cm (4"). Body only | 1.96€ | 20 | 50 | 50 | 3.6 | |
| 1800™ SPRAY H | IEAD SERIES | 5 - N°1 SELLING SPRAY HEAD FOR 25 YEARS! | | | | | | |



| BASIC MODEL | | | | | | | |
|------------------|-------------|----------------------------|---------|----|-----|-----|------|
| 1802 | A44020 | Pop-up height: 5 cm (2") | 4.46 € | 20 | 100 | 100 | 8.2 |
| 1804 | A44120 | Pop-up height: 10 cm (4") | 3.53 € | 20 | 75 | 75 | 9.0 |
| 1806 | A44205 | Pop-up height: 15 cm (6") | 9.50 € | 20 | 50 | 50 | 9.0 |
| 1812 | A44305 | Pop-up height: 30 cm (12") | 14.70 € | 20 | 50 | 50 | 14.0 |
| SAM SEAL-A-MATIO | C™ MODEL WI | TH BUILT-IN CHECK VALVE | | | | | |
| 1804-SAM | A43905 | Pop-up height: 10 cm (4") | 5.80 € | 20 | 75 | 75 | 8.8 |
| 1806-SAM | A43912 | Pop-up height: 15 cm (6") | 14.40 € | 20 | 50 | 50 | 10.1 |
| 1812-SAM | A43930 | Pop-up height: 30 cm (12") | 17.70€ | 20 | 50 | 50 | 15.2 |



| SAM SEAL-A-MATIC™ AND PRS BUILT-IN PRESSURE REGULATOR MODEL | | | | | | | | | | | |
|---|--------|--|---------|----|----|----|------|--|--|--|--|
| RD 04 S P30 F | A37341 | RD1804 SAM PRS 2.1 bar Flow Shield - Pop-up height: 10 cm (4"), with built-in SAM, PRS and Flow Protect device | 9.50 € | 20 | 75 | 75 | 9.0 | | | | |
| RD 04 S P45 F | A37441 | RD1804 SAM PRS 3.1 bar Flow Shield - Pop-up height: 10 cm (4"), with built-in SAM, 3.1 bar PRS and Flow Protect device | 7.95 € | 20 | 75 | 75 | 9.6 | | | | |
| RD 06 S P30 F | A37361 | RD1806 SAM PRS 2.1 bar Flow Shield - Pop-up height: 15 cm (6"), with built-in SAM, PRS and Flow Protect device | 15.30 € | 20 | 50 | 50 | 14.0 | | | | |
| RD 12 S P30 F | A37321 | RD1812 SAM PRS 2.1 bar Flow Shield - Pop-up height: 30 cm (12"), with built-in SAM, PRS and Flow Protect device | 20.50 € | 20 | 50 | 50 | 0.0 | | | | |

RD1800 SPRAY HEADS: BUILT FOR HARSH APPLICATIONS - OPERATE WITH DIRTY WATER



SPRAY HEAD NOZZLES

| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|---------------------|-----------------|--|-----------|------|---------------|---------------|-------------------|
| MPR NOZZLE S | SERIES - MAT | TCHED PRECIPITATION RATES FOR DESIGN FLEXIBILITY | | | | | |
| 5 SERIES (RED) - 5° | °TRAJECTORY | | | | | | |
| 5F | A47086 | 360° MPR Full Circle pattern | 2.05 € | 20 | 25 | 100 | 0.7 |
| 5H | A47083 | 180° MPR Half Circle pattern | 2.05 € | 20 | 25 | 250 | 1.6 |
| 5Q | A47084 | 90° MPR Quarter Circle pattern | 2.05 € | 20 | 25 | 250 | 1.6 |
| 8 SERIES (GREEN) | - 10° TRAJECTO | DRY | | | | | |
| 8F | A4701801 | 360° MPR Full Circle pattern | 2.05 € | 20 | 25 | 250 | 1.6 |
| 8H | A4701901 | 180° MPR Half Circle pattern | 2.05 € | 20 | 25 | 250 | 1.6 |
| 8Q | A4702001 | 90° MPR Quarter Circle pattern | 2.05 € | 20 | 25 | 250 | 1.6 |
| 10 SERIES (BLUE) - | - 15° TRAJECTO | RY | | | | | |
| 10F | A47015 | 360° MPR Full Circle pattern | 2.05 € | 20 | 25 | 250 | 1.6 |
| 10H | A47016 | 180° MPR Half Circle pattern | 2.05 € | 20 | 25 | 250 | 1.6 |
| 10Q | A47017 | 90° MPR Quarter Circle pattern | 2.05 € | 20 | 25 | 250 | 1.6 |
| 12 SERIES (BROWI | N) - 30° TRAJEC | TORY | | | | | |
| 12F | A47009 | 360° MPR Full Circle pattern | 2.05 € | 20 | 25 | 100 | 0.7 |
| 12H | A47012 | 180° MPR Half Circle pattern | 2.05 € | 20 | 25 | 500 | 3.2 |
| 12Q | A47014 | 90° MPR Quarter Circle pattern | 2.05 € | 20 | 25 | 100 | 0.7 |
| 15 SERIES (BLACK) |) - 30° TRAJECT | ORY | | | | | |
| 15F | A47000 | 360° MPR Full Circle pattern | 2.05 € | 20 | 25 | 100 | 0.7 |
| 15H | A47070 | 180° MPR Half Circle pattern | 2.05 € | 20 | 25 | 500 | 3.2 |
| 15Q | A47005 | 90° MPR Quarter Circle pattern | 2.05 € | 20 | 25 | 100 | 0.7 |
| 15CST | A47007 | Center Strip pattern | 2.05 € | 20 | 25 | 100 | 0.7 |
| 15EST | A47006 | End Strip pattern | 2.05€ | 20 | 25 | 250 | 1.6 |
| 15SST | A47008 | Side Strip pattern | 2.05€ | 20 | 25 | 250 | 1.6 |
| 15LCS | A47033A | Left Corner Strip pattern | 2.05€ | 20 | 25 | 100 | 0.7 |
| 15RCS | A47034A | Right corner Strip pattern | 2.05€ | 20 | 25 | 100 | 0.7 |
| 9SST | A47047 | Side Strip pattern 2.7 x 5.5 m | 2.05€ | 20 | 25 | 100 | 0.7 |
| VAN NOZZLE S | SERIES - MAX | (IMUM FLEXIBILITY TO SAVE TIME AND SPEED-UP INSTALLA | TION | | | | |
| VARIABLE ARC NO | OZZLES | | | | | | |
| 4-VAN | P10004 | Adjustable nozzle size 4 - Yellow | 1.90 € | 20 | 25 | 250 | 0.2 |
| 6-VAN | P10006 | Adjustable nozzle size 6 - Orange | 1.90 € | 20 | 25 | 250 | 0.2 |
| 8-VAN | P10008 | Adjustable nozzle size 8 - Green | 1.90 € | 20 | 25 | 250 | 0.2 |
| 10-VAN | P1001001 | Adjustable nozzle size 10 - Blue | 1.90 € | 20 | 25 | 250 | 0.2 |
| 12-VAN | P1001201 | Adjustable nozzle size 12 - Brown | 1.90 € | 20 | 25 | 250 | 0.2 |
| 15-VAN | P1001501 | Adjustable nozzle size 15 - Black | 1.90 € | 20 | 25 | 250 | 0.2 |
| 18-VAN | P10018 | Adjustable nozzle size 18 - Beige | 1.90 € | 20 | 25 | 250 | 0.2 |





SPRAY HEAD NOZZLES

| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|------|--------------------|----------------|--|-----------|------|---------------|---------------|-------------------|
| | HE-VAN NOZZI | LE SERIES: P | ERFECT UNIFORMITY AND EXACT EDGE ARC ADJUSTMENT | | | | | |
| | HIGH EFFICIENCY | VARIABLE ARC | NOZZLES | | | | | |
| | HE-VAN-08 | HE0801 | High Efficiency Adjustable nozzle size 8 - Green | 1.90 € | 20 | 25 | 250 | 0.2 |
| | HE-VAN-10 | HE1001 | High Efficiency Adjustable nozzle size 10 - Blue | 1.90€ | 20 | 25 | 250 | 0.2 |
| | HE-VAN-12 | HE1201 | High Efficiency Adjustable nozzle size 12 - Brown | 1.90 € | 20 | 25 | 250 | 0.2 |
| | HE-VAN-15 | HE1501 | High Efficiency Adjustable nozzle size 15 - Black | 1.90 € | 20 | 25 | 250 | 0.2 |
| | U-SERIES NOZZ | ZLES - DUAL | ORIFICES FOR CLOSE-IN WATERING AND OPTIMUM WATER D | ISTRIBU | TION | <u> </u> | | |
| | 8 SERIES (GREEN) | | | | | | | |
| Sax. | U-8-F | U10320 | 360° Full Circle pattern | 2.96 € | 20 | 25 | 100 | 0.7 |
| 0 | U-8-H | U10310 | 180° Half Circle pattern | 2.96€ | 20 | 25 | 100 | 0.8 |
| | U-8-Q | U10315 | 90° Quarter Circle pattern | 2.96€ | 20 | 25 | 100 | 0.8 |
| | 10 SERIES (BLUE) | | | | | | | |
| | U-10-F | U10220 | 360° Full Circle pattern | 2.96€ | 20 | 25 | 100 | 0.7 |
| | U-10-H | U10210 | 180° Half Circle pattern | 2.96€ | 20 | 25 | 100 | 0.8 |
| | U-10-Q | U10215 | 90° Quarter Circle pattern | 2.96€ | 20 | 25 | 100 | 0.8 |
| | 12 SERIES (BROWN | <i>I)</i> | | | | | | |
| | U-12-F | U10120 | 360° Full Circle pattern | 2.96€ | 20 | 25 | 100 | 0.7 |
| | U-12-H | U10110 | 180° Half Circle pattern | 2.96€ | 20 | 25 | 100 | 0.8 |
| | U-12-Q | U10115 | 90° Quarter Circle pattern | 2.96 € | 20 | 25 | 100 | 0.8 |
| | 15 SERIES (BLACK) | | | | | | | |
| | U-15-F | U10020 | 360° Full Circle pattern | 2.96€ | 20 | 25 | 100 | 0.8 |
| | U-15-H | U10010 | 180° Half Circle pattern | 2.96 € | 20 | 25 | 100 | 0.7 |
| | U-15-Q | U10015 | 90° Quarter Circle pattern | 2.96€ | 20 | 25 | 100 | 0.8 |
| | BUBBLERS | | | | | | | |
| | 1400 SERIES - FULL | . CIRCLE AND I | PRESSURE COMPENSATING | | | | | |
| | 1401 | A16110 | Flow: 0.02 l/s trickle pattern | 9.70€ | 20 | 25 | 250 | 2.7 |
| | 1402 | A16120 | Flow: 0.03 l/s trickle pattern | 9.70 € | 20 | 25 | 250 | 2.7 |
| | 1404 | A16130 | Flow: 0.06 l/s umbrella pattern | 9.70 € | 20 | 25 | 250 | 2.7 |
| | 1408 | A16140 | Flow: 0.13 l/s umbrella pattern | 9.70 € | 20 | 25 | 250 | 2.7 |

SPRAY HEAD ACCESSORIES



| ADAPTERS | | | | | | | |
|-------------------|------------|---|--------|----|----|-----|------|
| ADAPTERS | | | | | | | |
| PA-8S | A16501 | 1/2" female threaded adapter to mount nozzles on threaded risers | 2.70 € | 20 | 50 | 250 | 0.2 |
| PLASTIC EXTENSION | DN (15 cm) | | | | | | |
| 1800-EXT | A44500 | Female thread fits 1800™/UNI-Spray™ x Male thread for nozzles | 5.40 € | 20 | 50 | 50 | 1.3 |
| SAM KIT | | | | | | | |
| US-SAM-KIT | P90000 | Uni-Spray SAM-Kit. Holds back up to 1.5 m of elevation difference | 1.64 € | 20 | 25 | 250 | 0.02 |



ROTARY NOZZLES



| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|----------------|-------------|--|-----------|------|---------------|---------------|-------------------|
| ROTARY NOZZ | LES - REDUC | E YOUR SYSTEM COMPLEXITY AND COST! | | | | | |
| R-VAN18 | A84660 | R-VAN Variable arc rotary nozzles 45° to 270°, 4.0 to 5.5 m radius | 8.81 € | 20 | 10 | 50 | 1.4 |
| R-VAN1724 | A84663 | R-VAN Variable arc rotary nozzles 45° to 270°, 5.2 to 7.3 m radius | 8.81 € | 20 | 10 | 50 | 1.4 |
| R 13-18 SERIES | (BLACK) | | | | | | |
| R 13-18 F | A84545 | 4.0 to 5.5 m Full circle pattern | 9.08 € | 20 | 10 | 50 | 1.4 |
| R 17-24 SERIES | (YELLOW) | | | | | | |
| R 17-24 F | A84560 | 5.2 to 7.3 m Full circle pattern | 9.08 € | 20 | 10 | 50 | 1.4 |

1/2" ROTOR POP-UP SPRINKLERS



| 3504 SERIES - E | UROPE'S B | EST-SELLING ½" ROTOR | | | | | |
|-----------------|-----------|--|---------|----|----|----|-----|
| 3504-PC | Y34001 | Part circle (40-360°) and reversing full circle model. Nozzle size 2.0 pre-installed 20 nozzle trees per box included | 13.00 € | 20 | 20 | 20 | 4.7 |
| 3504-PC-SAM | Y34500 | Part circle (40-360°) and reversing full circle model with SAM check valve. Holds back up to 2.1 m of elevation difference | 17.80 € | 20 | 20 | 20 | 3.1 |

34" ROTOR POP-UP SPRINKLERS

5000 SERIES - THE COMPETITIVELY PRICED 5004 ROTOR



| 5004 ROTORS | | | | | | | |
|------------------|-------------|---|---------|----|----|----|------|
| 5004PC30 | Y5410730 | Part-circle and full circle model (40-360°). Pop-up height: 10 cm (4") Nozzle size 3.0 pre-installed. 5 nozzle trees included | 14.10 € | 20 | 20 | 20 | 6.5 |
| 5004PCSAM | Y55007 | Part-circle and full circle model (40-360°); Pop-up height: 4" (10 cm) with SAM check valve | 17.26 € | 20 | 20 | 20 | 6.5 |
| 5004PCR | Y74007 | Part circle and full circle model (40-360°) with PRS pressure regulator system Pop-up height: 10 cm (4") | 17.70 € | 20 | 20 | 20 | 7.2 |
| 5000 PLUS SER | IES - THE W | ORLD'S BEST QUALITY ROTOR | | | | | |
| 5004 PLUS ROTOR. | S | | | | | | |
| 5004+PC30 | Y4510030 | Part-circle and full circle model (40-360°). Pop-up height: 10 cm (4") Nozzle size 3.0 pre-installed. 5 nozzle trees included | 17.20 € | 20 | 20 | 20 | 6.5 |
| 5004+FC | Y45010 | Full circle model (360°). Pop-up height: 4" (10 cm) | 17.20 € | 20 | 20 | 20 | 6.5 |
| 5004+PCSAMRSS | Y65750SS | Part circle and full circle model (40-360°) with PRS pressure regulator system; stainless steel covered riser stem, SAM check valve | 27.20 € | 20 | 20 | 20 | 7.3 |
| 5006 PLUS ROTOR. | S | | | | | | |
| 5006+PC | Y45800 | Part-circle and full circle model (40-360°); Pop-up height: 6" (15 cm) | 49.10 € | 20 | 20 | 20 | 7.6 |
| 5006+PCSAMRSS | Y65950SS | Part-circle and full circle model (40-360°); Stainless steel covered riser stem with SAM check valve and PRS; Pop-up height: 6" (15 cm) | 61.20€ | 20 | 20 | 20 | 9.0 |
| 5012 PLUS ROTOR. | S | | | | | | |
| 5012+PCSAMR | Y66050 | Part-circle and full circle model (40-360°); with SAM check valve and PRS; Pop-up height: 12" (30 cm) | 57.50€ | 20 | 20 | 20 | 12.6 |
| | | | | | | | |



34" ROTOR POP-UP SPRINKLERS

| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|---------|------------------------|-----------------|--|-----------|------|---------------|---------------|-------------------|
| | 5000 ACCESSO | RIES | | | | | | |
| | 5000 RAIN CURTAI | N™ NOZZLES | | | | | | |
| 0.88.88 | 5000 Plus TREE | Y04500 | 5000 Rotor Standard Rain Curtain nozzle tree (8 standard angle + 4 low angle nozzles) | 0.00€ | 20 | 10 | 50 | 0.2 |
| 909. | 5000 MPR NOZZLE | ES | | | | | | |
| | 5000MPRMPK | Y046MPK | Bag of 30 units of 5000-MPR nozzle trees: 10 of MPR-25, 10 of MPR-30 and 10 of MPR-35. Qty 30 to order | 0.00€ | 20 | 1 | 20 | 3.8 |
| - WEE | 5000 ACCESSORIE | S | | | | | | |
| See See | ROTORTOOL | Y05100 | 5000 Rotor screwdriver | 4.00 € | 20 | 10 | 100 | 0.2 |
| | 5000 Plus SAM Kit | 170452 | 5000 Plus SAM Kit. Holds back up to 2.1 m of elevation difference | 7.90 € | 20 | 50 | 250 | 2.2 |
| | MAXI-PAW - A | TRADITION | OF EXCELLENCE | | | | | |
| | MAXI-PAW ROTOR | } | | | | | | |
| | 2045A-08 | B0690008 | Full/Part Circle with interchangeable size 08 Nozzle pre-installed | 37.60 € | 20 | 20 | 20 | 10.0 |
| 8.41 | NOZZLES FOR MA | XI-PAW™: ANG | 'LE 23° | | | | | |
| THE R | 206592-06 | 20659206 | Colour: Red. Size: 06 | 0.00€ | 20 | 100 | 600 | 0.2 |
| | 206592-07 | 20659207 | Colour: Black. Size 07 | 0.00€ | 20 | 100 | 600 | 0.2 |
| T D T | 206592-08 | 20659208 | Colour: Blue. Size: 08 | 0.00€ | 20 | 100 | 600 | 0.2 |
| | 206592-10 | 20659210 | Colour: Yellow. Size: 10 | 0.00€ | 20 | 100 | 600 | 0.2 |
| 1 | 206592-12 | 20659212 | Colour: Beige. Size: 12 | 0.00€ | 20 | 100 | 600 | 0.2 |
| | Nozzles for MAXI-PAW™: | : Low Angle 11° | | | | | | |
| | 115902-07 | 11590207 | Colour: Black. Size 07 | 0.00€ | 20 | 100 | 600 | 0.2 |
| | 115902-10 | 11590210 | Colour: Yellow. Size 10 | 0.00€ | 20 | 100 | 600 | 0.2 |
| | MAXI-PAW ACCES | SORIES | | | | | | |
| | 205396 | 205396 | MAXI-PAW™ SAM Kit. Holds back up to 1.8 m of elevation difference | 5.00€ | 20 | 1 | 250 | 0.2 |
| | 42064 | B41866 | Maxi-Paw Sprinkler Wrench | 31.00 € | 20 | 1 | 60 | 0.3 |

TOOLS AND ACCESSORIES FOR SPRAY HEADS AND MID-RANGE ROTORS

| | SWING PIPE | | | | | | | |
|--------|------------------|--------|---|---------|----|----|-----|-----|
| | SPIRAL BARB FITT | TINGS | | | | | | |
| | SBE-050 | A46010 | Spiral barb fitting: ½" male x barb elbow | 0.29€ | 20 | 50 | 200 | 2.0 |
| 17. | SBE-075 | A46011 | Spiral barb fitting: ¾" male x barb elbow | 0.29 € | 20 | 50 | 200 | 2.0 |
| , b, P | SBA-050 | A46003 | Spiral barb fitting: ½" male x barb adapter | 0.29 € | 20 | 50 | 200 | 2.0 |
| | SB-CPLG | A46006 | Spiral barb fitting: barb x barb coupling | 0.29€ | 20 | 50 | 200 | 2.0 |
| | SB-TEE | A46004 | Spiral barb fitting: barb x barb x barb tee | 0.29€ | 20 | 50 | 200 | 2.0 |
| | SPX FLEX | | | | | | | |
| V | SPXFLEX30 | A82060 | SPX Flex tubing 30 m coil | 32.40 € | 20 | 1 | 45 | 3.2 |
| | | | | | | | | |



1" ROTOR POP-UP SPRINKLERS

| À | | Į | Ī |
|---|---|---|---|
| 9 | Ļ | ļ | Ļ |
| | ı | | ı |
| | ı | ı | |

| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|-------------------|----------------|--|-----------|------|---------------|---------------|-------------------|
| FALCON® 6504 | SERIES - PR | OVEN PERFORMANCE | | | | | |
| PLASTIC RISER LES | SS NOZZLE | | | | | | |
| FALCON FC | B65311 | FALCON 6504 full Circle rotor, 1" BSP | 66.30 € | 21 | 12 | 12 | 11.0 |
| FALCON PC | B65301 | FALCON 6504 part Circle rotor, 1"BSP | 66.30 € | 21 | 12 | 12 | 11.0 |
| STAINLESS STEEL I | RISER LESS NO | ZZLE | | | | | |
| FALCON FC-SS | B65811 | Full Circle model, with stainless steel riser sleeve | 84.60 € | 21 | 12 | 12 | 11.7 |
| FALCON PC-SS | B65801 | Part-Circle model, with stainless steel riser sleeve | 84.60 € | 21 | 12 | 12 | 11.5 |
| STAINLESS STEEL I | RISER AND HIG | GH SPEED LESS NOZZLE | | | | | |
| FALCON PC-SS-HS | B65841 | High Speed part circle model, with stainless steel riser sleeve | 132.10€ | 21 | 12 | 12 | 11.9 |
| FALCON® 6504 RAI | IN CURTAIN™ I | NOZZLES - TO BE ORDERED SEPARATELY | | | | | |
| COMRAINNZ04 | B8160004 | FALCON 6504 /8005 Nozzles, Size (XX): 04 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ06 | B8160006 | FALCON 6504 /8005 Nozzles, Size (XX): 06 | 0.00 € | 21 | 20 | 200 | 0.2 |
| COMRAINNZ08 | B8160008 | FALCON 6504 /8005 Nozzles, Size (XX): 08 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ10 | B8160010 | FALCON 6504 /8005 Nozzles, Size (XX): 10 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ12 | B8160012 | FALCON 6504 /8005 Nozzles, Size (XX): 12 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ14 | B8160014 | FALCON 6504 /8005 Nozzles, Size (XX): 14 | 0.00 € | 21 | 20 | 200 | 0.2 |
| COMRAINNZ16 | B8160016 | FALCON 6504 /8005 Nozzles, Size (XX): 16 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ18 | B8160018 | FALCON 6504 /8005 Nozzles, Size (XX): 18 | 0.00€ | 21 | 20 | 200 | 0.2 |
| 8005 SERIES - # | A FULL-FEAT | FURED STATE-OF-THE-ART COMMERCIAL ROTOR! | | | | | |
| PLASTIC RISER AN | ID PRE-INSTALI | LED RAIN CURTAIN™ NOZZLE SIZE 18 | | | | | |
| 8005 | B8120018 | 8005 true full and part circle rotor, 1" BSP - Nozzle #18 preinstalled | 89.60 € | 21 | 12 | 12 | 15.7 |
| STAINLESS STEEL I | RISER AND PRE | - E-INSTALLED RAIN CURTAIN™ NOZZLE SIZE 18 | | | | | |
| 8005-SS | B8140018 | True full and part circle model, Stainless steel riser sleeve | 110.20€ | 21 | 12 | 12 | 15.1 |
| 8005 RAIN CURTAI | IN™ NOZZLES : | - - TO BE ORDERED SEPARATELY | | | | | |
| COMRAINNZ04 | B8160004 | FALCON 6504 /8005 Nozzles, Size (XX): 04 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ06 | B8160006 | FALCON 6504 /8005 Nozzles, Size (XX): 06 | 0.00 € | 21 | 20 | 200 | 0.2 |
| COMRAINNZ08 | B8160008 | FALCON 6504 /8005 Nozzles, Size (XX): 08 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ10 | B8160010 | FALCON 6504 /8005 Nozzles, Size (XX): 10 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ12 | B8160012 | FALCON 6504 /8005 Nozzles, Size (XX): 12 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ14 | B8160014 | FALCON 6504 /8005 Nozzles, Size (XX): 14 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ16 | B8160016 | FALCON 6504 /8005 Nozzles, Size (XX): 16 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ18 | B8160018 | FALCON 6504 /8005 Nozzles, Size (XX): 18 | 0.00 € | 21 | 20 | 200 | 0.2 |
| COMRAINNZ20 | B8160020 | 8005 Nozzles, Size (XX): 20 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ22 | B8160022 | 8005 Nozzles, Size (XX): 22 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ24 | B8160024 | 8005 Nozzles, Size (XX): 24 | 0.00€ | 21 | 20 | 200 | 0.2 |
| COMRAINNZ26 | B8160026 | 8005 Nozzles, Size (XX): 26 | 0.00€ | 21 | 20 | 200 | 0.2 |
| SOD CUP | B80000 | Sod Cup is designed to fit the 8005 rotors | 63.70 € | 21 | 6 | 6 | 1.9 |







1.5" ROTOR POP-UP SPRINKLERS

| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|---------------|--------------------|--|-----------|------|---------------|---------------|-------------------|
| EAGLE 900 | 950 SERIES - TH | HE ROTOR THAT DELIVERS LONG-TERM PERFORMANCE | | | | | |
| EAGLE™ 900: F | FULL CIRCLE MODE | EL | | | | | |
| 900E | GRE0618XX | EAGLE™ 900 Electrical (5.5 Bar), full circle 1″½ ACME rotor, w/ new GBS25 Solenoid, w/TSRS - Standard nozzle if not specified: 60 black - XX: 44, 48, 52, 56, 60, 64 | 376.60 € | 41 | 1 | 4 | 8.6 |
| NOZZLES FOR | R EAGLE™ 900 SERIE | ES . | | | | | |
| 900 | 213904 | 900 Spreader Nozzle Assembly, use with #44-48 Nozzles | 9.00 € | 41 | 10 | 500 | 0.0 |
| 900 | 213905 | 900 Spreader Nozzle Assembly, use with #52-64 Nozzles | 9.00 € | 41 | 10 | 500 | 0.0 |
| 900 | 211967 | 900 Series - Nozzle housing - High performance | 49.90 € | 41 | 1 | 1 | 0.0 |
| 900 | 213900XX | 900 series Nozzle Assembly - Size(XX): 44, 48, 52, 56, 60, 64 | 9.00 € | 41 | 10 | 500 | 0.0 |
| EAGLE™ 950: F | PART CIRCLE MODE | EL | | | | | |
| 950E | GRE5618XX | EAGLE™ 950 Electrical (5.5 Bar), part circle 1"½ ACME rotor, w/ new GBS25 Solenoid, w/TSRS - Standard nozzle if not specified: 28 green - XX: 18, 20, 22, 24, 26, 28, 30, 32 | 425.90 € | 41 | 1 | 4 | 9.0 |
| NOZZLES FOR | R EAGLE™ 950 SERIE | ES . | | | | | |
| 950 | 212822 | 950 Series - Nozzle Housing | 47.40 € | 41 | 1 | 50 | 0.1 |
| 950 | 213950XX | 950 Series Nozzle Assembly - Size (XX): 18, 20, 22, 24, 26, 28, 30, 32 | 9.00 € | 41 | 1 | 10 | 0.1 |
| COVERS FO | R EAGLE™ 900/ | 950 | | | | | |
| 1.5" ROTOR PO | OP-UP SPRINKLERS | | | | | | |
| 900 RC | 212553 | Rubber cover and case ring for EAGLE™ 900 | 148.80€ | 41 | 1 | 10 | 1.3 |
| 950 RC | 212554 | - Rubber cover and case ring for EAGLE™ 950 | 148.80 € | 41 | 1 | 10 | 1.3 |
| ARTGR | B99500 | Artificial grass cover and case ring for EAGLE™ 900/950 | 185.00€ | 41 | 1 | 10 | 1.9 |
| RAIN BIRD | SWING JOINTS | - INNOVATIVE ELBOW DESIGN REDUCES PRESSURE LOSSES | BY 50% | | | | |
| 1" BSP/BSP SV | VING JOINTS | | | | | | |
| SJ 12 100 22 | JB000022 | 12" (30 cm) Length, 1" Diameter Swing Joint, BSP inlet / BSP outlet | 40.10 € | 41 | 1 | 15 | 8.5 |
| SJ 18 100 22 | JC000022 | 18" (45 cm) Length, 1" Diameter Swing Joint, BSP inlet / BSP outlet | 44.60 € | 41 | 15 | 15 | 10.4 |
| 1.5" BSP/ACM | E SWING JOINTS | | | | | | |
| SJ 12 150 23 | JH000023 | 12" (30 cm) Length, 1"½ Diameter Swing Joint, BSP inlet / ACME outlet | 62.50 € | 41 | 15 | 15 | 17.8 |
| SJ 18 150 23 | JI000023 | 18" (45 cm) Length, 1"½ Diameter Swing Joint, BSP inlet / ACME outlet | 66.70 € | 41 | 10 | 10 | 14.5 |
| ACME ADAPTI | ERS | | | | | | |
| ADPT 150 | 21337103 | 1"½ BSP Female thread inlet to 1"½ ACME Male thread outlet Adapter | 11.80 € | 41 | 1 | 30 | 2.8 |
| | _ | FOR LONG-RANGE ROTORS | | | | | |
| 41017 | A90917 | Pitot Tube (use w/ Pressure Gauge) | 31.17€ | 21 | 1 | 100 | 0.1 |
| VT DR | B41700 | Valve insertion tool for EAGLE™ 900/950 Series | 210.70 € | 41 | 1 | 15 | 0.3 |
| SRP | D02203 | Snap Ring Pliers for EAGLE™ 900/950 | 169.00 € | 41 | 1 | 50 | 0.5 |
| IS TSRS | D02237 | Installation Socket for TSRS (White) for all Top- Serviceable Rock Screens & Replaceable Valve Seats | 25.60 € | 41 | 1 | 5 | 0.1 |
| EGL SVK | B41720 | Selector service tool / key for electric valve-in-head rotors | 25.60 € | 41 | 1 | 15 | 0.1 |
| DR SVK 7 | D02215 | Selector valve key for EAGLE™ Electric VIH Rotors (7") | 61.90 € | 41 | 1 | 150 | 0.1 |





ABOVE GRADE IMPACT SPRINKLERS

| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg | |
|---------|------------------|-------------|--|-----------|------|---------------|---------------|-------------------|-----|
| | 1/2" FULL CIRCL | E SPRINKLE | RS | | | | | | |
| | LF SERIES SPRINK | LERS | | | | | | | |
| July 10 | LFBD12 | A85000 | LF1200, NPT Body & Drive Unassembled | 6.78 € | 80 | 100 | 100 | 0.2 | New |
| | LFBD24 | A85200 | LF2400, NPT Body & Drive Unassembled | 6.78 € | 80 | 100 | 100 | 0.2 | New |
| | LFBD12THFT | A85000AT | LF1200, ACME Thread, Anti-Theft Body & Drive Unassembled | 6.78 € | 80 | 100 | 100 | 0.2 | New |
| - | LFBD24THFT | A85200AT | LF2400, ACME Thread, Anti-Theft Body & Drive Unassembled | 6.78 € | 80 | 100 | 100 | 0.2 | New |
| | LF 1200 NOZZLES | | | | | | | | |
| | LFN05 | 11809805 | LF Blue 5/64" Nozzle (1.98 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | ı |
| | LFN44 | 11809844 | LF Orange # 44 Nozzle (2.18 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | i |
| 9 | LFN06 | 11809806 | LF Purple 3/32" Nozzle (2.39 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | i |
| 000 | LFN38 | 11809838 | LF Yellow # 38 Nozzle (2.59 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | i |
| (00 | LFN07 | 11809807 | LF Green 7/64" Nozzle (2.78 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | ı |
| | LFN30 | 11809830 | LF Tan # 30 Nozzle (2.97 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | |
| | LF 1200 DEFLECTO | ORS | | | | | | | |
| | LFD06P | 118285 | LF Dark Purple 6° Deflector | 0.84 € | 80 | 200 | 1600 | 3.5 | ı |
| | LFD10W | 118231 | LF White 10° Deflector | 0.84 € | 80 | 200 | 1600 | 3.5 | i |
| | LFD12B | 118262 | LF Cyan Blue 12° Deflector | 0.84 € | 80 | 200 | 1600 | 3.5 | ı |
| | LFD12P | 118354 | LF Pink 12° Deflector | 0.84 € | 80 | 200 | 1600 | 3.5 | i |
| | LFD16R | 118240 | LF Red 16° Deflector | 0.84€ | 80 | 200 | 1600 | 3.5 | i i |
| | LFD17B | 118226 | LF Powder Blue 17° Deflector | 0.84 € | 80 | 200 | 1600 | 3.5 | i |
| | LFD21G | 118339 | LF Olive Green 21° Deflector | 0.84€ | 80 | 200 | 1600 | 3.5 | İ |
| | LF 2400 NOZZLES | | | | | | | | |
| | LFN07 | 11809807 | LF Green 7/64" Nozzle (2.78 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | i . |
| (0) | LFN30 | 11809830 | LF Tan # 30 Nozzle (2.97 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | i |
| | LFN08 | 11809808 | LF Red 1/8" Nozzle (3.18 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | i i |
| 600 | LFN29 | 11809829 | LF Black # 29 Nozzle (3.38 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | |
| | LFN09 | 11809809 | LF Silver 9/64" Nozzle (3.57 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | ĺ |
| | LF 2400 DEFLECTO | ORS | | | | | | | |
| | LFD10G | 118599 | LF Lime green 10° Deflector | 0.84 € | 80 | 200 | 1600 | 3.5 | į. |
| | LFD13M | 118600 | LF Maroon 13° Deflector | 0.84 € | 80 | 200 | 1600 | 3.5 | i |
| | LFD15T | 118583 | LF Tangerine 15° Deflector | 0.84€ | 80 | 200 | 1600 | 3.5 | i i |
| | LFD22G | 118585 | LF Dark Green 22° Deflector | 0.84€ | 80 | 200 | 1600 | 3.5 | i |
| | LF 2400 LR NOZZL | ES | | | | | | | |
| | LFN09 | 11809809 | LF Silver 9/64" Nozzle (3.57 mm Nozzle) | 0.53 € | 80 | 200 | 1600 | 2.0 | i . |
| | LFN10 | 11809810 | LF-LR Brown 5/32" Nozzle | 0.53 € | 80 | 200 | 1600 | 2.0 | New |
| | LFN11 | 11809811 | LF-LR Dark Grey 11/64" Nozzle | 0.53 € | 80 | 200 | 1600 | 2.0 | New |
| | LF 2400 LR DEFLE | CTORS | | | | | | | |
| | LFD27B | 118602 | LF-LR Black 27 Degree Deflector | 0.84€ | 80 | 200 | 1600 | 3.5 | New |
| | LF BODY | | • | | | | | | |
| | 118310 | 118310 | LF Body ACME with screw | 1.66 € | 80 | 1 | 100 | 3.5 | 1 |
| | 118310 | 118310 | LF Body ACME no screw | 1.66€ | 80 | 1 | 100 | 3.5 | 1 |
| | 110311 | 110311 | EL DOG NEWL HOSEEW | 1.00 € | 30 | | 100 | ال.ن | |



ABOVE GRADE IMPACT SPRINKLERS

| - 1 | A700110 | |
|-----|---------|---|
| q | 171 | 8 |
| Į | | ۱ |
| | 9 | , |

| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg | |
|------------------|------------------|---|-----------|------|---------------|---------------|-------------------|---|
| ½" FULL CIRCL | E SPRINKLE | RS | | | | | | Ĺ |
| LF DRIVE UNIT | | | | | | | | |
| LF12DRIVE | 118201 | LF1200 Drive Unit | 4.64€ | 80 | 1 | 200 | 12.5 | (|
| LF24DRIVE | 118572 | LF2400 Drive Unit | 4.64€ | 80 | 1 | 200 | 12.5 | (|
| LF ACCESSORIES | | | | | | | | |
| LF-GUARD | 118366 | LF Edge Guard, half circle snap on adapter, Keep water out of certain areas | 4.90 € | 80 | 1 | 64 | 0.1 | |
| LFSS | 118259 | LF Stream Splitter 20° - Green | 0.65€ | 80 | 100 | 1200 | 0.2 | |
| LFACMEUS | 118328 | LF adapter - PVC - ¾" - Gray | 0.90€ | 80 | 1 | 100 | 0.1 | |
| LFSCRWDRVR | 118317 | LF Anti-theft screwdriver | 0.00€ | 80 | 1 | 100 | 0.1 | (|
| LFACMEXNPT | 118292 | LF Adapter ,ACMEX ½" male NPT - Black | 3.12€ | 80 | 1 | 100 | 0.1 | (|
| LFACME20MM | 118294 | LF Adapter, ACMEX 20 mm x 25 mm slip - White | 5.72€ | 80 | 1 | 100 | 0.1 | (|
| L36H PLASTIC IM | PACT SPRINKLE | R | | | | | | |
| L36H | A07360 | L36 H Plastic sprinkler less | 24.25 € | 80 | 25 | 300 | 2.0 | (|
| QF-SBN-07 | 10788107 | Nozzle for 36H (7/64"-2.78 mm-07) | 1.22€ | 80 | 30 | 300 | 2.0 | (|
| ³¼" (20 mm), M | ALE BEARIN | G, FULL CIRCLE IMPACT SPRINKLERS | | | | | | |
| 48H SPRINKLER SI | ERIES - 23° TRA. | JECTORY BODY | | | | | | |
| 48H FC LESS | A07370 | 48h Series Sprinkler FC - 23° trajectory body | 9.17€ | 80 | 1 | 30 | 5.1 | ı |
| 48H SPRINKLER N | OZZLE & PLUG | | | | | | | |
| QF4810 | A07390 | Quick-Fit Plastic Nozzle for 48H - 5/32" black | 0.53 € | 80 | 30 | 300 | 2.0 | ı |
| QF4811 | A07391 | Quick-Fit Plastic Nozzle for 48H - 11/64" brown | 0.53 € | 80 | 30 | 300 | 2.0 | ı |
| QF4812 | A07392 | Quick-Fit Plastic Nozzle for 48H - 3/16" yellow | 0.53 € | 80 | 30 | 300 | 2.0 | |
| QF4813 | A07393 | Quick-Fit Plastic Nozzle for 48H - 13/64" purple | 0.53 € | 80 | 30 | 300 | 2.0 | |
| QF4814 | A07394 | Quick-Fit Plastic Nozzle for 48H - 7/32" orange | 0.53€ | 80 | 30 | 300 | 2.0 | |
| QF4806 | A07395 | Quick-Fit Plastic SPREADER Nozzle for 48H - 3/32" green | 0.43€ | 80 | 30 | 300 | 2.0 | |
| QF4808 | A07396 | Quick-Fit Plastic SPREADER Nozzle for 48H - 1/8" blue | 0.43€ | 80 | 30 | 300 | 2.0 | |
| QF4800 | A07397 | Plastic Plug for 48H orange | 0.43 € | 80 | 30 | 300 | 2.0 | |



| MAXI-BIKD F | KISEK-MOUR | NIED IMPACI SPRINKLEK |
|------------------|---------------|---|
| MAXI-BIRD™ SPRII | NKLER | |
| 2045PJ-08 | B4600008 | Full/Part circle plastic impact sprinkler with standard nozzle size 0 |
| NOZZLES FOR MA | XI-BIRD™: ANG | LE 23° |
| 206592-06 | 20659206 | Colour: Red. Size: 06 |
| 206592-07 | 20659207 | Colour: Black. Size 07 |

| | 2045PJ-08 | B4600008 | Full/Part circle plastic impact sprinkler with standard nozzle size 08 pre-installed | 25.70 € | 20 | 20 | 20 | 1.6 | |
|---|-----------------|---------------|--|---------|----|-----|-----|-----|--|
| | NOZZLES FOR MAX | XI-BIRD™: ANG | GLE 23° | | | | | | |
| | 206592-06 | 20659206 | Colour: Red. Size: 06 | 0.00€ | 20 | 100 | 600 | 0.2 | |
| | 206592-07 | 20659207 | Colour: Black. Size 07 | 0.00€ | 20 | 100 | 600 | 0.2 | |
| E | 206592-08 | 20659208 | Colour: Blue. Size: 08 | 0.00 € | 20 | 100 | 600 | 0.2 | |
| | 206592-10 | 20659210 | Colour: Yellow. Size: 10 | 0.00 € | 20 | 100 | 600 | 0.2 | |
| | 206592-12 | 20659212 | Colour: Beige. Size: 12 | 0.00 € | 20 | 100 | 600 | 0.2 | |
| | NOZZLES FOR MAX | XI-BIRD™: LOW | /ANGLE 11° | | | | | | |
| | 115902-07 | 11590207 | Colour: Black. Size 07 | 0.00€ | 20 | 100 | 600 | 0.2 | |
| | 115902-10 | 11590210 | Colour: Yellow. Size 10 | 0.00€ | 20 | 100 | 600 | 0.2 | |
| | | | | | | | | | |



ABOVE GRADE IMPACT SPRINKLERS

| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg | |
|-----|------------------------|---------------|---|-----------|------|---------------|---------------|-------------------|-----|
| | 25BPJ-TNT: IMP | ACT SPRIN | KLER FOR USE ON RISER | | | | | | |
| | 1/2" MALE THREADE | D INLET | | | | | | | |
| OC. | 25BPJ-FP-ADJ-DA-TNT-10 | A3440310 | Full/Part circle brass impact sprinkler with pre-installed Nozzle size 10 | 36.78 € | 80 | 1 | 60 | 17.4 | |
| | NOZZLES FOR 25BF | PJ-TNT | | | | | | | |
| | 106160-09 | 10616009 | Nozzle sizes 09 (9/64") | 1.56€ | 80 | 20 | 20 | 0.2 | New |
| | 106160-10 | 10616010 | Nozzle sizes 10 (5/32") | 1.56 € | 80 | 20 | 20 | 0.2 | New |
| | 35A-PJ-TNT LES | S BRASS SI | PRINKLER | | | | | | |
| | 35A-PJ-TNT Less | A39400 | Full circle Brass Impact Sprinkler W/O Nozzle | 85.26 € | 80 | 1 | 10 | 2.5 | New |
| | NOZZLE FOR 35A-F | Y-TNT BRASS . | SPRINKLER | | | | | | |
| | 100332-12 | 10033212 | Nozzle for 35A-PJ-TNT Brass impact Sprinkler | 8.53 € | 80 | 20 | 20 | 0.2 | New |
| | 65PJ-TNT | | | | | | | | |
| | 1" BSP FEMALE THE | READED INLET | - | | | | | | |
| | 65PJ-TNT Less | AG2101 | Full/Part circle brass impact sprinkler, LESS nozzle | 179.15€ | 80 | 1 | 5 | 8.4 | |
| | NOZZLES FOR 65PJ | -TNT SERIES | | | | | | | |
| | 100382-14 | 10038214 | Nozzle sizes 14 (7/32") | 10.94€ | 80 | 1 | 1 | 0.1 | New |
| | 100382-16 | 10038216 | Nozzle sizes 16 (¼") | 10.94 € | 80 | 1 | 1 | 0.1 | New |
| | 100382-18 | 10038218 | Nozzle sizes 18 (9/32") | 10.94€ | 80 | 1 | 1 | 0.1 | New |
| | 100382-20 | 10038220 | Nozzle sizes 20 (5/16") | 10.94€ | 80 | 1 | 1 | 0.1 | New |
| | 100382-22 | 10038222 | Nozzle sizes 22 (11/32") | 10.94€ | 80 | 1 | 1 | 0.1 | New |
| | 100382-24 | 10038224 | Nozzle sizes 24 (3/8") | 10.94€ | 80 | 1 | 1 | 0.1 | New |
| | 85EWHD SERIES | S | | | | | | | |
| | 1.25" BSP MALE TH | READED INLE | Т | | | | | | |
| | 85EWHD Less | A23654 | Full/Part circle brass impact sprinkler LESS nozzle, with plug | 248.92€ | 80 | 1 | 2 | 4.8 | |
| | NOZZLES FOR 85EV | WHD SERIES | | | | | | | |
| | 103043-22 | 10304322 | Range Nozzle sizes 22 (11/32") | 24.26€ | 80 | 1 | 1 | 0.1 | New |
| | 103043-24 | 10304324 | Range Nozzle sizes 24 (3/8") | 24.26€ | 80 | 1 | 1 | 0.1 | New |
| | 103043-26 | 10304326 | Range Nozzle sizes 26 (13/32") | 24.26€ | 80 | 1 | 1 | 0.1 | New |
| | 103043-28 | 10304328 | Range Nozzle sizes 28 (7/16") | 24.26€ | 80 | 1 | 1 | 0.1 | New |
| | 103043-30 | 10304330 | Range Nozzle sizes 30 (15/32") | 24.26€ | 80 | 1 | 1 | 0.1 | New |
| | 103043-32 | 10304332 | Range Nozzle sizes 32 (½") | 24.26€ | 80 | 1 | 1 | 0.1 | New |
| | 103043-34 | 10304334 | Range Nozzle sizes 34 (17/32") | 24.26€ | 80 | 1 | 1 | 0.1 | New |
| | 103043-36 | 10304336 | Range Nozzle sizes 36 (9/16") | 24.26 € | 80 | 1 | 1 | 0.1 | New |
| | 103043-40 | 10304340 | Range Nozzle sizes 40 (5/8") | 24.26 € | 80 | 1 | 1 | 0.1 | New |
| | 103043-44 | 10304344 | Range Nozzle sizes 44 (11/16") | 24.26€ | 80 | 1 | 1000 | 0.1 | New |
| | LAN-20 | 10022614 | Spreader Nozzle, 20°, 7/32" (5.60 mm) | 2.22€ | 80 | 1 | 1000 | 0.1 | New |



SR SPRINKLERS: Longer life, improved Performance and Better value Guaranteed!

| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|---------------------------------------|------------------|-------------|--|-----------|------|---------------|---------------|-------------------|
| | SR2005 | | | | | | | |
| <u> </u> | 3" MODEL - FLANG | E MOUNT | | | | | | |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | SR2005 | L10065 | SR2005 + Set of 6 Plastic Taper Bore Nozzles GNS-2005T (21 mm, 23 mm, 26 mm, 28 mm, 30 mm, 33 mm) | 1405.41€ | 70 | 1 | 1 | 14.0 |
| | NOZZLES FOR SR2 | 005 SERIES | | | | | | |
| -218 | L00250 | L00250 | Set of 6 Plastic Taper Bore Nozzles: GNS-2005T (21 mm, 23 mm, 26 mm, 28 mm, 30 mm, 33 mm) | 17.69€ | 70 | 1 | 40 | 0.2 |
| | SR3003 | | | | | | | |
| 2 | 2" MODEL - FLANG | E MOUNT | | | | | | |
| | SR3003 | L103003 | SR3003 with 6 Taper Bore Nozzles GNS-3003T (14 mm, 16 mm, 18 mm, 20 mm, 22 mm, 24 mm) | 1100.22€ | 70 | 1 | 1 | 9.5 |
| | NOZZLES FOR SR3 | 003 SERIES | | | | | | |
| | L003003 | L003003 | Set of 6 Plastic Taper Bore Nozzles (14 mm, 16 mm, 18 mm, 20 mm, 22 mm, 24 mm) | 7.24€ | 70 | 1 | 50 | 0.2 |
| | ADAPTER | | | | | | | |
| | 71P50545 | 71P50545 | 2" Female BSP adapter for Mounting on 2" Male Riser | 70.61 € | 70 | 1 | 1 | 1.8 |

SPRINKLERS: Fast Reverse for Dust-Control

| | 1005M-DC -LES | S: 43° TRAJ | ECTORY BODY | | ۰ | ۰ | ۰ | |
|----|------------------|-------------|---|----------|----|---|---|------|
| A. | 3" MODEL - FLANG | E MOUNT | | | | | | |
| | 1005M-DC LESS | L10055 | 1005M-DC, Less Nozzle | 2072.75€ | 70 | 1 | 1 | 15.0 |
| 9 | ALUMINIUM STRAI | GHT BORE NO | ZZLE FOR 1005M-DC | | | | | |
| | DC-02 | 7110218902 | Aluminium Straight Bore Nozzle 0.79" (20.07 mm) | 85.29€ | 70 | 1 | 1 | 0.3 |
| | DC-03 | 7110218903 | Aluminium Straight Bore Nozzle 0.89" (22.61 mm) | 85.29 € | 70 | 1 | 1 | 0.3 |
| | DC-04 | 7110218904 | Aluminium Straight Bore Nozzle 0.99" (25.15 mm) | 85.29 € | 70 | 1 | 1 | 0.3 |
| | DC-05 | 7110218905 | Aluminium Straight Bore Nozzle 1.09" (27.69 mm) | 85.29 € | 70 | 1 | 1 | 0.3 |
| | DC-06 | 7110218906 | Aluminium Straight Bore Nozzle 1.19" (30.23 mm) | 85.29 € | 70 | 1 | 1 | 0.3 |
| | DC-07 | 7110218907 | Aluminium Straight Bore Nozzle 1.29" (32.77 mm) | 85.29 € | 70 | 1 | 1 | 0.3 |



ELECTRIC VALVES











| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|-----------------------|--------------|---|-----------|------|---------------|---------------|-------------------|
| DV DRIP VALV | E - MADE ES | PECIALLY FOR DRIP IRRIGATION SYSTEMS | | | | | |
| LFV075 | X12100 | 34" female threaded Low Flow Valve, 24 VAC , DV drip | 26.80 € | 20 | 12 | 12 | 5.0 |
| LFV075-9V | X12105 | ¾" female threaded Low Flow Valve, 9V Solenoid DV drip | 43.00 € | 20 | 12 | 12 | 5.0 |
| HV SERIES: TH | E HIGH VALU | UE CHOICE! | | | | | |
| 100-HV | H01000 | 1"HV female threaded valve, 24 VAC | 18.70 € | 20 | 20 | 20 | 7.0 |
| 100-HV-MM | H05000 | 1"HV male threaded valve, 24 VAC | 18.70 € | 20 | 20 | 20 | 7.0 |
| 100-HVF | H01010 | 1" HV female threaded valve with flow control, 24 VAC | 21.50 € | 20 | 20 | 20 | 7.0 |
| JTV SERIES: M | AINTENANC | E HAS NEVER BEEN EASIER! | | | | | |
| 1" JTV SERIES | | | | | | | |
| 100-JTV | W01000 | 1" female threaded Jar Top Valve, 24 VAC solenoid | 24.90 € | 20 | 20 | 20 | 8.0 |
| 100-JTV 9V | W01040 | 1" female threaded Jar Top Valve, 9V solenoid | 43.00 € | 20 | 20 | 20 | 8.0 |
| DV SERIES: TH | IE RIGHT CHO | DICE IN VALVES | | | | | |
| 34" DV SERIES | | | | | | | |
| 075-DV | B72110 | ¾" female threaded valve, 24 VAC | 28.10€ | 20 | 20 | 20 | 8.8 |
| 1" DV SERIES | | | | | | | |
| 100-DV | B70211 | 1" female threaded valve, 24 VAC | 28.10€ | 20 | 20 | 20 | 8.8 |
| 100-DV 9V | B70240 | 1" female threaded valve, 9V solenoid | 45.20 € | 20 | 20 | 20 | 6.3 |
| 1" DV Male Threaded S | eries | | | | | | |
| 100-DV-MM | B70500 | 1" male threaded valve, 24 VAC | 28.10€ | 20 | 20 | 20 | 8.1 |
| 100-DV-MM 9V | B70540 | 1" male threaded valve, 9V solenoid | 45.20 € | 20 | 20 | 20 | 8.1 |
| 1" DV WITH FLOW | V CONTROL | | | | | | |
| 100-DVF | B70311 | 1" female threaded valve with flow control, 24 VAC | 36.80 € | 20 | 20 | 20 | 10.0 |
| PGA SERIES: B | UILT TO LAS | T AND LAST! | | | | | |
| 1" PGA SERIES | | | | | | | |
| 100-PGA | B31410 | Combination globe/angle valve, 1" BSP female threads, 24 VAC | 45.00 € | 21 | 10 | 10 | 7.3 |
| 100-PGA 9V | B31440 | 100-PGA valve with 9V latching solenoid | 67.70 € | 21 | 10 | 10 | 7.7 |
| 1.5" PGA SERIES | | | | | | | |
| 150-PGA | B31510 | Combination globe/angle valve, 1"½ BSP female threads, 24 VAC | 78.90 € | 21 | 8 | 8 | 8.8 |
| 150-PGA 9V | B31540 | 150-PGA valve with 9V latching solenoid | 100.90€ | 21 | 8 | 8 | 8.3 |
| 2" PGA SERIES | | | | | | | |
| 200-PGA | B31610 | Combination globe/angle valve, 2" BSP female threads, 24 VAC | 114.60€ | 21 | 4 | 4 | 8.0 |
| 200-PGA 9V | B31640 | 200-PGA valve with 9V latching solenoid | 136.70€ | 21 | 4 | 4 | 8.0 |
| | | | | | | | |





ELECTRIC VALVES

| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|----|--------------------|--------------|---|-----------|------|---------------|---------------|-------------------|
| | PEB/PESB SERII | ES: RAIN BIF | RD'S MOST DURABLE PLASTIC VALVE | | | | | |
| | PEB SERIES | | | | | | | |
| | 100-PEB | B34073 | 1" Electric Valve, 24VAC, BSP | 110.00€ | 21 | 1 | 10 | 7.0 |
| | 150-PEB | B34083 | 1"½ Electric Valve, 24VAC, BSP | 144.40€ | 21 | 1 | 8 | 11.5 |
| | 200-PEB | B34093 | 2" Electric Valve, 24VAC, BSP | 226.90 € | 21 | 1 | 8 | 12.2 |
| | PESB SERIES WITH | SELF-CLEANIN | IG SCRUBBER | | | | | |
| | 100-PESB | B37073 | 1"Electric Valve, 24VAC, BSP | 172.90€ | 21 | 10 | 10 | 7.0 |
| | 150-PESB | B37083 | 1"½ Electric Valve, 24VAC, BSP | 214.10€ | 21 | 8 | 8 | 11.5 |
| | 200-PESB | B37102 | 2" Electric Valve, 24VAC, BSP | 266.20€ | 21 | 8 | 8 | 12.2 |
| | 300-BPES SERII | ES: UNIQUE | COMBINATION CONSTRUCTION OF BRASS BODY AND GLASS | S-FILLED | NYL | ON B | ONNE | Τ |
| | 3" BPE SERIES WITH | H SCRUBBER | | | | | | |
| | 300-BPES | B38213 | Combination globe/angle valve, 3" BSP female threads with flow control and scrubber feature | 991.50€ | 21 | 1 | 1 | 11.1 |
| | 100 SERIES VAL | .VE: 3" PLAS | STIC VALVE | | | | | |
| | BER310023 | BER310023 | 3" plastic valve W/ 3 way solenoid | 363.00€ | 10 | 1 | 1 | 5.2 |
| | QUICK COUPLI | NG VALVES | | | | | | |
| K) | 34" MALE PLASTIC | QUICK COUPL | NG VALVE & ACCESSORIES | | | | | |
| ļ | P-33 | LP3300 | ¾" male plastic quick coupling valve | 17.10€ | 10 | 20 | 20 | 3.9 |
| | P-33DK | LP3310 | 34" male valve key for P-33 | 3.50 € | 10 | 10 | 100 | 7.1 |
| 1 | PSH-O | LP4100 | Plastic swivel hose elbow for P-33DK; ¾" female x ¾" male | 4.50 € | 10 | 10 | 200 | 7.2 |
| | 3/4" FEMALE BRASS | QUICK COUPL | ING VALVE & ACCESSORIES | | | | | |
| • | 33DK | B11801 | Valve key for 3RC; ½" female x ¾" male top threads | 51.00€ | 21 | 1 | 10 | 3.6 |
| | SHO | B40005 | Brass swivel hose elbow for 33DK; ¾" female x ¾" male | 116.80€ | 21 | 1 | 50 | 0.2 |
| | 1" FEMALE BRASS (| QUICK COUPLI | NG VALVE & ACCESSORIES | | | | | |
| | 5LRCBSP | B12806 | 1"BSP female threads with locking thermoplastic cover | 130.90€ | 41 | 1 | 7 | 6.6 |
| | 2049 | D06401 | Cover key to lock/unlock 5LRC cover and VB1419U | 20.80€ | 41 | 1 | 400 | 0.1 |
| | 55K1BSP | B13401 | Key for 5LRC-BSP, 1"BSP male top threads | 123.80 € | 41 | 1 | 15 | 14.0 |
| | SH2BSP | B40103 | Brass swivel hose elbow for 55K-1 BSP, 1" female BSP x 1" male BSP | 166.60 € | 41 | 1 | 30 | 0.2 |
| | TOOLS AND AC | CESSORIES | FOR ELECTRIC VALVES | | | | | |
| | VALVE ACCESSORIE | ES | | | | | | |
| 9 | PRSDial | B33135 | Pressure regulator for PGA, PEB, PESB, BPE, and BPES Series | 104.70€ | 21 | 1 | 10 | 0.1 |
| | MTT-100 | L06300 | Threaded manifold valve tee: 1" male x 1" male x 1" female BSP | 2.82 € | 10 | 20 | 100 | 1.2 |
| | TBOSADAPP | K80510 | TBOS Solenoid Adapter | 6.90 € | 20 | 16 | 16 | 0.4 |
| | VALVE TOOLS | | | | | | | |
| | WIRE STRIPPER | MW9999 | Wire Stripper Tool | 41.10€ | 31 | 1 | 1 | 0.1 |




ELECTRIC VALVES

| | | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|-------------|------------|-----------------|---------------|---|-----------|------|---------------|---------------|-------------------|
| | | MANIFOLD SYS | TEM | | | | | | |
| 1 | | PVC MANIFOLD SY | STEM - 1200 S | ERIES - FEMALE VALVE CONNECTORS | | | | | |
| RB1201-010 | | RB1201-010 | V54262 | Union Tee manifold 1"F x 1"M-1 outlet: 1"F | 6.10 € | 20 | 25 | 25 | 4.0 |
| | RB1201-210 | RB1201-210 | V54263 | 2-outlet Manifold 1"F x 1"M-2 outlets: 1"F | 11.70€ | 20 | 25 | 25 | 7.0 |
| RB1201-310 | | RB1201-310 | V54264 | 3-outlet manifold 1"F x 1"M-3 outlets: 1"F | 17.40 € | 20 | 25 | 25 | 9.9 |
| | RB1201-410 | RB1201-410 | V54265 | 4-outlet manifold 1"F x 1"M-4 outlets: 1"F | 23.30 € | 20 | 25 | 25 | 12.8 |
| DD1206 010 | | RB1206-010 | V54268 | Union Elbow 1"M x 1"F | 5.10€ | 20 | 25 | 25 | 3.2 |
| RB1206-010 | - | RB1212-010 | V54269 | Union Elbow 1"F x 1"F | 5.73 € | 20 | 25 | 25 | 3.9 |
| ď | RB1234-010 | RB1234-010 | V54272 | 1"Euro Adapter | 4.40 € | 20 | 40 | 40 | 3.8 |
| RB1212-010 | | RB1203-010 | V54266 | Tee double Swivel 1"F-2 opposite outlets: 1"F x 1"F | 8.60 € | 20 | 20 | 20 | 5.0 |
| | RB1203-010 | RB1220-010 | V54270 | Union Cross 1"F x 1"M-2 opposite outlets: 1"F | 8.00 € | 20 | 15 | 15 | 3.8 |
| RB1220-10 | | RB1239-131 | V54277 | Adapter 1"M x ¾"F | 1.72 € | 20 | 100 | 100 | 3.3 |
| All to | RB1239-131 | RB1282-010 | V54278 | Adapter 1"M x 1"M | 1.53 € | 20 | 100 | 100 | 3.3 |
| RB1282-010 | | RB1282-131 | V54279 | Adapter 1"M X ¾"M | 1.72€ | 20 | 100 | 100 | 3.3 |
| | | PVC MANIFOLD SY | STEM - 1300 S | ERIES - MALE VALVE CONNECTORS | | | | | |
| RB1301-010 | | RB1301-010 | V54281 | Union Tee manifold 1"F x 1"M-1 outlet: 1"M | 6.00€ | 20 | 25 | 25 | 3.5 |
| 1151501 010 | DD1201.210 | RB1301-210 | V54282 | 2-outlet Manifold 1"F x 1"M-2 outlets: 1"M | 11.70€ | 20 | 25 | 25 | 6.1 |
| | RB1301-210 | RB1301-310 | V54283 | 3-outlet Manifold 1"F x 1"M-3 outlets: 1"M | 17.40 € | 20 | 25 | 25 | 8.9 |
| RB1301-310 | المالي | RB1301-410 | V54284 | 4-outlet Manifold 1"F x 1"M-4 outlets: 1"M | 23.30 € | 20 | 25 | 25 | 11.5 |
| -1- | RB1301-410 | RB1306-010 | V54287 | Union Elbow: 1"M X 1"M | 5.10€ | 20 | 25 | 25 | 2.8 |
| RB1303-010 | E-m | RB1312-010 | V54288 | Union Elbow: 1"M X 1"F | 5.73 € | 20 | 25 | 25 | 3.1 |
| | RB1306-010 | RB1303-010 | V54285 | Tee double Swivel 1"F inlet-2 opposite outlets: 1"M | 8.50 € | 20 | 20 | 20 | 3.9 |
| RB1312-010 | olo | RB1320-010 | V54289 | Union Cross 1"F x 1"M-2 opposite outlets: 1"M | 8.00€ | 20 | 15 | 15 | 3.8 |
| - | RB1320-010 | RB1330-010 | V54305 | Coupling 1"F x 1"F | 1.47 € | 20 | 100 | 100 | 3.9 |
| RB1330-010 | | RB1330-131 | V54306 | Coupling 1"F x ¾"F | 1.47 € | 20 | 100 | 100 | 3.4 |
| 101330 010 | 001220 121 | RB1348-010 | V54280 | Cap 1"F | 1.27 € | 20 | 100 | 100 | 2.0 |
| | RB1330-131 | QUICK CONNEC | T WIRE COI | NNECTORS | | | | | |
| RB1348-010 | | DBM | L62000 | Connector for a maximum of 3 wires, sized 1.5 mm² (30V max) | 1.66 € | 10 | 10 | 500 | 0.1 |
| | | KING | L63000 | Connector for a maximum of 2 wires sized 2.5 mm ² or 3 wires sized 1.5 mm ² (30V max) | 1.45€ | 10 | 10 | 2000 | 0.2 |
| 000 | | DBRY6 | L65000 | Connector for a maximum of 3 wires sized 4 mm ² (30V max) | 2.44 € | 31 | 10 | 150 | 0.2 |
| | | DBRYUL020 | DBRY20 | Connector for a maximum of 3 wires sized 4 mm ² (30V max) | 2.25€ | 20 | 20 | 100 | 1.5 |



ELECTRIC CABLES



POLYPRO VALVE BOX SERIES

| | | VBA SERIES: VA | LVE BOXES | WITH THE BEST VALUE FOR MONEY | | | | | |
|------|---|------------------|-----------|---|---------|----|---|-----|-----|
| PERM | | VBA VALVE BOXES | | | | | | | |
| | | VBA17186 | VBA17186 | Round irrigation hydrant with built-in ¾" valve | 29.60€ | 10 | 7 | 105 | 1.0 |
| | | VBA02672 | VBA02672 | Round valve box with bayonet-type cover Bottom diameter: 20 cm; Top diameter: 16 cm; Height: 24 cm | 6.30 € | 10 | 1 | 250 | 0.7 |
| | M | VBA02673 | VBA02673 | Round valve box with clip-on cover. Bottom diameter: 33.5 cm; Top diameter: 24 cm; Height: 25.5 cm | 13.40 € | 10 | 1 | 126 | 1.7 |
| 2 | | VBA02674 | VBA02674 | Rectangular valve box with bolt lock cover. Length x Width x Height = 50.5 x 37 x 30.5 cm | 31.50€ | 10 | 1 | 66 | 4.4 |
| | | VBA02675 | VBA02675 | Rectangular valve box with bolt lock cover. Length x Width x Height = 63 x 48 x 30.5 cm | 50.30 € | 10 | 1 | 48 | 6.1 |
| • | | VBA VALVE BOX EX | TENSIONS | | | | | | |
| | | VBA02676 | VBA02676 | Extension less cover for valve box model VBA02674 Length x Width x Height = 39.5 x 27 x 18 cm | 17.40 € | 10 | 1 | 56 | 1.7 |
| | | VBA07777 | VBA07777 | Extension less cover for valve box model VBA02675 Length x Width x Height = 55 x 38 x 19 cm | 23.80 € | 10 | 1 | 24 | 2.8 |
| | | VBA VALVE BOX CO | OVERS | | | | | | |
| | | VBA02674C | VBA02674C | Cover for valve box model VBA02674 | 14.30 € | 10 | 1 | 10 | 1.2 |
| | | VBA02675C | VBA02675C | Cover for valve box model VBA02675 | 19.90 € | 10 | 1 | 6 | 1.6 |

^{*}Cable list prices are subject to change without notice based on copper raw material costs.



RAIN BIRD VALVE BOX SERIES

| | | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|--------------------|--|---------------|-------------|--|-----------|------|---------------|---------------|-------------------|
| | | RAIN BIRD HDF | PE VALVE BO | DXES | | | | | |
| | | VB7RND | A11480 | 7" Round VB. Black body and green lid. 2 pre -molded side openings. Top diameter 18 cm. Bottom diameter: 22.9 cm; Top diameter: 18 cm; Height: 25.02 cm | 12.90€ | 21 | 1 | 192 | 0.8 |
| | | VB10RNDH | A11458 | 10" Round VB lock. Black body and green lid with hexa bolt. 4 equally spaced knock-outs. Bottom diameter: 35 cm; Top diameter: 27 cm; Height: 25.4 cm | 18.60€ | 21 | 1 | 99 | 1.8 |
| THE REAL PROPERTY. | | VBSTDH | A11408 | VB standard lock. Black body and green lid with hexa bolt. 2 large center knock-outs and 11 side knock-outs. Length x Width x Height = $59 \times 49 \times 30.7$ cm | 37.50 € | 21 | 1 | 52 | 5.0 |
| | 11 | VBJMBH | A11438 | VB Jumbo lock. Black body and green lid withhexa bolt. 2 large center knock outs. Length x Width x Height = 70.1 x 53.3 x 30.7 cm | 55.40 € | 21 | 1 | 48 | 7.0 |
| | | VBSPRH | A61473 | VB Super jumbo lock. Black body and green lid. 14 knock-outs. 2 hexa bolts Length x Width x Height = 84.1 x 60.6 x 45.7 cm | 209.00€ | 21 | 1 | 10 | 13.0 |
| | | VBMAXH | A61483 | VB Maxi jumbo lock. Black body and green lid with 2 hexa bolts. 18 knock outs Length x Width x Height = 102.5 x 68.9 x 45.7 cm | 376.30€ | 21 | 1 | 4 | 19.0 |
| | | RAIN BIRD HDP | E VALVE BO | X EXTENSIONS | | | | | |
| | 12. | VBSTD6EXTB | A11420 | VB standard extension 6". Black body without lid. Length x Width x Height = $50.8 \times 37.5 \times 17.1 \text{ cm}$ | 26.80€ | 21 | 1 | 142 | 3.0 |
| | | VBJMB6EXTB | A11445 | VB Jumbo extension 6". Black body without lid. Length x Width x Height = 62 x 45.5 x 17.1 cm | 39.60€ | 21 | 1 | 28 | 5.0 |
| | RAIN BIRD HDPE COVER ONLY | | | | | | | | |
| | | VB10RNDL | A11454 | VB-10RND Cover only | 12.70€ | 21 | 1 | 1 | 0.3 |
| Win. | Labora Contraction of the Contra | VBSTDL | A11404 | VB-STD Cover only | 18.10€ | 21 | 1 | 1 | 0.4 |
| -4 | , | VBJMBL | A11434 | VB-JMB Cover only | 32.00€ | 21 | 1 | 1 | 0.4 |

ANTIVANDAL ACCESSORIES FOR HDPE VALVE BOX SERIES

| ANTIVANDAL / | ANTIVANDAL ACCESSORIES FOR HDPE VALVE BOX SERIES | | | | | | | | | | |
|--------------|--|--|---------|----|---|----|-----|--|--|--|--|
| VB-Lock-P | A11465 | Penta head bolt, washer and clip (anti-vandal) | 24.90 € | 20 | 1 | 50 | 0.1 | | | | |
| 71P51186 | 71P51186 | 2-in-1 lifting Key for concrete and ductile covers | 37.10€ | 10 | 1 | 1 | 0.1 | | | | |



CONTROLLERS

| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg | | | | | |
|--------------|--|---------------|--|------------|------|---------------|---------------|-------------------|--|--|--|--|--|
| men Gèè | 230 VAC CONTR | ROLLERS | | | | | | | | | | | |
| RAIN | ESP-RZX SERIES: TH | HE QUALITY YO | OU DESERVE AT THE PRICE YOU WANT | | | | | | | | | | |
| (Toolstein) | RZX4i | F45224 | Indoor 4-station ESP-RZX | 84.80 € | 20 | 6 | 6 | 6.8 | | | | | |
| | RZX6i | F45226 | Indoor 6-station ESP-RZX | 95.70 € | 20 | 6 | 6 | 6.8 | | | | | |
| Rem¥Bono | RZX8i | F45228 | Indoor 8-station ESP-RZX | 113.00€ | 20 | 6 | 6 | 6.8 | | | | | |
| | RZX4 | F45324 | Outdoor 4-station ESP-RZX | 133.30€ | 20 | 6 | 6 | 6.8 | | | | | |
| | RZX6 | F45326 | Outdoor 6-station ESP-RZX | 153.50€ | 20 | 6 | 6 | 6.8 | | | | | |
| | RZX8 | F45328 | Outdoor 8-station ESP-RZX | 186.90 € | 20 | 6 | 6 | 6.8 | | | | | |
| 0 | ESP-ME: MAXIMIZE YOUR PRODUCTIVITY - UP TO 22 STATIONS | | | | | | | | | | | | |
| 1 | IESP4MEEU | F38420 | Basic 4-station modular controller. Expandable to 22 Stations | 211.90€ | 20 | 1 | 4 | 1.9 | | | | | |
| | ESP-SM3 | F38200 | 3-station extension module | 42.50 € | 20 | 1 | 24 | 0.5 | | | | | |
| | ESPSM6 | F38260 | 6-station extension module | 76.40 € | 20 | 1 | 12 | 0.5 | | | | | |
| M | ESP LXME: POWER | AND EASE OF | USE IN A MULTILINGUAL MODULAR CONTROLLER | | | | | | | | | | |
| | I8LXMEEU | F44082 | Basic 8-station modular controller, expandable to 48 Stations | 396.10€ | 20 | 1 | 1 | 5.6 | | | | | |
| 0 | I12ESPLXMEFEU | F45122 | Basic 12-station modular controller with Flow Smart Module, expandable to 48 stations | 633.50€ | 20 | 1 | 1 | 5.6 | | | | | |
| | ESP LX M SM8 | F42210 | ESP-LX-M 8-station extension module | 151.20€ | 20 | 1 | 12 | 2.1 | | | | | |
| 200 8 2002 | ESP LX M SM12 | F42220 | ESP-LX-M 12-station extension module | 203.50€ | 20 | 1 | 6 | 1.7 | | | | | |
| | ESP-LXD: THE MOD | DULAR DECOD | PER CONTROLLER | | | | | | | | | | |
| | ESPLXD | F43120 | ESP-LXD Decoder Controller. 50-station capability standard expandable via SM75 modules to 200 stations | 1983.00€ | 21 | 1 | 1 | 7.0 | | | | | |
| and the same | ESPLXDSM75 | F43150 | 75 addresses extension module for ESP-LXD | 316.60€ | 21 | 1 | 6 | 4.8 | | | | | |
| | Accessories | | | | | | | | | | | | |
| | LX MM SS | F42420 | ESP-LX Stainless Steel Cabinet | 1 249.80 € | 20 | 1 | 1 | 9.2 | | | | | |
| | LX MMSSPED | F42430 | ESP-LX Stainless Steel Pedestal | 1547.30€ | 20 | 1 | 1 | 16.5 | | | | | |
| 100 mg | SHUTOFF DEVICES | | | | | | | | | | | | |
| | RSDBEx | A61200 | Rain Sensor device prevents unnecessary watering during rainy weather for 230 VAC, TBOS and WP Controllers | 37.05 € | 20 | 1 | 20 | 0.9 | | | | | |
| | WR2-RFC-868 | A553300 | Wireless Rain/Freeze Combo Sensor | 155.90€ | 20 | 1 | 10 | 0.3 | | | | | |
| | SMRT-YI | A65022 | Soil Moisture sensor | 244.00 € | 20 | 1 | 10 | 0.4 | | | | | |
| 0000 | FLOW SENSORS: FO | OR ESP-LX COI | NTROLLERS AND DECODER SYSTEMS | | | | | | | | | | |
| | IFS150PBSP | M80115 | Flow sensor with 1 ½" (DN40, 40 x 49) PVC Tee and Female BSP straight threaded ends | 1030.00€ | 20 | 1 | 1 | 1.5 | | | | | |
| | IFS200PBSP | M80116 | Flow sensor with 2" (DN50, 50 x 60) PVC Tee and Female BSP straight threaded ends | 1056.00€ | 20 | 1 | 1 | 1.6 | | | | | |
| | SURGE PROTECTIO | N KIT | | | | | | | | | | | |
| | LPVK-12E | J00107 | Model for 12 stations (2 units needed for 13 to 24 stations) | 196.40€ | 10 | 1 | 20 | 12.7 | | | | | |

Dealer Qty

61

61

61

20

15.00 €

Master

Qty

5

5

5

Weight/ Box/kg

2.5

2.5

2.5

2.5

0.5



CONTROLLERS







| WPX: THE NEW EA. | SIER AND LONG | GER LASTING 9V CONTROLLER! | | | | | | |
|------------------|---------------|---|---------|----|---|---|-----|---------|
| WPX1 | F48311 | 1-station model WPX controller | 95.20 € | 20 | 1 | 6 | 3.5 | \odot |
| WPX DV KIT | F48331 | 1-station model pre-installed with DV and latching solenoid | 122.00€ | 20 | 1 | 4 | 4.4 | \odot |
| WPX1SOL | F48321 | 1-station model with solenoid | 112.00€ | 20 | 1 | 6 | 4.2 | \odot |
| WPX2 | F48312 | 2-station model WPX controller | 164.00€ | 20 | 1 | 6 | 3.5 | \odot |
| WPX4 | F48314 | 4-station model WPX controller | 179.00€ | 20 | 1 | 6 | 3.5 | \odot |
| WPX6 | F48316 | 6-station model WPX controller | 202.00€ | 20 | 1 | 6 | 3.5 | 9 |



9VMOUNT

| WP1: THE COMPACT AND POWERFUL SINGLE-S | TATION CONTROLLED |
|--|--------------------|
| WP I: I TE COWIFACT AND POWERFUL SINGLES | STATION CONTROLLER |

WPX Wall-mount kit

F48340



| WP-1 | J9VP01 | 1-station model | 95.20 € | 10 | 6 | 6 | 2.9 |
|-------------|---------|---|---------|----|----|-----|-----|
| WP1-AG | JWP1AG | 1-station advanced programming model (2 independent programs, cycle-soak in seconds and minutes for fogging) | 136.92€ | 70 | 1 | 6 | 2.9 |
| WP1 JTV KIT | JWP1KIT | 1-station model pre-installed with JTV and latching solenoid | 122.00€ | 10 | 6 | 6 | 4.9 |
| BAT9AL | BAT9AL | 9V Alkaline Battery | 2.55 € | 10 | 20 | 200 | 0.9 |
| K80920 | K80920 | 9V latching solenoid for DV, JTV, PGA, PEB, PESB, BPE and BPES | 33.50 € | 20 | 4 | 8 | 1.5 |
| RSDBEx | A61200 | Rain Sensor device prevents unnecessary watering during rainy weather for 230 VAC, TBOS and WP Controllers | 37.05 € | 20 | 1 | 20 | 0.9 |








| WP-2 | JWP002 | 2-station model | 164.00€ | 10 | 1 | 6 | 5.0 |
|--------|--------|--|----------|----|----|-----|-----|
| WP-4 | JWP004 | 4-station model | 179.00€ | 10 | 1 | 6 | 5.0 |
| WP-6 | JWP006 | 6-station model | 202.00 € | 10 | 1 | 6 | 5.0 |
| WP-8 | JWP008 | 8-station model | 228.00 € | 10 | 1 | 6 | 5.0 |
| BAT9AL | BAT9AL | 9V Alkaline Battery | 2.55€ | 10 | 20 | 200 | 0.9 |
| K80920 | K80920 | 9V latching solenoid for DV, JTV, PGA, PEB, PESB, BPE and BPES | 33.50 € | 20 | 4 | 8 | 1.5 |
| RSDBEx | A61200 | Rain Sensor device prevents unnecessary watering during rainy weather for 230 VAC, TBOS and WP Controllers | 37.05 € | 20 | 1 | 20 | 0.9 |



CONTROLLERS





| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|--|--------------------|---------------|---|-------------|------|---------------|---------------|-------------------|
| | IQ™ CLOUD PLATF | ORM - POWER | FUL & MOBILE, THE ULTIMATE WATER MANAGEMENT TOOL | | | | | |
| | IQCLOUD | IQ2007 | IQ CLOUD for muti-users access - Web-based version of IQ: IP connections only (GPRS, Wi-Fi, Ethernet) - Includes IQ Mobile (tablet or smartphone) - No recurring fees | Free online | 20 | 1 | 1 | 0.0 |
| (Q) | IQDESK | IQ200601 | IQ DESKTOP Starter Software Package 5-Satellite Capacity - Single user - Including one on-site start up visit and 1-year Global Support Plan | 8870.00€ | 20 | 1 | 1 | 0.5 |
| | IQENT | IQ200801 | IQ ENTREPRISE Starter Software Package 5-Satellite Capacity, multi-user access - Implementation on a private server - IP connections only (GPRS, Wi-Fi, Ethernet) - Includes IQ Mobile (tablet or smartphone) - No recurring fees - Includes on-site start-up and one-year GSP Plan | 12895.00€ | 20 | 1 | 1 | 0.0 |
| | IQ5SATSWU | IQ2010 | IQ Additional 5-Satellite Capacity upgrade for IQ DESKTOP or IQ ENTREPRISE | 1105.00€ | 20 | 1 | 1 | 0.0 |
| And the second s | IQ-TBOS-FP | IQ201901 | IQTBOS Feature Pack - Includes: - activation code for TBOS support (250 Master Radio Modules capacity) - On-site Assistance (1 day) - 1 IQTBOS Master Radio Module - 1 TBOS Radio Relay with 12V Transformer | 7368.00€ | 10 | 1 | 1 | 3.6 |
| | PC PACK TURF | 003270 | PC Package - Included: PC according to Rain Bird specifications with 3-year hardware warranty next business day on site, Port multiplier (if needed), Printer, Network adaptor or Wi Fi adaptor (on request), uninterruptible power supply, Remote access software, Peripheral and software installation - (Specify the Language) | 2380.50€ | 48 | 1 | 1 | 25.0 |
| | ESP-LXME SERIES - | · IQ PLATFORM | 1 24V SATELLITE | | | | | |
| 0 | IQNCCGPLXME | IQF44082 | IQ READY - ESP-LXME Controller (8-station capability) equipped with a communication cartridge NCC GPRS. 1 year GPRS communication included (Renewal cost \$140) | 2081.00€ | 20 | 1 | 1 | 0.0 |
| | I8LXMEEU | F44082 | Basic 8-station modular controller, expandable to 48 Stations | 396.10€ | 20 | 1 | 1 | 5.6 |
| and the | I12ESPLXMEFEU | F45122 | Basic 12-station modular controller with Flow Smart Module, expandable to 48 stations | 633.50€ | 20 | 1 | 1 | 5.6 |
| | ESP LX M SM8 | F42210 | ESP-LX-M 8-station extension module | 151.20€ | 20 | 1 | 12 | 2.1 |
| | ESP LX M SM12 | F42220 | ESP-LX-M 12-station extension module | 203.50€ | 20 | 1 | 6 | 1.7 |
| | FSMLXME | F45000 | Flow Smart Module for ESP-LXME controller | 115.30€ | 20 | 1 | 6 | 1.2 |
| | IQFSCMLXME | IQ4620 | IQ Flow Sensing connection Module for ESP-LXME | 180.90€ | 20 | 1 | 1 | 1.1 |
| | LX MM SS | F42420 | ESP-LX Stainless Steel Cabinet | 1 249.80 € | 20 | 1 | 1 | 9.2 |
| | LX MMSSPED | F42430 | ESP-LX Stainless Steel Pedestal | 1547.30€ | 20 | 1 | 1 | 16.5 |
| SS | ESP-LXD SERIES - I | Q PLATFORM 2 | P-WIRE DECODER SATELLITE | | | | | |
| 0 | IQNCCGPLXD | IQF43120 | IQ READY - ESP-LXD Decoder Controller (50-station capability) equipped with a communication cartridge NCC GPRS. 1 year GPRS communication included (Renewal cost \$140) | 3557.00€ | 20 | 1 | 1 | 0.0 |
| RANKHARE | ESPLXD | F43120 | ESP-LXD Decoder Controller. 50-station capability standard expandable via SM75 modules to 200 stations | 1983.00€ | 21 | 1 | 1 | 7.0 |
| | ESPLXDSM75 | F43150 | 75 addresses extension module for ESP-LXD | 316.60€ | 21 | 1 | 6 | 4.8 |
| | IQCMLXD | IQ4621 | IQ Connection module for LXD | 100.40 € | 20 | 1 | 1 | 0.9 |
| | LX MM SS | F42420 | ESP-LX Stainless Steel Cabinet | 1 249.80 € | 20 | 1 | 1 | 9.2 |
| - | LX MMSSPED | F42430 | ESP-LX Stainless Steel Pedestal | 1547.30€ | 20 | 1 | 1 | 16.5 |
| | DECODERS: THE M | IOST RELIABLE | SYSTEM IN THE MARKET | | | | | |
| | FD101 | M61101 | Factory preset one-way Field Decoder, 1 solenoid per station | 106.10€ | 31 | 1 | 25 | 4.2 |
| A . A | FD102 | M61000 | Factory preset one-way Field Decoder, 2 solenoids per station | 141.40€ | 31 | 1 | 20 | 3.9 |
| | FD202 | M61400 | Factory preset two-way Field Decoder, 2 solenoids per station | 227.00 € | 31 | 1 | 10 | 2.7 |
| | FD401 | M61440 | Factory preset four-way Field Decoder, 1 solenoid per station | 268.10 € | 31 | 1 | 5 | 1.6 |
| V III | FD601 | M61600 | Factory preset six-way Field Decoder, 1 solenoid per station | 463.10 € | 31 | 1 | 5 | 1.6 |
| | DECODERS ACCES | SORIES | | | | | | |
| | LSP1 | M98999 | Line Surge Protection Device | 71.40 € | 31 | 1 | 20 | 0.2 |
| | PD210 | M72000 | Pump Decoder | 699.20€ | 31 | 1 | 1 | 0.2 |
| | SD210 | M62001 | Sensor or Pulse Decoder for Decoder operated systems | 440.30 € | 31 | 1 | 10 | 2.3 |
| | | | | | | | | |




| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg | | | | |
|--|------------------------------|--------------|---|-------------|------|---------------|---------------|-------------------|--|--|--|--|
| | TBOS-II™ SERIES - I | Q PLATFORM I | BATTERY OPERATED SATELLITE | | | | | | | | | |
| | ITBOS2 RA EU | F48230 | TBOS-II™ Radio Adaptor - Compatible TBOS or TBOS-II Control Modules | 169.00€ | 10 | 1 | 6 | 1.5 | | | | |
| | TBOS2CM1 | F48221 | TBOS-II™ Control Module: 1 station | 153.00€ | 10 | 1 | 6 | 2.6 | | | | |
| | TBOS2CM2 | F48222 | TBOS-II™ Control Module: 2 stations | 222.00€ | 10 | 1 | 6 | 2.7 | | | | |
| | TBOS2CM4 | F48224 | TBOS-II™ Control Module: 4 stations | 257.00€ | 10 | 1 | 6 | 2.9 | | | | |
| | TBOS2CM6 | F48226 | TBOS-II™ Control Module: 6 stations | 293.00€ | 10 | 1 | 6 | 3.0 | | | | |
| 050 | TBOS2 FT EU | F48220 | TBOS-II™ Field Transmitter (radio & infra-red) - Compatible with TBOS™ and TBOS-II™ Control Module and TBOS-II™ Radio Adaptor | 416.00€ | 10 | 1 | 6 | 5.1 | | | | |
| | IQ-TBOS-FP | IQ201901 | IQ TBOS Feature Pack - Includes: - activation code for TBOS support (250 Master Radio Modules capacity) - On-site Assistance (1 day) - 1 IQ TBOS Master Radio Module - 1 TBOS Radio Relay with 12V Transformer | 7368.00€ | 10 | 1 | 1 | 3.6 | | | | |
| | IQ TBOS NET | F4832002 | Pack TBOS Network - Includes: - 1 IQ TBOS Master Radio Module - 3 TBOS Radio Relays with 12V transformers - 1 day Radio Survey (on-site radio relay location assistance) | 8658.00€ | 10 | 1 | 1 | 10.4 | | | | |
| | ITBOS MRM EU | F48320 | IQ TBOS Master Radio Module | 1219.00€ | 10 | 1 | 6 | 2.9 | | | | |
| • | ITBOS RR EU | F48301 | TBOS™ Radio Relay with 12VAC Transformer | 1617.00€ | 10 | 1 | 1 | 3.2 | | | | |
| | IQ COMMUNICATION ACCESSORIES | | | | | | | | | | | |
| - BUE | IQNCCGPLXME | IQF44082 | IQ READY - ESP-LXME Controller (8-station capability) equipped with a communication cartridge NCC GPRS. 1 year GPRS communication included (Renewal cost \$140) | 2081.00€ | 20 | 1 | 1 | 0.0 | | | | |
| 7 | IQNCCGPLXD | IQF43120 | IQ READY - ESP-LXD Decoder Controller (50-station capability) equipped with a communication cartridge NCC GPRS. 1 year GPRS communication included (Renewal cost \$140) | 3557.00€ | 20 | 1 | 1 | 0.0 | | | | |
| | IQNCCRS | IQ4600 | IQ Network Communication Cartridge - RS232(external or computer direct connect) | 579.00€ | 20 | 1 | 5 | 3.5 | | | | |
| | IQNCCGP | IQ4613 | IQ Network Communication Cartridge-GPRS (Cellular) | 1474.00€ | 20 | 1 | 5 | 2.9 | | | | |
| 10 ACCENT | IQNCC GPRS1Y | IQ4613E | IQ Network Communication Cartridge-GPRS (Cellular) with GPRS SIM Card and communication included during 1 year (Renewal cost \$140) | 1842.00€ | 20 | 1 | 5 | 2.9 | | | | |
| mand lands | IQNCCEN | IQ4603 | IQ Network Communication Cartridge -Ethernet (Wired LAN Network) | 737.00€ | 20 | 1 | 5 | 3.0 | | | | |
| | IQEXTANTGP | IQ4640 | IQ external Antenna for IQNCCGP | 184.00€ | 20 | 1 | 1 | 0.0 | | | | |
| | SITECONTROL: FOI | R UNMATCHED | EXPANDABILITY AND FLEXIBILITY | | | | | | | | | |
| in the second se | SCONDEC | M2580001 | SiteControl Decoder System. Includes: Site Control DEC software with all optional software modules except remote system, LDI 230 VAC (Decoder Interface), LTB 300 Line Termination Box, Transformer MT-210, 1 year GSP off site technical assistance, one on site start up, PC according to Rain Bird specification (3 year warranty next business day on site), Printer, Uninteruptible power supply, Port multiplier, Peripheral and software installation. | 30 009.00 € | 20 | 1 | 1 | 30.0 | | | | |
| To the state of th | SCONSAT2 | M2505001 | SiteControl Satellite System. Includes: Site Control SAT software with all optional software modules except remote system, TWI 230 VAC (Interface Module) Assembly, 1 year GSP off site technical assistance, one on site start up, PC according to Rain Bird specification (3 year warranty next business day on site), Printer, Uninteruptible power supply, Port multiplier, Peripheral and software installation. | 30 009.00 € | 20 | 1 | 1 | 25.0 | | | | |



| | Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|--|-------------------------------|---------------|---|-------------|------|---------------|---------------|-------------------|
| | ONE YEAR OFF SIT | E SERVICE PLA | N CLASSIC | | | | | |
| | 003240 | 003240 | One-year Global Service Plan CLASSIC (GSP CLASSIC) | 1716.00€ | 48 | 1 | 1 | 0.0 |
| | SITECONTROL SOF | TWARE MODU | JLES | | | | | |
| The second of th | SCMIPROF | M2561101 | MI software option to remotely control SiteControl thru internet via tablet or smartphone Includes start-up | 4974.00€ | 20 | 0 | 0 | 0.0 |
| | SITECONTROL HAI | RDWARE | | | | | | |
| | TWI | M25350 | TWI 230 VAC (Interface Module) Assembly | 8655.90€ | 21 | 1 | 1 | 11.7 |
| Rest V diese. | LTB 300 | M63300 | Line Termination Box | 855.80€ | 31 | 1 | 1 | 0.3 |
| | MSP1 | D05110 | Surge pipe | 772.50 € | 41 | 1 | 25 | 0.5 |
| | MGP1 | D05400 | Grounding plate for MSP-1 | 458.30 € | 41 | 1 | 25 | 0.3 |
| | MT210 | M52000 | 230V/24V - 50Hz transformer | 543.70 € | 31 | 1 | 1 | 4.0 |
| | LDI | M15008 | LDI 230V (Large Decoder Interface) / Transformer / LTB300 | 7108.60€ | 31 | 1 | 1 | 4.0 |
| | MAXICOM ² : THE TO | OOL OF CHOIC | E FOR WATER MANAGERS! | | | | | |
| 300 | MAXICOM ² | M2190501 | Maxicom ² package includes: - Maxicom ² software - PC according to Rain Bird specification with 3 year warranty next business day on site - Printer - External modem or WiFi adaptor - Uninterruptible power supply - Remote access software - Peripheral and software installation - 1 year GSP off site technical assistance - One on site start up visit | 33011.00€ | 20 | 1 | 1 | 50.0 |
| | ONE YEAR OFF SIT | E SERVICE PLA | N CLASSIC | | | | | |
| | 003240 | 003240 | One-year Global Service Plan CLASSIC (GSP CLASSIC) | 1716.00€ | 48 | 1 | 1 | 0.0 |
| | ESP-SITE SERIES - S | ATELLITE WIT | H CLUSTER CONTROL INTERFACE: 1 CHANNEL | | | | | |
| | ESP-24SITE-W | M45505 | Wall mounted version, 24-station model | 5372.90€ | 20 | 1 | 1 | 9.6 |
| | ESP-40SITE-W | M45705 | Wall mounted version, 40-station model | 7373.70€ | 20 | 1 | 1 | 9.8 |
| | CCU SERIES | | | | | | | |
| | CCU-28-WM | M32105 | Field Cluster Control Interface Unit: 28 channels, Wall mount model | 21 209.40 € | 20 | 1 | 1 | 9.2 |
| | ESP-SAT SERIES - H | YBRID FIELD S | SATELLITE: 12 TO 40 STATIONS | | | | | |
| | ESP-24-SAT-TW-WM | M71705 | Wall mounted version, Two-wire, 24-station model | 3831.50€ | 20 | 1 | 1 | 9.3 |
| | ESP-40-SAT-TW-WM | M71905 | Wall mounted version, Two-wire, 40-station model | 6544.10€ | 20 | 1 | 1 | 9.6 |
| | UPGRADE KITS FO | R ESP-MC AND | D ESP-SAT | | | | | |
| | ESP-SITE-U | M72055 | Upgrade Kit to convert ESP-MC or ESP-SAT Controllers into ESP-SITE models | 4505.20€ | 20 | 1 | 1 | 0.4 |
| A A | MAXICOM ² ACCES. | SORIES | | | | | | |
| Total Control of the | DECPUL | M51200 | Pulse decoder for connection to volumetric water meter | 1 268.80 € | 20 | 1 | 4 | 0.3 |
| | DECSEN | M51300 | Sensor decoder monitors dry contact switches on sensors | 1529.50€ | 20 | 1 | 4 | 1.9 |
| | RAINGAUGE | M61010 | Rain fall gauge (0.25 mm) | 1 026.20 € | 21 | 1 | 1 | 4.5 |
| | ANENOMETER | M80302 | Anemometer | 3101.80€ | 21 | 1 | 1 | 1.0 |
| 0 | DATA LOGER | M80203 | Pulse Transmitter | 2856.60€ | 20 | 1 | 1 | 0.6 |
| | MSP1 | D05110 | Surge pipe | 772.50 € | 41 | 1 | 25 | 0.5 |
| | MGP1 | D05400 | Grounding plate for MSP-1 | 458.30 € | 41 | 1 | 25 | 0.3 |





SPARE PARTS



| VALVES DADES | | | - | | | | - |
|----------------|----------|--|---------|----|----|-----|-----|
| VALVES PARTS | | | _ | - | - | - | • |
| SOLENOIDS | | | | | | | |
| 236307 | 236307 | Solenoid HV 24V | 10.30 € | 99 | 1 | 10 | 0.2 |
| 20858801 | 20858801 | Solenoid DV/DVF/JTV - 24V | 14.70 € | 99 | 1 | 10 | 0.2 |
| 236239 | 236239 | G4 Solenoid 24V for PGA and PEB valves | 40.50 € | 99 | 1 | 10 | 0.0 |
| K80920 | K80920 | 9V latching solenoid for DV, JTV, PGA, PEB, PESB, BPE and BPES | 33.50 € | 20 | 4 | 8 | 1.5 |
| 206920-01 | 20692001 | Universal solenoid kit for VIH Eagles, Impacts and old style PE, PES and EFA valves (with green coil) | 74.70 € | 99 | 1 | 20 | 3.1 |
| GBS25 | 213462C | Solenoid kit for Golf Rotor Assemblies (GBS25, filter, o-ring) | 41.70 € | 40 | 0 | 0 | 0.0 |
| 602118 | 602118 | Green Coil PE/EFA/DR/EAGLE | 22.10 € | 99 | 1 | 30 | 0.1 |
| EXTERNAL BLEED | SCREW | | | | | | |
| 204152 | 204152 | External bleed screw 150/200 PE/PEB | 7.30 € | 99 | 10 | 100 | 0.1 |
| DIAPHRAGM & BC | NNET | | | | | | |
| 21074603 | 21074603 | Diaphragm kit 075/100-DV/DVF | 16.70 € | 99 | 1 | 20 | 0.1 |
| 209792 | 209792 | Diaphragm kit 100-PGA | 41.80 € | 99 | 1 | 30 | 1.1 |
| 210858 | 210858 | Bonnet Assembly, 100-PGA | 47.30 € | 99 | 1 | 6 | 1.2 |
| 209675 | 209675 | Diaphragm kit 150-PGA | 55.40 € | 99 | 1 | 10 | 0.6 |
| 210454 | 210454 | Bonnet Assembly, 150-PGA | 84.60 € | 99 | 1 | 12 | 3.4 |
| 209005 | 209005 | Diaphragm kit 200-PGA | 73.00 € | 99 | 1 | 15 | 1.6 |
| 210866 | 210866 | Bonnet Assembly, 200-PGA | 127.40€ | 99 | 1 | 3 | 1.2 |
| 208143 | 208143 | Diaphragm kit 100-PE/PEB | 45.10 € | 99 | 1 | 25 | 1.0 |
| 236482 | 236482 | New Diaphragm and Bonnet assy for 150-PEB (both have to be changed on existing valves) | 65.00 € | 99 | 1 | 0 | 0.0 |
| 23648401 | 23648401 | New Diaphragm and Bonnet assy for 150-PESB (both have to be changed on existing valves) | 115.00€ | 99 | 1 | 0 | 0.0 |
| 236483 | 236483 | New Diaphragm and Bonnet assy for 200-PEB (both have to be changed on existing valves) | 75.00 € | 99 | 1 | 0 | 0.0 |
| 23648501 | 23648501 | New Diaphragm and Bonnet assy for 200-PESB (both have to be changed on existing valves) | 140.00€ | 99 | 1 | 0 | 0.0 |



SPARE PARTS



| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|------------------|--------------|--|-----------|------|---------------|---------------|-------------------|
| CONTROLLER F | PARTS | | | | | | |
| TRANSFORMERS | | | | | | | |
| 63833601S | 638336015 | Transformer ESP-RZX indoor/ITC/IMAGE/IRRI/IRC | 38.50 € | 99 | 1 | 30 | 0.6 |
| 71P50268 | 71P50268 | Transformer DIALOG | 54.50 € | 99 | 1 | 1 | 1.1 |
| FUSE FOR CONTRO | OLLERS | | | | | | |
| 71P10037 | 71P10037 | Fuse IMAGE 0,5 A | 0.73 € | 99 | 10 | 100 | 0.1 |
| FILTER PARTS | | | | | | | |
| LARGE CAPACITY I | FILTER PARTS | | | | | | |
| SMFC120MS | X14616 | Small filter cartridge 130 micron screen (¾" - 1") | 4.33 € | 99 | 10 | 600 | 0.5 |
| SMFC120MD | X14617 | Small filter cartridge 130 micron disc (¾" - 1") | 7.50 € | 99 | 10 | 600 | 0.5 |
| LGFC120MS | X14618 | Small filter cartridge 130 micron screen (1 ½" - 2") | 8.20 € | 99 | 2 | 120 | 1.0 |
| LGFC120MD | X14619 | Small filter cartridge 130 micron disc (1 ½" - 2") | 18.50 € | 99 | 2 | 120 | 1.0 |
| FITTING PARTS | | | | | | | |
| COMPRESSION FIT | TINGS FOR QI | FHEADER | | | | | |
| XQF46000 | XQF46000 | Combo of 7 compression fittings and adaptors for QF header: 25×34 " male union coupling, 25×1 " male union coupling, 25×1 " female union coupling, 25×1 | 45.00€ | 99 | 1 | 20 | 16.06 N |

NON POTABLE PRODUCTS




| XF SUB-SURFACE DRIP IRRIGATION | | | | | | | | | | | | |
|--------------------------------|--------------|--|---------|----|----|-----|------|--|--|--|--|--|
| XFSV2333100 | X48261 | XF SDI Dripline 33 cm emitter spacing 100 m coil length - Purple | 113.05€ | 20 | 24 | 24 | 6.0 | | | | | |
| 1/2" & 3/4" ROTOR PC | P-UP SPRINKL | ERS | | | | | | | | | | |
| 3504PCSAM-NP | Y34550NP | 4" part/reverse full circle Non-Potable Cover with SAM | 36.00 € | 20 | 20 | 20 | 3.3 | | | | | |
| 5000PLPCSR-NP | Y65670NP | 5004 Plus PC PRS SAM Non-Potable | 28.50 € | 20 | 20 | 20 | 7.5 | | | | | |
| 5012PL PC SAM PRS NP | Y66070NP | 5012 Plus PC SAM PRS Non-Potable | 58.00€ | 20 | 20 | 20 | 5.8 | | | | | |
| 2045A08-NP | B0615008NP | Maxi-Paw Non-Potable | 45.50€ | 20 | 20 | 20 | 10.1 | | | | | |
| 1" ROTOR POP-UP | SPRINKLERS | | | | | | | | | | | |
| 8005-NP | B81200NP | 8005 Non-Potable | 136.90€ | 20 | 20 | 20 | 15.4 | | | | | |
| VALVES | | | | | | | | | | | | |
| 33D-NP | B11525 | 33D Non-Potable with purple locking cover | 88.80 € | 20 | 15 | 15 | 0.6 | | | | | |
| PGANPHAN1 | 231234 | Handle, 1" & 1.5" PGA Non-Potable | 3.96 € | 20 | 1 | 100 | 0.0 | | | | | |
| PGANPHAN2 | 231236 | Handle, 2" PGA Non-Potable | 5.64€ | 20 | 1 | 20 | 0.0 | | | | | |
| PEBNPHAN1 | 231230 | Handle, 1" PEB/PESB Non-Potable | 5.43 € | 20 | 1 | 50 | 0.0 | | | | | |
| PEBNPHAN2 | 231232 | Handle, 1.5", 2" PESB/Non-Potable | 6.74 € | 20 | 1 | 200 | 0.0 | | | | | |

Dealer Master Weight/



AERATORS







SERVICES - Consult your local Rain Bird Sales Representative for service availability



Unless otherwise agreed to in writing, the price for the Services will be at the rates published by Rain Bird and in effect at the time the Services are performed, as per Field Services Price List, in Golf Price List and Landscape Irrigation Price List.

Rain Bird rates are Hourly Rate for extra time on premise, Standard Daily Rate, Saturday Rate if available will be billed 50% surcharge, and Sunday and National Holidays if available will be billed at 100% surcharge per day.

Rain Bird reserves the right to change the prices from time to time without notice to Customer; but such changes shall not apply retroactively.

Customer shall pay Seller for every day, or portion thereof, determined on a portal to portal basis from Seller's facilities, together with traveling and living expenses of Seller's Field Representatives.

| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|----------------|--------------|--|------------|--------|---------------|---------------|-------------------|
| STANDARD EX | CHANGE PR | OGRAM | | | | | |
| FAULTY CONTROL | LERS AND ELE | CTRONIC BOARDS REPLACEMENT BY REFURBISHED BOARD GUARANTEED | 6 MONTH I | N A 48 | H DEL | AY | |
| BEPM15006 | BEPM15006 | SDI -Complete interface - (M15006) | 1653.20€ | 99 | 1 | 1 | |
| BEPM15002 | BEPM15002 | MDI-Complete interface - (M15002) | 2645.00€ | 99 | 1 | 1 | |
| BEPM15008 | BEPM15008 | LDI -Complete interface - (M15008) | 2645.00€ | 99 | 1 | 1 | |
| BEPM25350 | BEPM25350 | TWI-Complete interface - (M25350) | 3655.50€ | 99 | 1 | 1 | |
| BEPCS19442 | BEPCS19442 | WS PRO2 - CR1000 DATALOGGER - Electronic board (CS19442) | 1698.30€ | 99 | 1 | 1 | |
| BEPH59930 | BEPH59930 | WS PRO LT - Weather station (without power supply and cables) (H59930) | 2948.10€ | 99 | 1 | 1 | |
| BEP18105 | BEP18105 | RADIO MODEM RF416 - Radio modem (18105) | 1061.30€ | 99 | 1 | 1 | |
| BEP14050 | BEP14050 | CR200 DATALOGGER - Electronic board (14050) | 872.90€ | 99 | 1 | 1 | |
| BEPK80030 | BEPK80030 | TBOS FT IR (>2004) - Complete controller (K80030) | 165.30€ | 99 | 1 | 1 | |
| BEPK80040 | BEPK80040 | TBOS FT UNIVERSAL - Complete controller (K80040) | 188.50€ | 99 | 1 | 1 | |
| BEPF48220 | BEPF48220 | TBOS-II - Complete Field Transmitter (F48220) | 200.00€ | 99 | 1 | 1 | |
| BEPJA1100 | BEPJA1100 | CYCLIK FT CI - Complete controller (JA1100) | 188.50€ | 99 | 1 | 1 | |
| BEPJA1300 | BEPJA1300 | CYCLIK FT MICRO - Complete controller (JA1300) | 188.50€ | 99 | 1 | 1 | |
| BEPM72005 | BEPM72005 | ESP SAT - MIB TW - Electronic board (M72005) | 1615.00€ | 99 | 1 | 1 | |
| BEP63440503S | BEP63440503S | ESP SITE - MODEM KIT - Electronic board (63440503S) | 1211.30€ | 99 | 1 | 1 | |
| BEPM72055 | BEPM72055 | ESP SITE - COMMUNICATION BOARD - Electronic board (M72055) | 2271.20€ | 99 | 1 | 1 | |
| BEPM45505 | BEPM45505 | ESP 24 SITE - Electronic board (M45505) | 2833.50€ | 99 | 1 | 1 | |
| BEPM45705 | BEPM45705 | ESP 40 SITE - Electronic board (M45705) | 3 268.20 € | 99 | 1 | 1 | |
| BEPM34105 | BEPM34105 | CCU-6 - Complete interface (M34105) | 3532.90€ | 99 | 1 | 1 | |
| BEPM32105 | BEPM32105 | CCU-28 - Complete interface (M32105) | 7318.20€ | 99 | 1 | 1 | |
| BEP63356101 | BEP63356101 | CCU - MODEM - Electronic board (63356101) | 1237.00€ | 99 | 1 | 1 | |
| BEPF43170 | BEPF43170 | LXD DECODER MODULE - Electronic board (F43170) | 656.10€ | 99 | 1 | 1 | |
| BEPF43120 | BEPF43120 | ESP-LXD Electronic board (F43120) | 890.00€ | 99 | 1 | 1 | |



GSP SYSTEM ONLY*



| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight/ Box/kg |
|------------------|----------------|---|-----------|------|---------------|---------------|-------------------|
| GSP SYSTEM C | NLY | | | | | | |
| ONE YEAR OFF SIT | TE SERVICE PLA | N CLASSIC | | | | | |
| 003240 | 003240 | One-year Global Service Plan CLASSIC (GSP CLASSIC) | 1716.00€ | 48 | 1 | 1 | |
| ONE YEAR GLOBA | L SERVICE PLAI | N PLUS | | | | | |
| 003239PL | 003239PL | One-year Global Service Plan PLUS (GSP PLUS) | 2678.20€ | 48 | 1 | 1 | |
| THREE YEARS GLO | BAL SERVICE P | PLAN PREMIUM | | | | | |
| 003239PR | 003239PR | Three-years Global Service Plan PREMIUM (GSP PREMIUM) | 3119.10€ | 48 | 1 | 1 | |
| GLOBAL SERVICE | PLAN FLEX CLA | SSIC (6 MONTHS SERVICE) | | | | | |
| 003247MI | 003247MI | GSP FLEX off-site Service Plan | 1175.90€ | 48 | 1 | 1 | |
| GLOBAL SERVICE | PLAN FLEX PLU | S (6 MONTHS SERVICE) | | | | | |
| 003247PL | 003247PL | One-year Global Service Plan FLEX CLASSIC (GSP FLEX CLASSIC) | 2212.80€ | 48 | 1 | | |
| GLOBAL SERVICE | PLAN FLEX PRE | MIUM (6 MONTHS SERVICE) | | | | | |
| 003247PR | 003247PR | One-year Global Service Plan FLEX PLUS (GSP FLEX PLUS) | 2631.10€ | 48 | 1 | | |
| GLOBAL SERVICE | PLAN FOR IQ S | - YSTEM (GSP IQ) | | | | | |
| 003240IQ | 003240IQ | Three-year Global Service Plan FLEX PREMIUM (GSP FLEX PREMIUM) | 700.00€ | 48 | 1 | | |
| ONE YEAR GSP PU | IMP STATION | | | | | | |
| 003253 | 003253 | GSP Pump Station | 1942.10€ | 48 | 1 | 1 | |
| GLOBAL SERVICE | PLAN OPTIONS | OUTSIDE THE GSP CONTRACT | | | | | |
| 003246 | 003246 | 3 years PC plan FULL - 3 years subscription - Annual instalment: - PC according to Rain Bird specification | 877.10€ | 48 | 1 | 1 | |
| 003246TO | 003246TO | 3 years PC plan Tower - 3 years subscription - Annual instalment: - PC according to Rain Bird specification | 444.90€ | 48 | 1 | 1 | |
| PHONE ASSISTAN | CE PACKAGES | | | | | | |
| 003260 | 003260 | Phone Support - 4-hour package | 750.00€ | 48 | 1 | 1 | |
| 003261 | 003261 | Phone Support - 6-hour package | 1063.00€ | 48 | 1 | 1 | |
| 003262 | 003262 | Phone Support - 10-hour package | 1625.00€ | 48 | 1 | 1 | |
| ON SITE ASSIS | TANCE | | | | | | |
| ON-SITE ASSISTAN | NCE INCLUDING | S: PREPARATION, TRAVELING, ACCOMMODATION, REPORT | | | | | |
| 003238 | 003238 | One-day on-site technical assistance | 1332.20€ | 48 | 1 | 1 | |
| 003248 | 003248 | On site start-up | 1332.20€ | 48 | 1 | 1 | |
| 003238H | 003238H | Half day on-site technical assistance applicable if, travel plus assistance, is less than 5 hours | 788.60€ | 48 | 1 | 1 | |
| PRE-SCHEDULED | SYSTEM START | -UP / WINTERIZATION | | | | | |
| 003234 | 003234 | Irrigation system pre-season start-up & post season winterization: - Turf system (Football, Site Control, ESP LXD) - Including: Preparation, Travelling mileage, Report | 2000.90€ | 48 | 1 | 1 | |
| 003235 | 003235 | Irrigation system pre-season start-up & post season winterization: - Turf system (Bowling Green, Garden System) - Including: Preparation, Travelling mileage, Report | 1332.20€ | 48 | 1 | 1 | |

^{*} Discounts are NOT cumulative with any other discount



GSP SYSTEM ONLY*



| Model | Part Number | Description | Price (€) | Cat. | Dealer Qty | Master Qty | Weight, Box/kg |
|---|----------------|---|------------|------|---------------|---------------|-------------------|
| SPECIFIC PC SERVICES | | | | | | | |
| PC FOR MAXICOM ² , IQ OR SITECONTROL | | | | | | | |
| PC PACK TURF | 003270 | PC Package - Included: PC according to Rain Bird specifications with 3-year hardware warranty next business day on site, Port multiplier (if needed), Printer, Network adaptor or Wi Fi adaptor (on request), uninterruptible power supply, Remote access software, Peripheral and software installation - (Specify the Language) | 2380.50€ | 48 | 1 | 1 | 25.0 |
| PC FOR REPLACE | EMENT (ONLY PO | CTOWER) | | | | | |
| PC TOWER TURF | 003271 | PC according to Rain Bird specification: - 3 year warranty next business day on site - PC pre-configuring and pre-inspection (no Rain Bird's SW installation) | 1 045.80 € | 48 | 1 | 1 | 10.0 |
| TRAINING | | | | | | | |
| 1-DAY RAIN BIRL | D ACADEMY - SE | E ANNUAL SCHEDULE | | | | | |
| 001211A1 | 001211A1 | A1 - Irrigation System Design Level 1 (1 day) - per trainee | 230.00€ | 49 | 1 | 1 | |
| 001211A2 | 001211A2 | A2 - Irrigation Equipment Choices and Settings (1 day) - per trainee | 230.00€ | 49 | 1 | 1 | |
| 001211A3 | 001211A3 | A3 - 230V & 9V Controllers - Wiring and programming (1day) - per trainee | 230.00 € | 49 | 1 | 1 | |
| 001211A4 | 001211A4 | A4 - 230V & Decoder Advanced Controllers (1day) - per trainee | 230.00 € | 49 | 1 | 1 | |
| CUSTOMIZED TH | RAINING | | | | | | |
| 003214 | 003214 | One day on site customized training including: - Preparation - Attendees teaching materials - Training officer's travel and accommodation expenses | 1401.00€ | 49 | 1 | 1 | |

^{*} Discounts are NOT cumulative with any other discount



SECTION I - GENERAL TERMS AND CONDITIONS OF SALE

Article 1 - Scope

- 1.1. These general terms and conditions of sale ("GTCS") apply to all orders for products ("Products") sent to Rain Bird by the customer ("Customer").
- 1.2. Placing an order with Rain Bird implies complete adherence to these GTCS, irrespective of any stipulations to the contrary that may appear on the Customer's purchase orders or in their general terms and conditions of purchase or on any document originating from the Customer. Any modification, even partial, of these GTCS shall be considered null and void and may not be invoked against Rain Bird, without its prior express written agreement.

Article 2 - Order

- 2.1. The order may be sent in writing or by EDI from the Customer to Rain Bird. It does not become binding and the sales contract is not entered into until it is accepted by Rain Bird, it being understood that Rain Bird's acceptance may result from an order confirmation sent to the Customer or from Rain Bird starting to perform the contract. Commitments made by representatives are only valid following approval by Rain Bird.
- **2.2.** Unless otherwise stipulated on the order confirmation, all sales are deemed to have been made in the place indicated on the order confirmation.
- 2.3. All orders accepted by Rain Bird are firm and binding and must be honored by the Customer who, among other things, is responsible for taking delivery. Cancellations and modifications are not permitted without Rain Bird's express written consent. In any event, all fees and cost arising from a modification or a cancellation are at the Customer's expense.

Article 3 - Delivery - Shipping - Transfer of risks

- 3.1. Unless expressly stipulated otherwise, Products are sold "Ex-Works" (Incoterms CCI 2010) from Rain Bird's site in Aix en Provence, ZI Les Milles (France) and the delivery is carried out by making the Products available at the aforementioned site. Rain Bird shall inform the Customer when the Products are available for collection.
- 3.2. Upon receiving notification of availability, and unless expressly stipulated otherwise, shipping is carried out at the Customer's expense and responsibility by the carrier of his choice. The Customer is therefore responsible for taking out suitable insurance. Products are carried at the recipient's risk notwithstanding Rain Bird's retention of title clause, as stipulated in article 9 of these GTCS. Any formalities, export and import fees, as well as related laws and taxes, are also at the Customer's expense and responsibility.
- 3.3. The transfer of risks and responsibility for the Products is made at the first of these dates a) either the date of collection of the Products by the carrier designated by the Customer or b) in the five (5) days following the notification by Rain Bird of the Products' availability for collection. In the case that the Products are not collected by this time, Rain Bird may invoice the Customer for storage costs.

Article 4 - Delivery - Delivery times

- 4.1. The delivery of Products is definitive and they may not be returned or exchanged. Rain Bird reserves the right to carry out partial deliveries with the corresponding partial invoices.
- 4.2. Unless expressly stipulated otherwise, delivery times are indicative and may not be subject to late penalties, damages, deductions or cancellation of open orders, whatever the causes, significance and consequences of the delay.
- 4.3. Rain Bird is released from its delivery obligations in the case of force majeure events including but not limited to war, riots, fire, strikes, natural disasters and inability to obtain supply.
- 4.4. If the Customer does not take delivery in the place and on the date stated in the contract, he is nevertheless obliged to respect the contract payment terms. In this case, the Products shall be stored by Rain Bird in a place of its choosing, at the Customer's risk and expense.

Article 5 - Acceptance - Receipt - Non-compliance - Returns

- 5.1. The Customer's signature on the delivery order implies his acceptance. Without prejudice to the provisions concerning measures to be taken against the carrier, the Customer must inform Rain Bird in writing of any non-compliance within five (5) days of the delivery. After this time, no claim shall be accepted and the Products shall be deemed to be compliant. Any total or partial use of the Products supposes full acceptance by the Customer.
- 5.2. Any return of Products which is not compliant with the order is subject to Rain Bird's prior written agreement. Any returns without this prior written agreement shall not be eligible for a credit note, a replacement or a refund of return shipping fees which are at the Customer's expense. The Customer is responsible for providing evidence of the Product's stated defects or anomalies and to give Rain Bird or its representatives the means to check and resolve them. The Customer must refrain from intervening or involving a third-party. Failing this, non-compliance of Products may not be acknowledged by Rain Bird.
- 5.3. If Rain Bird acknowledges that a Product is non-compliant and accepts its return then it may choose whether to provide a free replacement, to issue a credit note or to repair it, to the exclusion of any penalty or damages.

Article 6 - Price - Terms of payment

- 6.1. Unless otherwise expressly stipulated, the Products are sold at the price in effect on the day that the order is accepted by Rain Bird. Prices are in euros excluding taxes and ex-work prices from Rain Bird Europe, GCA Logistics Fos, 5 rue de Shanghai, Distriport porte de l'Asie, 13220 Port Saint Louis du Rhône, France
- 6.2. Unless stipulated otherwise, invoices are payable within net 60 days from the invoice date. Complaints do not exempt the Customer from paying each invoice by its due date.
- **6.3.** Sales packaging is indicated in the rate in the column: "Unit of Sale". All Products may be ordered without sales packaging with an automatic 10% surcharge.
- **6.4.** If payment is not made within the agreed time frame, the Customer shall be liable for late penalties of an amount equivalent to the application of an interest rate three times the French legal interest rate for the sums due, in addition to a penalty of 40 euros for recovery fees. Rain Bird reserves the right to demand further compensation, upon appropriate justification.
- 6.5. Failure to pay all or part of the price by the agreed due date shall lead Rain Bird to demand that the Customer immediately pays any outstanding sums owed to Rain Bird by the Customer, even if they are not yet due, and whatever the agreed terms of payment may be. Furthermore, in the case of default in payment, 48 hours from the formal notification letter sent by registered post with receipt of delivery, Rain Bird has the option to:
 - · suspend the delivery or fulfillment of all or part of open orders,
 - · cancel the sale of Products and any open orders,
 - request the return of Products already delivered to the Customer in accordance with the retention of title clause below.
 - Should Rain Bird choose to employ one or more of the above options, it does so without prejudice to its right to demand the payment of all outstanding sums and late penalties. In the case of cancellation of the sale, Rain Bird shall keep any sums already paid by way of compensation.
- 6.6. In the case that the Customer's credit rating is downgraded, Rain Bird may demand guarantees or a cash payment.



Article 7 - Warranty - Liability

- 7.1. Subject to article 7.4 below and with the exception of the Products mentioned in article 7.2 below, Rain Bird guarantees the replacement or reimbursement of Products that prove to be defective after normal use, for a three year period from date of manufacturing. Rain Bird reserves the right to request that products identified as defective are returned.
- 7.2. Subject to article 7.4 below, Rain Bird guarantees the replacement or reimbursement of the following Products if they prove to be defective following normal use, and for five a year period from their date of manufacturing: series 1800, series U nozzles, series 1400, DV and PEB valves, 5000, 8005 rotors, Falcon, Eagle rotors, subject to the simultaneous installation of a Rain Bird Swing Joint.
 - Rain Bird reserves the right to request that products identified as defective are returned.
- 7.3. The warranty described in articles 7.1 and 7.2 is limited, at Rain Bird's discretion, to the replacement or repair of the defective Product or of the defective parts. Shipping fees of defective Products are at the Customer's own expense, and the latter must be returned to Rain Bird Europe, GCA Logistics Fos, 5 rue de Shanghai, Distriport porte de l'Asie, 13220 Port Saint Louis du Rhône, France. Repairs or replacements carried out under the warranty do not extend the warranty period.
- 7.4. Warranty exclusions. Rain Bird's warranty is excluded:
 - if the defect or deterioration is due to normal wear and tear, negligence
 or incorrect or abnormal use, use that does not comply with Rain Bird's
 conditions of use, maintenance work or assembly, disassembly or reassembly that is defective or does not comply with Rain Bird's specifications
 or non-respect, at any time, of the Product's environmental and power
 supply specifications. In this respect, it is recalled that Rain Bird Products
 are lubricated with water and must be mounted and installed without the
 addition of chemical products:
 - for incidents arising from unforeseeable circumstances, caused by force majeure or beyond Rain Bird's control, notably, but not limited to, the case of lack of power supply or telecommunications, strikes, wars, riots or natural disasters.
- 7.5. Guarantee of replaced parts under the replacement program. Rain Bird is responsible for the replacement of spare parts that are included in the Rain Bird replacement program "Board Exchange Program" and that prove to be defective following normal use. This is valid for a six month period from the date of invoice.
- 7.6. Unless otherwise stipulated, Rain Bird's responsibility is, in all eventualities, limited to the value of the Products in question and only includes material damage, to the exclusion of immaterial damage (such as loss of earnings, operating loss, commercial damage, additional charges, etc.). The Customer may not make a claim for any other sum whatsoever, the aforementioned amount being the limit for compensation paid by Rain Bird to the Customer. In any eventuality, the Customer must:
 - take all reasonable measures to reduce any damage;
 - not take any unreasonable actions likely to worsen the damage.
- 7.7. In this regard, the Customer must personally take any useful measures, notably through subscription to any insurance policies, which provide greater protection than that which is aforementioned, in value and in nature.

Article 8 - Intellectual Property

- 8.1. Rain Bird is the owner of all intellectual property rights, notably all copyrights, designs and prototypes, patents and brands, relating to the Products, including software Products or those including software. The purchase of Products under these GTCS does not imply any transfer of the intellectual property rights of these Products to the Customer.
- **8.2.** The Customer agrees not to do anything or to allow anybody to do anything that may infringe Rain Bird's intellectual property rights. To this effect, the Customer is forbidden from transferring any right and giving any guarantee, assurance or benefit over Rain Bird's intellectual property rights.
 - The Customer is authorized to distribute Rain Bird's software Products as well as software incorporated into Products on a non-exclusive and non-transferable basis, for the purpose of the use of the Products connected to the aforementioned software by end-users.
 - The Customer is forbidden from doing anything with the software Products and software incorporated into the Products other than distributing them as indicated above.

The Customer is forbidden in particular from:

- modifying software Products, including for the correction of errors, as Rain Bird reserves the right to correct any errors in software Products;
- rewriting the source code of software Products, in particular through decompilation or reverse engineering, as the Customer must contact Rain Bird to examine the conditions in which the Customer assures the inter-operability of a software developed for its needs with a Rain Bird software Product;
- altering or deleting mentions of ownership of intellectual property rights appearing in software Products or in materials for software Products.

The Customer distributes software Products with their license contract pursuant to which the end-users shall be granted a right of use by Rain Bird. The guarantees attached to software Products conferred to end-users are defined in the accompanying license contract.

Article 9 - Retention of title

The transfer of ownership of the Products is subject to the Customer's payment in full the whole price including any extra charges in full before the due date. This payment is made by actual receipt by Rain Bird of the price including any extra charges.

If payment is not made within the agreed time period, Rain Bird reserves the right to take back Products already delivered at the Customer's risk and expense. In the event of seizure or any other measures involving the Products taken by a third party, the Customer informs Rain Bird without delay in order to enable it to object and to protect its rights. Furthermore, the Customer is forbidden from selling, pledging or transferring the ownership of the Products as a guarantee before payment in full of their price to Rain Bird.

Article 10 - Tolerances

The photographs and features of the Products displayed in the price lists or any other Rain Bird document are as accurate as possible representations but have no contractual value.

If Rain Bird does not invoke, at a particular time, one of the provisions of the GTCS, this may not be interpreted as a renunciation on its part of the right to invoke them at a later date.

Article 11 - Applicable law - Governing jurisdiction

Sales made with Rain Bird are governed by French law, to the exclusion of international private law rules.

Any dispute that may arise between the parties concerning the entering into, interpretation, conclusion, performance or termination of a sale or of their commercial relations or their consequences is subject to the authority of the Commercial Court of Paris, even in the case of additional claims, claims under warranty or multiple defendants.



SECTION II - GENERAL CONDITIONS OF SERVICE

Article 1 - Scope

1.1. These general conditions of service ("GCS") apply to all services provided by Rain Bird to a Customer, in addition to the contractual provisions of any service provision contracts signed between them. In the case of any contradiction or inconsistency between the provisions of these conditions and those stipulated in the aforementioned contracts, then the latters shall prevail.

1.2 These GCS are made up of the above GTCS, transferred to the provision of services by Rain Bird unless specifically specified otherwise, and the provisions of this section II.

Article 2 - Technical Support Agreement

- This technical agreement contract applies solely to irrigation systems' material and software supplied by Rain Bird.
- 2.2. The Customer provides Rain Bird with the name(s) of the person or people in charge of the irrigation system who shall request Rain Bird's services. These people will have been given training on the use of the Rain Bird system and are qualified to use it.

The Customer provides Rain Bird with a detailed description of the installation of the system in place.

The Customer shall be equipped with a telephone line dedicated to and reserved for the operation of the centralised management of the irrigation system and an internet connection. The Customer shall maintain the system in perfect working order and carry out any and all necessary care and maintenance operations on a regular basis.

The sprinkling system's electrical and hydraulic plans must be precise and regularly updated.

- 2.3. RainBird waives any liability for the implementation of recommendations or instructions given by telephone.
- 2.4. Rain Bird's commitments shall not be binding in the case of intervention by untrained or unauthorised third parties. Rain Bird's commitments do not apply in the event of installation on a centralised PC of any software disrupting the working of the sprinkler management system.
- 2.5. The Customer agrees to ensure that the backup of all of its files and programs prior to the technical support providing assistance. Rain Bird waives any liability for the loss of such data.

Article 3 - Studies

- 3.1. Rain Bird shall carry out the services entrusted to it in accordance with professional rules and standards and shall comply with any applicable instructions, rules, norms and recommendations.
- 3.2. When performing its engagements, Rain Bird shall comply with the assignments, data, rules and other key information provided by the Customer.
- 3.3. Each study's completion lead time shall be determined beforehand by mutual agreement between Rain Bird and the Customer.

Article 4 – On-site services

- 4.1. The Customer agrees to make available to the persons responsible for providing services on behalf of Rain Bird the necessary staff having sufficient knowledge of the site in order to deal with any requests.
- 4.2. The Customer agrees to give Rain Bird staff access to equipment and to inform them of any safety rules or instructions for the site.

Article 5 - Training

The Customer agrees to make available to the persons responsible for providing services on behalf of Rain Bird premises suitable and equipped for the purposes of training operations (courses organized on-site), to comply with requirements related to the number, training and knowledge level of participants and to respect the schedule agreed by the parties, in particular as regards the date and time of beginning of training.

Article 6 - Liability

- 6.1. Unless otherwise stipulated, when Rain Bird is held liable, its liability is, in all cases, limited in value to the annual cost of the provision of the services in question for all damages (whether related or not) suffered for a period of twelve consecutive months and only includes material damages, to the exclusion of any indirect damages (such as loss of earnings, operating loss, commercial detriment, additional charges, etc.).
- **6.2.** The Customer may not try to claim any other sum whatsoever, the aforementioned amount being the maximum compensation that may be paid to the Customer by Rain Bird. In any case, the Customer shall:
 - take all reasonable measures to reduce the damage suffered;
 - not take any unreasonable measures likely to increase the damage suffered.

Article 7 - Applicable law - Governing jurisdiction

Services provided by Rain Bird are governed by French law, to the exclusion of international private law rules.

Any dispute that may arise between the parties concerning the entering into, interpretation, conclusion, performance or termination of one or several services or their commercial relations or their consequences is subject to the authority of the Commercial Court of Paris, even in the case of additional claims, claims under warranty or multiple defendants.

Article 8 - Data Privacy

The personal information located in the system can only be used by business management personnel. These data are confidential and can only be used for internal purposes.

Related personnel who have a right of access and rectification can exercise their rights by contacting:

Rain Bird Europe - marketing service-rbe@rainbird.eu

Rain Bird XF Series

The most flexible, kink resistant pressure-compensating in line emitter tubing.

That's intelligent.









SLOPES up to 2,5 m



SUB-SURFACE APPLICATIONS Copper Shield™ Technology

- Flexible Provides industry leading flexibility for fast and easy installation
- Durable Dual-layered tubing: Resistant to chemicals, UV damage and algae growth
- Efficient Low profile emitter design results in reduced friction loss, allowing longer lateral runs and more cost-effective system design
- Reliable Clog-resistant design ensures that water will keep flowing to your plant material



Intelligent Use of Water

At Rain Bird®, we believe it is our responsibility to develop products and technologies that use water efficiently. Our commitment also extends to education, training and services for our industry and our communities.

The need to conserve water has never been greater. We want to do even more, and with your help, we can. Visit www.rainbird.com for more information about The Intelligent Use of Water™.



Rain Bird Europe SNC

240 rue René Descartes Le Clamar Bât. A Zac du Parc de la Duranne 13290 Aix-en-Provence - FRANCE Tel: (33) 4 42 24 44 61 Fax: (33) 4 42 24 24 72 rbe@rainbird.fr - www.rainbird.eu

Rain Bird France SNC

240 rue René Descartes Le Clamar Bât. A Zac du Parc de la Duranne 13290 Aix-en-Provence - FRANCE Tel: (33) 4 42 24 44 61 Fax: (33) 4 42 24 24 72 rbe@rainbird.fr - www.rainbird.fr

Rain Bird Ibérica. S.A.

c/Valentin Beato 23, 2° izq fdo 23037 Madrid ESPAÑA Tel: (34) 91 632 48 10 Fax: (34) 91 632 46 45 rbib@rainbird.eu - www.rainbird.es Portugal@rainbird.eu - www.rainbird.pt

Rain Bird Deutschland GmbH

Königstraße 10c 71083 Stuttgart DEUTSCHLAND Tel: +49 (0) 711 222 54 158 Fax: +49 (0) 711 222 54 200 rbd@rainbird.eu

Rain Bird Turkey

Çamlık Mh. Dinç Sokak Sk. No.4 D:59-60 34760 Ümraniye, İstanbul TÜRKIYE Tel: (90) 216 443 75 23 Fax: (90) 216 461 74 52 rbt@rainbird.eu - www.rainbird.com.tr