

1.Specifications

FV-05VQ5 FV-11VQ5 FV-08VQ5 FV-15VQ5

Model No.	Air direction	Voltage (V)	Frequency (Hz)	Duct diameter (inches)	Noise (sones)	Power consumption (W)	Speed (rpm)	Air volume at 0.1"WG (CFM)	Weight lb.(kg)
FV-05VQ5	Exhaust	120	60	4	<0.3	11.0	730	50	9.9 (4.5)
FV-08VQ5	Exhaust	120	60	4	<0.3	14.5	815	80	9.9 (4.5)
FV-11VQ5	Exhaust	120	60	4	<0.3	22.0	960	110	9.9 (4.5)
FV-15VQ5	Exhaust	120	60	6	<0.3	28.5	700	150	11.2 (5.1)

HVI Certified performance based on HVI Procedures 915,916,and 920.

FV-08VQL5 FV-11VQL5 FV-15VQL5

Model No.	Air direction	Voltage (V)	Frequency (Hz)	Duct diameter (inches)	Noise (sones)	Power consumption(W)			Speed (rpm)	Air volume at 0.1" WG (CFM)	Weight lb.(kg)
						Fan	Lighting unit				
							Fluorescent lamp	Night lamp			
FV-08VQL5	Exhaust	120	60	4	<0.3	14.5	32	4	890	80	11.0 (5.0)
FV-11VQL5	Exhaust	120	60	4	0.5	23.5	32	4	1065	110	11.0 (5.0)
FV-15VQL5	Exhaust	120	60	6	0.9	32.0	32	4	805	150	12.3 (5.6)


HVI Certified performance based on HVI Procedures 915,916,and 920.

1. Parts Identification

FV-05VQ5


FV-08VQ5

FV-11VQ5




1. Parts Identification

FV-08VQL5
FV-11VQL5




1. Parts Identification

FV-15VQ5




1. Parts Identification

FV-15VQL5



2. Wiring Diagram

FV-05VQ5 FV-11VQ5
FV-08VQ5 FV-15VQ5



FV-08VQL5 FV-11VQL5
FV-15VQL5

