

SCS

,Inc.



Nursery and Landscape Supplies



HANGING FLOWER BASKETS



LANDSCAPE FABRIC



GREENHOUSE



TREE GATOR



TREE GUARD

E-mail: scsinc@alltel.net

Specialty Converting & Supply Inc
P O Box 913
1114 E Marion Avenue
Nashville Ga 31639
Phone 800-524-7567 Fax 229-686-7751

Website: www.scsincorporated.com

Specialty Converting & Supply, Inc.

Policy Statement

Terms: Net 30 days to customers with established credit. Past due accounts will be assessed a finance charge of 1-1/2% per month.

New Accounts: Prior to establishing credit with SCS, Inc., items can be shipped C.O.D. However, C.O.D. charges can be avoided by charging to MasterCard or Visa or by pre-paying with check. Credit may be established by furnishing 3 satisfactory trade references and the name, address, and telephone number of your bank.

Minimum Order: A minimum order of \$25.00 is required per order.

Returns: No returns allowed after 90 days unless pre-authorized. Before 90 days, merchandise may be returned with a return authorization number obtained from our customer service department. Items that are special order or custom manufactured may not be returned. All returns may be assessed a handling charge of 15% unless otherwise authorized.

Credit Cards: MasterCard and VISA are accepted.

Prices: All prices are quoted F.O.B. shipping point unless other wise noted.

****Prices Subject to change without notice.**

Business Hours: Our normal business hours are Monday through Friday from 8:00a.m. to 5:00p.m. (24 hour Fax) Eastern Standard Time

Non-Sufficient Check Charge \$25.00

LIMITATION OF WARRANTY: SCS gives no warranties, express or implied, including the warranties of merchantability and fitness for a particular purpose, as to any item it sells, except as otherwise expressly given by the manufacturer of a particular item. Purchaser agrees that the limit of liability of SCS of all claims for loss or damage due to any cause shall not exceed the invoice price of the goods. **IN NO CASE SHALL THE COMPANY BE LIABLE FOR LOSS OR DAMAGE TO A CROP OR FOR ANY OTHER CONSEQUENTIAL OR INCIDENTAL DAMAGES.**

All data in catalog is, to the best of our knowledge and belief, accurate and reliable as of catalog printing date. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself or herself as to the suitability and completeness of such information for his or her own particular use.

We do not accept liability for any loss or damage that may occur from the use of this information, nor do we offer any warranty against infringement.



N
A
N
C
Y

**Friendly & Efficient
Sales and Customer
Service Associates**

(800) 524-7567

M
A
R
Y

A
N
N



G
U
Y



K
E
N



BERNIE
S. CAROLINA OFFICE
1-843-396-4646



JERRY
S. CAROLINA OFFICE
1-803-261-8279



PHILLIP
ALABAMA OFFICE
1-877-209-0690



COLORED SHADE



ALUMINET-THERMO REFLECTIVE SCREEN




CHROMATINET- BLUE SHADE


For colored shade see page 27



CHROMATINET- GRAY SHADE




CHROMATINET- RED SHADE



1

1. PLASTIC CLIP-locking the net after creating hem. Between the two clip parts by the brackets, 50 cm between clips.



2

2. PLASTIC CLIP WITH BRIDGE-as above, when the net house cord is inserted in the bridge.



3

3. PIN- a smooth plastic needle with handle and push button to prevent releasing of pin.




4

4. METAL CLIP-20 cm wide, especially suitable for 30% black shade net.



5

5. STORK CLIP-used only in nets with strengthening strings at the edges.



6

6. FAST CONNECTION CLASP-fastens to the bridge clip and enables fastening and releasing of cables and wires.

CAMO BURLAP

SCS prints burlap with a camo design. Camo burlap can be purchased by the roll or as a duck/hunting blind. Camo duck/hunting blinds are 4' or 5' ft long with Bamboo stakes attached for ground placement. Camo duck/hunting blinds are light weight and portable. With proper care Camo duck/hunting blinds can be used over and over.



SHADE HOUSE COVER




Shade house covers are custom sewn from premium quality shade cloth to fit the frame. Covers are sewn with reinforced edging for extra strength and durability. Shade houses are popular for all of your shade loving plants. Contact a sales person at SCS & give them your measurements to get a quote for your custom shade house cover.

<<<<<<Cover by SCS



Service Cart by SCS



Tree Dollies by SCS

INDEX

Agri-Cart..... 43	Flags Vinyl Stake..... 36	Pot-Mate..... 13
Agroliners w/Spinout..... 24	Flat Deck Hand Cart..... 43	Privacy Fence..... 38
Arbor Brace Palm Bracing ... 14	Frost Protection..... 28	Products We Sell 4 & 5
Arbor Brace Tree Guy 14	Futerra Erosion Blanket... 39	Professional Tools 40
ArborTie ® Anchor Kit..... 16	Gal Wire Plant Stakes 14	Protectors (Trees)..... 18
B & B Basket Stand 9	GeoDisc w/Spin Out 24	Root Ball Jackets..... 10
Backpack Sprayer 42	Greenhouse Blowers30 & 31	Root Barrier..... 16
Bags-Poly & Burlap 50	Greenhouse Cooling Pad 34	Root Wrap & Dispenser . 50
Baler Twine 35	Greenhouse Film..... 32 & 33	Rope- Poly & Sisal 23
Bamboo Stakes 22	Greenhouse Systems 31	Shade Cloth & Kits 26 & 27
Basket Crimper, Props, Stands 9	Grommets & Clips 36	Shade Cloth-Colored27 & BK
Basket Jackets 10	Ground Cover Fabric..... 29	Sod Staples & Pins..... 37
Basket Prop..... 9	Hanging Basket Stand..... 9	Sprayers..... 42
Baskets-Liners..... 8	Hog Ring Pliers 50	Stakes-Bamboo & Fiber. 22
Batten Tape..... 34	Hog Ring Staples 50	Staking Kits 16 & 18
Blowers-Greenhouse... 30 & 31	Hold Down Tape..... 35	Steel Sign & T-Post 46
Braun Hanging Basket..... 8	Hydro Mulch Supplies 49	Strapping & Rope Cutter 23
Braun Wire Baskets..... 6 & 7	Hydro Mulcher..... 47	Strapping 23
Bungee Cord 20	Hydro Trailer 44	Stretch Wrap Film/Dispenser 50
Burlap Rip-Rap Bags..... 50	Inflation Unit—Ken Bar ... 34	Tackifier..... 48
Burlap-Bales & Rolls..... 11	Inserts w/Spin Out..... 24	Tapes 35&36
Burlap-Liners & Squares..... 11	Joy Juice 21	Tarps..... 20
C & A Film 32	Jumper Hose..... 34	Texel Products 24
Cable Shade House 27	Jute-Erosion Control..... 38	Tie Ribbon..... 37
Calipers Tree..... 37	Kan Han Dal (Pot Carrier) 13	Ties & Tools 37
Camo-Burlap 11	Landscape Fabric..... 25	Ties-Plastic, Wire, & Tool50
Carts-Trailers & Dollies..... 43	Landscape Trailer..... 44	T-Post..... 46
Clamp Tree..... 15	Monty's Joy Juice..... 21	Tracking Wagon 43
Clips-Ball & Butterfly..... 36	Nursery Tools..... 41	Trailers, Wagon, Carts... 44
Convection Tube 32	Over Winter Film 32 & 33	Tree Clamp..... 15
Co-Poly Film..... 32	Ooze Tube 17	Tree Dollies 43
Corona Tools..... 41	Pinning Nails 37	Tree Guard..... 14
Diameter Tapes..... 37	Plant Food..... 21	Tree Mate..... 15
Dollies-Tree..... 43	Plant Sleeves 36	Tree Root Barrier..... 16
DuraTool 37	Plant Stakes..... 22	Tree Root Wrap..... 9
Earth Anchors..... 19	Plant Tie Ribbon..... 37	Tree Sleeves 36
Evaporative Cooling 30	Plastic Tie..... 50	Tree Slings 21
Excelsior Blanket..... 39	Policy Statement 3	Tree Straps, Kits..... 18
Fans-Evaporative Cooling ... 30	Poly Bags..... 50	Tree Trunk Protector 18
Fans-Greenhouse..... 31	Poly Burlap..... 11	TreeGator..... 17
Felco Tools..... 41	Poly Chain Lock 23	Trellis Lok w/Tie..... 23
Fencing-Welded 46	Poly Film-C & A..... 32	Trellis-Mate..... 15
Fencing-Field..... 46	Poly Grommets & Clips ... 36	Truck Tarp..... 20
Fencing-Privacy..... 38	Poly Jute-Erosion Control 38	Tufflite Film..... 33
FiberEdge..... 18	Poly Rope & Sisal Rope .. 23	Tubex Tree Shelter..... 18
FiberStakes 22	Poly Tape..... 35	Twines-Baler & Sisal 35
	Post Mate T-Post Driver .. 45	

SCS accepts American Express, MasterCard and Visa as an added convenience for our customers. By using either charge card, C.O.D. charges are eliminated. **Consider the use of American Express, MasterCard, or Visa when ordering.**





Products List

CONTAINER GROWN NURSERY

Agri-Carts
Agricultural Curtains
Agroliners w/Spin Out
Bag-Mate Lifter
Bamboo Stakes
Carts-Trailers & Dollies
Clips- Ball & Butterfly
Convection Tubing
Custom Shade Panel
Film Fasteners-Film Lok
Film Inflation Units
Frost Protection Fabric
Frost Protection Films

Greenhouse - Cooling Pads
Evaporative Coolers
Fans-Shutters
Film-Tubes
Structures
Ground Cover Fabrics
Hanging Baskets & Liners
Hanging Basket Stands
Landscape Fabrics
Load Separator Netting
Monty's Plant Food
Overwinter Films
Poly Grommets

Pot Covers - Geo disc
Pot-Mate Lifter
Pot-Mate Jrs.
Sod Staples
Tapes - Film Repair & Hold Down
Poly Insulator & Batten
Tools - Hog Ring Pliers
Nursery - Pruning
Tree/Shrub Carriers
Tree Sleeves
Truck Tarps
Twine - Sisal & Poly
Weed Out Squares

FIELD GROWN NURSERY

Agroliners w/Spin Out
Bag-Mate Lifter
Bamboo Stakes
Basket Crimpers, Props & Stands
Braun Mesh Baskets
Braun Wire Baskets
Burlap Liners, Squares & Rolls
Diameter Tapes
Fencing - Wind & Game
Flagging Tapes
Geodisc w/ Spin Out (Pot Covers)
Hog Ring Pliers & Staples

Inserts w/ Spin Out
Leno Liners, Squares & Rolls
Load Separator Netting
Monty's Plant Food
Pinning Nails
Poly & Sisal - Rope & Twine
Pot-Mate
Post-Mate
Root Ball Jackets
Root Wrap & Dispenser
Strapping 5/8" to 2"
T-Posts

Tools - Nursery-Crimping
Tree Calipers
Tree Dollies
Tree Mate
Tree Sleeves
Tree Slings
Tree Stakes & Staking Kits
Tree Straps & Anchors
Tree Watering-Treegator
Tree Wraps & Guards
Truck Tarps
Weed Out Squares

LANDSCAPERS & CONTRACTORS


Bag-Mate Lifter
Braun Wire Baskets
Burlap Liners
Bamboo Stakes
Carts-Trailers & Dollies
Drainage -Sheet & Strip
Edging - Landscape
Erosion Control Fabric
Fencing -Privacy & Field
Filtration Fabric
Flagging Tape
Ground Cover
Ground Stabilization Fabrics

Hydro-Grasser Supplies
Jute Mesh
Landscape Fabrics-Woven/
Nonwoven
Landscape Edging
Pick Up Sheets
Plant Protectors - Shipping Sleeve
Plant Tie Ribbon
Poly Film & Tube
Pot-Mate Lifter
Pot-Mate Jr.
Post-Mate T-Post Driver/Puller
Root Barriers-DeepRoot
Root Wrap & Dispenser

Sediment Control Fabrics/ Silt
Fence
Sod Staples-Pins
Staking Flags
Sprayers-Pressure
Stabilization Fabrics
T-Posts
Tools -Rakes ,Forks, Loppers,
Pruners
Tree/Shrub Carriers
Tree-Mate
Tree Stakes & Anchors
Tree Watering-TreeGator
Tree Wraps & Guards
Truck Tarps

T
R
E
E

M
A
T
E



SHADE CLOTH

P
O
S
T

M
A
T
E



Products List



AGRICULTURE

Agricultural Curtains
Bags, Ties & Tools
Bags-Poly & Burlap
Barb Wire
Cotton Bale Sheets & Tubes
Cotton Bale Wire
Cotton Wagon Tarps & Covers
Erosion Control Fabrics

Fencing-Field,
Welded ,Game
Fertilizer-Monty's
Frost Protection
Hay Bale Covers
Implement Covers
Kennel Shade
Livestock Shade
Machinery Covers

Post-Mate, T-Post Driver/
Puller
Plant Food-Optimum Yield
Poly Fabrics
Poly Film-C&A
Poultry Curtains
T-Posts
Tobacco Plant Covers

CONSTRUCTION

Bags-Sand & Rip Rap
Barb Wire
Barrier Fence
Burlap & Jute
Concrete Curing Blanket
Drainage Fabrics
Erosion Control
 Wood Fiber Blankets
 Jute & Poly Jute
 Straw Mats
 SuperGro
 Netting
 Futerra Blankets

Field Fence-Hog Wire
Filtration Fabric
Geo-Grids
Geo-Tarps & Covers
Geotextile Fabrics
Ground Reinforcing
Hardwood Stakes
Hydro-Mulching Supplies
Landfill Day Covers
Non-Woven Fabrics
Pipe Wrap
Poly & Sisal-Rope & Twine


Poly Film
Post Mate-T-Post Driver/
Puller
Pre-Fab Sheet Drain
Safety Fence
Sediment Control Fabrics
Separation Fabric
Silt Fence
Sod Staples & Pins
Stabilization Fabric
T-Posts
Truck Tarps
Turbidity Curtain

OTHER

Barriers-Snow, Wind & Sand
Buckles-Straps
Bungee Cords & Balls
Equipment Sheds
Fabrics-Coated & Uncoated
Fencing- Plastic & Woven
Film Inflation Units
Golf Course Fabrics
 Bunker Liners
 Green Covers
 Practice Nets
 Range Barrier Nets

Grommet Repair Kits
Hobby Greenhouses
Max Tapener
Pick Up Sheets-Burlap & Poly
Jute
Plant Tie Ribbon
Poly Grommets & Clips
Privacy Fence
Root Barrier-DeepRoot
Shade-Kennel & Livestock
 Patios & Gazebos

Shade Houses
Shelters-Temporary
Stakes-Wood & Steel
Staking Flags-Vinyl
Strapping & Rope Cutter
Ties-Plastic, Wire & Tools
Tools-Forks & Rakes
 Knives & Saws
 Lopper & Pruners
Trailers, Wagons & Carts
Tubing-Poly
Twines- Baler & Tie



T
R
A
I
L
E
R
S




Uniquely made wire baskets from BRAUN

Using a single wire, Braun Horticulture creates a wire basket known for its strength and durability. The single wire design distributes the stress evenly through-out the basket. "Tailor Made" Braun baskets are made to fit every tree spade in the industry creating better packaging with less need for crimping. Braun offers a complete line of continuous wire baskets from 14" through 100" with open or welded bottoms.

Call for complete Braun catalog of sizes or video.
1-800-524-7567

Exceptional Strength



The strength of the Continuous Wire Basket is based on several unique features. One continuous length of wire is woven into a pattern of vertical and horizontal spirals welded at as many as 96 points. The distribution of stress minimizes chances of weld breakages. The vertical ribs of the Braun basket are contained and reinforced by horizontal ribs located on the outside of the basket. The verticals are tightly sandwiched between the tree ball itself and the noose like horizontals. As a consequence of the "sandwich design", the overall strength and durability of the basket is multiplied and reinforced.

Specialty Baskets

Braun offers a line of specialty baskets under 50 inches that are lighter in wire size but with the same continuous wire design. They are still the same exceptional quality and fit of the regular Braun baskets. These baskets still meet or exceed the industry standard for performance. They offer a significant cost savings and will meet the needs of most users. Under normal circumstances, an average user will probably notice no difference.



Continuous Wire Baskets

Designed for pigtail crimps

The malleable wire, chosen for the Continuous Wire Basket ranges from 12 gauge on the 14 inch baskets, to 5 gauge on the 92 inch baskets. Strength and "crimpability" are provided without the breakage characteristic of brittle hard wire. Crimping of a few points, performs the dual function of tightening the wire basket around the tree ball and by virtue of the "pig tail" style crimp, tightens the lacing to a degree impossible by hand. The superior tightness is achieved because a crimp in the single strand basket, pulls the entire basket together like a tourniquet. This eliminates the numerous, time consuming "Z" crimps normally used. Both the horizontal and vertical wire can be "pig tail" crimped. The only part of the basket that should not be crimped is the top loop. The pigtail crimps stay in place assuring the arrival of a tight, neat rootball at the final destination.



Superior Design plus Quality Construction
Easy to Work With
Cost Effective

Call for Complete
Braun Catalog or Video Tape

Basket Bottom Types

OPEN

This variation provides the ultimate in fit even for the novice tree harvester. Baskets are tied across the bottom to fit the configuration of the soil ball in the same manner as a shoe is laced to adjust to the individual shape of a person's foot.

WELDED

This flat bottom variation provides the labor and time saving convenience of a preformed basket. Being flat on the bottom allows trees to stand balanced easier than baskets not having that feature. It does, however, require greater precision cutting the right amount off the bottom of the soil ball.


PENTA

This rounded bottom variation has the convenience of a preformed basket and the ability to fit any configuration of the soil ball because the bottom is not welded. Bottom wire strands which are very evenly spaced and do not converge at one point provide complete bottom support to the root ball.

Basket styles are available in **OPEN** or **WELDED** for all Braun baskets. **Penta** bottom is available only for certain styles.

Wire Baskets Made to Measure Up

Braun lists all measurements of each size and style of basket which is needed when correctly sizing basket to root ball. These dimensions are listed as:



Top

Measurement is the diameter across the top ring of the basket between the loops.

Height


Is the distance between the top and bottom rings of the basket measured at a 90° angle straight up and down.

Base

Is the diameter of the bottom ring.

Diameter (Flat)

Loops on Daisy and Ball Boy form a circle. On 4 or 5 Loop the measurement is between loops, on 6 it's tip to tip.





HANGING BASKETS MADE WITH CONTINUOUS WIRE

BRAUN has been manufacturing wire baskets for over 20 years. Their Hanging & Wall Baskets are hand crafted from heavy-gauge, continuous strand galvanized wire, and may be purchased with or without liners.

Features include:

- Continuous wire construction for greater strength & durability
- Automotive quality for long lasting beauty. Available in green, black, white, plasticized and galvanized finishes.
- Wide wire spacing for ease of side planting without sacrificing strength.
- Unique reservoir helps protect plants between watering.
- Available in flat or rounded bottom (36" flat only).
- Wall brackets for hanging baskets also available.

HANGING & WALL BASKET LINERS

BRAUN Hanging Baskets recreate the appearance, scent and textures of a relaxed woodland setting. Basket liners have superior insulating and moisture retention qualities.

Woodland Moss-this natural moss is clean, light and feathery.

Coco Pod-Natural soft coconut fibers are preformed to fit a variety of basket shapes. Sphagnum moss is then "woven" into the inside liner for improved moisture retention.

Coco liners-offer an economical alternative for lining hanging baskets. Natural, soft coconut fibers are needle punched together using no adhesives, making it easy to use and to side plant.

Moss Mat-green moss covering a wood fiber mat liner, provides excellent insulation and moisture retention. Add a decorative touch to hanging baskets, top dress potted plants (indoor & outdoor), or use in terrariums. The ideas are limitless.

B&B Basket Stand

Are you tired of trying to make trees stand up during the pinning and basket tying process? Digging holes to stand baskets in and using props to hold trees upright offer only a partial solution to the process. A gust of wind can easily turn the plant over during preparation, causing total destruction of the root ball.

The basket stand offers an alternate solution to this problem.

Benefits:

- Labor Savings
- Holds The Basket & Tree In a Rigid Upright Position
- Easier To Pin & Tie Top Of Root Ball Since It Is Raised Above Ground Level
- Durable-Made Of Heavy Duty Painted Steel
- Versatile-One Size Stand Works With Several Sizes Of Baskets
- Available in Custom Designs




Basket Crimpers

We carry four different types of crimpers:

- Standard Hook
- Jumbo Hook
- Pigtail Hook
- Econo Tee

Whatever your preference, we have the tool for you.



Hanging Basket Stand



Four tier rack shows off your hanging plants. Made of heavy gauge steel and painted with an automotive finish, for years of service.

Tree Wraps

Non-Woven - This tree wrap is 4 oz. material pre-cut into rectangles that are then wrapped around the tree and secured. Sizes available: 12" x 36", 18" x 36" and 24" x 36"

(Call for special sizes)


Paper Wrap - Is a waterproof Kraft paper, crinkled to a 1/3 stretch. Packaged in both a 3" x 50' roll and a 4' x 150' roll.

Foam Wrap - Is a silver faced foam that has an adhesive backing. Once you wrap the foam around the tree, you stick the two adhesive edges together, as this product will only stick to itself. The best way to protect against shipping damage. It is packaged in 48" x 600' rolls, which can be slit into desired widths for different caliper trees and can be perforated at specific intervals for easy tearing.

Spiral Wrap - Easy to fit and flexible. Offers excellent protection without endangering young shoots. Available in 4 sizes: 18", 24", 30" & 40". Also available in 5 colors: Brown, Black, Green, White & Gray.

(Tree Tubes Or Sleeves See Page 36)


Basket Props



To aid in your digging process, we offer a basket prop that is manufactured from hardened steel for years of service. The pointed end

drives easily into the ground by stepping on the foot peg and the notch at the top holds the basket securely.

Several sizes are available.



DIG AND HOLD


If you are pre-digging and holding B & B material in designated holding areas, we are now producing a synthetic woven polypropylene **Basket Jacket** for this application. The **Basket Jacket** is placed over the outside of the wire basket before the ball is placed in the holding area. (Also available in non-woven)

REASONS TO USE "BASKET JACKETS"

- Prunes emerging roots from root ball, making shipping quicker, easier, and provides a higher survival rate.
- Promotes callusing on root tips and build up of carbohydrates in root structure.
- Water and nutrients pass freely into and out of jacket. (Porous fabric)
- Roots penetrate but do not grow bigger and expand. Stimulates hair root growth.
- Uses field soil, no expensive mixes required.
- Cuts watering and fertilizing costs through moisture retention.
- Stronger and healthier trees, resulting in higher survival rates and greater transplant success.
- Trees grow quicker, better caliper and fuller canopy.
- Increases hold time to allow extended selling period.
- In ground holding means less freeze damage in winter and heat exposure in summer.
- Rapid plant re-establishment time.
- Can ship in jacket or remove.
- Fabric is tough for added protection of plant.
- Jacket will not rot like burlap, non-biodegradable.
- Jacket is reusable., just clean and reuse.
- Jacket is easy to remove at time of transplanting.
- Holds extra moisture, cuts down on evaporation.
- Maintains root ball integrity.

STANDARD SIZES

30" X 30"
36" X 36"
40" X 40"
42" X 42"
45" X 45"
48" X 48"
54" X 54"
60" X 60"
90" X 90"
108" X 108"



Note:

- Smaller size Basket Jackets can be used, other than the burlap liners recommended in the Braun Basket brochure.
- Heavy duty baskets jackets are also available.
- Call for recommendations.

SCS stocks burlap in various weights, styles and sizes in both **plain** and **treated**.

We are one of the few suppliers in the eastern United States to have our own treating facility to provide a consistent supply of quality treated products.

Available choices are:

Weight:


- Standard
- Heavy

Type:

- Plain (Untreated)
- Treated

Styles:

- Bales •Squares •Rolls •Liners



Burlap Rolls

Available in regular and heavy in widths of: 32", 36", 40", 45", 48", 54", 60", 72" & 144" in **plain or treated burlap**.

Lengths of 100, 250, & 1000 ly.

Poly Jute (Leno) rolls available to 15' wide.

Liners-Natural Burlap & Poly Burlap

Sizes: (Inches) Available in regular and heavy weight.

36x36, 40x40, 40x45, 45x45, 45x50, 48x48, 48x50, 54x50, 54x54, 54x60, 72x72, 72x80, 80x80, 85x90, 100x100, 108x108, 120x120 & 135x135. **In plain or treated burlap.**

Liners have **Sizes Printed On Burlap or on Sewn-In Tags** for easy identification and are banded together for ease of handling. Other sizes available upon request.

(Also available in Poly Burlap)

Burlap Bales

Plain Only:

32" thru 60" - 2000 LY Regular and Heavy Weights

72" - 1000 LY Regular and Heavy Weights

Burlap Squares

Squares are baled for ease of handling and inventory control.

Sizes: 32", 36", 40", 45", 48", 54", 60" & 72" -

Custom sizes available upon request.

(Also available in Poly Burlap or Leno)


CAMO BURLAP



Available in rolls or with hemmed pockets and bamboo stakes.

Weed Out Squares

A unique idea for weed and vegetation control around small or large trees or plants without the use of chemicals. They can be installed prior to or after planting. Weed Out Squares are porous, therefore allowing moisture to penetrate quickly to plant roots. Covering the area around the tree or plants helps prevent evaporation, thus retaining needed moisture. It is recommended that wire staples be used around the perimeter of the squares or be dug into the ground to prevent the fabric from being blown by wind or damaged by machinery. Can also be used under containers to control rooting-in. Squares can be slit or cut as required.



(For Texel GeoDisc see Page 24)

POT-HOG

New Design!

POT-HOG



- One person operation (lift, position, and release).
- No more STRAINING to lift heavy containers.
- No bending over to pick up containers
- Will not damage plants
- Fits all 5 to 35 gallon containers/pots and grow bags
- Automatic catch and release
- Only 27" wide and 72" long
- Pick up to 35 gallon containers without changing heads, pins or anything else



Spring Kit available for Pot-Hog, Jrs., and Oinks. Aides in grabbing grow bags and smaller lipped containers.



POT-HOG JR.

POT-HOG JR. hand held model for hard to reach containers and bags.

Also available with single lift bar called an oink.

TM

POT-MATE



LOADER-MOUNT POT-MAT (Per Design Request) 45-65-100 Gal

POT-MATE/BAG-MATE ADVANTAGES:

- **ONE PERSON OPERATION**
- **LIFT, POSITION AND RELEASE**
- **NO BENDING OVER TO LIFT**
- **WILL NOT DAMAGE PLANTS**
- **STANDARD CLAMPS FOR POT-MATE 15, 25, AND 45 GAL. CONTAINERS**
- **LARGER CLAMPS UPON REQUEST**
- **WILL PICK UP FABRIC POTS**
- **STANDARD CLAMPS FOR BAG-MATE 15, 30& 45 GAL.**

Pot - Mate Jrs.



CAN CARRIER

The only carrier that will fit into your pocket.
Single pots up to 5 gallons.



KAN HAN DAL

Ideal for carrying multiple pots in one trip.
Single pots up to 15 gallons.

TREE GUARD



Helps Protect Young Trees and Garden Plants From:

- Migrating crawling insects
- Rabbits and Rodents
- Mowers and Trimmers
- Keeps harmful mulch and moisture away from tree bark
- Vented for improved air flow
- Reusable and long lasting

(See Tree Trunk Protectors Pages 18 & 19)

ARBORBRACE PALM BRACING



ARBORBRACE KITS CONSIST OF:

- 3 gripping support blocks
- Protective padding pre-attached
- 2 five foot tree straps with tension buckles

Assembled and ready to use

Arborbrace's wood battens have special grip block that accepts your 2x4's as they lock the ground supports into place.

ARBORBRACE TREE GUYING



ARBORBRACE TREE GUYING KITS CONSIST OF:


- Three 12 ft. straps, 3 tension buckles and three earth anchors
- Assembled and ready to use
- One person installation

(See Page 18 for Tree Stake Kits)

GALVANIZED WIRE PLANT STAKES

- | | |
|----------------------|-------------------------------------|
| • Long Lasting | 5/16" x 2' to 8' in 1' increments |
| • Durable | 3/8" X 2' to 8' in 1' increments |
| • Economical | |
| • Strong | 7/16" X 2' to 8' in 1' increments |
| • Reusable | |
| • Galvanized Coating | Other sizes available upon request. |

(SEE BAMBOO STAKES PAGE 22)



HARDWOOD STAKES AVAILABLE

3/4" TO 2" SQUARE
18" TO 60" LONG
PENCIL POINT OR WEDGE POINT

TREE- MATE TM

Patent Pending

Advantages of the Tree-Mate Support Ring

- The tree is able to sway to develop properly
- Increases caliper
- No ties to girdle or abrade the trunk
- Re-usable and durable
- No shading of the trunk - uniform development
- Withstands high wind
- Pot-in-Pot operations- Tree-Mate remains next to the permanent in- ground pot, while a new tree is put in place.



(Use with steel T-Post page 46)
(T-Post Driver/Puller page 45)



TMO-PRO

- For landscaping , growing and holding applications
- Telescopes from 10" to 15"
- Installs either side of a T-Post (for one tree) or both sides to hold 2 trees
- Use in tandem to assist in straightening trunks
- Cushion trunk with long lasting EPDM rubber band or Bark Saver
- Recommended for trees up to 2" diameter
- TMO Pro on a T-Post acts as a torsion bar to increase ground hold

Trellis-Mate

(Tree-Mate without support bar)




- Flexible support for trees up to 2 1/2" in diameter
- Easily secured to horizontal wire, cable, rail or pipe
- Eliminates in pot staking and pot blow over
- Durable and reusable
- May also be used to stake landscape plantings
- Long lasting EPDM band provides flexible support
- Line with insulator tape (Bark Saver page 31) to reduce damage to bark.

TREE CLAMP



- Versatile for attaching trees to cable or wire
- U-shaped with rubber band makes unit simple & easy to attach or unfasten
- Constructed of heavy duty long life composite material
- Complete with the rubber band
- Attaches with threaded nut allowing unit to be connected or disconnected from cable or wire while still stretched between posts.
- Accommodates up to a 2" diameter tree
- Can be used with up to 1/4" diameter cable or wire
- Very economical

Tree Root Barriers



DeepRoot is a patented mechanical barrier placed between tree roots and other hardscapes for reducing maintenance and liability costs, future repairs and restoration caused by root damage. DeepRoot Barriers are available in two basic types. The Universal model features instant assembly and slide-in panels, can be used as a linear or surround application and has adjustable sizing in 24" modules. It also features 1/2" raised 90 degree molded root directing ribs, ground locking anti-lifting tabs, ultraviolet inhibitors and double top edge for strength and safety. The Linear model features adjustable 24" sizing, articulated pre-assembled joiner, molded root directing ribs, ground lock tabs to prevent lifting by trees, double edge for strength and safety, ultraviolet inhibitors and rounded edges for safety and handling.

Linear Barriers are packaged in 2' long panels with preattached flexible joiners ready to pull out of the carton and install in one continuous line.

LB 12-2 80' per Carton

LB 18-2 52' per Carton

Linear can be separated at any two foot interval.

Universal Barriers for surround, linear or root pruning applications available in 18", 24", 36" and 48" widths.

(See on web Site www.scsincorporated.com)

ARBOR TIE ANCHORING KIT

ArborTie® Anchor Kit:
AT LD 100
Tree Guying Kit

Professional anchoring of
trees up to 3" in caliper




Sandy
Soil
Only
Steel
Eye
Anchor
w/Helix



Regular
Soil
Only
Steel
Eye
Anchor
W/o Helix

Arbor Tie Guying



Contents:

3— 10' lengths of ArborTie green: Flat, woven polypropylene material 3/4" wide
3— 15" Steel eye stakes—Black, 1" diameter eye openings

20 kits to a carton

Features:

- 900 lb test strength ArborTie green— never damages bark
- Steel Eye Stakes— Re-usable
- Economical— low cost method to protect investment in trees
- Easy installation— no drive rods required
- Made in USA

Treegator® TREE WATERING

Treegator® makes watering easy. Treegator® portable drip irrigation systems are utilized both commercially and by homeowners. The Treegator® will provide from 20 to 75 gallons of water and up to 16 hours of drip time. It fits up to 24" caliper trees, features 100% water absorption with no runoff, reduces water frequency by 50% and man hour time at each tree from 80%-90%. The Treegator® reduces water quantity, eliminates tree loss due to inefficient water practices, reduces transplant shock and helps provide accurate management information. The Treegator® sits on top of the root ball and provides complete saturation in one application, the ball stays moist with little or no run-off. Also available, Treegator Jr with 14 gallon capacity, just as effective as the Treegator® but used for smaller trees



Steps in Using TREGATOR

1. Before filling , choose the number of leak points to set leak time.
2. Wrap around the tree and zip it up.
3. Put several gallons of water and lift on loops to expand the bottom surfaces.
4. Add liquid fertilizer or rooting hormone (if desired).
5. Finish filling.

TREGATOR Drip Irrigation Specifications

Category	Item	Unit of Measure
Volume of Water (When Full)	1 Treegator	20 Gallons (approx.)
	2 Treegators	50 Gallons (approx.)
	3 Treegators	75 Gallons (approx.)
Recommendations for Planting	1 Treegator	1" - 3" caliper tree
	2 Treegators	4" - 12" caliper tree
Treegator Recommendations	2 Treegators (50 Gal.) 6 Treegators zipped in pairs and set around trunk	1"-4" Caliper 5" and up
Leak Time (Approximate)	1 Treegator	10-16 Hours 6-10 Hours 2-6 Hours 1-2 Hours
	1 Hole Open	
	2 Holes Open	
	3 Holes Open	
	4 Holes Open	8 Holes Open



"OOZE TUBE®"

SCS now offers the "OOZE TUBE®" also used for tree watering. The "OOZE TUBE®" comes in 3 sizes; 25 gal, 35 gal and 45 gal. The "OOZE TUBE®" allows air circulation and fits any tree from multi limbs to low lying limbs. Most applications require filling tube about every 3 weeks. Low cost patented system made for planting in areas without irrigation systems. "OOZE TUBE®" are re-useable and cost effective.



Tree Straps


We manufacture our own tree straps in several different sizes. They are made with a non-girdling strap and top quality brass grommets.

Lengths available are:

- 16", 18", 24", 28", 30", 32" & 36"
- Custom sizes are also available

3-Way Strap - This strap is designed to allow three way staking of trees for better support.

Also known as T-Strap.



FIBER EDGE - LANDSCAPE EDGING



- Easily transported or stored
- No Memory - Won't retain coil shape when unrolled
- Easy to Install, virtually no splicing
- Available in continuous rolls of 20' and 100' lengths
- Safe - no sharp edges to cut hands or clothing
- Bends easily to make curves
- Fade resistant - won't rot, warp or rust
- Can be used as concrete form for patios and sidewalks

Tree Stake Kits




We have a complete kit with everything you need to stake a tree up to 3 1/2" in diameter. It comes with 30' of poly rope, 3 slotted hardwood stakes and a 3-way non-girdling strap set.

All you have to do is add a hammer

(See Arbor Brace & Tree Guy page 14)

Tree Trunk Protectors

ArborGuard+ - A very common cause of death to young trees is the damage to trunks caused by string trimmers, lawn mowers and rodents. Patented ArborGuard+ is scientifically designed to prevent such injury. Easy to install. It is 9" high and protects trunks up to 4" in diameter. For larger trees simply join two or more together. (See Page 14, Tree Guard)





Tubex Treeshelters

Tubex Treeshelters have built in design features that address problems at the various stages of plant development; have releasable ties, the best in the field for ease of installation & maintenance; have flared rims to guard against abrasion after the tree grows out of the shelter; have laser line, a perforated line to split from the pressure of fast growing trees and prevents strangulation.


Available in 2, 3, 4, and 5 ft lengths. 50 per pack

NEW ITEM


BETTER BILT EARTH ANCHORS are economical, time savers, simple installation, with heavy holding capacity.



STEP 1
Insert a driving rod into the Better Bilt Earth Anchor. Use heavy hammer to drive it into the ground until only the cable loop is showing above ground level.



STEP 2
Pull drive rod out, slip rod through loop in pull cable and pull cable taut. Pull until no additional movement. This will position the anchor into set position.



STEP 3
The anchor is set for maximum holding capacity when perpendicular with the direction of the securing cable. Loop you guying cable into the cable loop and finish tying down.

CABLES

Model 400 = 50 per pack 20' long
Model 680 = 24 per pack 30' long
Model 880 = 12 per pack 42' long

BETTER BILT ANCHOR KIT

Model 400 = 300# holding capacity
Model 680 = 1100# holding capacity
Model 880 = 3000# holding capacity
Kit contains 3 anchor w/cable, 3 tree collars, 3 cable clamps, (3 turnbuckles with 680 & 880

CALL FOR INFORMATION ON THE EARTH ANCHOR DRIVING TOOL

Truck Tarps



SCS offers several different sizes and weights of tarps for applications in horticultural and agricultural markets, as well as commercial tarps custom made.

Typical Uses Include:

- Load Covers (Reduces Wind Damage to Plants & Trees)
- Ag Covers
- Trash & Debris Covers

Vinyl Coated Tarps- Available in 12,16,18 & 22 ounce

Woven Shade-Available in 30%, 47%, 55%, 63%, 80% & 95% shade.

Leno Lok Shade-Available in 30%, 40%, 50%, 60% and 70% shade.

Leno Fabric-Light weight 2½ ounce/square yard only.

Knit Shade-Features:

- Available in single panel widths up to 20' wide so that seams can be eliminated.
- Tear and rip resistant—even if the fabric is torn or ripped it does not continue “running” as with many other fabrics.
- Available in shade percentages from 30% to 70%.

White Monofilament Shade: (Sand blast)

- Color is white vs. black so plant material stays cooler.
- Material is constructed of a tight weave with a slick finish which enables the tarp to be pulled over plants with thorny branches with minimal effort and less damage to plant.
- Material is strong but lightweight which makes the task of tarping to load easier as well as folding and storing when not in use.

All available with:

- Taped edges
- Double or triple stitched
- Grommets
- Dee rings

"Tiger" Truck Tarps

SCS is proud to introduce a new “**TIGER**” mesh tarp for use where extra strength is required. “**TIGER**” Tarps are 40% stronger than the old multi-color mesh tarps. Made from 1430 denier polyester yarns coated with recycled flexible PVC in a 9x9 count plain weave. This medium weight fabric offers an excellent balance of strength and degree of openness. Reduces wind damage to plants and trees.

SPECIFICATIONS:

Count= 9x9 ends/inch

Weight=10.5 oz/sy

Tensile Strength: Warp 250 #/in

Fill 250 #/in

Tear Strength: Warp 75 #/in

Fill 75 #/in

Mullen Burst: 300 PSI

UV Resistance: Excellent

TYPICAL USES:

- Load Covers
- Ag Covers
- Plant Covers
- Tree Covers
- Trash & Debris Covers

(Inquire about even stronger Rhino Mesh and Super Tarps)


Blue Poly Ruff Tarps

The tough all purpose utility cover.

- 3.1 oz/sy Polyethylene Coated Fabric
- Blue Both Sides
- Rustproof Grommets @ 3'cc
- Heat Sealed Seams
- Sold In Carton Quantities Only.

Size (ft)	#/Carton	LBS	Size (ft)	#/Carton	LBS
6 x 8	30	30	20 x 40	2	41
8 x 10	20	34	25 x 40	1	26
10 x 12	15	39	30 x 40	1	31
10 x 20	8	41	30 x 60	1	46
12 x 16	8	39	40 x 40	1	39
12 x 20	7	43	40 x 60	1	61
12 x 25	5	38	50 x 50	1	64
16 x 20	5	41	50 x 100	1	121
18 x 24	4	42	60 x 60	1	87
20 x 30	2	31	100 x 100	1	242

Bungee Cords



These straps provide the quickest and easiest way to secure a multitude of items from light weight equipment to bulky items.

They are also a great way to hang plants at different levels in your greenhouse. Use one length or a combination of lengths to stagger the level of plants for more efficient use of space.

STANDARD SIZES:

10", 15", 21", 31" and 41"

These are heavy duty AMERICAN MADE straps, assembled with "S" hooks.

Tree Slings (Round Slings)

Endless Round-Slings			Rated Capacity (Lbs) *						
Size	Part #	Color	Vertical	Choker	Vertical Basket	Minimum, Length (Ft)	Approx Weight (Lbs/Ft)	Approx Body Dia Relaxed (In.)	Approx Width At Load (In.)
1	E30	Purple	2600	2100	5200	1.5	0.3	0.62	1.12
2	E60	Green	5300	4200	10,600	1.5	0.4	0.87	1.50
3	E90	Yellow	8400	6700	16,800	2.0	0.5	1.12	1.87
4	E120	Tan	10,600	8500	21,200	3.0	0.6	1.12	2.12
5	E150	Red	13,200	10,600	26,400	3.0	0.8	1.37	2.25
6	E180	White	16,800	13,400	33,600	3.0	0.9	1.37	2.50
7	E240	Blue	21,200	17,000	42,400	3.0	1.2	1.75	3.00
8	E300	Orange	25,000	20,000	50,000	8.0	1.4	1.75	3.30
9	E360	Grey	31,000	24,800	62,000	8.0	1.7	2.25	3.75
10	E480	Maroon	40,000	32,000	80,000	8.0	2.1	2.50	4.20
11	E600	Brown	53,000	42,400	106,000	8.0	2.6	2.75	4.62
12	E800	Olive	66,000	52,800	132,000	8.0	3.2	3.12	5.25
13	E1000	Black	90,000	72,000	180,000	8.0	4.1	3.62	6.00

WARNING

Failure to comply with this warning may result in personal injury or death.

*Do not exceed rated capacities. Ratings must be reduced when slings are used at angles of less than 90° from horizontal. Call for a Sling Angle Chart

**The use of ANY roundsling with a nylon cover and polyester load-bearing core yarn makes the detection of chemical damage to the core yarn extremely difficult. Use of such roundslings in chemically active environments, ESPECIALLY THOSE WHICH INCLUDE STRONG ALKALIS, is not recommended. Alkalis can damage the polyester core yarn without damaging the nylon cover, making inspection for this type of damage almost impossible. In such chemically active environments, roundslings using covers made from the same fiber as the core yarn is recommended, because the environment will damage the cover either before or at the same time as the core yarn, making inspection and detection much more reliable. If in doubt, return the roundsling to Span Set for inspection and proof testing.

- Lifting
- Color Coded for positive sling capacity identification.
 - Double-wall woven seam-less cover for longer sling life.
 - Red Striped core warning yarns provide positive indication of wear.
 - Low elongation (approx. 3% at rated capacity).
 - Soft and light weight.
 - Easily conforms to the shape of load.
 - Capacities up to 72,000 #
 - Available in 1' increments to 50'.

MONTY'S JOY JUICE – LIQUID PLANT FOOD

OPTIMUM YIELD

Liquid Plant Food


Monty's Joy Juice is a complete and balanced plant food with trace elements including iron, copper, manganese, zinc and a special activator. Our unique product supplies and enables essential natural nutrients to be used by the plant promoting stronger, more productive growth. It can be used in the root zone or as a foliar spray, which is the most effective and efficient method of managing trace element requirements for crops and pastures. It is a concentrated liquid plant food of unsurpassed quality at an unparalleled price. Monty's Joy Juice is a highly organic combination of quality ingredients, and has been formulated with chelated nutrients that promote faster root development, stronger plant growth and increased plant yields.

Monty's Joy Juice Is available in three formulations:

2-15-15 Orange Label - BLOOM & YIELD ENHANCER

8-16-8 Yellow Label - GROWTH

– 4-15-12 Green Label - SEED STARTER



Packaging:

4oz. 1/32 Gal. (1/4 Pint)
 8oz. 1/2 Pint (1/16 gal)
 16oz. Pint (1/8 gal)
 32 oz. Quart (1/4 gal)
 64 oz. 1/2 Gal.
 128 oz. 1 Gal.
 320 oz. 2 1/2 Gal.
 Bulk 280 Gal. Totes

SCS, Inc.

(800) 524-7567

Bamboo Stakes

The Natural Way To Stake Your Plants



SCS offers one of the largest selections of bamboo stakes available in the South. Bamboo grows as cylindrical structure with columns of fibers running throughout the thick walls of the plant.

This efficient form makes it roughly three times stronger than a wood stake the same size. There are no knots, cross grains or weak points to break or splinter. This flexible, small diameter stake, will aid caliper growth, create minimal root ball disturbance and save you money.

Most all sizes available for immediate shipment.

Green Dyed

LENGTH	DIAMETER	#/BALE
1.5'	1/4"	2000
2'	3/16"	2000
2.5'	1/4"	1000
3'	5/16"	1000
4'	3/8"	500
5'	7/16"	250
6'	7/16"	250

(Split Bamboo Also Available)

(See page 14 for galvanized wire stakes)



Stock Sizes	Package	Weight
4' x 1/4"	100EA	17#
5' x 1/4"	100EA	21#
5' x 3/8"	50EA	45#
6' x 1/2"	50EA	51#
6' x 3/8"	50EA	27#
8' x 11/16"	25EA	65#
8' x 1/2"	50EA	63#
10' x 1/2"	25EA	40#

Natural

LENGTH	DIAMETER	#/BALE
2'	5/16"	1000
2.5'	3/8"	500
3'	3/8"	500
4'	3/8"	500
4'	7/16"	250
4'	1/2"	250
5'	3/8"	500
5'	7/16"	250
5'	1/2"	250
6'	1/2"	200
6'	5/8"	100
6'	3/4"	100
7'	1/2"	100
7'	5/8"	100
7'	3/4"	100
8'	7/8"	50
8'	1"	50
9'	1"	50
10'	1"	25
12'	1-1/4"	25
12'	1-3/8"	25
15'	1-1/2"	20

FIBERSTAKES™

—These stakes are made from high-tensile glass fibers and have pointed ends for ease of installment. Unlike steel stakes, they will not rust nor will they crack because of their ability to flex with wind, snow, or ice. FIBERSTAKE™ has a 20 year life expectancy and can be reused many times. They are totally insulating with a silicon surface and unmatched strength. Resistant to chemical, moss, insect, and fungal attack, but flexible, with memory, to encourage strong tree growth.

FIBERSTAKE™ stakes are superior to plastic coated steel stakes, bamboo stakes, or metal stakes.

Strapping

SCS offers a large selection of polyester and nylon strapping for a wide variety of uses:

- Tying Tops of Baskets
- Lifting Trees
- Tying Tops of Trees
- Staking Trees
- Securing Tarps
- Holding Greenhouse Film

MULE TAPE / TUBE TAPE-
1/2" - 5/8" SPOOLS

NOW AVAILABLE

Strapping is much less abrasive than rope; therefore it is much easier on the hands and on the

<u>Widths</u>	<u>Approx. ft/#</u>	The 1/2", 5/8", 3/4", and 1" wide strapping is also offered in flat or tubed. Various ft/#
1"	120	
1 1/2"	50	
2"	26	
2" Heavy	10-15	

Also available is a military green flat tube for tree staking. It blends extremely well with the landscape.

All strapping and tubing sold by the pound. Call for price.

Sisal Rope

For the heavier jobs, SCS offers several sizes and lengths of sisal rope. Our sisal rope is made from natural fibers and is biodegradable. It is a natural color with no tracer and no oil treatment.

SIZE	LENGTH/ SPOOL	POUNDS/ SPOOL
3/16"	3300'	50#
1/4"	1500'	30#
1/4"	2500'	50#
3/8"	600'	25#
3/8"	1200'	50#

POLY ROPE

SCS offers a heavy duty semi-flat braided poly rope for various applications including lifting. This rope is black in color for extra UV protection. When used for lifting wire baskets, the semi-flat design offers extra strength over conventional round poly rope since it tends to flatten and become wider at the points where the rope comes in contact with the wire. The listed break strength does not imply that it will pickup trees of this weight because of other factors such as jerking and bouncing when moving and transporting trees. Other sizes available upon request.

Size	Length	Approx. Break Strength
3/16"	1200'	600#
1/4"	1200'	1200#
3/8"	600'	2400#
1/2"	600'	3600#

Poly Chain Lock

Interlocking PVC tie for all general tying needs. Reusable, strong and available in standard or heavy gauge. Quick and easy to cut to size.

- Color-Black
- 3/8" x 500' Spools
- 1" - 11 1/2" Precut Pieces - 1000/Bag




TRELLIS-LOK

(Strap) Nut Fastener prevents lateral movement of vertical stems. Adjustment on strap to 3 1/2". Reusable.



Strapping & Rope Cutter



Stop having to resharpen knives to cut strapping and poly twines. Save time and labor by quickly burning through them. Also, stops fraying of ends. Uses normal house hold current.

Call for additional information.

Texel Agroliners • GeoDisc For Weed Control

Tex-R GeoDisc (Round)



Item	Description	Qty/Box
Geo-050	Geodisc 5"	4500
Geo-065	Geodisc 6 1/2"	4500
Geo-070	Geodisc 7"	4500
Geo-080	Geodisc 8"	4500
Geo-090	Geodisc 9"	4500
Geo-100	Geodisc 10"	2000
Geo-110	Geodisc 11"	2000
Geo-120	Geodisc 12"	2000
Geo-130	Geodisc 13"	2000
Geo-140	Geodisc 14"	2000
Geo-150	Geodisc 15"	500
Geo-160	Geodisc 16"	500
Geo-180	Geodisc 18"	500
Geo-195	Geodisc 19 1/2"	500
Geo-210	Geodisc 21"	500
Geo-240	Geodisc 24"	500

Tex-R Agroliners

CT- Models- Acute

Used with containers and container shaped baskets for in-field growing.

ITEM	DESCRIPTION	QTY/BOX
CT-01	1-Gal. Bag	600
CT-03	3-Gal. Bag	400
CT-05	5-Gal. Bag	200
CT-07	7-Gal. Bag	200
CT-10	10- Gal. Bag	200
CT-15	15- Gal. Bag	200
CT-20	20- Gal. Bag	200
CT-25	25- Gal. Bag	200
CT-45	45- Gal. Bag	100

Tex-R Propagation

4.4 OZ. BULK ROLLS: Create your own application

ITEM	DESCRIPTION	QTY/PALLET
183-100		
183-30	6' X 328'	10
	6' X 100'	20
122-100		
122-30	4' X 328'	20
	4' X 100'	36

FP- Models -Conic

Used with angled baskets in storage or holding area and in field growing applications.

ITEM	DESCRIPTION	QTY/BOX
FP-24	24" Wire Basket	200
FP-28	28" Wire Basket	200
FP-32	32" Wire Basket	200
FP-36	36" Wire Basket	200
FP-40	40" Wire Basket	200
FP-44	44" Wire Basket	200
FP-48	48" Wire Basket	200

Tex-R Inserts

Square pieces to control emergence of roots - use under containers.

ITEM	DESCRIPTION	QTY/BOX
INS- 160	16" X 16" PIECE	400
INS- 180	18" X 18" PIECE	400
INS- 240	24" X 24" PIECE	400
INS- 360	36" X 36" PIECE	400

Tex-R Root Barrier (Also see Page 20 - Tree Root Barriers)

ITEM	DESCRIPTION	QTY/PALLET
BAR-12	12" X 100'	50
BAR-18	18" X 100'	30
BAR-24	24" X 100'	25
BAR-36	36" X 100'	15

Professional Landscape Fabric

We have a line of AMERICAN made landscape fabrics that are specifically designed for weed control in both commercial and home applications. ADVANTAGES:

- Retards weed growth, yet allows water, air, herbicides, fertilizers and insecticides to flow into the soil
- Helps insulate root systems of plants from sudden temperature changes
- Minimize soil intrusion and helps stop mulch washout during heavy rains
- Chemically inert
- Resists mildew, rotting and insects
- Minimize plant bed maintenance and help retain moisture
- Photodegradable
- Non-Biodegradable

PX-5 is a superior, high quality landscape fabric designed for maximum weed control, durability and ease of use. It is manufactured using a woven polypropylene base fabric with fiber yarns needle punched for wicking moisture through to roots. Also non-slip to keep mulch material in place. There is no finer product available, affordably priced for both retail and commercial applications. Custom sizes panels available.

SX-2 is a lighter weight, more economical fabric designed for use by the home gardener. This affordably priced fabric is similar to the fabrics used by professional landscapers. It is manufactured from spun-bond polypropylene and is calendered to increase strength and stability.

WX-3 is a 3 oz woven polypropylene fabric for intermediate uses. (Also known as Ground Cover, See Page 18.)

NX-4 is a 4 oz Black non-woven needle punched polypropylene fabric for use where extra weed control is required.

Available in 3', 6', 10', 12' Widths. Inquire about other widths.

Consumer and Retail Packages Available



WEED BLOCK

- Use on Permanent landscape and garden areas, under patios, sidewalks, and decks.
- Lasts up to 4 times longer than other brands.
- Saves time. Chemical free weed control.
- Patented Microfunnels block weeds, but let water and air penetrate.
- Easy to Install.
- Available in 3', 4' & 6' widths



COMMERCIAL LANDSCAPE FABRIC

- Contractor Grade weed control.
- Tough puncture resistant fabric.
- Long UV Life
- Stops weeds without chemicals.
- Spunbond fabric allow water and air through to plants
- Available in 3' and 4' widths.

Shade Cloth



Solar Protection For Everything Under The Sun

ADVANTAGES:

- Economical
- Durable: UV stabilized for long life
- Lightweight: for easy installation & removal
- Strong: resists the elements, Leno and Knitted won't unravel when cut.

OPTIONS:

- Available in Black (30% to 95%)
- Standard Size 6', 10', 12', 15', and 20'
- Custom size panels available
- Tape and grommets available
- Bulk rolls available
- Inquire for additional colors
- Also available: Leno Lok & Knitted


APPLICATIONS:

- Nursery cover
- Livestock Shade
- Kennel Shade
- Windbreak for sales yards, loading and staging areas
- Swimming pool covers
- Tennis court screening
- Snow fences
- Shade structures
- Wind screen
- Temporary fencing
- Bird Netting
- Glare screen
- Environet (Orange and Black)
- Enviro screen (Privacy Screen)
- Greenhouse Covering

SCS Cable/Shade Kits




- Custom Designed Frame Size
- All Hardware & Instructions Included
- Customized Shade Panels Available
- Woven, Knitted or Leno - Lok Shade
- Designed to Maximize Available Space



- Complete kits available
- Galvanized Post
- 10' Sidewall Height
- Cable Guy Grips
- Eye nuts and Eye bolts
- H.D. anchors
- Choice of Shade Percentage
- All Hardware Available

COLORED SHADE CLOTH

LIGHT MANAGEMENT FOR PLANTS



Chromatinet® shade cloth used for light spectrum management has the benefits of accelerating growth and increasing foliage volume; redirecting flowering time; and : slowing down plant development to obtain more compact plants with darker foliage.

- **RED** : Reduces spectrum of blue, green, and yellow light; increases red and far-red light; increases plants development; larger leaf service; longer and thicker stems; higher foliage volume; and, enhances development of root system .
- **BLUE** : Reduces red and far-red light; increases blue light; slows plant development; more compact plants; dark green foliage; flowering can be postponed; and, more effective spraying.
- **GRAY** : Light distribution by refraction of light radiation; cooler microclimate; IR radiation creating thermo-barrier; increased shoots and buds; enhanced variegation; and, yielding "Bushy" plants.
- **ALUMINET** : Year round climate protection for greenhouse plants; increases photosynthesis; repels thrips and pests; high reflectability; U.V. stabilized; high tensile strength; lightweight, easy to handle; and, protects against frost.

CALL FOR MORE INFORMATION

FROST PROTECTION



**Your
Insurance
Against
Freeze.**

**You Can
Sleep Well
On Those
Cold
Winter
Nights
Knowing
You're
Protected.**

SCS, Inc. offers the solution to the problem of winter cold. We offer Non-Woven Needle Punch, Spun Bond & Leno Winter Protection Fabric designed to let water and light through while holding in precious heat. Since the material breathes, there is no need to be concerned about foliage burn as you do with plastic.

Styles:

- Non-Woven Needlepunch
- Spun Bond & Woven
- Leno

Weights:

- Light
- Medium
- Heavy

Standard Roll Sizes:

- 15'x300'
- 30'x300'
- 45'x300'
- 12'x300'
- 24'x300'
- 36'x300'

Custom Panel Sizes are Fabricated To Your Specific Requirements.

Ground Cover Fabric



We offer high UV polypropylene ground cover fabric for the landscape and nursery industry. It allows moisture to pass through while stopping weed growth. Material has line-up markers on 12" centers for use in aligning plant containers.

- Standard Widths: 3', 4', 6', 10', 12' & 15'
- Standard Length: 300' Rolls

* Custom Widths and Lengths Available


Other Features Include:

- Keeps Containers Cooler Than Black Plastic
- Inhibits Weed Growth
- Lasts Longer Than Polyethylene Films
- Protects Roots From Fungus & Bacteria
- Chemically Inert
- Resists Mildew & Rotting

PORTABLE EVAPORATIVE COOLERS


QuietCool

Portable Evaporative Coolers



18" QuietCool

- Constructed of roto molded corrosion Free Polyethylene
- Industrial Duty Fan 2600 CFM
- High efficiency 1/4 HP 120 volt totally enclosed motor
- 1/50 HP submersible High efficiency pump maintenance Free
- Cooling Media is a cross corrugated angle fluted specially formulated cellulose material treated with a thermosetting resin for long life and efficient cooling
- Water supply is standard garden hose
- Power supply required is 120 volt




36" QuietCool

- Constructed of roto molded corrosion Free Polyethylene
- Industrial Duty Galvanized steel Fan 11,600 CFM @ 0 SP 9700 CFM @ 15 SP
- High efficiency 1/2 HP 120 volt totally enclosed motor
- Pump is high efficiency 1/6 HP 120V 5 Amp
- Cooling Media is a cross corrugated angle fluted specially formulated cellulose material treated with a thermosetting resin for long life and efficient cooling
- Water supply is standard garden hose

*Cool-off virtually any area with the QuietCool portable evaporative cooler.
You will realize up to 20°F drop in temperature.*

16" QUIETCOOL



- Cools up to 600 sq. ft. area
- Three speed motor (1/7 HP)
- Six blade plastic fan blade, permanently balanced
- 1600 cu. ft. / min
- Water level indicator
- 10.5 gal. Water reservoir
- 2.5 amps/120 volts/60 Hz
- Noise level = 77 db.
- Weight 53 lbs
- 24-1/2" x 21-1/2" x 38



Back yard
Hobby Houses
also available

*The **Specialty Greenhouse System** includes a wide line of greenhouses, frames, and equipment. The A-Frame is our well-known design. Every frame offers a peaked roof and **minimum 4' sidewall**. All units are available in 4', 5', or 6' bow spacing. Our standard widths are 14', 20', 24', & 28'. Custom widths are generally available. Lengths available are 24', 48', 72', & 96'. Call for a personal quote.*

ALUMINUM WALL FANS



Square wall housing Angle Flow Design

- Aluminum construction
- Quiet operation at low RPM
- High efficiency, heavy duty, totally enclosed motors have a low operating cost; available in single phase or three phase
- All aluminum gravity or motor operated dampers
- Permanently lubricated fan shaft ball bearings
- Optional belt tightener
- Two speed motors optional
- Completely assembled ready for installation and wiring
- Aluminum guards


GALVANIZED WALL FANS



Square wall housing Angle Flow Design

- Galvanized construction
- Quiet operation at low RPM
- Dust, dirt and moisture proof bearings
- High efficiency, heavy duty, totally enclosed motors have a low operating cost; available in single phase or three phase
- All aluminum gravity or motor operated dampers
- Permanently lubricated fan shaft ball bearings
- Optional automatic belt tightener
- Two speed motors optional
- Wall box completely assembled ready for installation and wiring
- PVC coated guards

GALVANIZED DIRECT-DRIVE WALL FANS



- Galvanized construction
- High efficiency, heavy duty, totally enclosed motors have a low operating cost
- All aluminum gravity or motor operated shutters
- No belts means it is more efficient with less maintenance
- 18 gauge galvanized wall box



CO-POLY

Overwintering

For Woody Nursery Stock & Propagation Houses

• Durable • Convenient Packaging (folding) • Nationwide Delivery • Economical

Co-Poly (Overwintering)

STOCK SIZE	STOCK SIZE
3 & 4 Mil Clear	3 & 4 Mil White
10' x 100'	10' x 110'
24' x 100'	12' x 110'
24' x 110'	24' x 100'
32' x 100'	24' x 110'
32' x 110'	24' x 125'
32' x 125'	24' x 150'
40' x 110'	24' x 200'
	24' x 220'
6 Mil White	28' x 110'
24' x 110'	28' x 125'
24' x 125'	32' x 100'
40' x 110'	32' x 110'
40' x 125'	32' x 125'
6 Mil Clear	32' x 150'
24' x 110'	32' x 225'
24' x 125'	40' x 100'
40' x 110'	40' x 125'
40' x 125'	40' x 150'

3 & 4 mil Sheeting

10' x 100'
12' x 100'
12' x 500'
14' x 100'
14' x 500'
16' x 100'
20' x 100'
24' x 100'
32' x 100'
40' x 100'

Nursery Black & Clear




Double C-Fold

SIZE

6 mil Sheeting

10' x 100'
12' x 100'
20' x 100'
24' x 100'
32' x 100'
40' x 100'

Convection Tubing (Poly Tube)



4 mil UV Inhibited

Diameter

12"
18"
24"
30"


Layflat

19"
28½"
38"
47½"

ASK FOR CUSTOM LENGTHS

C&A Poly Film

Construction & Agricultural (C&A) film is an excellent grade of polyethylene film that is often used for insulation, storage of cuttings, mulching & soil stabilization. Also used to underlay woven ground cover fabric when extra protection is desired to retard weed growth and eliminate soft spots since water will not be able to penetrate the soil under the groundcover. Also used as a vapor barrier under patio and sidewalks to stabilize soil and retard weed growth. These **C&A** films are intended for general use around the farm, home and nursery. They are not intended, or guaranteed, for use as a greenhouse covering. Standard sizes range 10' to 40' wide and the gauges available are from 3 mil to 10 mil. Available in clear & black. Call if special size required. Minimums will apply



FILM SAVER
AVAILABLE
1/4"X 40' Page 35

Also 1 1/2 Mil—Black Poly 9'x2000' for use under ground cover fabric.

	3	4	6	8	10
SIZE	Mil	Mil	Mil	Mil	Mil
10' x 100'	X	X	X		
12' x 100'	X	X	X		
14' x 100'	X	X	X		
16' x 100'	X	X	X		
20' x 100'	X	X	X	X	X
24' x 100'	X	X	X		
28' x 100'	X	X	X		
32' x 100'	X	X	X		
40' x 100'	X	X	X		

COVALENCE PLASTICS

TUFFLITE IV™ DRIPLESS INFRARED

UVI Tri-Layer Greenhouse Covering

The Clear Choice for Improved Growth

SIZE

4 mil TUBING

3-Year

14'4" x 220'

15'4" x 220'

6 mil TUBING

4-Year

14'4" x 220'

15'4" x 220'

20' x 110'

20' x 150'

24' x 110'

24' x 150'

25' x 110'

25' x 150'

28' x 110'

28' x 150'

6 mil SHEETING

4-Year

10' x 100'

14' x 100'

16' x 100'

20' x 100'

20' x 110'

20' x 150'

24' x 100'

24' x 110'

24' x 125'

24' x 150'

28' x 100'

28' x 110'

28' x 150'

32' x 100'

32' x 110'

32' x 125'

32' x 150'

36' x 110'

36' x 150'

40' x 100'

40' x 110'

40' x 125'

40' x 150'

40' x 200'

42' x 100'

42' x 150'

48' x 100'

48' x 150'

56' x 100'

"The Film for the 21st Century"

Tufflite is the original "super clear" greenhouse covering that has made quite a name for itself by effectively doing its job day in and day out. Now, those days have been significantly increased.

Introducing **Tufflite IV™**... the newest generation of Tufflite covering materials. **Tufflite IV™** expands on our current formulation to provide a new level of cost savings, efficiency and tangible results to your greenhouse operation. With our new plant in Monroe, Louisiana, **Tufflite IV™** now features tri-layer extrusion, making it 3 layers strong as well as enhancing the life of the film. Our new production process lets us deliver Tufflite in a "**C-fold**" construction that makes installation easier, faster, and safer.

High PAR Transmission: This signature of past Tufflite products continues with **Tufflite IV**. **Tufflite IV** is also available in our Drip-Less™ and Infrared™ formulations. Drip-Less™ contains an additive designed to help disperse condensation build-up. Tufflite Infrared™ also contains the Drip-less™ feature plus an additive that delays the exit of infrared radiation, maintaining heat factors and providing energy savings.

33% longer life: **Tufflite IV's** new formulation increases its usefulness and effectiveness from three to four years.

UV Block: Helps to reduce the harmful effects of ultraviolet radiation while providing a more comfortable working environment.

Anti-Dust Accumulation: Resists dust attraction for better clarity over the life of the covering.

Increased Chemical Resistance: Helps to reduce the effects from exposure to most harsh greenhouse chemicals.

Try **Tufflite IV**. It will significantly improve your greenhouse operation starting today... and continuing into the next millennium. (Inflation units page 30)

- **Super-Clear**
- **Maximum par transmission**
- **Durable - lasts 4 years**
- **Dust resistant**
- **More chemical resistant**
- **Contains a UV block**



LF-LAYFLAT



Double C-Fold

- Easier Handling
- Less Space
- Less Damage



CF-CENTER FOLD

5 Mil White on Black Polyethylene Sheeting

- **Weed Barrier Mat**
- **Side Curtains**
- **Black Out cloth**
- **1 year Warranty**
- **20' to 50' Wide X 100' to 200'**


Film-Lok

Efficiently and Economically Secures

Fastening poly to the greenhouse is the single most important choice for a strong, long lasting covering. SCS has the best poly fastener on the market. **Film-Lok** locks the film in place without pinching, binding, cutting or weakening the material that it holds.

Soft Spring
(Allows extra film to seat
itself in base channel)

With a flexible application Film-Lok attaches easily to wood or metal with bolts, screws, nails or pop rivets - even around curves. It also allows quick film replacement or changes from one material to another. Your film can easily be removed and reinstalled seasonally. It is as simple as pulling the material across the channel and weaving the soft spring into place to secure the material.




Flexible Film Jumper Hose



For use in connecting double layer polyethylene film from roof to side wall to allow pressurized air in two locations (24" long).

Ken-Bar Inflation Units




Ken-Bar Inflation Units consist of a 149 CFM blower secured to a mounting board. The blower has an 8 ft. cord, and an inlet screen. The double stack unit has two hoses and top hats for inflating two sections of double poly cover. Heat savings of up to 40% have been realized from double inflated film vs. single layer film.

Greenhouse Cooling Pads

Replacement Evaporative Cooling Pads for greenhouses. These pads are available in rigid cell pads with wire on one side. These pads are also available with wire on both sides for additional strength.

AquaCel Plus provides a highly stable hygroscopic cell structure resistant to acid or basic environments. It has bacteriostatic qualities that discourage slime and algae growth. It will not cause odors and is dimensionally stable in use.



(See page 30 for Evaporative Coolers)

White Vinyl Batten Tape

Provides a quick fastening method for attaching plastic film to wood framing with hand held staple gun. Batten tape is a white vinyl strip 3/4" x 1/32" thick and is made to resist UV radiation and extreme cold. Rolls packaged 4/case. Orders by case only.

Roll Size	Lbs./Roll
3/4" x 500'	30 lbs.
3/4" x 1000'	55 lbs.

Poly Tapes

Repair Tape:

Clear polypropylene tape, UV stabilized for three years use, for repairing tears, rips and cuts in polyethylene films. Extends the life of your film. Standard Sizes Available: 2", 4", & 6" wide x 165'.

Insulator Tape: Film Saver & Bark Saver

Self adhesive polyethylene foam tape designed to be placed on bows and perlines to reduce chafing & heat build up that causes early breakdown and excessive wear of poly coverings. It also eliminates most metal discoloration on poly from oils in the metals in contact with the poly. Can also be used with the Trellis-Mate (see page 12). Each roll is 1-1/2" wide by 1/8" or 1/4" thick by 40' long. Also available in pre-cut lengths.



Hold Down Tape

Used to hold down poly film on greenhouses and shade houses. It helps to keep the film from fluttering in the wind, thus decreasing the noise factor and protecting the film against tears and punctures. Tape is made from woven UV stabilized polypropylene.

****For Heavy Duty** tie down situations, 1"-2" strapping is available. (See page 23)

Sizes Available:

1-3/4" x 100 ly/roll - 24/cs

2-3/4" x 100 ly/roll - 16/cs


Twine

We carry a complete line of Exxon poly twine & sisal twine. Sisal available plain or treated. Also, for your lifting and heavy binding needs, we carry Polyester, Nylon, & Polypropylene strapping in various widths and weights.

(See Page 32)

Poly Twine

Tiger twines (formerly EXXON) are packaged ten pounds to the box and four boxes to the case. They can be shipped by UPS. Tiger twine is the premier brand in the industry.



STYLE	FT/LB	TENSILE
350	350'	350#
550-1	550'	250#
550-3	190'	650#

Baler Twine

Made from high quality UV stabilized material. This twine has very high knot and tensile strength and is non-toxic to livestock.

Sisal Twine

Plain Sisal-Our twines are top quality, long fibered sisal which draws tight for a firm knot. Available in 1, 2 or 3-ply. Packaged in ten pound rolls with ten rolls/bale (100 lbs.).

Approximate feet per pound for each of the different available ply's is shown below:

1-ply - 300' per lb.

2-ply - 146' per lb.

3-ply - 72' per lb.

TYPE	FEET/BX	BALLS/BX
SQUARE BALER		
Poly	9000	2
Sisal	9000	2
ROUND BALER		
Poly	20000	2
Sisal	16000	2

Treated Sisal- These are the same top quality, long fibered sisal which are offered in plain style but, has been treated to extend the usable life. The specifications for the treated sisal are the same as shown above for the plain.



Tree Sleeves (Plant Sleeves)

Tree Sleeves are used when maximum protection of branches and foliage is desired. The sleeve is actually a tube that becomes smaller as the ends are pulled and tied, therefore, uniformly pulling the branches in toward the trunk. It is packaged as a continuous roll so the desired amount can be cut off the roll to cover the branched area of the plant to be covered (Great for shrubs also). After cutting the desired amount from the roll the flexible tube is fed from the bottom of the plant over the ball or container and tied. Then the tube is pulled over the branches to the top where it is again tied. The more tension that is applied when pulling over the top creates a smaller diameter package. The flexible tubing is available in various sizes to cover diameters ranging from 9" up to 62". (Roll lengths vary, sold by the pound)


Grommets & Clips

Poly Grommets - Are intended for emergency repairs in the field. They are a two part Lexan snap together grommet used to replace or to supplement existing grommets.


Butterfly Clips - These handy clips punch through fabrics creating a method of running a cable or rope to the panel, for easy attachment to pipe or any other point. This is a quick and easy field repair that will save time and money with its simplicity. Use to attach bird and deer netting.

Ball Clips - Great for quick in field repair of any damaged fabric, shade or truck tarp. Just push the two halves together to lock in place and create an attachment point to tie down and reduce further damage.

Bungee Ball - This product can be a lifesaver in many instances. A quick and easy method of securing tarps to wagons, trailers and carts. Can also be used to attach covers to greenhouses and shade houses.




Poly Grommets



Butterfly Clip



Ball Clips



Bungee Ball

Flagging Tape




High visibility tape for flagging, sorting, harvesting, marking lots, field grading, shipping, pricing and hundreds of other uses. Used by nurserymen, surveyors, landscapers and contractors.

Tape is constructed from high quality, economically priced **PVC**. It is 1-3/16" wide and packaged 12 rolls per box. Box weight is 5 pounds and case weight is 60 pounds.

Available in solid, stripes and polka dots. Call for available colors.

Vinyl Stake Flags



Hundreds of uses, marking of rows, landscape beds, irrigation lines and utility lines. Several colors are available.

Reusable and weather resistant.

Available flag sizes are: 2"x3", 4"x5" & 5"x8".
Metal staff lengths are: 15", 18", 21", 24" & 30".

Colors-Standard & Glow

Packaged 1000 per box.

6 FOOT DIAMETER TAPES



A handy pocket size diameter rule designed for quickly finding the diameter of a circumference. Good for measuring trees or pipes. Simply wrap the tape blade around the item and read the tape at the zero point

TREE CALIPERS



We offer an inexpensive plastic caliper which provides both metric and inch scales and measures items up to 6—1/2" diameter.

PINNING NAILS

SOD STAPLES

Sod Staples have many uses, including anchoring sod, erosion mat, net, ground cover and landscape fabric. Staples are 6" long and U-shaped with a 1" head for easy installation. They are packaged 1000 per box and weigh 40 pounds.

8" Staples and Sod Pins also available.

We carry a premium quality, polished, needle point, oval head, 2-1/4" - 14 gauge pinning nail. The large oval head is designed for easier pinning.

The nails are packed approximately 15,000 per box and weigh 50 pounds.



PLANT TIE RIBBON



This ribbon is for hand tying or for use with the Max-Tapener. The green naturally blends with plants and stretches with plant growth. Available in different thickness', widths and lengths to meet all your needs. (Also known as Bamboo Tape)

DURATOOL



We carry DURATOOL dispenser, a proven time saver for nurserymen and tree growers. We also carry both staples and blades for compatibility.

Staples: 10000 Per Box.


Blades: Serrated - 3 Per Box.

JUTE (SOIL SAVER) AND PRIVACY FENCE

JUTE


We carry Jute Mesh (Soil Saver) in 4' wide x 225' rolls that gives a coverage of 100 square yards. An easy, biodegradable, method of erosion control. Jute is recommended for light to moderate erosion problems.

- Golf course construction and maintenance
- Embankments & slopes
- Landfills
- Highway construction
- Lakes & stream banks
- Hydro seeding
- Brush & sand dune stabilization
- Drainage ditches
- Biodegradable



PREMIUM PRIVACY FENCE

Knitted 78% - 82%
100% H. D. Polyethylene
U. V. Stabilized



Privacy Fence is made from knitted poly fabric. It is specifically designed as the ideal barrier screening for creating a veil of security around private sites.

- Restricts Visual Intrusion
- Discourages Outsider Curiosity
- Conceals Unsightly Areas
- Creates Privacy/Instant Hedge
- Quick and Easy to Install
- Will Not Unravel
- Mold, Mildew, and Fade Resistant
- Puncture and Tear Resistant
- Durable and Lightweight
- Colors Available: Green and Brown

Sizes:
44' x 150' for 4' Fence
68" x 150' for 6' Fence
92" x 150' for 8' Fence

Typical Areas of Use

- Construction Sites
- Residential Areas
- Country Clubs
- Swimming Pools
- Parks & Recreation
- Tennis Courts
- Kennels
- Sporting Events

Works great with Steel T-Posts and Post Mate

See Page 46

See Page 45



THE ULTIMATE BLANKET FOR GROWING GRASS....

Unlike straw and excelsior blankets, Futerra's patented, lightweight design of wood fiber and bio/photo degradable netting bonds to the soil surface to prevent under blanket washouts and seed migration. Superior technology and innovative design allow Futerra to rapidly absorb water and hold it in place for enhanced germination. Futerra is designed to provide highly effective erosion control and vegetation establishment for up to 10 months on road side slopes, embankments, golf courses, land-fill side slopes and other low maintenance

- Lightweight Design: 50% of the weight of excelsior mats
- Bonds to soil to prevent under-riling and seed migration
- Degrades Completely: Fully photo and biodegradable, no clean-up required
- Accelerated Germination: Up to 90% higher seed germination compared to alternative products
- Capable of absorbing and holding more than 9 times its weight in water
- Less than 1/2 the price of installed sod including seed and fertilizer
- Allows multiple seed varieties to be used as needed.
- One truckload of Futerra = 34 truckloads of sod
- Available in green and natural, roll size 40"x135' and 82"x135'
- Futerra biodegradable staples and stakes also available
- Less than truckload quantities available



Before



After just 3 weeks



Excelsior Blanket Type I, II, and III

Excelsior blankets control soil and wind erosion while accelerating germination, protecting seedlings and promoting vegetation.

1. Once applied Excelsior prevents seed and soil disturbance from light to moderate water runoff velocities.
2. The high water absorption throughout the blanket provides a source of moisture for vegetation development.

Available

- 4' x 180'
- 8' x 90'
- 1-Side Net
- 2-Side Net
- Natural or Green



Applications

- | | |
|-------------------------------|----------------------|
| • Slopes | • Stock Piles |
| • Diversion Ditches | • Lagoons |
| • Sediment Ponds | • Sand Dunes |
| • Roadside Ditches | • Landscape Projects |
| • Airports | • Canal Embankments |
| • Flood Control Dikes | • Mulching Blanket |
| • Ground Cover Establishments | |


SCS is proud to announce high quality pruning tools. Manufactured to our specifications by craftsman in the Swiss Alps Region of Northern Italy where fine cutlery has been produced for over 400 years.

A blend of design, innovation and old craftsmanship insure you the highest quality of tools at the finest price.

Swedish Stainless Steel blades and German components provide quality & precision for all your pruning needs.

LOPPERS

SCS LO13/70FC - Field Choice Standard Loppers Professional Loppers with hard working features at 27" overall. Resharpenable & Replaceable Swedish Steel Blades for up to 1 1/2" diameter cutting. Lightweight and strong aluminum alloy handles.
WT. 36.5 ounces.



SCS LO700/50PC - Pro Choice Short Work Loppers Professional Loppers for close work at 19 1/2" overall. Resharpenable & Replaceable Swedish Steel Blades for up to 1 1/2" diameter cutting. Lightweight and strong aluminum alloy handles.



SCS LO700/60PC - Pro Choice Standard Loppers Professional Loppers with hard working features at 24" overall. Resharpenable & Replaceable Swedish Steel Blades for up to 1 1/2" diameter cutting. Lightweight and strong aluminum alloy handles.



PRUNERS AND SHEARS

SCS PR3PC – Professional Choice Pruners Professional Choice Shears. High quality Swedish Stainless Steel Blades and Viticulture Angled Blade Pattern. Replaceable blade and parts.
8" overall




SCS PR10PC – Professional Choice Pruners Our Professional Choice Shears. High Quality Swedish Stainless Steel Blades and replaceable parts with slip-proof anatomic handles.
8 1/2" overall



SCS PR12PC – Professional Small Hand Pruners. Professional Choice Shears for small hands other pruners won't fit. A fine women's sized pruner as well! High Swedish Stainless Steel Blades and Anatomic grips. Replaceable parts. 7 1/4" overall




SCS SH8PC - Field Choice SCS Hedge Shears Professional!! "True" Tempered German Steel 9" blade. Wavy Corrugated edge blade pattern for superior holding and control. High Quality Coated and Contoured Hardwood Beech Handles with shock absorbers. Wt. 35 ounces



SCS SAW60 - Turbo Straight Saw w/Sheath Professional Quality at a value price! 11" long Turbo 7 point blades with hardened chrome plating to resist rusting and clogging. Sure Grip Rubberized Handles! High Quality ABS plastic sheath with easy release snap belt!



FELCO®



2 - The Original


In 1945 there was a #1 Felco Pruner. In 1949 the #2 Felco was designed and it has changed very little since. Today it is the standard of the industry.

Partial list of Felco Pruners, Loppers & Saw models available:

- #2 The Original
- #4 Basic
- #5 Economy
- #6 Compact
- #7 Rotating Handle
- #8 Ergonomic
- #9 Left Handed - #8
- #10 Left Handed - #7
- #11 Large Cut, Narrow Point
- #12 Similar to #6, Smaller Cutting Head
- #30 Anvil Cut Pruner-New
- #20 17" Forged Metal Handle Lopper
- #21 25" Forged Metal H.L.
- #22 33" Forged Metal H.L.
- #60 Folding Miracle Saw 4" Cut
- #61 Pruning Saw - 9" Cut
- #1220 Hardwood Sheath For #61
- #62 Turbo Cut Saw With Sheath
- #1050 Pruner Holster Clip-On
- #1130 Leather Pruner Holster For Belt
- #1240 Leather Pruner Holster Clip-On or Belt

Also available are pneumatic pruning shears, telescoping pole saws, battery powered pruning shears, Tina and Victorinox grafting and pruning knives as well as repair parts for Corona and

WW Mfg., Co., Inc.



Broken Handles? WW Mfg. uses tempered aircraft quality alloy tubular steel handles that are virtually unbreakable. Blades are heat treated, tempered and pre-sharpened.

Partial list of WW Tools available:

- LH = Long Handle
- LH-S = LH Spade-13" Blade
- LH-S-15 = LH Spade-15" Blade


All spades are pre-drilled for an optional 3/4" thick x 1-1/2" wide x 3" long rubber foot pad to take the torture out of digging. Can be bolted to either or both sides.

- LHV-PT-F LH Shovel With Pointed Flat Center Blade
- LHV-PT-R LH Shovel With Pointed Round Shaped Blade
- DR-18 Dura Rake-Bolt-On To Metal Handle 18", 24" & 30"
- LR-24 Straw & Leaf Rake-Bolt-On - 24", 30" & 36"
- BH-1 Metal Handle Broom With African Bass Head
- PB-1 Metal Handle Broom With Poly Head (Metal Handle Only)

We carry the entire line of WW Mfg. Tools, including D handle spades in various shapes and sizes, digging and mulch forks, grub hoes, HD root cutter, trench scoop and more.

CORONA®

C L I P P E R




A tool manufactured for over 60 years, Corona uses drop forged heat treated coronium steel alloy, not stamped or cast parts, over the entire tool, not just the edges. Resharpenable while retaining hardness and strength. Precision machined, self-aligning pivot bolts do not loosen with age.

Partial list of Corona models available:

- AL6644 26" Pro Alum. Lopper
- BP6170 3/4" Bypass Pruner
- BP6210 1/2" Bypass Pruner
- BP3240 Ratchet Pruner
- FS4350 Thinning Shear
- BP6250 Pro 1" Bypass Pruner
- BP6190 Pro 1" Bypass Pruner
- RP6550 29" Ratchet Pruner
- AC7220 Leather Holster-Clip-on or Belt
- BP3220 2 Handed Pruning Shear- 3/4"
- SL3310 24" Bypass Lopper
- FL3460 24" Compound Action Bypass Lopper
- WL6470 36" HD Pro Bypass Lopper-Wood
- AL6664 32" Pro Bypass Lopper-Alum.
- WL6490 37" Super Duty Pro Lopper-Wood
- HS6920 Pro Hedge Shear
- HS6930 Pro Long Handle Hedge Shear

37"
Duty



Super
Pro
Lopper

Pump-Up Sprayers



The Solo 456 Portable Sprayer is made of high impact injection molded plastic making this a super lightweight sprayer. Excellent for weed and pest control, liquid fertilizing and maintenance. Safety valve with pressure control gauge makes low pressure, no drift spraying easy. Single pump-up sprays entire 1.3 gallon contents.

Backpack Sprayers




**Solo
Jet Pack
425/475
Sprayer**

This 4 gallon sprayer has no metal or rubber parts exposed to chemicals. Guaranteed against corroding, swelling, shrinking or dissolving of valve and pump components. Non-pressurized formula tank is high tensile polyethylene over a tubular steel frame. The 425 has a piston pump which builds to 85 psi working pressure with a minimum of strokes.

The 475 has a diaphragm pump which is ideal for use with wettable powders.

2-Wheel Sprayers

- 15 & 25 Gallon Capacity
- Boom & Spot Spray Gun
- Stainless or Carbon Steel Frames
- 14" Spoked Wheels
- High Frame Clearance
- Spot Spray Adjusts From Fine Mist to 30' Stream
- 15' x 3/8" EPDM Spray Hose
- 1.4 GPM Electric 12V Pump
- Operates on Pressure Demand
- Translucent Polyethylene Tank Reveals Liquid Level
- UPS Shippable



Tree Dollies



2-Wheel Tree Dollies for moving trees and shrubs are designed to reduce operator fatigue. The load is over the axle, not on the operator. Designed to meet the special needs of the nursery industry. Special design, handles balled or potted trees and fits thru 36" gate. 1200#, 1600# and 2000#

available.

Description:

- Pneumatic Tires & Wheels
- 1" Axle (2000# has spindle & hub)
- 1200# to 2000# Capacity
- Superior Construction
- Carries up to 36" Balls

Options:

- Also Available with 3 Wheels
- Custom Sizes
- Tie Down Straps
- Modified Extension Plate.
- Removeable Hand Grip Extensions



Service Wagon

This sturdy designed wagon is the answer to many problems around the nursery, garden center and greenhouse. Customers love it because it is so easy to roll and maneuver. It also rolls on gravel.

Options:


- Removable 2nd Deck w/Safety Latches
- Diamond Tread Plate Deck
- 5/8" Treated Plywood Deck

Specifications:

- Sturdy Construction
- 4" High Railing
- 500# Capacity

Sizes Available:

24" x 36"
28" x 48"



Flat Deck Hand Carts

The ideal cart to have around any nursery, garden center or greenhouse. It will pay for itself many times over.

Meets a variety of needs for flower, shrub and small tree transport.

Options:

- Removable 2nd Deck w/safety latches
- 16 x 6.50 Tires & Wheels
- Diamond Tread Plate Deck
- 5/8" Treated Plywood Deck

Specifications:

- Bed Height 20"
- Tip Over Protector
- Rigid Construction
- 500# Capacity

Available In:

24" x 60"
30" x 60"
36" x 60"



Tracking Wagons



4-Wheel Steer Wagons are designed to achieve true tracking. Because each successive wagon follows in the tracks of the one in front of it, several wagons can be pulled in a train without sacrificing maneuverability in narrow aisles and around tight corners.

Options:

- Custom Sizes
- Treated Plywood Deck
- Diamond Tread Plate Deck

Features:

- Lift Tongue Braking System
- All Steel Construction
- Up to 3000# Capacity

Available In:

4'x8', 4'x10', 5'x10' & 6'x12'

NOTE:

Not for use on highway or for carrying people.
Max Speed 10 MPH.

Utility Trailer



SIZES

- 4'x8' Tilt
- 4'x8' Gate
- 5'x8' Gate
- 5'x10' Gate

FEATURES:

- 2x2x3/16 cross members and main frame
- 2x3 square tubing tongue
- 11" tubing uprights on 4x trailers
- 12" tubing uprights on 5x trailers
- (2) 3x1/8 flat strap reinforcement for wire mesh floor
- 4' gate on all trailers with hinge pins attached to gates
- Tilt models available
- Square Back version also available on trailers
- Custom length trailers available with wire mesh and small tires

Hydro Trailer



SIZES

- 76"x12' Tandem SQ Back
- 76"x12' Tandem Gate
- 76"x16' Tandem SQ Back
- 76"x16' Tandem Gate
- 82"x16" Tandem SQ Back
- 82"x16' Tandem Gate
- 82"x20' Tandem SQ Back
- 82"x20' Tandem Gate

FEATURES:

- Available with a gate or square back
- All trailers have tandem axles, 7000 lb. Or 10,400 lb.
- Pressure treated wood floors (**PTF**)
- Floors secured with screws for easy replacement of boards if necessary
- 2x2 top rail
- 3x2 Main frame
- Electric or surge brake available

Landscape Trailer



***OTHER MODELS & SIZES AVAILABLE
CALL FOR ADDITIONAL INFO**

SIZES

- 83"x12' Gate
- 83"x16' Gate
- 76"x16' Ladder Rack

FEATURES:

- 2' Mesh sides
- Pressure treated wood floors
- 7000 lb. Tandem Axles
- 3-station weed eater rack
- Hose reel
- Cooler & rack
- 86"x24' mesh box
- Ladder rack has 1' mesh sides
- PTF secured with screws for easy replacement of boards if necessary

Post-Mate

Patent Pending

Benefits:

- One tool to install or remove post
- Comfortably drive any length post from safety of ground level
- Easy on and off side mount
- Keeps post straight
- Height adjustable for comfort
- Keeps driver out of fence, wire and plants (drives from opposite side)
- No damage to post or post tops
- Pulls post easier than traditional post pullers. Reverse hammer action breaks post free

Designed to reduce injury, noise, and shock impact.



ALSO AVAILABLE FOR U-POSTS

AND SQUARE POSTS

LIGHTWEIGHT - ONLY 39 LBS.

**ALSO AVAILABLE FOR SIGN
POSTS**

See T-Posts and U-Posts Page 46

T-POSTS

SCS, Inc.'s T-Posts are American-made studded T-Posts with the strongest cross-section available. They are manufactured from High-Strength Rail Steel with a three stud riveted anchor plate.

APPLICATIONS:



- Farm and Ranch
- Exotic Game, Containment and Exclusion
- Commercial, erosion control, safety fences DOT, and governmental
- Residential, pets and gardens
- Landscaping, tree staking
- Privacy Fence

The Studded "T" Fence Post

The well-known leader in long lasting, quality fence posts, this is the **tough one**. The Studded

"T" Fence Post is hot rolled from minimum 60,000 psi rail steel, for top strength.

Also Available: U-Posts
and Square Posts



Studs are approximately 2 1/2" apart.

As Required By Weight

Weight: .95 lb/ft., 1.10 lb/ft., 1.25 lb/ft. and 1.33 lb/ft.

Five wire fasteners are furnished with each "T" post if desired

Available from 4' to 10' lengths.

Available Painted, Unpainted, With or Without Anchor Plate.

SEE T-POST DRIVER PREVIOUS PAGE!



Field Fence Available in High Tensile Class 3 and Traditional

STEEL SIGN POSTS

- Steel produced from hot rolled rail steel 91#/ yd and above.
- Certified to ASTM A-499 Grade 60
- Punch holes 3/8" diameter on 1" centers, starting at 1" from top of post
- Finishes available: baked-on green enamel powder coat, or galvanized to ASTM specification 123
- Standard Weights : 2.0 and 2.5
Other weights available upon request.
- Lengths: 5' to 14'
- Packaged: 50/bundle

CALL FOR PRICING

HYDRO-MULCH EQUIPMENT KINCAID

HYDRO-MULCHING
HYDRO-SEEDING

425,550,700,750,900,1200 GALLON
CAPACITY MACHINES AVAILABLE

AS WELL AS SUPPLIES



750



550



900

Hydro-Mulching is a grass planting process which is faster, more efficient, and more economical than conventional seeding or sodding. The process begins by preparing a batch of material consisting of mulch, seed, fertilizer and tackifier in the Kincaid Hydro-Mulch machine. After mixing, the batch is pumped from the tank and sprayed onto the ground where it creates an incubator environment for the seed.

The key to good, consistent grass growing results, is good plot preparation and good mulch application.

IMPORTANT:

- Use good quality mulch, seed, and fertilizer
- Apply evenly on prepared soil
- Keep mulch blanket moist
- And, a little TLC

ADDITIONAL INFORMATION AND SPECIFICATIONS CAN BE OBTAINED BY CALLING
THE FRIENDLY, KNOWLEDGEABLE SALES STAFF AT SCS

Long lasting– Unlike old powdered tackifiers, which break down quickly by soil microbes, ECT-3000 lasts 5-6 weeks and slowly breaks down by sunlight. Low Rates-ECT-3000 is applied at a rate of 3 lbs per acre or 1 ounce per 1,000 square feet.

Economical– ECT-3000 costs less than half the price of conventional tackifiers plus the convenient package of 6 bottles per case make it easy and inexpensive to ship anywhere.

Easy Handling– ECT-3000 tackifier is highly concentrated and will not clump or clog your equipment. It's low application rate means less storage and transportation space. It also comes in reusable, resealable space saving containers.

Finally a tackifier that really works!

ECT-3000 Tackifier For the Professional Hydroseeder

After years of success in the field, ECT-3000 has proven to be a unique, effective state-of-the-art tackifier

Long lasting; easier to store, transport and mix; and, it costs less!

EASY TO MIX AND APPLY

MIXING INSTRUCTIONS

1. Begin by filling the tank with water approximately one third to one half full.
2. Sprinkle ECT-3000 into the tank before other materials, while mixing with moderate agitation.
3. Continue filling water and other materials. After all materials are loaded, continue to agitate half to full speed for approximately 10 minutes.

APPLICATION RATES

Apply ECT-3000 at 3 pounds per acre or one ounce per 1,000 square feet. On severe slopes or poor conditions, rates may be increased up to 50%.

Recommended Application Rate


Area (ft)	ECT-3000
1,000	1 oz.
10,000	10 oz
25,000	1 lb, 10oz.
43,560	3 lbs.

CAUTION: Very slippery when wet.

NONPLANT FOOD INGREDIENT

Reusable,
resealable
space saving
bottle

Each bottle has
an easy to read
measuring guide.
Less waste & no
guess work.



Six (6) bottles per
case, easy to ship.

Sample pack

TERRA - MULCH HYDRAULIC MULCH PRODUCTS

- Cellulose
- Cellulose with Tacking Agent 3
- Wood Cellulose
- Wood Cellulose with Poly - Fibers
- Blend 70/30
- Blend 70/30 with Tacking Agent 3
- Wood Fiber
- Wood Fiber with Tacking Agent 3
- **M-BFM** Hydro-Blanket
- Tacking Agent 3
- MPT Tack

ACCESSORY PRODUCTS

- Jet Spray with Poly-Fibers
- Seed Aide - A dry applied mulching medium
- Vegetative Over-Spray
- Liquid lime
- Growth Stimulant
- Co-Polymer Gel
- Dye Crystals
- Poly-Plus Binder
- Seal
- Poly-fibers
- Locking Fibers

The key to good, consistent grass growing results, is good plot preparation and good mulch application.


Maximum Mixing Ratios and Application Rate for Hydro-Mulchers

Note: Figures reflect MAXIMUM COVERAGE and mixing rates per tank load based on capacity and performance of Hydro-Mulcher. Your machine may not be capable of this performance. Mixing ratios and application rates vary depending on site conditions and equipment. Some figures are rounded.

Tank Capacity: (in gallons)	Coverage per Tank Load:	Tanks per Acre:	Fiber Mulch 1200# /Acre:	Seed 250# /Acre	Fertilizer: 10-20-10 400# / Acre	ECT-3000 Tackifier @ 3# /Acre
300	5400 SF (0.13 Acres)	8	150#	30#	50#	1/8 Bottle
500	9075 SF (0.20 Acres)	5	250#	50#	80#	1/5 Bottle
600	10800 SF (0.25 Acres)	4	300#	60#	100#	1/4 Bottle
800	14475 SF (0.33 Acres)	3	400#	80#	135#	1/3 Bottle
1100	19965 SF (0.45 Acres)	2 1/2	550#	100#	160#	1/2 Bottle
1500	27225 SF (0.625 Acres)	1 5/8	750#	150#	250#	5/8 Bottle
3000	54450 SF (1.25 Acres)	8/10	1500#	300#	500#	1 1/4 Bottle


Root Wrap

-STRETCH WRAP



The essence of successful transplanting is simple. It is based on the maintenance of moisture in the tree's root ball and consequently, in the tree. We recommend that root balls be **stretch wrapped** to keep the drying winds out, hold moisture in and encourage the reformation and protection of fine feeder roots. The vitality of trees using this technique is amazing. Black and Clear 80 gauge stretch wrap, is available in case quantities, 4 rolls per case, 15" or 18" wide and 1500' long.

We also carry a **Dispenser** for the stretch wrap that makes the job much easier. It has an adjustment which assures the proper tension every time, a foam covered handle for comfort during extended use and will handle a variety of roll widths.



Sand Bags

10 oz Treated Burlap (14"x30") or Poly Bags (14"x26") available in 50 lb. capacity with optional tie string closure. (Ask about other sizes) Packaged 1000/bundle.

Rip-Rap Bags


10 oz Treated Burlap Rip-Rap Bags-17" x 27" and 17" x 30". Packaged 1000/bundle.

Poly Bags


These bags can be used for many different applications. They can be ordered in special constructions and with different UV additives. Many sizes available. Minimum quantities apply.

Plastic Ties

We carry a top quality line of Quik Ties. They allow quick attachment of any two items with the assurance that they won't come loose. Available in 6", 7-1/2", 8-1/4", 11-1/4" and 14-1/4" long and can be tightened with a simple pull. Great for attaching shade panels and trees to pipe or cable. Packaged 1000/Pack.



Hog Ring Pliers & Staples



We carry the powerful Bostitch P-7 model pliers. They reduce time and labor costs with their one hand operation. Replaces nails, useful in wire to wire applications, bags, burlap, cord and rope. We also stock the Bostitch staples needed for optimum performance. 2500 Staples/Box.

Wire Tie Tools



We carry two types of tools to make the job easier when using the wire ties. The first is the manual, wooden handled type that is economical and nearly indestructible. The second style is the more expensive, but faster and less tiring, ratchet type that with just a few pulls completes the job. Call today for more information.



Wire Bag Ties

Easy to use, these ties are one of the quickest and easiest ways to close a bag or shipping sleeve. They are made from malleable wire and are very economical to use. For use with above wire tie tools. They are packaged 5000/bundle and are available in various lengths.

