



McGuire Manufacturing Co., Inc.

60 Grandview Court
P.O. Box 746 • Cheshire, CT 06410
203-699-1801 • Fax: 203-699-1813
www.mcguiremfg.com

PRODUCT SPECIFICATION


Part No.

C1, HC1

Lock Shield Cap


Job Name:

Submittal Number:



C1

Cap for Standard Line Loose
Key and Convertible™ Ball
Valve Supplies



HC1

Heavy Cap for Premiere Line
Loose Key Supplies

Specifications:

Chrome plated Lock Shield Cap for loose key stops.



McGuire Manufacturing Co., Inc.

60 Grandview Court

P.O. Box 746 • Cheshire, CT 06410

203-699-1801 • Fax: 203-699-1813

www.mcguiremfg.com

PRODUCT SPECIFICATION

Part No.

M Series

**Flexible Copper
Riser Tubes**

Job Name:

Submittal Number:



**Formed Metal
with Insert**



Compression



Sweat



Closet

MODEL NO.	SIZE	LENGTH
M65	3/8" Lavatory, Formed metal with insert	12"
M61	3/8" Lavatory, Formed metal with insert	15"
M66	3/8" Lavatory, Formed metal with insert	20"
M62	3/8" Lavatory, Formed metal with insert	36"
M67	1/2" Lavatory, Formed metal with insert	12"
M68	1/2" Lavatory, Formed metal with insert	20"
M64	1/2" Lavatory, Formed metal with insert	36"
M69	3/8" Closet	12"
M70	3/8" Closet	20"
M71	1/2" Closet	12"
M72	1/2" Closet	20"
M65C	3/8" Lavatory, Compression	12"
M66C	3/8" Lavatory, Compression	20"
M75	3/8" Lavatory, Sweat	12"
M76	3/8" Lavatory, Sweat	20"

See options and accessories section for details on product variations.

ASME A112.18.1-2005/CSA B125-05



Specifications:

Lavatory or Closet Riser to be annealed flexible copper tubing.



McGuire Manufacturing Co., Inc.

60 Grandview Court
P.O. Box 746 • Cheshire, CT 06410
203-699-1801 • Fax: 203-699-1813
www.mcguiremfg.com

PRODUCT SPECIFICATION

Part No.

Options and
Accessories

Job Name:


Submittal Number:

CAST BODY P-TRAP OPTIONS

WALL BEND OPTIONS-

Add suffix to part number.

- 15 - 15" C to E (1-1/4" and 1-1/2" only)
- 18 - 18" C to E (1-1/4" and 1-1/2" only)
- GJ - Ground joint wallbend
Custom sizes available.



FLANGE OPTIONS-

Add suffix to part number.

- F - Forged Brass, set screw, chrome plated
- DF - Deep Flange, (bell type) chrome plated brass
- SDF - Deep Flange, (bell type) chrome plated steel
- B - Box Flange, chrome plated wrought steel
- BF - Box Flange, chrome plated brass

STANDARD FINISH OPTIONS-

Add suffix to part number.

- C - Polished Chrome
- S - Satin Chrome
Custom finishes available.

Options available for McGuire "Classic" Professional Line only.

OPTIONS FOR SUPPLIES

FLANGE OPTIONS- Use suffix after part number.


- F - Heavy brass, set screw
- DF - Deep flange (bell type) wrought brass
- SDF - Deep flange (bell type) steel
- B - Deep flange (box type) steel
- BF - Deep flange (box type) wrought brass

RISER OPTIONS- Use suffix after part number.

- R15 - 15" Standard Lavatory or Closet
- R20 - 20" Standard Lavatory or Closet
- R36 - 36" Standard Lavatory
- CR - 12" Compression Riser
- CR20 - 20" Compression Riser
- SR - 12" Sweat Riser
- SR20 - 20" Sweat Riser

STAINLESS STEEL BRAIDED RISER OPTIONS - Use suffix after part

- SS9 - 9" Standard Lavatory
- SS12 - 12" Standard Lavatory or Closet
- SS16 - 16" Standard Lavatory
- SS20 - 20" Standard Lavatory or Closet
- SS30 - 30" Standard Lavatory
- SS36 - 36" Standard Lavatory



COMMON NIPPLE OPTIONS-

Use suffix after part number.

- N3 - 3" Cast brass Nipple
- N5 - 5" Cast brass Nipple
Custom sizes available.

STUFFING BOX STEM OPTION- Use suffix after part #.

SB - Stuffing Box for Stop Valves. Not available for
Convertible™ Ball Valve Supplies.

LOCK SHIELD CAP OPTIONS- Use suffix after part #.

C - Cap for Standard and Heavy Line Loose Key Supply Kits

STOP VALVE HANDLE OPTIONS- Use suffix after part #.

X - Heavy brass Cross Handle

SCREWDRIIVER STEP OPTION - Use suffix after part

SD - Screddriver Stem for Loose Key Supply Kits

OPTIONS FOR STRAINERS AND DRAINS

8", 10", 12" TAILPIECES IN STOCK-

Use suffix after part number.

- 8 = 8"
- 10 = 10"
- 12 = 12"

Custom size tailpiece and configurations available.
Specialty gauge brass and stainless also available.

STANDARD FINISH OPTIONS -

Add suffix to part number.

- C - Polished Chrome
- S - Satin Chrome
Custom finishes available.




Options available for McGuire "Classic" Professional Line only.

**McGuire Manufacturing Co., Inc.**

60 Grandview Court
P.O. Box 746 • Cheshire, CT 06410
203-699-1801 • Fax: 203-699-1813
www.mcguiremfg.com

PRODUCT SPECIFICATION**Part No.**

SE038, SE050, SE058,
SE125, SE150

Job Name:**Submittal Number:**

NO.	SIZE	A	B
SE038	3/8" I.P.S.	2.39"	.73"
SE050	1/2" I.P.S.	2.25"	.7"
SE058	5/8" O.D. (1/2" Copper)	2.39"	.73"
SE125	1 1/4" O.D.	2.39"	.73"
SE150	1 1/2" O.D.	2.25"	.7"

Specifications:

All wrought steel shallow flanges for use with P-Traps, supply kits and shower arms.
Highly polished chrome plated.



McGuire Manufacturing Co., Inc.

60 Grandview Court
P.O. Box 746 • Cheshire, CT 06410
203-699-1801 • Fax: 203-699-1813
www.mcguiremfg.com


PRODUCT SPECIFICATION

Part No.

Set Screw Flanges

Job Name:

Submittal Number:



NO.	SIZE	A	B
127038	3/8" I.P.S.	2.39"	.73"
127050	1/2" I.P.S.	2.25"	.7"
127058	5/8" O.D. (1/2" Copper)	2.39"	.73"
127069	11/16" O.D.	2.39"	.73"
127075	3/4" I.P.S.	2.25"	.7"
127078	7/8" O.D. (3/4" Copper)	2.25"	.7"
127100	1" I.P.S.	2.75"	.9"
1271251	1-1/4" I.P.S.	2.765"	.95"
1271250	1-1/4" O.D.	2.95"	1"
1271501	1-1/2" I.P.S.	2.95"	.9"
1271500	1-1/2" O.D.	2.95"	1"
1271580	1-5/8" O.D. (1-1/2" Copper)	2.8"	.9"
1271720	1-23/32" O.D.	Discontinued	
1272001	2" I.P.S.	3.675"	.9"
1272000	2" O.D.	3.3"	.95"

Specifications:

All cast brass set screw flanges for use with P-Traps, supply kits and shower arms.
Highly polished chrome plated.



McGuire Manufacturing Co., Inc.

60 Grandview Court
P.O. Box 746 • Cheshire, CT 06410
203-699-1801 • Fax: 203-699-1813
www.mcguiremfg.com

PRODUCT SPECIFICATION

Part No.


**All Cast Brass
Nipples and
Set Screw Flanges**

Job Name:


Submittal Number:



NO.	SIZE
1127	1-1/4" x 6"
2127	1-1/2" x 6"
3127	2" x 6"



NO.	SIZE	A	B
127038	3/8" I.P.S.	2.39"	.73"
127050	1/2" I.P.S.	2.25"	.7"
127058	5/8" O.D. (1/2" Copper)	2.39"	.73"
127069	11/16" O.D.	2.39"	.73"
127075	3/4" I.P.S.	2.25"	.7"
127078	7/8" O.D. (3/4" Copper)	2.25"	.7"
127100	1" I.P.S.	2.75"	.9"
1271251	1-1/4" I.P.S.	2.765"	.95"
1271250	1-1/4" O.D.	2.95"	1"
1271501	1-1/2" I.P.S.	2.95"	.9"
1271500	1-1/2" O.D.	2.95"	1"
1271580	1-5/8" O.D. (1-1/2" Copper)	2.8"	.9"
1271720	1-23/32" O.D.	Discontinued	
1272001	2" I.P.S.	3.675"	.9"
1272000	2" O.D.	3.3"	.95"



NO.	SIZE
N038015	3/8" x 1-1/2"
N038020	3/8" x 2"
N038030	3/8" x 3"
N038035	3/8" x 3-1/2"
N038040	3/8" x 4"
N038045	3/8" x 4-1/2"
N038050	3/8" x 5"
N038055	3/8" x 5-1/2"
N038060	3/8" x 6"
N038065	3/8" x 6-1/2"
N038100	3/8" x 10"
N038120	3/8" x 12"
N038150	3/8" x 15"
N038200	3/8" x 20"
N038240	3/8" x 24"
N050030	1/2" x 3"
N050040	1/2" x 4"
N050050	1/2" x 5"
N050055	1/2" x 5-1/2"
N050060	1/2" x 6"
N050080	1/2" x 8"
N125060	1-1/4" x 6"
N150060	1-1/2" x 6"
N200060	2" x 6"


See options and accessories section for details on product variations.

Specifications:

All Cast Brass Nipples and Set Screw Flanges for use with P-Traps, supplies and shower arms. Highly polished and heavy chrome plated.

**McGuire Manufacturing Co., Inc.**

60 Grandview Court
P.O. Box 746 ♠ Cheshire, CT 06410
203-699-1801 ♠ Fax: 203-699-1813
www.mcguiremfg.com

PRODUCT SPECIFICATION**Part No.****SSCLO****Braided Stainless
Closet Risers****Job Name:****Submittal Number:**

MODEL NO.	SIZE	LENGTH
SSCLO09050038	3/8" Comp x 7/8" Ballcock	9"
SSCLO12050038	3/8" Comp x 7/8" Ballcock	12"
SSCLO12050038BN	3/8" Comp x 7/8" Ballcock, Brass Nut	12"
SSCLO12050050	1/2" Comp x 7/8" Ballcock	12"
SSCLO20050038	3/8" Comp x 7/8" Ballcock	20"
SSCLO20050038BN	3/8" Comp x 7/8" Ballcock, Brass Nut	20"

See options and accessories section for details on product variations.

**ASME A112.18.1-2005/CSA B125-05****Specifications:**

Closet Riser shall be Stainless Steel Braided reinforced polymer tube with captive cone washers, heavy-duty brass nut, (plastic or heavy duty brass) ballcock wing nut. Risers shall be in compliance with CSA or other recognized testing authority.


QUALITY DESIGNED

**McGuire Manufacturing Co., Inc.**

60 Grandview Court
P.O. Box 746 ♣ Cheshire, CT 06410
203-699-1801 ♣ Fax: 203-699-1813
www.mcguiremfg.com

PRODUCT SPECIFICATION**Part No.****SSLAV**

**Braided Stainless
Lavatory Risers**

Job Name:**Submittal Number:**

MODEL NO.	SIZE	LENGTH
SSLAV09050038	3/8" Comp x 1/2" FIP	9"
SSLAV12050038	3/8" Comp x 1/2" FIP	12"
SSLAV16050038	3/8" Comp x 1/2" FIP	16"
SSLAV20050038	3/8" Comp x 1/2" FIP	20"
SSLAV30050038	3/8" Comp x 1/2" FIP	30"
SSLAV36050038	3/8" Comp x 1/2" FIP	36"
SSLAV12050050	1/2" Comp x 1/2" FIP	12"
SSLAV20050050	1/2" Comp x 1/2" FIP	20"

See options and accessories section for details on product variations.



ASME A112.18.1-2005/CSA B125-05

Specifications:

Lavatory Riser shall be Stainless Steel braided reinforced polymer tube with captive cone washers and heavy-duty brass nuts. Risers shall be in compliance with CSA or other recognized testing authority.



McGuire Manufacturing Co., Inc.

60 Grandview Court
P.O. Box 746 • Cheshire, CT 06410
203-699-1801 • Fax: 203-699-1813
www.mcguiremfg.com

PRODUCT SPECIFICATION


Part No.

WE038, WE050, WE1500

**Wrought Brass
Shallow Flange**

Job Name:

Submittal Number:



Specifications:

Chrome plated wrought brass shallow flange. Inlet shall be (3/8, 1/2) inch IPS. Flange shall be McGuire _____.



McGuire Manufacturing Co., Inc.

60 Grandview Court
P.O. Box 746 • Cheshire, CT 06410
203-699-1801 • Fax: 203-699-1813
www.mcguiremfg.com

PRODUCT SPECIFICATION


Part No.

WE125BS, WE150BS

**Wrought Brass
Box Flange**

Job Name:

Submittal Number:



Specifications:

Chrome plated wrought brass box flange. Inlet shall be (1 1/4 or 1 1/2) inch OD. Flange shall be McGuire _____.