Western U.S.: (949) 842-2387 Eastern U.S.: (440) 265-0354

Fax: (949) 305-7566

DRIPTIE TO UNBREAKABLE Products




A division of Ultimate Home Protector Pans, Inc.

"All Products Protected by U.S. Patents"



Page Number	Description	Part Number
2	62 1/2" x 32 1/2" Combo Washer Pan	CWDP-133
2	30 1/2" x 34 1/2" Single/Stackable Pan	SWDP-134
2	24" x 26" Mini/Euro Washer Pan	MWDP-135
3	24" Unbreakable Water Heater Pan	DWHP-24
3	22" Unbreakable Water Heater Pan	DWHP-22
4	1" Washer Pan & Water Heater Pan Fitting	DDF-100
4	3/4" x 1" Side Outlet Drain Fitting	DSOD-201
5	Unbreakable Kitchen Cabinet Protector / OEM	FLDT-1400
5	Dishwasher Pan / Floor Saver	DFS-300
6	Slide N' Fit - Kitchen Base Protector	KSFN-400
6	Slide N' Fit - Bath Vanity Base Protector	BSFN-200
6	10.1 fl. oz. All-Purpose Silicone	DTSAP#118
7	Product Brochures / Download Page	Download
8	Purchase Order Forms	PO-Forms
9	Credit Application	Download



Western U.S.: (949) 842-2387 Eastern U.S.: (440) 265-0354

Fax: (949) 305-7566

Product Catalog

DRIPTITE





A division of Ultimate Home Protector Pans, Inc.

UNBREAKABLE Products

"All Products Protected by U.S. Patents"



Page Number	Description	Part Number
2	62 1/2" x 32 1/2" Combo Washer Pan	CWDP-133
2	30 1/2" x 34 1/2" Single/Stackable Pan	SWDP-134
2	24" x 26" Mini/Euro Washer Pan	MWDP-135
3	24" Unbreakable Water Heater Pan	DWHP-24
3	22" Unbreakable Water Heater Pan	DWHP-22
4	1" Washer Pan & Water Heater Pan Fitting	DDF-100
4	¾" x 1" Side Outlet Drain Fitting	DSOD-201
5	Unbreakable Kitchen Cabinet Protector / OEM	FLDT-1400
5	Dishwasher Pan / Floor Saver	DFS-300
6	Slide N' Fit - Kitchen Base Protector	KSFN-400
6	Slide N' Fit - Bath Vanity Base Protector	BSFN-200
6	10.1 fl. oz. All-Purpose Silicone	DTSAP#118
7	Product Brochures / Download Page	Download
8	Purchase Order Forms	PO-Forms
9	Credit Application	Download



Ultimate Home Protector Pans, Inc.

West Coast Manufacturing address - 16404 Knott Ave., La Mirada, CA 90638
Ohio Manufacturing address - 4920 State Road, Ashtabula, OH 44004
Accounting Dept. address - 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630





Highest Quality · Specification Grade · Builders Design · Individually Pressure Tested · "APPROVED"



Combo Washer & Dryer Pan (62.5" x 32.5" OD.) **Heavy Duty · UNBREAKABLE · 10 Year Warranty · 4x Thicker**

- Fits All Washers & Dryers with Pedestal Drawers (Samsung, Whirlpool, G.E., etc.)
- Front Loaders & Top Loaders
- 1" Drain Fitting Included
- Unbreakable Polyethylene Material
- Protected by U.S. Patents
- Ideal for All Second Story Laundry Rooms

Part Number
CWDP-133
Adjusts
62.5" x 32.5" OD.
61" x 31" ID.



Single/Stackable Washer Pan (30.5" x 34.5" OD.) **Heavy Duty · UNBREAKABLE · 10 Year Warranty · 4x Thicker**

- Fits All Washers with or without Pedestal Drawers (Samsung, Whirlpool, G.E., etc.)
- Front Loaders & Top Loaders
- 1" Drain Fitting Included
- Unbreakable Polyethylene Material
- Protected by U.S. Patents
- Ideal for All Second Story Laundry Rooms

Part Number
SWDP-134
Adjusts
30.5" x 34.5" OD.
29" x 33.25" ID.



Mini/Euro Style Washer Pan (24" x 26" OD.) Heavy Duty · UNBREAKABLE · 10 Year Warranty · 4x Thicker

- Fits Bosch, Miele, Electrolux
- 1" Drain Fitting Included
- Unbreakable Polyethylene Material
- Protected by U.S. Patents
- Ideal for Second Story (and Above)
 Apartments & Condo Laundry Rooms

Part Number MWDP-135 Adjusts 24.125" x 26.125" OD. 23.875" x 25.875" ID.








Highest Quality · Specification Grade · Builders Design · Individually Pressure Tested · "APPROVED"



Water Heater Pan (24.25" ID.)

Heavy Duty · UNBREAKABLE · 10 Year Warranty · 4x Thicker

- Fits All Major Brands (A.O. Smith, Bradford White, Rheem, etc.)
- 50 Gal. to 65 Gal. Water Heaters
- Gas & Electric Compliant
- 1" Drain Fitting Included
- Unbreakable Polyethylene Plastic
- Will Never Break






Water Heater Pan (22.25" ID.)

Heavy Duty · UNBREAKABLE · 10 Year Warranty · 4x Thicker

- Fits All Major Brands (A.O. Smith, Bradford White, Rheem, etc.)
- 25 Gal. to 40 Gal. Water Heaters
- Gas & Electric Compliant
- 1" Drain Fitting Included
- Unbreakable Polyethylene Plastic
- Will Never Break









Highest Quality · Specification Grade · Builders Design · Individually Pressure Tested · "APPROVED" ✓



1" Drain Fitting (PVC) - Heavy Duty

 Fits All Driptite Washer Pans & Water Heater Pans

Part Number		
DDF-100		
Adjusts		
1" OD.		
Drill 1 1/4" hole		



3/4" x 1" Side Outlet Drain Fitting Adapter (PVC) - Heavy Duty

SPECIAL ORDER

- · For Washer Pans Only
- Adapts to Side Drain Installation / Application Only

Part Number
DSOD-201
Adjusts
³⁄₄" OD.
Drill 1" hole









Highest Quality · Specification Grade · Builders Design · Individually Pressure Tested · "APPROVED"



Kitchen Base Protector / OEM Builders Standard (4 sizes available) **Heavy Duty · UNBREAKABLE · 10 Year Warranty · 4x Thicker**

- One Piece
- Prevent All Water & Cabinet Damage
- Easy to Install
- Unbreakable Polyethylene Plastic
- · Protected by U.S. Patents
- Ideal for Builders and their Cabinet Manufacturers/Installers








Dishwasher Floor Saver Pan (One Size Fits All) **Heavy Duty · UNBREAKABLE · 10 Year Warranty · 4x Thicker**

- Fits All Major Brands of Dishwashers
- Protects Expensive Floors from Undetected Leaks
- Channels Water from a Leak to the Front of the Dishwasher so Immediate Repairs can be Done
- Protects Cabinets, Subfloors, Basements, and House Structure from Water Damage
- Unbreakable Polyethylene Plastic
- Ideal for Government/HUD Housing, Section 8 Developers/Contractors, New Tract Homes & Apartment/Condo Projects









Highest Quality · Specification Grade · Builders Design · Individually Pressure Tested · "APPROVED"



Kitchen Cabinet Base Protector

Medium Duty · Polystyrene · 1 Year Warranty

- Two Piece Slide N' Fit
- Fits All Size Cabinet Base(s)
- · Protects Cabinets From Dripping Pipes,
- Osmosis & Water Filtration Systems, and Supply Hoses
- 1 Year Warranty
- Protected by U.S. Patents
- Ideal for Cabinet Manufacturers/Installers, Plumbing Service & Repair, and Property Management Groups

Part Number KNSF-400 Adjusts 22" to 42" W. 22" to 24" D.



Bathroom Vanity Base Protector

Medium Duty · Polystyrene · 1 Year Warranty

- Two Piece Slide N' Fit
- Fits All Size Cabinet Base(s)
- Protects Cabinets From Dripping Pipes, Angle Stops, Osmosis & Water Filtration Systems, and Supply Hoses
- 1 Year Warranty
- · Protected by U.S. Patents
- Ideal for Cabinet Manufacturers/Installers, Plumbing Service & Repair, and Property Management Groups

Part Number BNSF-200 Adjusts 20" to 40" W. 18" to 20" D.



Silicone Adhesive (10.1 Fl. Oz.)

Heavy Duty · All Purpose

 Used as a Secondary Sealer When Applied Correctly to the Two Piece Slide N' Fit Kitchen & Bathroom Cabinet Base Protectors

Part Number		
DTSAP#118		
Size		
10.1 Fl. Oz.		









- Combination Washer & Dryer Pan
- Single / Stackable Washer Pan
- Mini / Euro. Size Washer Pan

Unbreakable Water Heater Pan

- 24" size
- 22" size
- **✓** Unbreakable Kitchen Cabinet Base Protector
 - Ten (10) Year Warranty
 - One Piece
- **☑** Unbreakable Dishwasher Pan
- Kitchen & Bathroom Slide N' Fit Cabinet Base Protector
 - One (1) Year Warranty
- **✓** Purchase Order Form
- **☑** Credit Application

The Perfect Safeguard for Every Home

DRIPTITE

Combo Washer & Dryer Pan



Ideal for 2nd Floor Laundry Rooms!

Protects from Overflows.

Specially Designed & Patented

To Fit All Combination
Washer & Dryers With or
Without Pedestal Drawers

- WILL NOT BREAK
- LIFE-LONG TOUGH
- Up to 4X thicker for superior strength
- · Won't bend or rust like metal pans
- · Protects from leaky dryer steam feature
- Textured surface prevents W/D shifting
- Allows for swapping of washer & dryer positions and door swing changes
- · Rounded corners for child safety
- Won't break when stepped on!
- · Protects floors from scuffing
- · Translucent for easy drain hole drilling
- 10 Year NoBreak NoCrack Warranty


Tested TruTough Made to Last!



10 Year Warranty!

Protected by U.S. Patent # 8,393,351 B2


Manufactured by DRIPTITE • Western U.S.: (949) 842-2387 • Eastern U.S.: (440) 265-0354 West Coast Distribution location • 16404 Knott Ave., La Mirada, CA 90638 Midwest Distribution location • 4920 State Road, Ashtabula, OH 44004





DRIPTITE Combo Washer & Dryer Pan Installation Instructions:

- 1. Drill a 1-1/4" diameter hole in the bottom of Combo Washer & Dryer pan, where the drain hole in floor is located. You will be able to see it through the pan because the pan is translucent.
- 2. Place drain fitting through drilled hole from back side of tray
- 3. On top side of tray place washer over drain fitting and tighten locknut over washer
- 4. Position tray where it will be placed and connect fitting to drain pipe
- 5. Set center of tray and complete washing machine and dryer installation side by side.



Installation Note: If pan is slightly 'bowed' from stacking, flip pan over to the opposite side of the bow (on a flat surface) and let sit for 15 min. before installing. This will remove bowing and flatten pan to normal.

To Clean: Pan can easily be cleaned with any household cleaning solvent.

DRIPTITE 10 (ten) Year NoBreak NoCrack Warranty

If your DRIPTITE Washer & Dryer Pan (part) fails because of a manufacturing defect within 10 (ten) years from the date of purchase, we will provide a new part at our option, without charge. Return the defective part directly back to the A/P Office (Driptite, 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630) with a copy of the "proof of purchase". If the part is defective, it will be exchanged. This warranty does not cover parts that are improperly installed, damaged, abused or used for other than the intended purpose. It does not include the cost of returning the part to the vendor from which it was purchased, the labor to remove, install or diagnose the failure, parts used in the commercial applications, and incidental or consequential damage caused by possible defects with the parts.

Disclaimer: This product is not intended to prevent serious flooding from Washer or Dryer malfunction. It is designed to handle drips, leaks and overflows that occur with normal usage. Please retain original shipping box until you know the pan fits and you are keeping the pan, in case of return.

The Perfect Safeguard for Every Home

DRIPTITE

Single/Stackable
Washer & Dryer Pan



Fits All Stackable or Single Washer & Dryers With or Without Pedestal Drawers

- WILL NOT BREAK
- LIFE-LONG TOUGH
- Up to 4X thicker for superior strength
- · Won't bend or rust like metal pans
- Textured surface prevents W/D shifting
- Rounded corners for child safety
- Won't break when stepped on!
- · Protects floors from scuffing
- · Translucent for easy drain hole drilling
- · Can be used with all Pedestal Drawers
- 10 Year NoBreak NoCrack Warranty

Ideal for 2nd Floor Laundry Rooms!

Protects from Overflows.

Tested TruTough Made to Last!




10 Year Warranty!
Protected by U.S. Patent # 8,393,351 B2

Manufactured by DRIPTITE • Western U.S.: (949) 842-2387 • Eastern U.S.: (440) 265-0354

West Coast Distribution location • 16404 Knott Ave., La Mirada, CA 90638

Midwest Distribution location • 4920 State Road, Ashtabula, OH 44004





DRIPTITE Stackable/Single Washer Dryer Pan Install Instructions:

- 1. Drill a 1-1/4" diameter hole in the bottom of the Stackable Pan, where the drain hole in the floor is located. You will be able to see it through the pan because the pan is translucent.
- 2. Place drain fitting through drilled hole from back side of pan.
- 3. On top side of pan, place washer over drain fitting and tighten locknut over washer.
- 4. Position pan where it will be placed and connect fitting to drain pipe.
- 5. Set center of pan and complete washing machine and dryer installation.



To Clean: Pan can easily be cleaned with any household cleaning solvent.

DRIPTITE 10 (ten) Year NoBreak NoCrack Warranty

If your DRIPTITE Washer & Dryer Pan (part) fails because of a manufacturing defect within 10 (ten) years from the date of purchase, we will provide a new part at our option, without charge. Return the defective part directly back to the A/P Office (Driptite, 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630) with a copy of the "proof of purchase". If the part is defective, it will be exchanged. This warranty does not cover parts that are improperly installed, damaged, abused or used for other than the intended purpose. It does not include the cost of returning the part to the vendor from which it was purchased, the labor to remove, install or diagnose the failure, parts used in the commercial applications, and incidental or consequential damage caused by possible defects with the parts.

Disclaimer: This product is not intended to prevent serious flooding from Washer or Dryer malfunction. It is designed to handle drips, leaks and overflows that occur with normal usage. Please retain original shipping box until you know the pan fits and you are keeping the pan, in case of return.

DRIPTITE Washer Dryer Pan


STANDARD Dimensions


Stackable/Single Pan - top view

Pan height is 1 5/8" tall - low enough to accommodate pedestal drawers.

RED = Outside Dimensions **BLUE** = Inside Dimensions


We can customize a pan for you. Call us if you have any questions at (949) 842-2387.





Combo Pan - top view

Pan height is 15/8" tall - low enough to accommodate pedestal drawers.



The Perfect Safeguard for Every Home



Mini-Stackable Washer Pan





Specially Designed

To Fit All European-style, Stackable Washers & Dryers - Bosch, Miele & **Electrolux**

- WILL NOT BREAK
- **LIFE-LONG TOUGH**
- Up to 4X thicker for superior strength
- · Won't bend or rust like metal pans
- Textured surface prevents W/D shifting
- · Rounded corners for child safety
- Won't break when stepped on!
- Protects floors from scuffing
- Translucent for easy drain hole drilling
- Can be used with all Pedestal Drawers
- 10 Year NoBreak NoCrack Warranty


Ideal for 2nd Floor Laundry Rooms! Protects from Overflows.

Tested TruTough Made to Last!



Year Warran Protected by U.S. Patent #8,393,351 B2

Manufactured by DRIPTITE • Western U.S.: (949) 842-2387 • Eastern U.S.: (440) 265-0354 West Coast Distribution location • 16404 Knott Ave., La Mirada, CA 90638 Midwest Distribution location • 4920 State Road, Ashtabula, OH 44004





DRIPTITE Mini-Stackable Washer Dryer Pan Install Instructions:

- 1. Drill a 1-1/4" diameter hole in the bottom of the Stackable Pan, where the drain hole in the floor is located. You will be able to see it through the pan because the pan is translucent.
- 2. Place drain fitting through drilled hole from back side of pan.
- 3. On top side of pan, place washer over drain fitting and tighten locknut over washer.
- 4. Position pan where it will be placed and connect fitting to drain pipe.
- 5. Set center of pan and complete washing machine and dryer installation.



To Clean: Pan can easily be cleaned with any household cleaning solvent.

DRIPTITE 10 (ten) Year NoBreak NoCrack Warranty

If your DRIPTITE Washer & Dryer Pan (part) fails because of a manufacturing defect within 10 (ten) years from the date of purchase, we will provide a new part at our option, without charge. Return the defective part directly back to the A/P Office (Driptite, 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630) with a copy of the "proof of purchase". If the part is defective, it will be exchanged. This warranty does not cover parts that are improperly installed, damaged, abused or used for other than the intended purpose. It does not include the cost of returning the part to the vendor from which it was purchased, the labor to remove, install or diagnose the failure, parts used in the commercial applications, and incidental or consequential damage caused by possible defects with the parts.


Disclaimer: This product is not intended to prevent serious flooding from Washer or Dryer malfunction. It is designed to handle drips, leaks and overflows that occur with normal usage. Please retain original shipping box until you know the pan fits and you are keeping the pan, in case of return.

DRIPTITE Washer Dryer Pan

STANDARD Dimensions


Mini-Stackable Pan - top view

Pan height is 1 5/8" tall - low enough to accommodate pedestal drawers.



RED = Outside Dimensions **BLUE** = Inside Dimensions

We can customize a pan for you. Call us if you have any questions at (949) 842-2387.



221/4"ıd.

DRIPTIE UN3854345 Water Heater Drain Pan

INSTALLATION INSTRUCTIONS:

1. Select pan with a diameter at least 2 inches larger than water heater.
2. Install drain fitting in side of pan as shown.
3. Position pan and connect fitting into drain pipe.
4. Set water heater in center of drain pen and complete installation.

Drain Fitting
Acoplamiento para desagüe
Ubicación lateral del desagüe en la bandeja


Specially DesignedTo Fit <u>All</u> Water Heaters **Enjoy the New Benefits & Advantages**

- WILL NOT BREAK
- LIFE-LONG TOUGH
- Up to <u>4X thicker</u> for superior strength
- · Won't bend or rust like round metal pans
- Won't dry out or crack like other plastic pans
- Rounded corners for child safety
- Won't break or crush when installing the water heater
- · Pre drilled hole for easy installation
- Looks nice, less obtrusive than other pans
- 10 Year NoBreak NoCrack Warranty

Tested TruTough Made to Last!







DRIPTITE 10 (ten) Year NoBreak NoCrack Warranty

If your DRIPTITE Water Heater Pan (part) fails because of a manufacturing defect within 10 (ten) years from the date of purchase, we will provide a new part at our option, without charge. Return the defective part directly back to the A/P Office (Driptite, 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630) with a copy of the "proof of purchase". If the part is defective, it will be exchanged. This warranty does not cover parts that are improperly installed, damaged, abused or used for other than the intended purpose. It does not include the cost of returning the part to the vendor from which it was purchased, the labor to remove, install or diagnose the failure, parts used in the commercial applications, and incidental or consequential damage caused by possible defects with the parts.

Disclaimer: This product is not intended to prevent serious flooding from Water Heater malfunction. It is designed to handle drips, leaks and overflows that occur with normal usage. Please retain original shipping box until you know the pan fits and you are keeping the pan, in case of return.

Manufactured by DRIPTITE • Western U.S.: (949) 842-2387 • Eastern U.S.: (440) 265-0354

West Coast Distribution location • 16404 Knott Ave., La Mirada, CA 90638

Midwest Distribution location • 4920 State Road, Ashtabula, OH 44004

24¹/₄"_{ID.}

DRIPTIE UN3854345 Water Heater Drain Pan

INSTALLATION INSTRUCTIONS:

1. Select pan with a diameter at least 2 inches larger than water heater.

2. Install drain fitting in side of pan as shown.

3. Position pan and connect fitting into drain pipe.

4. Set water heater in center of drain pen and complete installation.

Drain Fitting
Acoplamiento para desagüe

Washer and Locknut Arandela y contratuerca

Washer and Locknut Arandela y contratuerca

Drain Fatting
Acoplamiento para desagüe

Side Drain Location in Pan Ubicación lateral del desagüe en la bandeja


Specially DesignedTo Fit <u>All</u> Water Heaters **Enjoy the New Benefits & Advantages**

- WILL NOT BREAK
- LIFE-LONG TOUGH
- Up to <u>4X thicker</u> for superior strength
- · Won't bend or rust like round metal pans
- Won't dry out or crack like other plastic pans
- Rounded corners for child safety
- Won't break or crush when installing the water heater
- Pre drilled hole for easy installation
- Looks nice, less obtrusive than other pans
- 10 Year NoBreak NoCrack Warranty

Tested TruTough Made to Last!







DRIPTITE 10 (ten) Year NoBreak NoCrack Warranty

If your DRIPTITE Water Heater Pan (part) fails because of a manufacturing defect within 10 (ten) years from the date of purchase, we will provide a new part at our option, without charge. Return the defective part directly back to the A/P Office (Driptite, 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630) with a copy of the "proof of purchase". If the part is defective, it will be exchanged. This warranty does not cover parts that are improperly installed, damaged, abused or used for other than the intended purpose. It does not include the cost of returning the part to the vendor from which it was purchased, the labor to remove, install or diagnose the failure, parts used in the commercial applications, and incidental or consequential damage caused by possible defects with the parts.

Disclaimer: This product is not intended to prevent serious flooding from Water Heater malfunction. It is designed to handle drips, leaks and overflows that occur with normal usage. Please retain original shipping box until you know the pan fits and you are keeping the pan, in case of return.

Manufactured by DRIPTITE • Western U.S.: (949) 842-2387 • Eastern U.S.: (440) 265-0354
West Coast Distribution location • 16404 Knott Ave., La Mirada, CA 90638
Midwest Distribution location • 4920 State Road, Ashtabula, OH 44004



Protect Your Cabinets Helps Prevent Mold and Damage

*For New Construction and Pre-Existing Cabinets









Install DRIPTITE in just minutes!

THE UNBREAKABLE ONE PIECE ONE PIECE



Kitchen Sink Base Protectors

- Prevents cabinet damage
- Catches water from dripping pipes
- Makes old cabinets look like new
- Helps prevent mold from forming
- Lasts the lifetime of your home
- Easy as 1-2-3 installation

Protected by U.S. Patent # 7,757,705 B2

The Best Thing You Can Do For Under Your Sink

One Size Fits All!

Kitchen Model

FLDT1400 KITCHEN ONE PIECE



- 34" width Kitchen Cabinet base
- 36" width Kitchen Cabinet base
- 38" width Kitchen Cabinet base
- 40" width Kitchen Cabinet base

DRPTTE UNBREAKABLE KITCHEN SINK BASE PROTECTORS

Installing Your New Driptite Slide n' Fit is Easy as 1, 2, 3



Measure the base of your kitchen cabinet.



Transfer your measurements to your UNBREAKABLE Kitchen Sink Base Protector.

If your DRIPTITE doesn't fit from front to back, measure cabinet from front to back and then apply that measure to your DRIPTITE. Use a heavy duty pair of scissors, tin snips, or utility knife and a straight edge to mark and trim the pan to fit the size of your cabinet base board.









After measuring and cutting to fit your cabinet size, slightly tilt it, and slide it in! Make sure you slide the cabinet base protector under the plumbing pipes. Your home is now protected by DRIPTITE!

UNMATCHED UNBREAKABLE 10 YEAR WARRANTY!


If your Driptite Slide N' Fit Pan (part) fails because of a manufacturing defect within 10 years from the date of purchase, we will provide a new part at our option, without charge. Return the defective part directly back to the A/P Office (Driptite, 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630) with a copy of the "proof of purchase". If the part is defective, it will be exchanged. This warranty does not cover parts that are improperly installed, damaged, abused or used for other than the intended purpose. It does not include the cost of returning the part to the vendor from which it was purchased, the labor to remove, install or diagnose the failure, parts used in the commercial applications, and incidental or consequential damage caused by possible defects with the parts.

Disclaimer: This product is not intended to prevent serious flooding from the plumbing under sinks. It is designed to handle drips and leaks that occur with 'normal' sink usage.

ONE SIZE FITS ALL

DRIPTITE TO THE STATE OF THE ST

Specially Designed
To Fit All Dishwashers
Enjoy the New
Benefits & Advantages




- WILL NEVER BREAK
- LIFE-LONG TOUGH
- Inexpensive insurance, for your expensive floors
- Made from recycled unbreakable polyethylene plastic
- Impact-resistant (not affected by dishwasher legs or weight of machine)
- Will not allow an undetected water leak to damage your floor
- Channels water from a leak to the front of the dishwasher so immediate repairs can be done
- Protects cabinets, subfloors, basements, and house structure from water damage

Tested TruTough Made to Last!







DRIPTITE 10 (ten) Year NoBreak NoCrack Warranty

If your DRIPTITE Dishwasher Pan (part) fails because of a manufacturing defect within 10 (ten) years from the date of purchase, we will provide a new part at our option, without charge. Return the defective part directly back to the A/P Office (Driptite, 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630) with a copy of the "proof of purchase". If the part is defective, it will be exchanged. This warranty does not cover parts that are improperly installed, damaged, abused or used for other than the intended purpose. It does not include the cost of returning the part to the vendor from which it was purchased, the labor to remove, install or diagnose the failure, parts used in the commercial applications, and incidental or consequential damage caused by possible defects with the parts.

Disclaimer: This product is not intended to prevent serious flooding from the plumbing for your dishwasher. It is designed to handle drips and leaks that occur with normal dishwasher usage. Please retain original shipping box until you know the pan fits and you are keeping the pan, in case of return.

Manufactured by DRIPTITE • Western U.S.: (949) 842-2387 • Eastern U.S.: (440) 265-0354

West Coast Distribution location • 16404 Knott Ave., La Mirada, CA 90638

Midwest Distribution location • 4920 State Road, Ashtabula, OH 44004





Installing Your New Driptite Floor Saver Pan is Easy and Quick!



Remove your dishwasher and set it to one side. Make sure to clean up any water or mold from water damage, as well as any debris.



Squeeze a bead of DAP or silicone approximately 2" in from the edge of the dishwasher space.

Alternatively, you can apply it directly to the bottom of the Dishwasher Pan, approx. 2" in from the sides.



Insert the Dishwasher Pan in the space. Make sure you install the pan approximately 1/2" from the back wall. Use a tape measure to be sure you are centering the pan correctly.



*Note: Let the Pan sit for 24 - 36 hours before reinstalling your dishwasher again. This will allow for the DAP/Silicone to set up and dry. Then re-install your dishwasher, and your home is protected by DRIPTITE!

DRIPTITE 10 (ten) Year NoBreak NoCrack Warranty

If your DRIPTITE Dishwasher Pan (part) fails because of a manufacturing defect within 10 (ten) years from the date of purchase, we will provide a new part at our option, without charge. Return the defective part directly back to the A/P Office (Driptite, 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630) with a copy of the "proof of purchase". If the part is defective, it will be exchanged. This warranty does not cover parts that are improperly installed, damaged, abused or used for other than the intended purpose. It does not include the cost of returning the part to the vendor from which it was purchased, the labor to remove, install or diagnose the failure, parts used in the commercial applications, and incidental or consequential damage caused by possible defects with the parts.

Disclaimer: This product is not intended to prevent serious flooding from the plumbing for your dishwasher. It is designed to handle drips and leaks that occur with normal dishwasher usage. Please retain original shipping box until you know the pan fits and you are keeping the pan, in case of return.

PREVENT HOME DAMAGE

"If you've got pipes, they're gonna leak." Are your cabinets protected?









<u>Recommended</u> by plumbers, contractors, builders, landlords and cabinet makers to protect cabinets.

DRIPTIE TO Sink & Vanity Base Protectors

- Catches Water Leaks from:

 Dripping Pipes, Garbage Disposals,
 Water Filtration and Osmosis
 Systems, Angle stops, Supply
 hoses and Sink overflows.
- Helps Prevent Toxic Mold Growth
- Saves Money, Time & Repairs!

Protects Your Cabinets 24 Hours 365 Days a Year The *BEST* thing you can do for under your sink!

2 Sizes Available

Kitchen fits: 22"- 42" w x 22"-24" deep Bath fits: 20"-39.5" w x 18"-19" deep

Kitchen or Bath Model

Makes Cabinets Look New!

Protected by U.S. Patent # 7757705 B2, 7735510 B1




DRIPTITE Sink & Vanity Base Protectors

Installing Your New Driptite Slide n' Fit is *Easy and Quick!*



Insert your new DRIPTITE Slide n' FIt into the kitchen or bathroom cabinet.




Slide both sides out from left to right expanding the pan till it fits snug against both side walls..

If your DRIPTITE doesn't fit from front to back, measure cabinet from front to back and then apply that measure to your DRIPTITE. Use a heavy duty pair of scissors (left) to trim off excess on the BACK top lip (shown) to fit your custom size cabinet.





Re-insert pan - make sure it is snug from left to right.Reach under FRONT and peel back 3M VHB waterproof tape from front to back (along seam).



Press **firmly** down along the **entire** seam several times to set the tape. VHB tape will cure in 24 - 48 hours. We recommend a bead of clear or white silicone caulk down the seam for extra water tight protection. Some people caulk around the top edges (adjoining cabinet walls) also.

Limited 1 (one) Year Warranty

If your DRIPTITE Slide N' Fit pan (part) fails because of a manufacturing defect within 1 (one) year from the date of purchase, we will provide a new part at our option, without charge. Return the defective part directly back to the A/P Office (DRIPTITE, 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630) with a copy of the "proof of purchase". If the part is defective, it will be exchanged. This warranty does not cover parts that are improperly installed, damaged, abused or used for other than the intended purpose. It does not include the cost of returning the part to the vendor from which it was purchased, the labor to remove, install or diagnose the failure, parts used in the commercial applications, and incidental or consequential damage caused by possible defects with the parts.

Disclaimer: This product is not intended to prevent serious flooding from the plumbing under sinks. It is designed to handle plumbing drips and leaks that occur with 'normal' sink usage.



Western U.S.: (949) 842-2387 Eastern U.S.: (440) 265-0354 Fax: (949) 305-7566 Manufacturing Address: 16404 Knott Avenue, La Mirada, CA 90638



Purc	hase	Order	Form
------	------	--------------	-------------

Sales Order	Date
Internal	Jse Only

Bill to:		Ship	to:		
Name:		Name	:		
Address:		Addre	ss:		
Account #		Phone):	Fax:	
Placed By:					
Purchase Order Number	Terms	Ship V	/ia	UPS N	lo.
Item Number		Description		Quantity	Price

*Pleases make all checks payable to: UHPP, Inc., 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630



Western U.S.: (949) 842-2387 · Eastern U.S.: (440) 265-0354 Credit Application

UHPP, Inc. Credit Dept. / Driptite AP Office: 25422 Trabuco Rd., Suite 105-622, Lake Forest, CA 92630

Fax: (949) 305-7566

Applicant's signature attests financial responsibility, ability and willingness to pay our invoice in accordance with our terms. Our terms are 2% 10th PROX, Net 30th to approved accounts. Invoices not paid by the 30th of

the month following invoice date will be considered past due and subject to a 1.5% per month interest charge.

City / State / Zip: Shipping Street Address: City / State / Zip: Ty		Date: Phone: If less than five (5), please attach a current financial statement Name of authorized buyers	
City / State / Zip: Shipping Street Address: City / State / Zip: Ty Ownership:	ears established: Type of Business: State of	Fax: If less than five (5), please attach a current financial statement	
Shipping Street Address: City / State / Zip: Ty Ownership:	Type of Business:	If less than five (5), please attach a current financial statement	
City / State / Zip: Ownership:	Type of Business:	a current financial statement	
Ownership:	State of		
		Nome of authorized bureau	
		Nove of authorized buyers	
		Name of authorized bureau	
		Name of subhasimal lawyers	
		name of authorized buvers	
Are purchase orders required?			
If this is a division, subsidiary or other operating unit of another company,			
please name company			
Bank Name: Branch:		Account Number:	
Telephone: Name of person familiar with	 r with your business:		
Street Address:		City / State / Zip:	
TRADE REFERENCES - MUS	ST HAVE FAY NUM		
Name:		phone:	
Address:	Fax:	Fax:	
Name:	Telep	Telephone:	
Address:		Fax:	
Name:		Telephone:	
		·	
Address:	Fax:		
PLEASE RETURN TO CREDIT DEPAR	RTMENT VIA FAX -	(949) 305-7566	

Signature _____

___ Date _

Western U.S.: (949) 842-2387 Eastern U.S.: (440) 265-0354

Fax: (949) 305-7566

DRIPTIE TO SEA CONTROLL OF THE SEA CONTROLL OF



A division of Ultimate Home Protector Pans, Inc.

"All Products Protected by U.S. Patents"



WE ARE "PROUDLY MADE IN AMERICA"

Thank you for your support!

