8813100


Wallmounted Handshower Set

- Compliant with ASME A112.18.1-B125.1 requirements
- Certified By CSA international

Finishes	8813100PC	8813100BN	8813100TB
Polished Chrome	Χ		
Brushed Nickel		Χ	
Tuscan Bronze			Χ

Features	8813100PC	8813100BN	8813100TB
Wallmount Handshower Kit	Х	Χ	Χ
Hand Shower with Dual Check Valves	Χ	Χ	Х
Back Flow Prevention System	Χ	Χ	Х
Includes: Hand Shower, Hose, Slide Bar, and Drop Elbow	Χ	Χ	Х
60" Metal Hose with Matching Finish	Χ	Χ	Х
Self Cleaning Spray Head	Χ	Χ	Х
Step By Step Installation Instructions	Χ	Χ	Х
Limited Lifetime Warranty	Χ	Χ	Х

Project:	
Contractor:	





8875900

Showerhead, Traditional Design

- Compliant with ASME A112.18.1-B125.1 requirements
- Certified By CSA international

Finishes	8875900PC	8875900BN	8875900TB
Polished Chrome	Χ		
Brushed Nickel		Χ	
Tuscan Bronze			Χ

Features	8875900PC	8875900BN	8875900TB
Raincan Showerhead	X	Χ	Х
Delivers 2.5gpm at 80psi MAX	X	Χ	Χ
Showerhead features Rotating Ball Joint	X	Χ	Χ
1/2" NPT Inlets	X	Χ	Χ
Self Cleaning Spray Nozzles	X	Χ	Х
Step-By-Step Installation Instructions	X	Χ	Х
Limited Lifetime Warranty	X	Χ	Χ

		\	//
Project:	_		
Project: Contractor:	_		



8872100


Body Spray

- Compliant with ASME A112.18.1-B125.1 requirements
- Certified By CSA international

Finishes	8872100PC	8872100BN	8872100TB
Polished Chrome	Χ		
Brushed Nickel		Χ	
Tuscan Bronze			Χ

Features	8872100PC	8872100BN	8872100TB
Invigorating Body Jet	X	Х	Χ
Delivers 2.5gpm at 80psi MAX	X	Χ	Χ
Sprayer features 30° Rotation	X	Χ	Χ
1/2" NPT Inlets	X	Χ	Χ
Self Cleaning Spray Nozzles	X	Χ	Х
Step-By-Step Installation Instructions	X	Χ	Х
Limited Lifetime Warranty	Х	Χ	Χ

Project: ₋				
Contract	or:			






8871100

Thermostatic Trim Kit for 3/4" Valve

- Compliant with ASME A112.18.1-B125.1
- Compliant with ASSE 1016
- Certified by CSA International

Finishes	8871100PC	8871100BN	8871100TB
Polished Chrome	Χ		
Brushed Nickel		Χ	
Tuscan Bronze			Χ

Features	8871100PC	8871100BN	8871100TB
Solid Brass Construction	Χ	Х	Χ
3/4" Thermostatic Valve featuring Ceramic Discs	Χ	Χ	Χ
Kit Includes Trim & Thermostatic cartridge	Χ	Χ	Χ
High Flow Thermostatic Valve Supports Multiple Outlets	Χ	Χ	Χ
3/4" NPT Inlets	Х	Χ	Χ
Safety High Limit Temperature Stop	Χ	Χ	Χ
Step-By-Step Installation Instructions	Χ	Χ	Χ
Limited Lifetime Warranty	Χ	Χ	Χ



Project:	
Contractor:	



8840200


Trim for ½" & ¾" Volume control

STANDARDS

- Compliant with ASME A112.18.1-B125.1 requirements
- Certified By CSA international

Finishes	8840200PC	8840200BN	8840200TB
Polished Chrome	Χ		
Brushed Nickel		Χ	
Tuscan Bronze			Χ

Features	8840200PC	8840200BN	8840200TB
Solid Brass Construction	Х	Χ	Χ
Ceramic Disc Valving	Χ	Χ	Χ
3/4" NPT or ½" NPT inlet	Χ	Χ	Χ
Progressive Volume Control	Χ	Χ	Χ
Kit Includes Trim	Χ	Χ	Χ
Step-By-Step Installation Instructions	Х	Χ	Χ
Limited Lifetime Warranty	Х	Χ	Χ



Project: ______Contractor: _____

