

Mueller[®] Super Centurion[®] 250, Super Centurion 200, and Centurion[®] Fire Hydrant Parts

Part numbers listed below are for 1-1/2" pent, National Standard Thread (NST). Contact Customer Service for all sizes and thread gauges. Super Centurion 350 hydrant parts - contact Customer Service for part numbers when replacing A-6, A-9, A-26, A-28, A-37, A-45, A-50, and A-84.

Reference Number	Description	1975 - 1987 4-1/2" and 5-1/4"	1988 - Present 4-1/2" and 5-1/4"
A-1	Operating Nut - 1 1/2" Pent. (Contact Customer Service for part number for all other sizes.)	175234 (left)	146440 (left)
		175308 (right)	146441 (right)
A-2	Weather cap	142818 (left)	Weather cap not used on Super Centurion 200
		142819 (right)	

			1975 - Present 4-1/2" and 5-1/4"
A-3	Hold down nut o-ring		194898
			1988 - Present 4-1/2" and 5-1/4"
A-4	Hold Down Nut w/Anti Friction Washer	281951 (left)	Replaced w/A-84
		281952 (right)	A-85

		1975 - Present 4-1/2" and 5-1/4"
A-5	Bonnet o-ring	142779
A-6	Anti-friction washer	195546
A-7	Oil plug	194932
A-8	Bonnet	145703 (left)
		145704 (right)
A-9	Bonnet bolt and nuts (8 required)	280007

		1975 - 1996 4-1/2" and 5-1/4"	1997 - Later 4-1/2" and 5-1/4"
A-10	Bonnet gasket / O-ring	198357	190348

		1975 - 2002 4-1/2" and 5-1/4"	2003 - Present 4-1/2" and 5-1/4"
A-21	Hose Nozzle Cap - 2 1/2" NST 1 1/2" Pent <i>(Contact Customer Service for other thread gauges.)</i>	158661 – 75298	158661 – 75298
A-22	Cap chain with ring		142987
A-23	Chain "S" hook		147738
A-24	Upper Barrel less Nozzles <i>(Contact Customer Service)</i>		
A-25	Stainless steel safety coupling		190350
A-26	Safety flange bolt and nut (8 required)		280009 (4-1/2") 280016 (5-1/4")

		1975 - 1996 (Paper Gasket)	1975 - 1996 (Triple Seal Gasket)	1997 - Present
A-27	Safety flange gasket	199004 (4-1/2")	148726 (4-1/2")	-
		198358 (5-1/4")	148725 (5-1/4")	-
	Safety flange O-ring	-	-	190348 (4-1/2")
		-	-	190349 (5-1/4")

		1997 - Present
A-28	Safety flange	175284-1 (4-1/2")
		175211-1 (5-1/4")
A-29	Cotter pin (2 required)	195235 (4-1/2" & 5-1/4")
A-30	Clevis pin (2 required)	195234

		1975 - Present 4-1/2" and 5-1/4"
A-33	Stem pin for upper or lower stems	195347
A-34	Drain valve facing	142811
A-35	Drain screw (4 required)	142812
A-36	Bronze upper valve plate (includes A-34 and A-35)	184071 (4-1/2") 184055 (5-1/4")
A-37	Shoe bolt/nut (6 required)	280024
		1975 - 1996
A-38	Drain ring housing gasket	142859 (4-1/2") 142805 (5-1/4")
		1997 - Present
A-38	Drain ring o-ring	190348 (4-1/2") 190349 (5-1/4")
A-39	Top seat o-ring	195186 (4-1/2") 195083 (5-1/4")
A-40	Drain ring housing	148585 (4-1/2") 148584 (5-1/4")

		1975 - 1996 4-1/2" and 5-1/4"	1997 - Present
A-41	Bolt and Nut (Drain Ring Housing) (2 Required)	280070	N/A
A-42	Bronze drain ring		142833 (4-1/2") 142804 (5-1/4")
A-43	Bronze seat ring		142830 (4-1/2") 142764 (5-1/4")
A-44	Bottom seat o-ring		195161 (4-1/2") 142893 (5-1/4")

		1975 - 1996 (Non-Reversible Rubber)	1975 - 2015 (Reversible Rubber)	2016 - Present (Encapsulated Rubber)
		Interchangeable		
A-45	Main valve §	195800 (4-1/2")	190353 (4-1/2")	290614 (4-1/2")
		192913 (5-1/4")	190354 (5-1/4")	290615 (5-1/4")
A-46	Lower valve plate	175286-1 (4-1/2")	190355-1 (4-1/2")	190355-1 (4-1/2")
		175233-1 (5-1/4")	190356-1 (5-1/4")	190356-1 (5-1/4")
A-47	Cap nut seal	195547	195547	195547
A-48	Lock washer	142845	142845	142845
A-49	Lower valve plate nut	142771	142771	142771