



# model 6518FR

## Freeze Resistant Bury Valve For Single Fountain

### FEATURES & BENEFITS

#### YEAR-ROUND SERVICE

Reliable and fully engineered system allows the pneumatic valve to be installed below the frost line, and equipped with the ability to drain the water line after use to non-freezing depths so the unit can be used year round.

#### SERVICEABILITY

Operation and maintenance ease is achieved through both the adjustable stream regulation and the ability of the valve assembly to be lifted to the surface and lowered back into the casing, so in the rare event that maintenance is required, can be done without having to disturb the fountain.

### OPTIONS

For more information, visit [www.hawscos.com](http://www.hawscos.com) or call (888) 640-4297.




### SPECIFICATIONS

Model 6518FR freeze-resistant bury valve for use with single bubbler head pedestal fountains shall include a brass pneumatic operated valve installed below the frost line, check valve to drain water from unit when not in use and to prevent back-flow cross contamination, regulator valve to control stream height, separate valve access and pull-out design for easy maintenance, 6" (15.2 cm) diameter PVC pipe to encase valve assembly, and 1/2" NPT supply.

### APPLICATIONS


Freeze-resistant valve system is used in all Haws single bubbler, freeze-resistant, pedestal mounted fountains. Because this valve is installed below the frost line, it allows the fountain it is installed with to function year round in freezing conditions. Responsible for this non-freezing feat is a pneumatic operated valve that drains the water from the fountain to non-freezing depths. Haws manufactures drinking fountains and electric water coolers to be lead-free by all known definitions including NSF/ANSI Standard 61, Section 9, NSF/ANSI 372, California Proposition 65, and the Federal Safe Drinking Water Act.






1455 KLEPPE LANE  
SPARKS, NEVADA 89431  
(775) 359-4712 FAX (775) 359-7424  
E-MAIL: HAWS@HAWS.CO.COM  
WEBSITE: WWW.HAWS.CO.COM

ECN NO.	REVISED PER	BY:	MODEL(S)	PART NUMBER
ECN: 5362	FV			0002077777.D
DRAWN:	DATE:	CHK'D:	6518FR	REVISION
TRF	12/90	JP	VALVE, FREEZE RESISTANT, SINGLE	22
APPROVED:	DATE:	SCALE:	DRAWING TYPE:	SIZE: A
MJ	10/23/18	1:13	INSTALLATION	SHEET 1 OF 3



 <b>Haws®</b>				1455 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWS.CO.COM			
ECN NO.	REVISED PER	BY:	MODEL(S)	6518FR VALVE, FREEZE RESISTANT, SINGLE			
DRAWN:	DATE:	CHK'D:					
TRF	12/90	JP					
APPROVED:	DATE:			SCALE:	DRAWING TYPE:	INSTALLATION	SHEET 2 OF 3
MJ	10/23/18			1:23			
				PART NUMBER 000207777.D REVISION 22			



 <b>Haws®</b>		1455 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWS.CO.COM	
		ECN NO. 5362 REVISION 1 BY: FV DATE: 12/90 CHK'D: JP	
DRAWN: TRF APPROVED: MJ		MODEL(S) 6518FR VALVE, FREEZE RESISTANT, SINGLE	
DATE: 10/23/18		SCALE: 1/23 DRAWING TYPE: ENVELOPE SIZE: A SHEET 3 OF 3	
PART NUMBER 000207777.D REVISION 22			