

TECHNICAL SUPPORT MANUAL

Split System Heat Pump

(C,H,T)SH5

Safety Labeling and Signal Words

DANGER, WARNING, CAUTION, and NOTE

The signal words **DANGER**, **WARNING**, **CAUTION**, and **NOTE** are used to identify levels of hazard seriousness. The signal word **DANGER** is only used on product labels to signify an immediate hazard. The signal words **WARNING**, **CAUTION**, and **NOTE** will be used on product labels and throughout this manual and other manuals that may apply to the product.

DANGER – Immediate hazards which **will** result in severe personal injury or death.

WARNING – Hazards or unsafe practices which **could** result in severe personal injury or death.

CAUTION – Hazards or unsafe practices which **may** result in minor personal injury or product or property damage.

NOTE – Used to highlight suggestions which **will** result in enhanced installation, reliability, or operation.

Signal Words in Manuals

The signal word **WARNING** is used throughout this manual in the following manner:

 **WARNING**

The signal word **CAUTION** is used throughout this manual in the following manner:

 **CAUTION**

Signal Words on Product Labeling

Signal words are used in combination with colors and/or pictures on product labels.

TABLE OF CONTENTS

Model Number Identification	2
R-410A Quick Reference Guide	3
Wiring Diagram	4
Wiring Diagram	5
Charging Chart	6
Tech Labels (Expanded Data)	7-14
CSH5 HSH5 TSH5 Parts List	15-26
Exploded View	27-29
Cooling Multiplying Factors	30-70
Heating Multiplying Factors	70-111

MODELS

CSH518GKA100	HSH518GKA100	TSH518GKA100
CSH524GKA100	HSH524GKA100	TSH524GKA100
CSH530GKA100	HSH530GKA100	TSH530GKA100
CSH536GKA100	HSH536GKA100	TSH536GKA100
CSH542GKA100	HSH542GKA100	TSH542GKA100
CSH548GKA100	HSH548GKA100	TSH548GKA100
CSH560GKA100	HSH560GKA100	TSH560GKA100

 **WARNING**

DEATH, PERSONAL INJURY, AND/OR PROPERTY DAMAGE HAZARD

Failure to carefully read and follow this warning could result in equipment malfunction, property damage, personal injury and/or death.

Installation or repairs made by unqualified persons could result in equipment malfunction, property damage, personal injury and/or death.

The information contained in this manual is intended for use by a qualified service technician familiar with safety procedures and equipped with the proper tools and test instruments.

Installation must conform with local building codes and with the National Electrical Code NFPA70 current edition or Canadian Electrical Code Part 1 CSA C.22.1.

OUTDOOR UNIT MODEL NUMBER IDENTIFICATION GUIDE (single phase)


Digit Position:	1	2	3	4	5, 6	7	8	9	10	11	12
Example Part Number:	C,H,T	S	H	5	18	G	K	A	1	0	0
Product Family	REFRIGERANT		TYPE								
S = R-410A											
A = Air Conditioner											
H = Heat Pump											
3 = 13 SEER											
4 = 14 SEER											
5 = 15 SEER											
6 = 16 SEER											
7 = 17 SEER											
8 = 18 SEER											
18 = 18,000 BTUH = 1½ tons											
24 = 24,000 BTUH = 2 tons											
30 = 30,000 BTUH = 2½ tons											
36 = 36,000 BTUH = 3 tons											
42 = 42,000 BTUH = 3½ tons											
48 = 48,000 BTUH = 4 tons											
60 = 60,000 BTUH = 5 tons											
A = Standard Grille											
G = Coil Guard Grille											
C = Coastal											
K = 208/230-1-60											
Sales Code											
Engineering Revision											
Extra Digit											
Extra Digit											
Extra Digit											

ACCESSORIES PART NUMBER IDENTIFICATION GUIDE

Digit Position:	1	2	3	4	5	6, 7	8, 9	10, 11
Example Part Number:	N	A	S	A	0	01	01	CH
N = Non-Branded	BRANDING							
A = Accessory								
S = Split System (AC & HP)								
A = Original								
B = 2nd Generation								
0 = Generic or Not Applicable								
2 = R-22								
4 = R-410A								
Product Identifier Number								
Package Quantity								
Type of Kit (Example: CH = Crankcase Heater)								

R-410A QUICK REFERENCE GUIDE

- R-410A refrigerant operates at 50% – 70% higher pressures than R-22. Be sure that servicing equipment and replacement components are designed to operate with R-410A.
- R-410A refrigerant cylinders are rose colored.
- Recovery cylinder service pressure rating must be 400 psig, DOT 4BA400 or DOT BW400.
- R-410A systems should be charged with liquid refrigerant. Use a commercial type metering device in the manifold hose when charging into suction line with compressor operating.
- Manifold sets should be 750 psig high-side and 200 psig low-side with 520 psig low-side retard.
- Use hoses with 750 psig service pressure rating.
- Leak detectors should be designed to detect HFC refrigerant.
- R-410A, as with other HFC refrigerants, is only compatible with POE oils.
- Vacuum pumps will not remove moisture from oil.
- Do not use liquid line filter-driers with rated working pressures less than 600 psig.
- Do not install a suction line filter-drier in liquid line.
- POE oils absorb moisture rapidly. Do not expose oil to atmosphere.
- POE oils may cause damage to certain plastics and roofing materials.
- Wrap all filter-driers and service valves with wet cloth when brazing.
- A liquid line filter-drier is required on every unit.
- Do not use with an R-22 TXV.
- If indoor unit is equipped with an R-22 TXV, it must be changed to an R-410A TXV.
- Never open system to atmosphere while it is under a vacuum.
- When system must be opened for service, break vacuum with dry nitrogen and replace all filter-driers. Evacuate to 500 microns before recharging.
- Do not vent R-410A into the atmosphere.
- Do not use capillary tube indoor coils.
- Observe all **WARNINGS**, **CAUTIONS**, **NOTES**, and **bold** text.


Model Size: 18, 24, 30, 36, 42, 48, 60**CONNECTION DIAGRAM****NOTES:**

1. Compressor and fan motor furnished with inherent thermal protection.
2. To be wired in accordance with National Electric Code (N.E.C.) and local codes.
3. N.E.C. Class 2, 24 V circuit, min. 40 VA required, 60VA on units installed with LLS.
4. Use copper conductors only from disconnect to units suitable for at least 75°C (167°F).
5. Must use thermostat and sub-base as stated in pre-sale literature.
6. If indoor section has a transformer with a grounded secondary, connect the Grounded side to "C" on the circuit board.
7. If any of the original wire, as supplied, must be replaced, use the same or equivalent wire.
8. Check all electrical connections inside control box for tightness.
9. Do not attempt to operate unit until service valves have been opened.
10. Symbols are electrical representation only.
11. When start relay and start capacitor are installed, start thermistor is not used.
12. For communicating control only.
13. In case of non-communicating Indoor system, disconnect factory provided wires from DX+, DX-, C and R terminals. Using factory provided wires connect to R, C, Y, W2, and O terminals as required by Installation Instructions. Connect field 24V wires to factory provided wires, cap or remove unused factory provided wires.

338441-101 REV. A

Model Size: 18, 24, 30, 36, 42, 48, 60

SCHEMATIC DIAGRAM (LADDER FORM)



NOTE

IS DEFROST CONTROL AND CONTAINS A FIVE MINUTE SHORT CYCLE DETECTOR. A FIVE MINUTE DELAY WILL OCCUR BETWEEN COMPRESSOR OFF/ON CYCLES.

LEGEND

—	FACTORY POWER WIRING
—	FACTORY CONTROL WIRING
- - -	FIELD CONTROL WIRING
- - -	FIELD POWER WIRING
—	CONDUCTOR ON CIRCUIT BOARD
○	COMPONENT CONNECTION
⏏	FIELD SPLICE
●	JUNCTION
⏏	PLUG RECEPTACLE
AUXR	AUXILLARY HEAT RELAY
CAP	CAPACITOR (DUAL RUN)
CB	CIRCUIT BOARD
*CH	CRANKCASE HEATER
*CHS	CRANKCASE HEATER SWITCH
COMP	COMPRESSOR

CONT	CONTACTOR
DFT	DEFROST THERMOSTAT
DR	DEFROST RELAY AND CIRCUITRY
*HPS	HIGH PRESSURE SWITCH
*LPS	LOW PRESSURE SWITCH
LLSR	LIQUID LINE SOLENOID RELAY
OAT	OUTDOOR AIR THERMISTOR
OCT	OUTDOOR COIL THERMISTOR
ODFR	OUTDOOR FAN RELAY
ODF	OUTDOOR FAN
RVS	REVERSING VALVE SOLENOID
RVSR	REVERSING VALVE SOLENOID
*SC	RELAY START CAPACITOR
*SR	START RELAY
*ST	START THERMISTOR

* MAY BE FACTORY OR FIELD INSTALLED

338441-101 REV. A

	Rating Plate (required) Subcooling Temperature °F (°C)											
Measured Liquid Pressure (psig)	°F 6	(°C) 3	°F 8	(°C) 4	°F 10	(°C) 6	°F 12	(°C) 7	F 14	(°C) 8	F 16	(°C) 9
	R-410A Required Liquid Line Temperature °F (°C)											
251	78	26	76	24	74	23	72	22	70	21	68	20
259	80	27	78	26	76	24	74	23	72	22	70	21
266	82	28	80	27	78	26	76	24	74	23	72	22
274	84	29	82	28	80	27	78	26	76	24	74	23
283	86	30	84	29	82	28	80	27	78	26	76	24
291	88	31	86	30	84	29	82	28	80	27	78	26
299	90	32	88	31	86	30	84	29	82	28	80	27
308	92	33	90	32	88	31	86	30	84	29	82	28
317	94	34	92	33	90	32	88	31	86	30	84	29
326	96	36	94	34	92	33	90	32	88	31	86	30
335	98	37	96	36	94	34	92	33	90	32	88	31
345	100	38	98	37	96	36	94	34	92	33	90	32
364	104	40	102	39	100	38	98	37	96	36	94	34
374	106	41	104	40	102	39	100	38	98	37	96	36
384	108	42	106	41	104	40	102	39	100	38	98	37
395	110	43	108	42	106	41	104	40	102	39	100	38
406	112	44	110	43	108	42	106	41	104	40	102	39
416	114	46	112	44	110	43	108	42	106	41	104	40
427	116	47	114	46	112	44	110	43	108	42	106	41
439	118	48	116	47	114	46	112	44	110	43	108	42
450	120	49	118	48	116	47	114	46	112	44	110	43
462	122	50	120	49	118	48	116	47	114	46	112	44
474	124	51	122	50	120	49	118	48	116	47	114	46

MULTIPLYING FACTORS

(Refer to pages 7-14)

- † Total capacities are net (I.D. blower heat subtracted) system capacities based on 25 foot (7.62m) line set.
If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.
- †† At TVA rating indoor condition (75° F db, 63° F wb), all other indoor air temperatures are at 80° F db
If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.
- * System amps are total of indoor and outdoor amps.
- ‡ Chart data is for 80° F indoor dry bulb. For indoor db temperatures other than 80° F, measure Indoor db and Indoor CFM, and plug these into the formula below. Measure outdoor db and indoor wet bulb, apply these to the chart above, find MBh and S/T, and plug these into the formula below.
(Note: if indoor db is the only thing changing, total capacity, MBh, stays the same.)

$$\text{Sensible Capacity at Indoor db LOWER than } 80^{\circ}\text{ F} = (\text{MBh} \times \text{S/T}) - \left(\frac{(80 - \text{Indoor db}) \times 835 \times \text{Indoor CFM}}{1000} \right)$$

$$\text{Sensible Capacity at Indoor db HIGHER than } 80^{\circ}\text{ F} = (\text{MBh} \times \text{S/T}) + \left(\frac{(\text{Indoor db} - 80) \times 835 \times \text{Indoor CFM}}{1000} \right)$$

COOLING		18 Size With FXM4X18**A* Indoor															
		Outdoor Ambient Temperature - Degrees F, Dry Bulb								Wet Bulb							
		85				95				105				115			
CFM		72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72
525	MBh†	21.62	19.59	18.12	17.74	16.99	20.57	18.63	17.24	16.88	16.33	19.46	17.62	16.30	15.97	15.62	18.30
	S/T‡	0.51	0.69	0.72	0.90	1.00	0.52	0.70	0.73	0.92	1.00	0.53	0.72	0.75	0.94	1.00	0.54
	AMPS*	4.82	4.83	4.85	4.85	4.85	5.51	5.50	5.50	5.50	5.50	6.24	6.21	6.20	6.20	6.20	7.03
	HI PR	268	266	264	264	263	311	308	306	306	305	357	354	352	351	350	407
	LO PR	157	143	133	131	126	159	146	135	133	129	162	148	138	136	133	164
600	MBh†	22.12	20.06	18.58	18.21	17.81	21.02	19.06	17.65	17.32	17.09	19.86	18.00	16.86	16.39	16.33	19.86
	S/T‡	0.53	0.72	0.75	0.94	1.00	0.54	0.74	0.76	0.96	1.00	0.55	0.76	0.78	0.99	1.00	0.56
	AMPS*	4.86	4.87	4.89	4.89	4.89	5.56	5.55	5.55	5.54	5.54	6.29	6.26	6.25	6.24	6.24	7.08
	HI PR	269	267	265	265	264	312	309	307	306	306	358	355	352	352	352	408
	LO PR	160	147	137	135	132	163	149	139	137	135	165	151	141	139	139	168
675	MBh†	22.51	20.43	18.94	18.63	18.50	21.36	19.38	17.96	17.76	17.74	20.17	18.29	16.94	16.95	16.92	18.91
	S/T‡	0.54	0.75	0.78	0.98	1.00	0.55	0.77	0.79	1.00	1.00	0.56	0.79	0.82	1.00	1.00	0.58
	AMPS*	4.91	4.91	4.92	4.93	4.93	5.61	5.59	5.59	5.59	5.59	6.34	6.31	6.29	6.29	6.29	7.13
	HI PR	270	267	266	265	265	312	309	307	307	307	358	355	353	353	353	409
	LO PR	163	150	139	138	137	166	152	141	140	140	168	154	143	144	144	170
HEATING		18 Size With FXM4X18**A* Indoor															
		Outdoor Ambient Temperature - Degrees F, Dry Bulb								Wet Bulb							
		-3				7				17				37			
CFM		65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65
525	MBh†	5.05	4.75	4.43	7.22	6.92	6.59	9.60	9.28	8.94	12.33	12.07	11.78	14.89	14.61	14.32	17.78
	T/R	9.50	8.90	8.30	13.60	13.00	12.30	18.00	17.40	16.70	23.20	22.60	22.00	28.00	27.40	26.80	33.40
	AMPS*	4.44	4.64	4.84	4.67	4.88	5.10	4.89	5.12	5.35	5.15	5.41	5.67	5.41	5.68	5.96	5.74
	HI PR	217	232	248	232	247	264	248	265	281	269	286	304	290	308	327	315
	LO PR	39	40	40	50	51	51	63	63	64	77	77	78	94	94	94	112
600	MBh†	5.14	4.84	4.51	7.33	7.03	6.71	9.74	9.42	9.09	12.47	12.23	11.95	15.09	14.80	14.51	18.04
	T/R	8.40	7.90	7.40	12.10	11.50	11.00	16.00	15.50	14.90	20.50	20.10	19.60	24.80	24.30	23.80	29.70
	AMPS*	4.44	4.64	4.85	4.65	4.86	5.08	4.85	5.08	5.31	5.07	5.33	5.59	5.30	5.57	5.85	5.60
	HI PR	214	229	245	227	243	259	242	259	276	260	278	296	280	298	316	303
	LO PR	39	40	40	50	51	51	63	63	64	77	77	78	93	94	94	112
675	MBh†	5.21	4.91	4.58	7.43	7.13	6.80	9.87	9.55	9.21	12.59	12.35	12.08	15.25	14.96	14.67	18.25
	T/R	7.60	7.20	6.70	10.90	10.40	9.90	14.40	13.90	13.40	18.40	18.00	17.60	22.30	21.80	21.30	26.70
	AMPS*	4.46	4.65	4.86	4.64	4.86	5.08	4.82	5.05	5.29	5.02	5.27	5.54	5.23	5.49	5.77	5.50
	HI PR	212	227	243	224	240	256	237	254	271	254	271	289	272	290	308	293
	LO PR	39	40	40	50	51	51	63	63	63	77	77	78	93	94	94	111

- † Total capacities are net (I.D blower heat subtracted) system capacities based on 25 foot line set.
- * If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.
- ‡ System amps are total of indoor and outdoor amps
- †† S/T are based on 80°F db entering air at the indoor coil. For sensible capacities at other than 80°F db, deduct 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree below 80°F, or add 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree above 80°F.
- T/R At TVA rating indoor condition (75°F db/63°F wb), all other indoor air temperatures are at 80°F db. Temp Rise is based on 25 foot line set. If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in Temp Rise may occur.

COOLING		24 Size With FXM4X24**A* Indoor																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Outdoor Ambient Temperature - Degrees F, Dry Bulb																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		75						85						95						105						115																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		Entering Indoor Temperature - Degrees F, Wet Bulb																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
CFM		72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
700	MBh†	28.48	25.85	23.96	23.47	22.49	27.27	24.72	22.90	22.44	21.68	25.97	23.53	21.77	21.35	20.82	24.58	22.23	20.55	20.17	19.89	23.07	20.83	19.23	18.93	18.86																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	S/T†	0.52	0.69	0.72	0.90	1.00	0.52	0.71	0.73	0.92	1.00	0.53	0.72	0.75	0.94	1.00	0.54	0.74	0.76	0.97	1.00	0.55	0.76	0.79	1.00	1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	AMPS*	6.60	6.47	6.42	6.41	6.40	7.45	7.32	7.26	7.26	7.25	8.38	8.25	8.19	8.18	8.17	9.41	9.28	9.23	9.22	9.22	10.57	10.45	10.40	10.39	10.39																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	HI PR	266	264	262	262	261	308	306	304	303	302	354	351	349	349	348	405	401	399	398	398	461	457	454	453	453																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	LO PR	153	140	130	128	123	155	142	132	130	126	157	144	134	132	129	160	146	136	134	133	162	149	139	137	137																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
800	MBh†	29.11	26.43	24.51	24.06	23.49	27.83	25.25	23.40	22.99	22.64	26.49	24.00	22.23	21.87	21.72	25.04	22.66	20.96	20.75	20.72	23.46	21.19	19.58	19.65	19.63																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	S/T†	0.53	0.72	0.75	0.94	1.00	0.54	0.74	0.76	0.96	1.00	0.55	0.75	0.78	0.98	1.00	0.56	0.77	0.80	1.00	1.00	0.57	0.80	0.83	1.00	1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	AMPS*	6.72	6.57	6.51	6.50	6.49	7.57	7.42	7.36	7.35	7.34	8.50	8.35	8.28	8.27	8.27	9.52	9.38	9.32	9.31	9.31	10.68	10.54	10.48	10.49	10.49																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	HI PR	267	264	263	262	262	309	306	304	304	304	355	352	350	349	349	406	402	400	399	399	461	457	454	455	454																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	LO PR	156	143	133	131	128	158	145	135	133	131	160	147	137	135	134	163	149	139	138	138	165	152	141	142	142																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
900	MBh†	29.58	26.87	24.94	24.56	24.35	28.27	25.65	23.79	23.48	23.44	26.87	24.36	22.57	22.50	22.47	25.38	22.98	21.27	21.45	21.42	23.76	21.48	19.86	20.29	20.27																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	S/T†	0.54	0.75	0.78	0.98	1.00	0.55	0.77	0.79	1.00	1.00	0.56	0.79	0.81	1.00	1.00	0.57	0.81	0.84	1.00	1.00	0.59	0.84	0.86	1.00	1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	AMPS*	6.83	6.67	6.60	6.59	6.58	7.69	7.52	7.45	7.44	7.44	8.61	8.45	8.37	8.37	8.37	9.63	9.48	9.40	9.41	9.41	10.78	10.64	10.57	10.59	10.59																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	HI PR	267	265	263	263	263	310	307	305	305	304	356	353	350	350	350	407	403	400	401	400	462	458	455	456	456																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	LO PR	159	146	136	134	133	161	148	137	136	136	163	149	139	139	139	165	152	141	143	143	168	154	144	147	147																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
HEATING		24 Size With FXM4X24**A* Indoor																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Outdoor Ambient Temperature - Degrees F, Dry Bulb																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		-3						7						17						27						37						47						57						67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		Entering Indoor Temperature - Degrees F, Dry Bulb																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
CFM		65	70	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75	80	85	90	75</

† Total capacities are net (I.D blower heat subtracted) system capacities based on 25 foot line set.

If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.

* System amps are total of indoor and outdoor amps

‡ S/T are based on 80°F db entering air at the indoor coil. For sensible capacities at other than 80°F db, deduct 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree below 80°F,

or add 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree above 80°F,

†† At TVA rating indoor condition (75°F db/63°F wb), all other indoor air temperatures are at 80°F db.

T/R Temp Rise is based on 25 foot line set. If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in Temp Rise may occur.

COOLING		30 Size With FXM4X30**A* Indoor																			
		Outdoor Ambient Temperature - Degrees F, Dry Bulb										Outdoor Ambient Temperature - Degrees F, Wet Bulb									
		85										105									
		75										95									
CFM		72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57
875	MBh†	33.92	30.80	28.55	27.99	27.02	32.35	29.38	27.24	26.72	26.02	30.73	27.89	25.86	25.39	24.97	29.01	26.32	24.38	23.99	23.81
	S/T†	0.52	0.70	0.73	0.91	1.00	0.52	0.71	0.74	0.93	1.00	0.53	0.73	0.75	0.95	1.00	0.54	0.75	0.77	0.98	1.00
	AMPS*	7.86	7.80	7.77	7.76	7.75	8.80	8.73	8.69	8.68	8.67	9.83	9.76	9.72	9.71	9.70	10.99	10.93	10.89	10.88	12.32
	HI PR	271	268	266	266	265	314	310	308	307	307	360	356	354	353	352	411	407	404	403	467
	LO PR	156	143	133	130	126	158	145	135	133	129	160	147	137	135	133	163	149	139	137	165
1000	MBh†	34.59	31.43	29.16	28.66	28.18	32.96	29.95	27.79	27.35	27.11	31.27	28.40	26.34	26.02	25.97	29.47	26.75	24.81	24.78	24.75
	S/T†	0.53	0.73	0.76	0.95	1.00	0.54	0.75	0.77	0.97	1.00	0.55	0.76	0.79	1.00	1.00	0.56	0.79	0.81	1.00	1.00
	AMPS*	7.98	7.91	7.88	7.88	7.87	8.92	8.85	8.81	8.80	8.80	9.95	9.88	9.83	9.83	9.83	11.11	11.04	11.01	11.01	11.00
	HI PR	272	269	267	266	266	315	311	309	308	308	361	357	354	354	354	412	408	405	405	468
	LO PR	159	146	136	134	132	161	148	138	136	135	164	150	140	138	138	166	152	142	142	168
1125	MBh†	35.11	31.92	29.63	29.27	29.15	33.42	30.38	28.20	28.05	28.02	31.67	28.77	26.71	26.85	26.81	29.82	27.09	25.14	25.55	25.52
	S/T†	0.55	0.76	0.79	0.99	1.00	0.56	0.78	0.80	1.00	1.00	0.57	0.80	0.82	1.00	1.00	0.58	0.83	0.85	1.00	1.00
	AMPS*	8.10	8.03	7.99	7.99	7.99	9.04	8.96	8.92	8.92	8.92	10.07	9.99	9.95	9.95	9.95	11.23	11.16	11.12	11.13	11.13
	HI PR	272	269	267	267	267	315	312	309	309	309	362	358	355	355	355	413	409	406	406	469
	LO PR	162	148	138	137	137	164	150	140	140	140	166	152	142	143	143	168	154	144	147	170
HEATING		30 Size With FXM4X30**A* Indoor																			
		Outdoor Ambient Temperature - Degrees F, Dry Bulb										Outdoor Ambient Temperature - Degrees F, Wet Bulb									
		-3										37									
		7										47									
CFM		65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65	70
875	MBh†	9.43	8.91	8.35	12.69	12.20	11.68	16.23	15.74	15.23	20.39	20.04	19.64	24.22	23.84	23.45	28.50	28.05	27.60	33.27	32.77
	T/R	10.50	9.90	9.20	14.10	13.50	12.90	18.00	17.40	16.80	22.60	22.20	21.70	26.90	26.40	25.90	31.60	31.00	30.50	36.90	36.30
	AMPS*	6.69	6.99	7.31	6.98	7.30	7.64	7.29	7.64	8.00	7.67	8.06	8.45	8.03	8.43	8.86	8.48	8.89	9.33	8.97	9.45
	HI PR	221	236	251	235	250	267	251	267	284	272	290	308	293	311	330	317	336	356	344	366
	LO PR	37	38	38	48	48	49	60	61	61	74	75	75	90	91	91	108	109	109	127	128
1000	MBh†	9.61	9.08	8.53	12.90	12.41	11.88	16.48	15.99	15.47	20.60	20.27	19.89	24.51	24.11	23.72	28.86	28.40	27.94	33.43	33.10
	T/R	9.30	8.80	8.20	12.50	12.00	11.50	16.00	15.50	14.90	20.00	19.60	19.20	23.80	23.30	22.90	28.00	27.50	27.00	32.40	32.10
	AMPS*	6.73	7.03	7.36	6.99	7.31	7.66	7.26	7.62	7.98	7.60	7.99	8.38	7.92	8.32	8.74	8.33	8.74	9.17	8.70	9.16
	HI PR	218	233	248	230	246	263	245	261	278	264	282	300	283	301	320	306	325	344	327	348
	LO PR	37	38	38	48	48	49	60	61	61	74	75	75	90	91	91	108	108	109	126	127
1125	MBh†	9.76	9.24	8.68	13.07	12.59	12.06	16.69	16.20	15.68	20.80	20.46	20.10	24.74	24.34	23.95	29.15	28.69	28.23	33.47	33.14
	T/R	8.40	7.90	7.40	11.30	10.80	10.40	14.40	13.90	13.50	17.90	17.60	17.30	21.30	21.00	20.60	25.10	24.70	24.20	28.90	28.50
	AMPS*	6.78	7.09	7.41	7.02	7.35	7.69	7.27	7.62	7.98	7.57	7.95	8.35	7.87	8.26	8.67	8.24	8.64	9.07	8.54	8.98
	HI PR	215	231	246	227	243	260	240	257	274	258	275	294	276	294	313	297	316	335	315	335
	LO PR	37	38	38	48	48	49	60	61	61	74	74	75	90	90	91	108	108	108	124	125

† Total capacities are net (I.D blower heat subtracted) system capacities based on 25 foot line set.

* If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.

‡ System amps are total of indoor and outdoor amps

† S/T are based on 80°F db entering air at the indoor coil. For sensible capacities at other than 80°F db, deduct 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree below 80°F, or add 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree above 80°F

†† At TVA rating indoor condition (75°F db/63°F wb), all other indoor air temperatures are at 80°F db.

T/R Temp Rise is based on 25 foot line set. If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in Temp Rise may occur.

COOLING		36 Size With FXM4X36**A* Indoor																
		Outdoor Ambient Temperature - Degrees F, Dry Bulb															115	
		75					85					95					105	
		72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67
1050	CFM	41.83	38.11	35.42	34.72	33.41	39.98	36.41	33.81	33.16	32.19	37.99	34.57	32.09	31.49	30.86	35.88	32.60
	MBh†	0.53	0.71	0.74	0.92	1.00	0.53	0.72	0.75	0.94	1.00	0.54	0.74	0.77	0.97	1.00	0.55	0.76
	S/T†	9.82	9.73	9.69	9.68	9.66	10.97	10.86	10.80	10.78	10.76	12.21	12.10	12.02	12.01	11.99	13.61	13.49
	AMPS*	273	270	268	267	266	316	312	310	309	308	363	359	356	355	354	415	410
	HI PR	155	142	131	129	125	157	144	133	131	128	159	146	136	134	131	162	148
1200	CFM	42.65	38.90	36.18	35.54	34.85	40.73	37.11	34.50	33.93	33.54	38.66	35.20	32.71	32.25	32.12	36.45	33.16
	MBh†	0.54	0.74	0.77	0.97	1.00	0.55	0.76	0.78	0.99	1.00	0.56	0.78	0.80	0.99	1.00	0.57	0.80
	S/T†	9.97	9.87	9.83	9.82	9.80	11.12	11.01	10.94	10.92	10.92	12.37	12.24	12.17	12.16	12.15	13.76	13.64
	AMPS*	274	271	269	268	268	317	313	311	310	310	364	360	357	356	356	416	411
	HI PR	158	145	135	133	130	160	147	137	135	133	163	149	139	137	137	165	151
1350	CFM	43.28	39.49	36.76	36.25	36.05	41.29	37.64	35.02	34.71	34.66	39.15	35.67	33.17	33.20	33.16	36.89	33.57
	MBh†	0.56	0.77	0.80	1.01	1.00	0.57	0.79	0.82	1.00	1.00	0.58	0.81	0.84	1.00	1.00	0.59	0.84
	S/T†	10.11	10.01	9.96	9.95	9.95	11.27	11.15	11.07	11.07	11.07	12.51	12.39	12.31	12.31	12.31	13.91	13.78
	AMPS*	275	271	269	269	269	318	314	311	311	311	365	361	357	357	357	416	412
	HI PR	161	148	137	136	135	163	149	139	138	138	165	151	141	142	141	167	153
HEATING		36 Size With FXM4X36**A* Indoor																
		Outdoor Ambient Temperature - Degrees F, Dry Bulb															57	
		-3					7					17					47	
		65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65	70
1050	CFM	11.44	10.73	9.98	15.33	14.64	13.92	19.61	18.94	18.23	24.41	23.71	22.97	29.99	29.52	28.97	35.11	34.56
	MBh†	10.50	9.80	9.10	14.00	13.40	12.70	17.90	17.30	16.60	22.30	21.60	20.90	27.40	26.90	26.40	32.10	31.50
	T/R	8.57	8.99	9.42	8.96	9.38	9.83	9.36	9.80	10.26	9.82	10.27	10.73	10.40	10.91	11.43	10.94	11.45
	AMPS*	219	234	249	233	248	264	249	265	281	267	284	301	291	310	328	315	333
	HI PR	37	37	38	48	48	49	60	61	61	74	74	75	90	90	90	107	108
1200	CFM	11.66	10.95	10.20	15.60	14.91	14.18	19.93	19.26	18.55	24.85	24.10	23.37	30.35	29.87	29.35	35.57	35.00
	MBh†	9.30	8.70	8.10	12.50	11.90	11.30	16.00	15.40	14.80	19.90	19.30	18.60	24.30	23.90	23.40	28.50	28.00
	T/R	8.62	9.04	9.47	8.97	9.40	9.84	9.33	9.77	10.23	9.75	10.20	10.66	10.26	10.76	11.28	10.74	11.25
	AMPS*	216	231	246	229	244	260	243	259	276	260	276	294	282	300	319	303	321
	HI PR	37	37	38	48	48	49	60	60	61	74	74	75	89	90	90	107	107
1350	CFM	11.86	11.15	10.39	15.83	15.15	14.41	20.21	19.53	18.82	25.78	24.44	23.70	30.66	30.17	29.66	35.94	35.37
	MBh†	8.40	7.90	7.40	11.30	10.80	10.20	14.40	13.90	13.30	18.30	17.40	16.80	21.80	21.40	21.00	25.60	25.10
	T/R	8.68	9.10	9.54	9.00	9.43	9.88	9.33	9.78	10.24	9.79	10.16	10.63	10.18	10.67	11.18	10.62	11.12
	AMPS*	214	229	244	226	241	257	239	255	272	256	271	288	274	292	311	294	312
	HI PR	37	37	38	48	48	49	60	60	61	73	74	75	89	90	90	107	107

† Total capacities are net (I.D blower heat subtracted) system capacities based on 25 foot line set.

* If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.

‡ System amps are total of indoor and outdoor amps

†† S/T are based on 80°F db entering air at the indoor coil. For sensible capacities at other than 80°F db, deduct 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree below 80°F,

or add 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree above 80°F,

‡ At TVA rating indoor condition (75°F db/63°F wb), all other indoor air temperatures are at 80°F db.

T/R Temp Rise is based on 25 foot line set. If additional tubing length and/or indoor unit is located

above outdoor unit, a slight variation in Temp Rise may occur.

COOLING		42 Size With FXM4X42**A* Indoor																			
		Outdoor Ambient Temperature - Degrees F, Dry Bulb										Wet Bulb									
		75					85					95					105				
		72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57
1225	CFM	50.43	45.65	42.23	41.36	39.50	48.01	43.47	40.23	39.42	38.01	45.51	41.22	38.16	37.42	36.44	42.89	38.86	35.97	35.33	34.77
	MBh†	0.51	0.69	0.71	0.89	1.00	0.52	0.70	0.73	0.91	1.00	0.52	0.71	0.74	0.93	1.00	0.53	0.73	0.76	0.96	1.00
	S/T‡	10.72	11.27	11.60	11.67	11.81	12.45	12.85	13.09	13.13	13.21	14.19	14.48	14.63	14.65	14.68	16.02	16.20	16.28	16.28	16.29
	AMPS*	270	266	263	263	261	312	308	304	304	302	358	353	350	349	348	408	403	399	398	398
	HI PR	151	139	129	127	121	154	141	131	129	125	156	143	133	131	128	159	146	136	134	132
1400	LO PR	51.53	46.66	43.19	42.36	41.23	48.98	44.38	41.08	40.35	39.62	46.35	42.00	38.90	38.28	37.93	43.62	39.54	36.62	36.20	36.14
	MBh†	0.52	0.71	0.74	0.93	1.00	0.53	0.73	0.76	0.95	1.00	0.54	0.75	0.77	0.98	1.00	0.55	0.77	0.79	1.00	1.00
	S/T‡	10.74	11.32	11.69	11.75	11.85	12.51	12.95	13.21	13.25	13.29	14.29	14.61	14.78	14.80	14.81	16.15	16.35	16.44	16.45	16.45
	AMPS*	271	267	264	264	263	313	309	305	305	304	359	354	351	350	350	409	404	400	400	400
	HI PR	155	142	132	130	127	157	144	134	132	130	160	146	136	135	134	162	149	138	138	137
1575	LO PR	52.37	47.45	43.93	43.23	42.69	49.72	45.05	41.73	41.18	40.98	47.00	42.59	39.46	39.23	39.18	44.15	40.05	37.10	37.32	37.28
	MBh†	0.54	0.74	0.77	0.97	1.00	0.55	0.76	0.78	0.99	1.00	0.56	0.78	0.81	1.00	1.00	0.57	0.80	0.83	1.00	1.00
	S/T‡	10.79	11.40	11.79	11.84	11.89	12.59	13.06	13.33	13.36	13.38	14.41	14.75	14.93	14.93	14.94	16.29	16.51	16.62	16.60	16.61
	AMPS*	272	268	265	264	264	314	310	306	306	306	360	355	351	351	351	410	405	401	401	401
	HI PR	158	145	135	133	132	160	147	137	137	135	135	162	149	139	138	138	165	151	141	142
HEATING	LO PR	158	145	135	133	132	160	147	137	137	135	135	162	149	139	138	138	165	151	141	142
	MBh†	0.58	0.78	0.81	0.98	1.00	0.58	0.78	0.81	0.98	1.00	0.58	0.78	0.81	0.98	1.00	0.58	0.78	0.81	0.98	1.00
	S/T‡	10.82	11.43	11.82	11.87	11.92	12.62	13.09	13.36	13.39	13.41	14.44	14.78	14.96	14.96	14.97	16.32	16.54	16.65	16.66	16.67
	AMPS*	273	269	266	265	265	315	311	307	307	307	361	356	352	352	352	411	406	402	402	402
	HI PR	159	146	136	134	133	161	148	138	136	136	163	150	140	139	139	166	152	142	143	143
COOLING		42 Size With FXM4X42**A* Indoor																			
		Outdoor Ambient Temperature - Degrees F, Dry Bulb										Wet Bulb									
		75					85					95					105				
		72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57
1225	CFM	50.43	45.65	42.23	41.36	39.50	48.01	43.47	40.23	39.42	38.01	45.51	41.22	38.16	37.42	36.44	42.89	38.86	35.97	35.33	34.77
	MBh†	0.51	0.69	0.71	0.89	1.00	0.52	0.70	0.73	0.91	1.00	0.52	0.71	0.74	0.93	1.00	0.53	0.73	0.76	0.96	1.00
	S/T‡	10.72	11.27	11.60	11.67	11.81	12.45	12.85	13.09	13.13	13.21	14.19	14.48	14.63	14.65	14.68	16.02	16.20	16.28	16.28	16.29
	AMPS*	270	266	263	263	261	312	308	304	304	302	358	353	350	349	348	408	403	399	398	398
	HI PR	151	139	129	127	121	154	141	131	129	125	156	143	133	131	128	159	146	136	134	132
1400	LO PR	51.53	46.66	43.19	42.36	41.23	48.98	44.38	41.08	40.35	39.62	46.35	42.00	38.90	38.28	37.93	43.62	39.54	36.62	36.20	36.14
	MBh†	0.52	0.71	0.74	0.93	1.00	0.53	0.73	0.76	0.95	1.00	0.54	0.75	0.77	0.98	1.00	0.55	0.77	0.79	1.00	1.00
	S/T‡	10.74	11.32	11.69	11.75	11.85	12.51	12.95	13.21	13.25	13.29	14.29	14.61	14.78	14.80	14.81	16.15	16.35	16.44	16.45	16.45
	AMPS*	271	267	264	264	263	313	309	305	305	304	359	354	351	350	350	409	404	400	400	400
	HI PR	155	142	132	130	127	157	144	134	132	130	160	146	136	135	134	162	149	138	138	137
1575	LO PR	52.37	47.45	43.93	43.23	42.69	49.72	45.05	41.73	41.18	40.98	47.00	42.59	39.46	39.23	39.18	44.15	40.05	37.10	37.32	37.28
	MBh†	0.54	0.74	0.77	0.97	1.00	0.55	0.76	0.78	0.99	1.00	0.56	0.78	0.81	1.00	1.00	0.57	0.80	0.83	1.00	1.00
	S/T‡	10.79	11.40	11.79	11.84	11.89	12.59	13.06	13.33	13.36	13.38	14.41	14.75	14.93	14.93	14.94	16.29	16.51	16.62	16.60	16.61
	AMPS*	272	268	265	264	264	314	310	306	306	306	360	355	351	351	351	410	405	401	401	401
	HI PR	158	145	135	133	132	160	147	137	137	135	135	162	149	139	138	138	165	151	141	142
HEATING	LO PR	158	145	135	133	132	160	147	137	137	135	135	162	149	139	138	138	165	151	141	142
	MBh†	0.58	0.78	0.81	0.98	1.00	0.58	0.78	0.81	0.98	1.00	0.58	0.78	0.81	0.98	1.00	0.58	0.78	0.81	0.98	1.00
	S/T‡	10.82	11.43	11.82	11.87	11.92	12.62	13.09	13.36	13.39	13.41	14.44	14.78	14.96	14.96	14.97	16.32	16.54	16.65	16.66	16.67
	AMPS*	273	269	266	265	265	315	311	307	307	307	361	356	352	352	352	411	406	402	402	402
	HI PR	159	146	136	134	133	161	148	138	136	136	163	150	140	139	139	166	152	142	143	143
COOLING		42 Size With FXM4X42**A* Indoor																			
		Outdoor Ambient Temperature - Degrees F, Dry Bulb										Wet Bulb									
		75					85					95					105				
		72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57
1225	CFM	50.43	45.65	42.23	41.36	39.50	48.01	43.47	40.23	39.42	38.01	45.51	41.22	38.16	37.42	36.44	42.89	38.86	35.97	35.33	34.77
	MBh†	0.51	0.69	0.71	0.89	1.00	0.52	0.70	0.73	0.91	1.00	0.52	0.71	0.74	0.93	1.00	0.53	0.73	0.76	0.96	1.00
	S/T‡	10.72	11.27	11.60	11.67	11.81	12.45	12.85	13.09	13.13	13.21	14.19	14.48	14.63	14.65	14.68	16.02	16.20	16.28	16.28	16.29
	AMPS*	270	266	263	263	261	312	308	304	304	302	358	353	350	349	348	408	403	399	398	398
	HI PR	151	139	129	127	121	154	141	131	129	125	156	143	133	131	128	159	146	136	134	132
1400	LO PR	51.53	46.66	43.19	42.36	41.23	48.98	44.38	41.08	40.35	39.62	46.35	42.00	38.90	38.28	37.93	43.62	39.54	36.62	36.20	36.14
	MBh†	0.52	0.71	0.74	0.93	1.00	0.53	0.73	0.76	0.95	1.00	0.54	0.75	0.77	0.98	1.00	0.55	0.77	0.79	1.00	1.00
	S/T‡	10.74	11.32	11.69	11.75	11.85	12.51	12.95	13.21	13.25	13.29	14.29	14.61	14.78	14.80	14.81	16.15	16.35	16.44	16.45	16.45
	AMPS*	271	267	264	264	263	313	309	305	305	304	359	354	351	350	350	409	404	400	400	400
	HI PR	155	142	132	130	127	157	144	134	132	130	160	146	136	135	134	162	149	138	138	137
1575	LO PR	52.37	47.45	43.93	43.23	42.69	49.72	45.05	41.73	41.18	40.98	47.00	42.59	39.46	39.23	39.18	44.15	40.05	37.10	37.32	37.28
	MBh†	0.54	0.74	0.77	0.97	1.00	0.55	0.76	0.78	0.99	1.00	0.56	0.78	0.81	1.00	1.00	0.57	0.80	0.83	1.00	1.00
	S/T‡	10.79	11.40	11.79	11.84	11.89	12.59	13.06	13.33	13.36	13.38	14.41	14.75	14.93	14.93	14.94	16.29	16.51	16.62	16.60	16.61
	AMPS*	272	268	265	264	264	314	310	306	306	306	360	355	351	351	351	410	405	401	401	401
	HI PR	158	145	135	133	132	160	147	137	137	135	135	162	149	139	138	138	165	151	141	142
HEATING	LO PR	158	145	135	133	132	160	147	137	137	135	135	162	149	139	138	138	165	151	141	142
	MBh†	0.58	0.78	0.81	0.98	1.00	0.58	0.78	0.81	0.98	1.00										

COOLING		48 Size Outdoor With FXM4X48**A* Indoor Cooling																																				
		Outdoor Ambient Temperature - Degrees F, Dry Bulb										Wet Bulb																										
		75					85					95					105					115																
		72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57												
1400	MBht	57.26	52.18	48.48	47.52	45.66	54.23	49.48	46.01	45.12	43.79	51.16	46.73	43.48	42.69	41.86	48.02	43.90	40.88	40.19	39.82	44.73	40.93	38.14	37.70	37.65												
	S/T†	0.52	0.70	0.72	0.90	1.00	0.52	0.71	0.74	0.92	1.00	0.53	0.73	0.75	0.95	1.00	0.54	0.75	0.77	0.98	1.00	0.55	0.77	0.80	1.00	1.00												
	AMPS*	12.55	12.73	12.83	12.85	12.89	14.46	14.52	14.54	14.54	14.54	16.33	16.30	16.26	16.25	16.23	18.24	18.15	18.07	18.05	18.04	20.28	20.16	20.05	20.04	20.03												
	HI PR	268	264	261	261	259	310	306	303	302	301	356	352	349	348	347	406	402	398	397	397	460	456	452	452	452												
	LO PR	154	141	131	129	124	157	143	133	131	127	159	146	135	133	131	162	148	138	136	135	165	151	140	139	139												
1600	MBht	58.35	53.25	49.51	48.61	47.59	55.18	50.38	46.89	46.11	45.57	51.96	47.50	44.25	43.64	43.48	48.68	44.54	41.52	41.34	41.28	45.27	41.45	38.69	39.01	38.96												
	S/T†	0.53	0.73	0.75	0.95	1.00	0.54	0.74	0.77	0.97	1.00	0.55	0.76	0.79	0.99	1.00	0.56	0.79	0.81	1.00	1.00	0.58	0.82	0.84	1.00	1.00												
	AMPS*	12.71	12.89	13.01	13.02	13.05	14.65	14.72	14.75	14.75	14.75	16.54	16.52	16.49	16.48	16.47	18.47	18.38	18.30	18.30	18.30	20.51	20.39	20.29	20.30	20.30												
	HI PR	268	265	262	262	261	311	307	304	303	303	357	353	350	349	349	407	403	399	399	399	461	457	453	454	454												
	LO PR	158	144	134	132	130	160	147	136	135	133	163	149	138	137	137	165	151	141	141	141	168	154	143	145	145												
1800	MBht	59.17	54.02	50.28	49.55	49.21	55.88	51.05	47.57	47.11	47.04	52.54	48.06	44.82	44.87	44.81	49.16	45.00	42.01	42.54	42.49	45.65	41.84	39.10	40.07	40.03												
	S/T†	0.55	0.76	0.78	0.98	1.00	0.56	0.78	0.80	1.00	1.00	0.57	0.80	0.82	1.00	1.00	0.58	0.83	0.85	1.00	1.00	0.60	0.86	0.88	1.00	1.00												
	AMPS*	12.88	13.07	13.19	13.20	13.21	14.84	14.92	14.95	14.95	14.95	16.75	16.74	16.71	16.71	16.71	18.69	18.61	18.53	18.55	18.55	20.73	20.62	20.52	20.56	20.56												
	HI PR	269	266	263	263	262	312	308	305	304	304	358	354	350	350	350	408	403	400	401	401	462	457	454	455	455												
	LO PR	161	147	137	135	134	163	149	139	138	138	165	151	141	141	142	141	168	154	143	145	145	170	156	145	150	149											
HEATING		48 Size With FXM4X48**A* Indoor																																				
		Outdoor Ambient Temperature - Degrees F, Dry Bulb										Wet Bulb																										
		-3					17					27					37					47					57						67					
		65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65	70	75										
1400	MBht	16.55	15.84	15.06	21.89	21.17	20.39	27.57	26.81	26.02	34.59	33.98	32.21	40.52	39.92	39.36	47.09	46.39	45.70	54.69	53.93	53.17	62.57	61.74	60.92													
	T/R	11.20	10.70	10.20	14.80	14.30	13.80	18.70	18.10	17.60	23.40	23.00	22.60	27.50	27.00	26.60	31.90	31.40	30.80	37.10	36.50	35.90	42.40	41.80	41.10													
	AMPS*	11.82	12.31	12.83	12.35	12.84	13.38	12.92	13.44	13.99	13.69	14.26	14.69	14.32	14.94	15.60	15.02	15.69	16.38	15.61	16.34	17.08	16.49	17.25	18.03													
	HI PR	221	236	252	235	251	268	251	267	285	272	289	304	291	309	329	313	332	352	333	353	373	362	382	403													
	LO PR	34	34	34	44	44	45	56	57	57	70	70	70	85	85	85	101	102	102	120	120	121	139	140	141													
1600	MBht	16.84	16.09	15.31	22.24	21.49	20.71	27.98	27.20	26.42	34.97	34.43	32.70	40.99	40.39	39.81	47.74	47.00	46.27	55.21	54.47	53.75	63.00	62.23	61.42													
	T/R	10.00	9.50	9.00	13.20	12.70	12.20	16.60	16.10	15.60	20.70	20.40	19.30	24.30	23.90	23.50	28.30	27.80	27.30	32.70	32.20	31.70	37.40	36.80	36.30													
	AMPS*	11.94	12.42	12.94	12.42	12.91	13.45	12.94	13.46	14.01	13.64	14.22	14.65	14.20	14.82	15.47	14.76	15.48	16.18	15.32	16.03	16.77	16.08	16.84	17.62													
	HI PR	218	233	249	231	247	263	245	261	279	264	281	296	281	300	319	300	320	340	320	339	359	345	365	386													
	LO PR	34	34	34	44	45	45	56	56	57	69	70	70	84	85	85	101	102	102	119	120	120	138	138	139													
1800	MBht	17.08	16.35	15.57	22.52	21.80	21.03	28.32	27.57	26.78	35.30	34.79	33.21	41.38	40.79	40.19	48.33	47.64	46.82	55.55	54.85	54.14	63.17	62.48	61.73													
	T/R	9.00	8.60	8.20	11.90	11.50	11.00	14.90	14.50	14.10	18.60	18.30	17.40	21.80	21.50	21.10	25.50	25.10	24.60	29.30	28.90	28.40	33.30	32.90	32.40													
	AMPS*	12.07	12.55	13.08	12.53	13.01	13.55	13.00	13.53	14.07	13.65	14.23	14.68	14.16	14.78	15.42	14.60	15.30	16.03	15.15	15.86	16.61	15.80	16.57	17.35													
	HI PR	215	231	247	227	243	260	240	257	274	257	275	290	274	292	311	290	309	330	309	329	349	332	352	373													
	LO PR	34	34	34	44	44	45	56	56	57	69	70	70	84	85	85	101	101	101	118	118	119	136	137	138													

† Total capacities are net (I.D blower heat subtracted) system capacities based on 25 foot line set.

If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.

* System amps are total of indoor and outdoor amps

‡ S/T are based on 80°F db entering air at the indoor coil. For sensible capacities at other than 80°F db, deduct 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree below 80°F, or add 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree above 80°F

†† At TVA rating indoor condition (75°F db/63°F wb), all other indoor air temperatures are at 80°F db.

T/R Temp Rise is based on 25 foot line set. If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in Temp Rise may occur.

COOLING		60 Size With FXM4X60**A* Indoor																			
		Outdoor Ambient Temperature - Degrees F, Dry Bulb										Outdoor Ambient Temperature - Degrees F, Wet Bulb									
		75					85					95					105				
		72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57	72	67	63††	62	57
1750	CFM	70.38	64.30	59.89	58.73	56.76	66.99	61.25	57.06	56.00	54.61	63.41	58.00	54.07	53.11	52.30	59.63	54.57	50.90	49.79	55.59
	MBh†	0.51	0.69	0.72	0.90	1.00	0.52	0.71	0.73	0.92	1.00	0.53	0.72	0.75	0.94	1.00	0.54	0.74	0.77	0.97	1.00
	S/T†	16.85	16.54	16.33	16.28	16.20	18.57	18.26	18.03	17.99	17.92	20.49	20.17	19.95	19.91	19.86	22.66	22.35	22.13	22.09	22.07
	AMPS*	285	280	276	275	273	328	323	319	318	316	375	369	365	364	363	426	420	415	415	414
	HI PR	156	143	132	130	126	159	145	134	132	129	161	147	136	134	132	163	149	139	137	136
2000	CFM	71.60	65.47	61.05	60.01	59.08	68.07	62.28	58.09	57.18	56.74	64.32	58.90	54.96	54.33	54.25	60.39	55.31	51.65	51.62	51.55
	MBh†	0.53	0.72	0.75	0.94	1.00	0.53	0.74	0.76	0.97	1.00	0.55	0.76	0.78	1.00	1.00	0.56	0.78	0.80	1.00	1.00
	S/T†	17.21	16.89	16.67	16.63	16.59	18.93	18.61	18.38	18.34	18.32	20.84	20.52	20.29	20.27	20.26	23.00	22.69	22.46	22.47	22.46
	AMPS*	286	281	277	276	276	330	324	320	319	319	377	371	366	366	366	427	421	417	417	417
	HI PR	160	146	136	134	132	162	148	137	136	135	164	150	139	138	138	166	152	142	142	142
2250	CFM	72.51	66.36	61.91	61.10	60.97	68.83	63.04	58.84	58.57	58.49	64.98	59.53	55.61	55.91	55.85	60.94	55.86	52.21	53.05	52.99
	MBh†	0.54	0.76	0.78	1.00	1.00	0.55	0.77	0.80	1.00	1.00	0.56	0.80	0.82	1.00	1.00	0.58	0.82	0.84	1.00	1.00
	S/T†	17.55	17.23	17.00	16.97	16.97	19.27	18.94	18.71	18.71	18.70	21.18	20.85	20.62	20.65	20.64	23.33	23.02	22.79	22.85	22.84
	AMPS*	287	282	278	278	277	331	325	321	321	321	378	372	367	368	368	428	422	418	419	419
	HI PR	163	149	138	137	137	165	151	140	140	140	167	153	142	143	143	169	155	144	147	147

HEATING		60 Size With FXM4X60**A* Indoor																			
		Outdoor Ambient Temperature - Degrees F, Dry Bulb										Outdoor Ambient Temperature - Degrees F, Wet Bulb									
		-3					7					17					27				
		65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65	70	75	65	70
1750	CFM	20.88	19.82	18.71	27.26	26.24	25.18	34.02	33.08	32.07	41.60	40.53	39.48	50.26	49.53	48.83	58.37	57.50	56.65	68.00	66.89
	MBh†	10.90	10.30	9.70	14.20	13.70	13.10	17.80	17.20	16.70	21.70	21.10	20.50	26.20	25.80	25.40	30.50	30.00	29.50	35.50	34.90
	T/R	14.40	14.99	15.62	15.01	15.65	16.33	15.63	16.32	17.03	16.33	17.04	17.79	17.23	18.02	18.88	18.06	18.88	19.76	19.04	19.94
	AMPS*	219	234	250	232	248	264	246	263	280	263	280	297	284	302	321	304	323	342	327	347
	HI PR	34	34	35	44	44	45	56	56	56	69	69	69	83	83	84	99	100	100	118	119
2000	CFM	21.30	20.23	19.12	27.75	26.72	25.65	34.60	33.63	32.61	42.46	41.18	40.11	50.83	50.11	49.43	59.12	58.23	57.38	69.17	67.91
	MBh†	9.70	9.20	8.70	12.70	12.20	11.70	15.80	15.30	14.80	19.40	18.80	18.20	23.20	22.90	22.50	27.00	26.60	26.10	31.60	31.00
	T/R	14.57	15.17	15.80	15.14	15.77	16.45	15.69	16.38	17.10	16.34	17.03	17.77	17.12	17.91	18.75	17.87	18.68	19.54	18.66	19.55
	AMPS*	216	232	247	228	244	260	241	257	274	256	273	290	274	293	312	293	311	331	312	332
	HI PR	34	34	34	44	44	45	56	56	56	68	69	69	83	83	83	99	99	100	118	119
2250	CFM	21.68	20.61	19.49	28.17	27.14	26.08	35.08	34.10	33.08	43.85	41.75	40.67	51.36	50.63	49.89	59.75	58.85	57.98	69.90	68.90
	MBh†	8.80	8.40	7.90	11.40	11.00	10.50	14.30	13.80	13.40	17.80	16.90	16.40	20.90	20.50	20.20	24.30	23.90	23.40	28.40	27.90
	T/R	14.77	15.37	16.01	15.30	15.93	16.61	15.80	16.49	17.20	16.52	17.08	17.83	17.11	17.90	18.71	17.80	18.60	19.45	18.48	19.32
	AMPS*	214	229	245	225	241	257	236	253	270	253	267	285	267	285	304	284	303	322	301	320
	HI PR	34	34	34	44	44	45	55	55	56	68	69	69	83	83	83	99	99	100	118	118

† Total capacities are net (I.D blower heat subtracted) system capacities based on 25 foot line set.

* If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in capacity may occur.

‡ System amps are total of indoor and outdoor amps

† S/T are based on 80°F db entering air at the indoor coil. For sensible capacities at other than 80°F db, deduct 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree below 80°F.

†† or add 835 Btuh per 1000 cfm of indoor coil air from MBh x S/T for each degree above 80°F.

T/R At TVA rating indoor condition (75°F db/63°F wb), all other indoor air temperatures are at 80°F db.

Temp Rise is based on 25 foot line set. If additional tubing length and/or indoor unit is located above outdoor unit, a slight variation in Temp Rise may occur.

CSH5 PARTS LIST									
KEY NO.	DESCRIPTION	FAST PARTS NO.	CSH518GKA100	CSH524GKA100	CSH530GKA100	CSH536GKA100	CSH542GKA100	CSH548GKA100	CSH560GKA100
01	COMP ZP16K5E-PFV-130	ZP16K5EPFV130	1	-	-	-	-	-	-
01	COMP ZP21K5E-PFV-130	ZP21K5EPFV130	-	1	-	-	-	-	-
01	COMP ZP25K5E-PFV-130	ZP25K5EPFV130	-	-	1	-	-	-	-
01	COMP ZP31K5E-PFV-130	ZP31K5EPFV130	-	-	-	1	-	-	-
01	COMP ZP38K5E-PFV-130	ZP38K5EPFV130	-	-	-	-	1	-	-
01	COMP ZP42K5E-PFV-130	ZP42K5EPFV130	-	-	-	-	-	1	-
01	COMP ZP51K5E-PFV-130	ZP51K5EPFV130	-	-	-	-	-	-	1
02	MOTOR COND 1/12 HP 800	1184595	1	-	-	-	-	-	-
02	MOTOR COND 1/12 HP 800	1184597	-	1	1	-	-	-	-
02	MOTOR COND 1/5 HP 810	1184598	-	-	-	1	1	-	-
02	MOTOR COND 1/4 HP 825	1184599	-	-	-	-	-	1	1
03	FAN C 24" 3B 1/2" 15 INT	1173721	1	-	-	-	-	-	-
03	FAN C 26" 3B 1/2" 16 INT	1174940	-	1	1	-	-	-	-
03	FAN C 26" 3B 1/2" 21 INT	1173661	-	-	-	1	1	-	-
03	FAN C 26" 3B 1/2" 24 INT	1172716	-	-	-	-	-	1	1
04	CONTACTOR 1P 30A 24V W/SHUNT	1172472	1	1	1	1	1	1	-
04	CONTACTOR 1P 40A	1176763	-	-	-	-	-	-	1
05	CAP RN RD 370V 5+30	1172109	1	-	-	-	-	-	-
05	CAP RN RD 370V 5+40	1172147	-	1	1	-	-	-	-
05	CAP RN RD 370V 5+45	1172124	-	-	-	1	1	-	-
05	CAP RN RD 370V 7.5+70	1172295	-	-	-	-	-	1	1
06	COND COIL ASSY	1179380	1	-	-	-	-	-	-
06	COND COIL ASSY	1179381	-	1	-	-	-	-	-
06	COND COIL ASSY	1179382	-	-	1	-	-	-	-
06	COND COIL ASSY	1179383	-	-	-	1	-	-	-
06	COND COIL ASSY	1179384	-	-	-	-	1	-	-
06	COIL ASY COND	1184657	-	-	-	-	-	1	-
06	COND COIL ASSY	1179385	-	-	-	-	-	-	1
07	VALVE SVC PARK SUC 10S-10S	1172725	1	1	-	-	-	-	-
07	VALVE SVC PARK SUC 12S-12S	1172726	-	-	1	1	-	-	-
07	VALVE SVC PARK SUC 14S-14S	1172727					1	1	1
08	VALVE SERVICE LIQUID	1173629	1	1	1	1	1	1	1
09	PLUG COMP WIRE (SM) 14GAx38"	1172729	1	-	-	-	-	-	-
09	PLUG COMP WIRE (SM) 52"	1174930	-	1	-	-	-	-	-
09	PLUG COMP WIRE (SM) 12GAx38"	1172730	-	-	1	-	-	-	-
09	PLUG COMP WIRE (SM) 12GAx44"	1172731	-	-	-	1	1	1	-
09	PLUG COMP WIRE (SM) 10GAx54"	1172732	-	-	-	-	-	-	1
10	ISOLATOR VIBRATION	1172271	4	4	4	4	4	4	4
11	NUT HEX WASHER FACE 5/16-18	1174289	4	4	4	4	4	4	4
12	VALVE REV W/COIL 24V	1173715	1	1	-	-	-	-	-

CSH5 PARTS LIST (continued)									
KEY NO.	DESCRIPTION	FAST PARTS NO.	CSH518GKA100	CSH524GKA100	CSH530GKA100	CSH536GKA100	CSH542GKA100	CSH548GKA100	CSH560GKA100
12	VALVE REVERSING	1175621	-	-	1	1	-	-	-
12	VALVE REVERSING	1175622	-	-	-	-	1	1	1
13	COIL REV VLV 24V	1172574	1	1	1	1	1	1	1
14	PLUG ASY RVS	1184654	1	1	1	1	1	1	1
15	ACCUMULATOR	1172312	1	-	-	-	-	-	-
15	ACCUMULATOR 174 3/4 5" DIA	1174937	-	1	-	-	-	-	-
15	ACCUMULATOR	1176606	-	-	1	-	-	-	-
15	ACCUMULATOR	1174703	-	-	-	1	-	-	-
15	ACCUMULATOR	1172122	-	-	-	-	1	-	-
15	ACCUMULATOR 174 IN3 7/8	1173714	-	-	-	-	-	1	-
15	ACCUMULATOR	1172313	-	-	-	-	-	-	1
16	CAPILLARY ASSY FORMED	1174096	1	1	1	1	1	1	1
17	PRESSURE SWITCH LOW	1184655	1	1	1	1	1	1	1
18	PISTON CHATLEFF .042	1173634	1	-	-	-	-	-	-
18	PISTON CHATLEFF .046	1173650	-	1	-	-	-	-	-
18	PISTON .052	1174060	-	-	1	-	-	-	-
18	PISTON CHATLEFF .061	1173663	-	-	-	1	1	-	-
18	PISTON CHATLEFF .067	1173867	-	-	-	-	-	1	-
18	PISTON .076	1173673	-	-	-	-	-	-	1
19	PRESSURE SWITCH HI	1184656	1	1	1	1	1	1	1
20	DISTRIBUTOR	1172020	1	-	-	-	-	-	-
20	DISTRIBUTOR	1172021	-	1	1	-	-	-	-
20	DISTRIBUTOR	1172022	-	-	-	1	-	-	-
20	DISTRIBUTOR	1173998	-	-	-	-	1	1	-
20	DISTRIBUTOR	1174018	-	-	-	-	-	-	1
22	THERMISTOR ASY	1184605	1	1	1	1	1	1	1
23	MUFFLER	1173668	1	1	1	1	1	1	1
24	FILTER DRIER ASY	1183922	1	1	1	1	1	1	1
26	BOARD CONTROL	1184601	1	1	1	1	1	1	1
27	JACKET SOUND	1172015	1	1	1	1	-	-	-
27	JACKET SOUND	1172014	-	-	-	-	1	1	1
28	CAP FLARE	1172410	1	1	1	1	1	1	1
29	GROMMET ACCUMULATOR CUSHION	1172806	1	1	1	1	1	1	1
30	CLIP ACCUM	1173640	1	1	1	1	1	1	1
32	RACEWAY	1175919	1	1	1	1	1	1	1
33	LUG GROUND	1172300	1	1	1	1	1	1	1
34	HARNESS ASY WIRE	1184604	1	1	1	1	1	1	1
35	HTR CC WP 40W240V TCH-245	1173944	-	-	-	-	-	1	1
36	SWITCH TEMP DISC O85 C65	1173669	-	-	-	-	-	1	1
42	HARNESS ASY WIRE	1184602	1	1	1	1	1	1	1

CSH5 PARTS LIST (continued)								
KEY NO.	DESCRIPTION	FAST PARTS NO.	CSH518GKA100	CSH524GKA100	CSH530GKA100	CSH536GKA100	CSH542GKA100	CSH548GKA100
A	TOP COVER ASY	1183097	1	-	-	-	-	-
A	TOP COVER ASY	1183317	-	1	1	1	1	1
B	NUT HEX 8-32 KNURL MTR MTG	1172217	4	4	4	4	4	4
C1	GRILLE INLET	1178628	1	-	-	-	-	-
C1	GRILLE INLET	1178633	-	1	1	-	-	1
C1	GRILLE INLET	1178576	-	-	-	1	-	-
C1	GRILLE INLET	1178629	-	-	-	-	1	-
C1	GRILLE INLET	1178579	-	-	-	-	-	1
C2	GRILLE INLET	1178631	2	-	-	-	-	-
C2	GRILLE INLET	1178634	-	2	2	-	-	2
C2	GRILLE INLET	1178577	-	-	-	2	-	-
C2	GRILLE INLET	1178630	-	-	-	-	2	-
C2	GRILLE INLET	1178580	-	-	-	-	-	2
C3	GRILLE INLET	1178627	1	-	-	-	-	-
C3	GRILLE INLET	1178635	-	1	1	-	-	1
C3	GRILLE INLET	1178578	-	-	-	1	-	-
C3	GRILLE INLET	1178613	-	-	-	-	1	-
C3	GRILLE INLET	1178581	-	-	-	-	-	1
D	BOX CONTROL	1184617	1	1	1	1	1	1
E	KIT CONTROL BOX COVER	1184647	1	-	-	-	-	-
E	KIT CONTROL BOX COVER	1184648	-	1	-	-	-	-
E	KIT CONTROL BOX COVER	1184649	-	-	1	-	-	-
E	KIT CONTROL BOX COVER	1184650	-	-	-	1	-	-
E	KIT CONTROL BOX COVER	1184651	-	-	-	-	1	-
E	KIT CONTROL BOX COVER	1184652	-	-	-	-	-	1
E	KIT CONTROL BOX COVER	1184653	-	-	-	-	-	1
F	SVCE PNL ASSY	1178324	1	-	-	-	1	-
F	SVCE PNL ASSY	1178528	-	1	1	-	-	1
F	SVCE PNL ASSY	1178325	-	-	-	1	-	-
F	SVCE PNL ASSY	1178326	-	-	-	-	-	1
G	BASE PAN ASSY	1178308	1	-	-	-	-	-
G	BASE PAN ASSY	1178309	-	1	1	1	1	1
J	CORNER POST ASY	1178588	3	-	-	-	3	-
J	COR POST ASY	1178636	-	3	3	-	-	3
J	CORNER POST ASY	1178574	-	-	-	3	-	-
J	CORNER POST ASY	1178575	-	-	-	-	-	3
L	GUARD FAN	1178586	1	-	-	-	-	-
L	GUARD FAN	1178573	-	1	1	1	1	1
N	SUPPORT COIL	1174068	5	5	5	5	5	5
P	CLAMP CAPACITOR ROUND 2.0"D	1172734	1	1	1	1	1	-

CSH5 PARTS LIST (continued)

KEY NO.	DESCRIPTION	FAST PARTS NO.	CSH518GKA100	CSH524GKA100	CSH530GKA100	CSH536GKA100	CSH542GKA100	CSH548GKA100	CSH560GKA100
P	CLAMP CAPACITOR ROUND 2.5"D	1172735	-	-	-	-	-	1	1
R	MOTOR CAP ASSY COMF/MAIN AC&HP	1179386	1	1	1	1	1	1	1
Parts Not Shown									
)	KIT ADAPTER ASSY	1174192	1	1	1	1	1	1	1
)	CAP SERVICE KIT 11/16-20	1175650	1	1	1	1	1	1	1
)	CAP SERVICE KIT 15/16-20	1175651	1	1	1	1	-	-	-
)	CAP SERVICE KIT 1-1/16-20	1175652	-	-	-	-	1	1	1
)	DRIER FILTER SUCT LINE 8.0 CI	1174194	1	1	1	1	-	-	-
)	DRIER FILTER SUCT LINE 15.0 CI	1174193	-	-	-	-	1	1	1
)	PAINT TOUCH UP BALTIC GRY 1 PT	1178322	1	1	1	1	1	1	1

HSH5 PARTS LIST									
KEY NO.	DESCRIPTION	FAST PARTS NO.	HSH518GKA100	HSH524GKA100	HSH530GKA100	HSH536GKA100	HSH542GKA100	HSH548GKA100	HSH560GKA100
01	COMP ZP16K5E-PFV-130	ZP16K5EPFV130	1	-	-	-	-	-	-
01	COMP ZP21K5E-PFV-130	ZP21K5EPFV130	-	1	-	-	-	-	-
01	COMP ZP25K5E-PFV-130	ZP25K5EPFV130	-	-	1	-	-	-	-
01	COMP ZP31K5E-PFV-130	ZP31K5EPFV130	-	-	-	1	-	-	-
01	COMP ZP38K5E-PFV-130	ZP38K5EPFV130	-	-	-	-	1	-	-
01	COMP ZP42K5E-PFV-130	ZP42K5EPFV130	-	-	-	-	-	1	-
01	COMP ZP51K5E-PFV-130	ZP51K5EPFV130	-	-	-	-	-	-	1
02	MOTOR COND 1/12 HP 800	1184595	1	-	-	-	-	-	-
02	MOTOR COND 1/12 HP 800	1184597	-	1	1	-	-	-	-
02	MOTOR COND 1/5 HP 810	1184598	-	-	-	1	1	-	-
02	MOTOR COND 1/4 HP 825	1184599	-	-	-	-	-	1	1
03	FAN C 24" 3B 1/2" 15 INT	1173721	1	-	-	-	-	-	-
03	FAN C 26" 3B 1/2" 16 INT	1174940	-	1	1	-	-	-	-
03	FAN C 26" 3B 1/2" 21 INT	1173661	-	-	-	1	1	-	-
03	FAN C 26" 3B 1/2" 24 INT	1172716	-	-	-	-	-	1	1
04	CONTACTOR 1P 30A 24V W/SHUNT	1172472	1	1	1	1	1	1	-
04	CONTACTOR 1P 40A	1176763	-	-	-	-	-	-	1
05	CAP RN RD 370V 5+30	1172109	1	-	-	-	-	-	-
05	CAP RN RD 370V 5+40	1172147	-	1	1	-	-	-	-
05	CAP RN RD 370V 5+45	1172124	-	-	-	1	1	-	-
05	CAP RN RD 370V 7.5+70	1172295	-	-	-	-	-	1	1
06	COND COIL ASSY	1179380	1	-	-	-	-	-	-
06	COND COIL ASSY	1179381	-	1	-	-	-	-	-
06	COND COIL ASSY	1179382	-	-	1	-	-	-	-
06	COND COIL ASSY	1179383	-	-	-	1	-	-	-
06	COND COIL ASSY	1179384	-	-	-	-	1	-	-
06	COIL ASY COND	1184657	-	-	-	-	-	1	-
06	COND COIL ASSY	1179385	-	-	-	-	-	-	1
07	VALVE SVC PARK SUC 10S-10S	1172725	1	1	-	-	-	-	-
07	VALVE SVC PARK SUC 12S-12S	1172726	-	-	1	1	-	-	-
07	VALVE SVC PARK SUC 14S-14S	1172727					1	1	1
08	VALVE SERVICE LIQUID	1173629	1	1	1	1	1	1	1
09	PLUG COMP WIRE (SM) 14GAx38"	1172729	1	-	-	-	-	-	-
09	PLUG COMP WIRE (SM) 52"	1174930	-	1	-	-	-	-	-
09	PLUG COMP WIRE (SM) 12GAx38"	1172730	-	-	1	-	-	-	-
09	PLUG COMP WIRE (SM) 12GAx44"	1172731	-	-	-	1	1	1	-
09	PLUG COMP WIRE (SM) 10GAx54"	1172732	-	-	-	-	-	-	1
10	ISOLATOR VIBRATION	1172271	4	4	4	4	4	4	4
11	NUT HEX WASHER FACE 5/16-18	1174289	4	4	4	4	4	4	4
12	VALVE REV W/COIL 24V	1173715	1	1	-	-	-	-	-

HSH5 PARTS LIST (continued)									
KEY NO.	DESCRIPTION	FAST PARTS NO.	HSH518GKA100	HSH524GKA100	HSH530GKA100	HSH536GKA100	HSH542GKA100	HSH548GKA100	HSH560GKA100
12	VALVE REVERSING	1175621	-	-	1	1	-	-	-
12	VALVE REVERSING	1175622	-	-	-	-	1	1	1
13	COIL REV VLV 24V	1172574	1	1	1	1	1	1	1
14	PLUG ASY RVS	1184654	1	1	1	1	1	1	1
15	ACCUMULATOR	1172312	1	-	-	-	-	-	-
15	ACCUMULATOR 174 3/4 5" DIA	1174937	-	1	-	-	-	-	-
15	ACCUMULATOR	1176606	-	-	1	-	-	-	-
15	ACCUMULATOR	1174703	-	-	-	1	-	-	-
15	ACCUMULATOR	1172122	-	-	-	-	1	-	-
15	ACCUMULATOR 174 IN3 7/8	1173714	-	-	-	-	-	1	-
15	ACCUMULATOR	1172313	-	-	-	-	-	-	1
16	CAPILLARY ASSY FORMED	1174096	1	1	1	1	1	1	1
17	PRESSURE SWITCH LOW	1184655	1	1	1	1	1	1	1
18	PISTON CHATLEFF .042	1173634	1	-	-	-	-	-	-
18	PISTON CHATLEFF .046	1173650	-	1	-	-	-	-	-
18	PISTON .052	1174060	-	-	1	-	-	-	-
18	PISTON CHATLEFF .061	1173663	-	-	-	1	1	-	-
18	PISTON CHATLEFF .067	1173867	-	-	-	-	-	1	-
18	PISTON .076	1173673	-	-	-	-	-	-	1
19	PRESSURE SWITCH HI	1184656	1	1	1	1	1	1	1
20	DISTRIBUTOR	1172020	1	-	-	-	-	-	-
20	DISTRIBUTOR	1172021	-	1	1	-	-	-	-
20	DISTRIBUTOR	1172022	-	-	-	1	-	-	-
20	DISTRIBUTOR	1173998	-	-	-	-	1	1	-
20	DISTRIBUTOR	1174018	-	-	-	-	-	-	1
22	THERMISTOR ASY	1184605	1	1	1	1	1	1	1
23	MUFFLER	1173668	1	1	1	1	1	1	1
24	FILTER DRIER ASY	1183922	1	1	1	1	1	1	1
26	BOARD CONTROL	1184601	1	1	1	1	1	1	1
27	JACKET SOUND	1172015	1	1	1	1	-	-	-
27	JACKET SOUND	1172014	-	-	-	-	1	1	1
28	CAP FLARE	1172410	1	1	1	1	1	1	1
29	GROMMET ACCUMULATOR CUSHION	1172806	1	1	1	1	1	1	1
30	CLIP ACCUM	1173640	1	1	1	1	1	1	1
32	RACEWAY	1175919	1	1	1	1	1	1	1
33	LUG GROUND	1172300	1	1	1	1	1	1	1
34	HARNESS ASY WIRE	1184604	1	1	1	1	1	1	1
35	HTR CC WP 40W240V TCH-245	1173944	-	-	-	-	-	1	1
36	SWITCH TEMP DISC O85 C65	1173669	-	-	-	-	-	1	1
42	HARNESS ASY WIRE	1184602	1	1	1	1	1	1	1

HSH5 PARTS LIST (continued)									
KEY NO.	DESCRIPTION	FAST PARTS NO.	HSH518GKA100	HSH524GKA100	HSH530GKA100	HSH536GKA100	HSH542GKA100	HSH548GKA100	HSH560GKA100
A	TOP COVER ASY	1177914	1	-	-	-	-	-	-
A	TOP COVER ASSY	1178327	-	1	1	1	1	1	1
B	NUT HEX 8-32 KNURL MTR MTG	1172217	4	4	4	4	4	4	4
C1	GRILLE INLET	1177419	1	-	-	-	-	-	-
C1	GRILLE INLET	1177490	-	1	1	-	-	1	-
C1	GRILLE INLET	1177733	-	-	-	1	-	-	-
C1	GRILLE INLET	1177492	-	-	-	-	1	-	-
C1	GRILLE INLET	1177491	-	-	-	-	-	-	1
C2	GRILLE INLET	1177969	2	-	-	-	-	-	-
C2	GRILLE INLET HEIL	1175796	-	2	2	-	-	2	-
C2	GRILLE INLET HEIL	1175797	-	-	-	2	-	-	-
C2	GRILLE INLET HEIL	1176701	-	-	-	-	2	-	-
C2	GRILLE INLET HEIL	1176702	-	-	-	-	-	-	2
C3	GRILLE INLET	1177972	1	-	-	-	-	-	-
C3	GRILLE INLET	1177493	-	1	1	-	-	1	-
C3	GRILLE INLET	1177734	-	-	-	1	-	-	-
C3	GRILLE INLET	1177495	-	-	-	-	1	-	-
C3	GRILLE INLET	1177494	-	-	-	-	-	-	1
D	BOX CONTROL	1184617	1	1	1	1	1	1	1
E	KIT CONTROL BOX COVER	1184647	1	-	-	-	-	-	-
E	KIT CONTROL BOX COVER	1184648	-	1	-	-	-	-	-
E	KIT CONTROL BOX COVER	1184649	-	-	1	-	-	-	-
E	KIT CONTROL BOX COVER	1184650	-	-	-	1	-	-	-
E	KIT CONTROL BOX COVER	1184651	-	-	-	-	1	-	-
E	KIT CONTROL BOX COVER	1184652	-	-	-	-	-	1	-
E	KIT CONTROL BOX COVER	1184653	-	-	-	-	-	-	1
F	SVCE PNL ASSY	1178324	1	-	-	-	1	-	-
F	SVCE PNL ASSY	1178528	-	1	1	-	-	1	-
F	SVCE PNL ASSY	1178325	-	-	-	1	-	-	-
F	SVCE PNL ASSY	1178326	-	-	-	-	-	-	1
G	BASE PAN ASSY	1178308	1	-	-	-	-	-	-
G	BASE PAN ASSY	1178309	-	1	1	1	1	1	1
J	COR POST ASSY	1178312	3	-	-	-	3	-	-
J	COR POST ASSY	1178529	-	3	3	-	-	3	-
J	COR POST ASSY	1178313	-	-	-	3	-	-	-
J	COR POST ASSY	1178314	-	-	-	-	-	-	3
L	FAN GUARD	1177893	1	-	-	-	-	-	-
L	GUARD FAN	1174032	-	1	1	1	1	1	1
N	SUPPORT COIL	1174068	5	5	5	5	5	5	5
P	CLAMP CAPACITOR ROUND 2.0"D	1172734	1	1	1	1	1	-	-


HSH5 PARTS LIST (continued)									
KEY NO.	DESCRIPTION	FAST PARTS NO.	HSH518GKA100	HSH524GKA100	HSH530GKA100	HSH536GKA100	HSH542GKA100	HSH548GKA100	HSH560GKA100
P	CLAMP CAPACITOR ROUND 2.5"D	1172735	-	-	-	-	-	1	1
R	MOTOR CAP ASSY HEIL/MAIN AC&HP	1179389	1	1	1	1	1	1	1
Parts Not Shown									
)(	KIT ADAPTER ASSY	1174192	1	1	1	1	1	1	1
)(	CAP SERVICE KIT 11/16-20	1175650	1	1	1	1	1	1	1
)(	CAP SERVICE KIT 15/16-20	1175651	1	1	1	1	-	-	-
)(	CAP SERVICE KIT 1-1/16-20	1175652	-	-	-	-	1	1	1
)(	DRIER FILTER SUCT LINE 8.0 CI	1174194	1	1	1	1	-	-	-
)(	DRIER FILTER SUCT LINE 15.0 CI	1174193	-	-	-	-	1	1	1
)(	PAINT TOUCH UP BALTIC GRY 1 PT	1178322	1	1	1	1	1	1	1

TSH5 PARTS LIST									
KEY NO.	DESCRIPTION	FAST PARTS NO.	TSH518GKA100	TSH524GKA100	TSH530GKA100	TSH536GKA100	TSH542GKA100	TSH548GKA100	TSH560GKA100
01	COMP ZP16K5E-PFV-130	ZP16K5EPFV130	1	-	-	-	-	-	-
01	COMP ZP21K5E-PFV-130	ZP21K5EPFV130	-	1	-	-	-	-	-
01	COMP ZP25K5E-PFV-130	ZP25K5EPFV130	-	-	1	-	-	-	-
01	COMP ZP31K5E-PFV-130	ZP31K5EPFV130	-	-	-	1	-	-	-
01	COMP ZP38K5E-PFV-130	ZP38K5EPFV130	-	-	-	-	1	-	-
01	COMP ZP42K5E-PFV-130	ZP42K5EPFV130	-	-	-	-	-	1	-
01	COMP ZP51K5E-PFV-130	ZP51K5EPFV130	-	-	-	-	-	-	1
02	MOTOR COND 1/12 HP 800	1184595	1	-	-	-	-	-	-
02	MOTOR COND 1/12 HP 800	1184597	-	1	1	-	-	-	-
02	MOTOR COND 1/5 HP 810	1184598	-	-	-	1	1	-	-
02	MOTOR COND 1/4 HP 825	1184599	-	-	-	-	-	1	1
03	FAN C 24" 3B 1/2" 15 INT	1173721	1	-	-	-	-	-	-
03	FAN C 26" 3B 1/2" 16 INT	1174940	-	1	1	-	-	-	-
03	FAN C 26" 3B 1/2" 21 INT	1173661	-	-	-	1	1	-	-
03	FAN C 26" 3B 1/2" 24 INT	1172716	-	-	-	-	-	1	1
04	CONTACTOR 1P 30A 24V W/SHUNT	1172472	1	1	1	1	1	1	-
04	CONTACTOR 1P 40A	1176763	-	-	-	-	-	-	1
05	CAP RN RD 370V 5+30	1172109	1	-	-	-	-	-	-
05	CAP RN RD 370V 5+40	1172147	-	1	1	-	-	-	-
05	CAP RN RD 370V 5+45	1172124	-	-	-	1	1	-	-
05	CAP RN RD 370V 7.5+70	1172295	-	-	-	-	-	1	1
06	COND COIL ASSY	1179380	1	-	-	-	-	-	-
06	COND COIL ASSY	1179381	-	1	-	-	-	-	-
06	COND COIL ASSY	1179382	-	-	1	-	-	-	-
06	COND COIL ASSY	1179383	-	-	-	1	-	-	-
06	COND COIL ASSY	1179384	-	-	-	-	1	-	-
06	COIL ASY COND	1184657	-	-	-	-	-	1	-
06	COND COIL ASSY	1179385	-	-	-	-	-	-	1
07	VALVE SVC PARK SUC 10S-10S	1172725	1	1	-	-	-	-	-
07	VALVE SVC PARK SUC 12S-12S	1172726	-	-	1	1	-	-	-
07	VALVE SVC PARK SUC 14S-14S	1172727					1	1	1
08	VALVE SERVICE LIQUID	1173629	1	1	1	1	1	1	1
09	PLUG COMP WIRE (SM) 14GAx38"	1172729	1	-	-	-	-	-	-
09	PLUG COMP WIRE (SM) 52"	1174930	-	1	-	-	-	-	-
09	PLUG COMP WIRE (SM) 12GAx38"	1172730	-	-	1	-	-	-	-
09	PLUG COMP WIRE (SM) 12GAx44"	1172731	-	-	-	1	1	1	-
09	PLUG COMP WIRE (SM) 10GAx54"	1172732	-	-	-	-	-	-	1
10	ISOLATOR VIBRATION	1172271	4	4	4	4	4	4	4
11	NUT HEX WASHER FACE 5/16-18	1174289	4	4	4	4	4	4	4
12	VALVE REV W/COIL 24V	1173715	1	1	-	-	-	-	-


TSH5 PARTS LIST (continued)									
KEY NO.	DESCRIPTION	FAST PARTS NO.	TSH518GKA100	TSH524GKA100	TSH530GKA100	TSH536GKA100	TSH542GKA100	TSH548GKA100	TSH560GKA100
12	VALVE REVERSING	1175621	-	-	1	1	-	-	-
12	VALVE REVERSING	1175622	-	-	-	-	1	1	1
13	COIL REV VLV 24V	1172574	1	1	1	1	1	1	1
14	PLUG ASY RVS	1184654	1	1	1	1	1	1	1
15	ACCUMULATOR	1172312	1	-	-	-	-	-	-
15	ACCUMULATOR 174 3/4 5" DIA	1174937	-	1	-	-	-	-	-
15	ACCUMULATOR	1176606	-	-	1	-	-	-	-
15	ACCUMULATOR	1174703	-	-	-	1	-	-	-
15	ACCUMULATOR	1172122	-	-	-	-	1	-	-
15	ACCUMULATOR 174 IN3 7/8	1173714	-	-	-	-	-	1	-
15	ACCUMULATOR	1172313	-	-	-	-	-	-	1
16	CAPILLARY ASSY FORMED	1174096	1	1	1	1	1	1	1
17	PRESSURE SWITCH LOW	1184655	1	1	1	1	1	1	1
18	PISTON CHATLEFF .042	1173634	1	-	-	-	-	-	-
18	PISTON CHATLEFF .046	1173650	-	1	-	-	-	-	-
18	PISTON .052	1174060	-	-	1	-	-	-	-
18	PISTON CHATLEFF .061	1173663	-	-	-	1	1	-	-
18	PISTON CHATLEFF .067	1173867	-	-	-	-	-	1	-
18	PISTON .076	1173673	-	-	-	-	-	-	1
19	PRESSURE SWITCH HI	1184656	1	1	1	1	1	1	1
20	DISTRIBUTOR	1172020	1	-	-	-	-	-	-
20	DISTRIBUTOR	1172021	-	1	1	-	-	-	-
20	DISTRIBUTOR	1172022	-	-	-	1	-	-	-
20	DISTRIBUTOR	1173998	-	-	-	-	1	1	-
20	DISTRIBUTOR	1174018	-	-	-	-	-	-	1
22	THERMISTOR ASY	1184605	1	1	1	1	1	1	1
23	MUFFLER	1173668	1	1	1	1	1	1	1
24	FILTER DRIER ASY	1183922	1	1	1	1	1	1	1
26	BOARD CONTROL	1184601	1	1	1	1	1	1	1
27	JACKET SOUND	1172015	1	1	1	1	-	-	-
27	JACKET SOUND	1172014	-	-	-	-	1	1	1
28	CAP FLARE	1172410	1	1	1	1	1	1	1
29	GROMMET ACCUMULATOR CUSHION	1172806	1	1	1	1	1	1	1
30	CLIP ACCUM	1173640	1	1	1	1	1	1	1
32	RACEWAY	1175919	1	1	1	1	1	1	1
33	LUG GROUND	1172300	1	1	1	1	1	1	1
34	HARNESS ASY WIRE	1184604	1	1	1	1	1	1	1
35	HTR CC WP 40W240V TCH-245	1173944	-	-	-	-	-	1	1
36	SWITCH TEMP DISC O85 C65	1173669	-	-	-	-	-	1	1
42	HARNESS ASY WIRE	1184602	1	1	1	1	1	1	1

TSH5 PARTS LIST (continued)									
KEY NO.	DESCRIPTION	FAST PARTS NO.	TSH518GKA100	TSH524GKA100	TSH530GKA100	TSH536GKA100	TSH542GKA100	TSH548GKA100	TSH560GKA100
A	TOP COVER ASY	1183097	1	-	-	-	-	-	-
A	TOP COVER ASY	1183317	-	1	1	1	1	1	1
B	NUT HEX 8-32 KNURL MTR MTG	1172217	4	4	4	4	4	4	4
C1	GRILLE INLET	1177422	1	-	-	-	-	-	-
C1	GRILLE INLET	1177574	-	1	1	-	-	1	-
C1	GRILLE INLET	1177795	-	-	-	1	-	-	-
C1	GRILLE INLET	1177573	-	-	-	-	1	-	-
C1	GRILLE INLET	1177575	-	-	-	-	-	-	1
C2	GRILLE INLET	1177970	2	-	-	-	-	-	-
C2	GRILLE INLET	1176442	-	2	2	-	-	2	-
C2	GRILLE INLET	1176446	-	-	-	2	-	-	-
C2	GRILLE INLET	1176716	-	-	-	-	2	-	-
C2	GRILLE INLET	1176717	-	-	-	-	-	-	2
C3	GRILLE INLET	1177973	1	-	-	-	-	-	-
C3	GRILLE INLET	1177577	-	1	1	-	-	1	-
C3	GRILLE INLET	1177796	-	-	-	1	-	-	-
C3	GRILLE INLET	1177576	-	-	-	-	1	-	-
C3	GRILLE INLET	1177578	-	-	-	-	-	-	1
D	BOX CONTROL	1184617	1	1	1	1	1	1	1
E	KIT CONTROL BOX COVER	1184647	1	-	-	-	-	-	-
E	KIT CONTROL BOX COVER	1184648	-	1	-	-	-	-	-
E	KIT CONTROL BOX COVER	1184649	-	-	1	-	-	-	-
E	KIT CONTROL BOX COVER	1184650	-	-	-	1	-	-	-
E	KIT CONTROL BOX COVER	1184651	-	-	-	-	1	-	-
E	KIT CONTROL BOX COVER	1184652	-	-	-	-	-	1	-
E	KIT CONTROL BOX COVER	1184653	-	-	-	-	-	-	1
F	SVCE PNL ASSY	1178324	1	-	-	-	1	-	-
F	SVCE PNL ASSY	1178528	-	1	1	-	-	1	-
F	SVCE PNL ASSY	1178325	-	-	-	1	-	-	-
F	SVCE PNL ASSY	1178326	-	-	-	-	-	-	1
G	BASE PAN ASSY	1178308	1	-	-	-	-	-	-
G	BASE PAN ASSY	1178309	-	1	1	1	1	1	1
J	CORNER POST ASY	1178547	3	-	-	-	3	-	-
J	COR POST ASY	1178637	-	3	3	-	-	3	-
J	CORNER POST ASY	1178433	-	-	-	3	-	-	-
J	CORNER POST ASY	1178583	-	-	-	-	-	-	3
L	FAN GUARD	1177894	1	-	-	-	-	-	-
L	FAN GUARD	1177572	-	1	1	1	1	1	1
N	SUPPORT COIL	1174068	5	5	5	5	5	5	5
P	CLAMP CAPACITOR ROUND 2.0"D	1172734	1	1	1	1	1	-	-


TSH5 PARTS LIST (continued)									
KEY NO.	DESCRIPTION	FAST PARTS NO.	TSH518GKA100	TSH524GKA100	TSH530GKA100	TSH536GKA100	TSH542GKA100	TSH548GKA100	TSH560GKA100
P	CLAMP CAPACITOR ROUND 2.5"D	1172735	-	-	-	-	-	1	1
R	MOTOR CAP ASSY TEMP/MAIN AC&HP	1179390	1	1	1	1	1	1	1
Parts Not Shown									
) (	KIT ADAPTER ASSY	1174192	1	1	1	1	1	1	1
) (	CAP SERVICE KIT 11/16-20	1175650	1	1	1	1	1	1	1
) (	CAP SERVICE KIT 15/16-20	1175651	1	1	1	1	-	-	-
) (	CAP SERVICE KIT 1-1/16-20	1175652	-	-	-	-	1	1	1
) (	DRIER FILTER SUCT LINE 8.0 CI	1174194	1	1	1	1	-	-	-
) (	DRIER FILTER SUCT LINE 15.0 CI	1174193	-	-	-	-	1	1	1
) (	PAINT TOUCH UP BALTIC GRY 1 PT	1178322	1	1	1	1	1	1	1



NOTE: This illustration is for reference only. Your unit may differ in appearance or may not include all components shown.



NOTE: This illustration is for reference only. Your unit may differ in appearance or may not include all components shown.



H/P Refrigerant Assembly

CSH5-1

COOLING Multiplying Factors for other Indoor Combinations

(C,H,T)SH518

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
*FXM4X18**A*		1.00	1.00	EHD4X24A**		0.98	1.10
EA*4X18*14A*	*8MV*0701412**	0.95	0.99	EN(A,D)4X18*14**	*8MV*0701412**	0.96	1.00
EA*4X18*14A*	*8MX*0451408**	0.96	1.00	EN(A,D)4X18*14**	*8MX*0451408**	0.97	1.01
EA*4X18*14A*	*9MV*0401410A**	0.95	1.03	EN(A,D)4X18*14**	*9MV*0401410A**	0.96	1.04
EA*4X18*14A*	*9MX*0401410A**	0.94	1.03	EN(A,D)4X18*14**	*9MX*0401410A**	0.95	1.03
EA*4X18*14A*	MV08B15**B*	0.96	0.98	EN(A,D)4X18*14**	MV08B15**B*	0.97	1.00
EA*4X18*14A*	*8MPV050	0.98	1.04	EN(A,D)4X18*14**	*8MPV050	0.98	1.02
EA*4X24*14A*	*8MV*0701412**	0.97	0.99	EN(A,D)4X18*14**		0.97	1.10
EA*4X24*14A*	*8MX*0451408**	0.99	0.99	EN(A,D)4X19*17**	*8MV*0901716**	0.98	0.98
EA*4X24*14A*	*9MV*0401410A**	0.97	1.01	EN(A,D)4X19*17**	*9MA*0601714A**	0.98	1.00
EA*4X24*14A*	*9MX*0401410A**	0.97	1.02	EN(A,D)4X19*17**	*9MA*0801714A**	0.97	1.00
EA*4X24*14A*	MV08B15**B*	0.98	0.98	EN(A,D)4X19*17**	*9MV*0401410A**	0.98	1.02
EA*4X24*14A*	*8MPV050	1.00	1.02	EN(A,D)4X19*17**	*9MV*0601714A**	1.00	1.00
EA*4X24*14A*		0.97	1.10	EN(A,D)4X19*17**	*9MV*0801716A**	1.01	1.01
EA*4X24*17A*	*8MV*0901716**	0.97	1.00	EN(A,D)4X19*17**	*9MX*0401410A**	0.97	1.01
EA*4X24*17A*	*9MA*0601714A**	0.97	0.99	EN(A,D)4X19*17**	*8MPV050	1.02	1.04
EA*4X24*17A*	*9MA*0801714A**	0.97	0.99	EN(A,D)4X19*17**	*9MPV050	1.02	1.05
EA*4X24*17A*	*9MV*0401410A**	0.98	1.04	EN(A,D)4X19*17**	OLV098A12A	0.99	0.99
EA*4X24*17A*	*9MV*0601714A**	0.99	1.03	EN(A,D)4X19*17**	OMV098J12A	1.01	1.01
EA*4X24*17A*	*9MV*0801716A**	0.99	1.02	EN(A,D)4X19*17**		0.98	1.10
EA*4X24*17A*	*9MX*0401410A**	0.97	1.01	EN(A,D)4X24*14**	*8MV*0701412**	0.97	0.99
EA*4X24*17A*	MV08B15**B*	0.98	0.98	EN(A,D)4X24*14**	*8MX*0451408**	0.98	1.01
EA*4X24*17A*	*8MPV050	1.01	1.03	EN(A,D)4X24*14**	*9MV*0401410A**	0.97	1.04
EA*4X24*17A*	*9MPV050	1.01	1.04	EN(A,D)4X24*14**	*9MX*0401410A**	0.96	1.03
EA*4X24*17A*	OLV098A12A	0.99	0.99	EN(A,D)4X24*14**	MV08B15**B*	0.98	0.98
EA*4X24*17A*	OMV098J12A	0.99	0.99	EN(A,D)4X24*14**	*8MPV050	1.00	1.02
EA*4X24*17A*		0.97	1.10	EN(A,D)4X24*14**		0.97	1.10
ED*4X18B**	*8MV*0701412**	0.95	0.99	EN(A,D)4X24*17**	*8MV*0901716**	0.97	1.00
ED*4X18B**	*8MX*0451408**	0.96	1.00	EN(A,D)4X24*17**	*9MA*0601714A**	0.97	1.00
ED*4X18B**	*9MV*0401410A**	0.95	1.02	EN(A,D)4X24*17**	*9MA*0801714A**	0.97	1.01
ED*4X18B**	*9MX*0401410A**	0.94	1.01	EN(A,D)4X24*17**	*9MV*0401410A**	0.97	1.04
ED*4X18B**	MV08B15**B*	0.96	0.98	EN(A,D)4X24*17**	*9MV*0601714A**	0.98	1.02
ED*4X18B**	*8MPV050	0.98	1.04	EN(A,D)4X24*17**	*9MV*0801716A**	0.99	1.01
ED*4X24B**	*8MV*0701412**	0.97	0.99	EN(A,D)4X24*17**	*9MX*0401410A**	0.96	1.03

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X24B**	*8MX*0451408**	0.99	1.01	EN(A,D)4X24*17**	MV08B15**B*	0.98	0.98
ED*4X24B**	*9MV*0401410A**	0.97	1.04	EN(A,D)4X24*17**	*8MPV050	1.00	1.02
ED*4X24B**	*9MX*0401410A**	0.97	1.01	EN(A,D)4X24*17**	*9MPV050	1.01	1.05
ED*4X24B**	MV08B15**B*	0.98	0.98	EN(A,D)4X24*17**	*9MPV075	1.00	1.04
ED*4X24B**	*8MPV050	1.00	1.02	EN(A,D)4X24*17**	*9MVX040	1.01	1.05
ED*4X24F**	*8MV*0901716**	0.97	1.00	EN(A,D)4X24*17**	*9MVX060	1.01	1.05
ED*4X24F**	*9MA*0601714A**	0.97	0.99	EN(A,D)4X24*17**	OLV098A12A	0.99	1.01
ED*4X24F**	*9MA*0602120A**	0.97	1.00	EN(A,D)4X24*17**	OMV098J12A	0.99	1.02
ED*4X24F**	*9MA*0801714A**	0.97	0.99	EN(A,D)4X24*17**		0.97	1.10
ED*4X24F**	*9MV*0601714A**	0.99	1.01	ENH4X24*17**	*8MV*0701412**	0.97	0.99
ED*4X24F**	*9MV*0801716A**	0.99	0.99	ENH4X24*17**	*8MV*0901716**	0.97	1.00
ED*4X24F**	*9MV*0802120A**	1.01	1.01	ENH4X24*17**	*8MX*0451408**	0.98	1.01
ED*4X24F**	*9MV*1002120A**	1.01	1.01	ENH4X24*17**	*9MA*0601714A**	0.97	1.00
ED*4X24F**	MV08B15**B*	0.98	0.98	ENH4X24*17**	*9MA*0801714A**	0.97	0.99
ED*4X24F**	*8MPV050	1.01	1.03	ENH4X24*17**	*9MV*0401410A**	0.97	1.04
ED*4X24F**	*9MPV050	1.01	1.04	ENH4X24*17**	*9MV*0601714A**	0.98	1.02
ED*4X24F**	*9MV*1002116A**	1.00	1.00	ENH4X24*17**	*9MV*0801716A**	0.99	1.01
ED*4X24F**	OLV098A12A	0.99	1.01	ENH4X24*17**	*9MV*1202422A**	1.00	1.02
ED*4X24F**	OMV098J12A	0.99	1.02	ENH4X24*17**	*9MX*0401410A**	0.96	1.03
EHD4X24A**	*8MV*0701412**	0.97	1.00	ENH4X24*17**	MV08B15**B*	0.98	0.98
EHD4X24A**	*8MV*0901716**	0.98	1.00	ENH4X24*17**	*8MPV050	1.00	1.02
EHD4X24A**	*8MX*0451408**	0.99	1.01	ENH4X24*17**	*9MPV050	1.01	1.05
EHD4X24A**	*9MA*0601714A**	0.98	1.00	ENH4X24*17**	*9MPV075	1.00	1.04
EHD4X24A**	*9MA*0602120A**	0.98	1.01	ENH4X24*17**	*9MV*1002116A**	0.99	1.02
EHD4X24A**	*9MA*0801714A**	0.97	1.00	ENH4X24*17**	*9MVX040	1.01	1.03
EHD4X24A**	*9MV*0401410A**	0.98	1.04	ENH4X24*17**	*9MVX060	1.01	1.03
EHD4X24A**	*9MV*0601714A**	0.98	1.00	ENH4X24*17**	OLV098A12A	0.99	1.01
EHD4X24A**	*9MV*0801716A**	0.98	1.01	ENH4X24*17**	OMV098J12A	0.99	1.02
EHD4X24A**	*9MV*0802120A**	0.99	0.99	ENH4X24*17**		0.97	1.10
EHD4X24A**	*9MV*1002120A**	0.99	0.99	FCM4X24***		0.99	0.99
EHD4X24A**	*9MV*1202422A**	1.00	1.02	FEA4X18**A*		0.98	1.02
EHD4X24A**	*9MX*0401410A**	0.97	1.01	FEA4X24**A*		0.99	0.99
EHD4X24A**	MV08B15**B*	0.99	0.99	FEM4P18**A*		0.98	1.02
EHD4X24A**	*8MPV050	1.01	1.03	FEM4P24**A*		0.98	1.02
EHD4X24A**	*9MPV050	1.01	1.04	FEM4X18****		0.98	1.02

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X24A**	*9MPV075	1.01	1.05	FEM4X24***		0.99	1.01
EHD4X24A**	*9MV*1002116A**	0.99	1.02	FS(M,U)4P18**A*		0.97	1.06
EHD4X24A**	*9MVX040	1.01	1.04	FS(M,U)4P24**A*		0.98	1.06
EHD4X24A**	*9MVX060	1.01	1.04	FSA4X24**A*		0.97	1.10
EHD4X24A**	OLV098A12A	0.99	1.02	FVM4X24***		0.99	0.99
EHD4X24A**	OMV098J12A	1.01	1.03	FXM4X24**A*		1.00	0.99

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
--------------	---------------	----------------	--------------	--------------	---------------	----------------	--------------

(C,H,T)SH524

*FXM4X24**A*							
EA*4X24*14A*		1.00	1.00	EHD4X30A**	*9MV*1002116A**	0.98	0.98
EA*4X24*14A*	*8MV*0701412**	0.98	1.00	EHD4X30A**	*9MVX040	1.00	1.02
EA*4X24*14A*	*8MX*0451408**	0.98	1.01	EHD4X30A**	*9MVX060	1.01	1.03
EA*4X24*14A*	*9MV*0401410A**	0.97	1.05	EHD4X30A**	OLV098A12A	1.00	1.00
EA*4X24*14A*	*9MX*0401410A**	0.98	1.10	EHD4X30A**	OMV098J12A	1.00	1.00
EA*4X24*14A*	MV08B15**B*	0.98	0.98	EHD4X30A**	OMV112K14A	0.99	0.99
EA*4X24*14A*	*8MPV050	0.99	1.06	EHD4X30A**		0.99	1.11
EA*4X24*14A*		0.98	1.11	EN(A,D)4X24*14**	*8MV*0701412**	0.97	1.01
EA*4X24*17A*	*8MV*0901716**	0.98	0.98	EN(A,D)4X24*14**	*8MX*0451408**	0.98	1.00
EA*4X24*17A*	*9MA*0601714A**	0.98	1.02	EN(A,D)4X24*14**	*9MV*0401410A**	0.97	1.05
EA*4X24*17A*	*9MA*0801714A**	0.97	0.99	EN(A,D)4X24*14**	*9MX*0401410A**	0.98	1.09
EA*4X24*17A*	*9MV*0401410A**	0.97	1.05	EN(A,D)4X24*14**	MV08B15**B*	0.98	0.98
EA*4X24*17A*	*9MV*0601714A**	0.98	1.02	EN(A,D)4X24*14**	*8MPV050	0.99	1.06
EA*4X24*17A*	*9MV*0801716A**	0.98	0.98	EN(A,D)4X24*14**		0.98	1.12
EA*4X24*17A*	*9MX*0401410A**	0.98	1.07	EN(A,D)4X24*17**	*8MV*0901716**	0.98	0.98
EA*4X24*17A*	*9MX*0601714A**	0.98	1.00	EN(A,D)4X24*17**	*9MA*0601714A**	0.98	1.00
EA*4X24*17A*	MV08B15**B*	0.98	0.98	EN(A,D)4X24*17**	*9MA*0801714A**	0.97	0.99
EA*4X24*17A*	MV12F19**B*	0.98	0.98	EN(A,D)4X24*17**	*9MV*0401410A**	0.97	1.05
EA*4X24*17A*	*8MPV050	0.99	1.03	EN(A,D)4X24*17**	*9MV*0601714A**	0.97	0.99
EA*4X24*17A*	*8MPV075	1.00	1.02	EN(A,D)4X24*17**	*9MV*0801716A**	0.98	1.00
EA*4X24*17A*	*9MPV050	0.98	1.02	EN(A,D)4X24*17**	*9MX*0401410A**	0.98	1.09
EA*4X24*17A*	*9MPV075	0.99	1.03	EN(A,D)4X24*17**	*9MX*0601714A**	0.97	0.99
EA*4X24*17A*	OLV098A12A	0.98	1.01	EN(A,D)4X24*17**	MV08B15**B*	0.98	0.98
EA*4X24*17A*	OMV098J12A	0.98	1.01	EN(A,D)4X24*17**	MV12F19**B*	0.98	0.98
EA*4X24*17A*	OMV112K14A	0.98	0.98	EN(A,D)4X24*17**	*8MPV050	0.99	1.06

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X24*17A*		0.98	1.09	EN(A,D)4X24*17**	*8MPV075	0.99	1.03
EA*4X30*14A*	*8MV*0701412**	0.98	0.98	EN(A,D)4X24*17**	*9MPV050	0.98	1.02
EA*4X30*14A*	*8MX*0451408**	0.99	1.02	EN(A,D)4X24*17**	*9MPV075	0.98	1.04
EA*4X30*14A*	*9MV*0401410A**	0.98	1.04	EN(A,D)4X24*17**	*9MVX040	0.98	1.02
EA*4X30*14A*	*9MX*0401410A**	0.99	1.08	EN(A,D)4X24*17**	*9MVX060	0.98	1.02
EA*4X30*14A*	MV08B15**B*	0.99	0.99	EN(A,D)4X24*17**	OLV098A12A	0.98	1.02
EA*4X30*14A*	*8MPV050	1.00	1.04	EN(A,D)4X24*17**	OMV098J12A	0.98	1.02
EA*4X30*14A*		0.99	1.11	EN(A,D)4X24*17**	OMV112K14A	0.98	1.00
EA*4X30*17A*	*8MV*0901716**	0.98	0.98	EN(A,D)4X24*17**	EN(A,D)4X24*17**	0.98	1.12
EA*4X30*17A*	*9MA*0601714A**	0.98	1.01	EN(A,D)4X30*14**	*8MV*0701412**	0.98	0.98
EA*4X30*17A*	*9MA*0801714A**	0.98	0.98	EN(A,D)4X30*14**	*8MX*0451408**	0.99	1.02
EA*4X30*17A*	*9MV*0401410A**	0.98	1.04	EN(A,D)4X30*14**	*9MV*0401410A**	0.98	1.04
EA*4X30*17A*	*9MV*0601714A**	0.98	0.98	EN(A,D)4X30*14**	*9MX*0401410A**	0.99	1.08
EA*4X30*17A*	*9MV*0801716A**	0.99	0.99	EN(A,D)4X30*14**	MV08B15**B*	0.99	0.99
EA*4X30*17A*	*9MX*0401410A**	0.99	1.08	EN(A,D)4X30*14**	*8MPV050	1.00	1.07
EA*4X30*17A*	*9MX*0601714A**	0.99	0.99	EN(A,D)4X30*14**		0.99	1.11
EA*4X30*17A*	MV08B15**B*	0.99	0.99	EN(A,D)4X30*17**	*8MV*0901716**	0.98	0.98
EA*4X30*17A*	MV12F19**B*	0.99	0.99	EN(A,D)4X30*17**	*9MA*0601714A**	0.98	1.01
EA*4X30*17A*	*8MPV050	1.01	1.05	EN(A,D)4X30*17**	*9MA*0801714A**	0.98	0.98
EA*4X30*17A*	*8MPV075	1.02	1.02	EN(A,D)4X30*17**	*9MV*0401410A**	0.98	1.04
EA*4X30*17A*	*9MPV050	0.99	1.02	EN(A,D)4X30*17**	*9MV*0601714A**	0.98	0.98
EA*4X30*17A*	*9MPV075	1.00	1.02	EN(A,D)4X30*17**	*9MV*0801716A**	0.99	0.99
EA*4X30*17A*	OLV098A12A	0.99	0.99	EN(A,D)4X30*17**	*9MX*0401410A**	0.99	1.08
EA*4X30*17A*	OMV098J12A	0.99	0.99	EN(A,D)4X30*17**	*9MX*0601714A**	0.99	0.99
EA*4X30*17A*	OMV112K14A	0.99	0.99	EN(A,D)4X30*17**	MV08B15**B*	0.99	0.99
ED*4X24B**	*8MV*0701412**	0.98	1.11	EN(A,D)4X30*17**	MV12F19**B*	0.99	0.99
ED*4X24B**	*8MX*0451408**	0.98	1.00	EN(A,D)4X30*17**	*8MPV050	1.01	1.05
ED*4X24B**	*9MV*0401410A**	0.97	1.01	EN(A,D)4X30*17**	*8MPV075	1.01	1.01
ED*4X24B**	*9MX*0401410A**	0.98	1.05	EN(A,D)4X30*17**	*9MPV050	0.99	1.02
ED*4X24B**	MV08B15**B*	0.98	1.10	EN(A,D)4X30*17**	*9MPV075	1.00	1.02
ED*4X24B**	*8MPV050	0.99	0.98	EN(A,D)4X30*17**	*9MVX040	0.99	1.03
ED*4X24B**		0.98	1.06	EN(A,D)4X30*17**	*9MVX060	1.01	1.03
ED*4X24B**	*8MV*0901716**	0.98	1.09	EN(A,D)4X30*17**	OLV098A12A	0.99	0.99
ED*4X24F**	*8MV*1102120**	0.98	0.98	EN(A,D)4X30*17**	OMV098J12A	0.99	0.99
ED*4X24F**		0.98	0.98	EN(A,D)4X30*17**	OMV112K14A	0.99	0.99

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X24F**	*9MA*0601714A**	0.98	1.00	EN(A,D)4X30*17**		0.99	1.11
ED*4X24F**	*9MA*0602120A**	0.98	1.01	EN(A,D)4X31*17**	*8MV*0901716**	1.00	1.00
ED*4X24F**	*9MA*0801714A**	0.97	0.99	EN(A,D)4X31*17**	*9MA*0601714A**	1.00	1.00
ED*4X24F**	*9MA*0802120A**	0.99	0.99	EN(A,D)4X31*17**	*9MA*0801714A**	0.99	0.99
ED*4X24F**	*9MA*1002122A**	1.00	1.00	EN(A,D)4X31*17**	*9MV*0401410A**	1.00	1.04
ED*4X24F**	*9MV*0601714A**	0.98	1.00	EN(A,D)4X31*17**	*9MV*0601714A**	1.01	1.01
ED*4X24F**	*9MV*0801716A**	0.98	0.98	EN(A,D)4X31*17**	*9MV*0801716A**	1.01	1.01
ED*4X24F**	*9MV*0802120A**	0.99	0.99	EN(A,D)4X31*17**	*9MX*0401410A**	1.02	1.09
ED*4X24F**	*9MV*1002120A**	1.00	1.00	EN(A,D)4X31*17**	*9MX*0601714A**	1.01	1.01
ED*4X24F**	*9MX*0601714A**	0.98	1.00	EN(A,D)4X31*17**	MV08B15**B*	1.02	1.00
ED*4X24F**	MV08B15**B*	0.98	0.98	EN(A,D)4X31*17**	MV12F19**B*	1.02	1.00
ED*4X24F**	MV12F19**B*	0.98	0.98	EN(A,D)4X31*17**	*8MPV050	1.03	1.05
ED*4X24F**	*8MPV050	0.99	1.06	EN(A,D)4X31*17**	*8MPV075	1.03	1.03
ED*4X24F**	*8MPV075	1.00	1.02	EN(A,D)4X31*17**	*9MPV050	1.02	1.02
ED*4X24F**	*9MA*1002120A**	0.98	1.01	EN(A,D)4X31*17**	*9MPV075	1.03	1.03
ED*4X24F**	*9MPV050	0.98	1.02	EN(A,D)4X31*17**	*9MVX040	1.02	1.02
ED*4X24F**	*9MPV075	0.99	1.03	EN(A,D)4X31*17**	*9MVX060	1.03	1.03
ED*4X24F**	*9MV*1002116A**	0.98	1.00	EN(A,D)4X31*17**	OLV098A12A	1.02	1.02
ED*4X24F**	*9MVX040	0.98	1.02	EN(A,D)4X31*17**	OMV098J12A	1.02	1.02
ED*4X24F**	*9MVX060	0.99	1.03	EN(A,D)4X31*17**	OMV112K14A	1.01	1.01
ED*4X24F**	OLV098A12A	0.98	1.01	EN(A,D)4X31*17**		1.01	1.10
ED*4X24F**	OMV098J12A	0.98	1.01	ENH4X24*17**	*8MV*0701412**	0.97	0.99
ED*4X24F**	OMV112K14A	0.98	0.98	ENH4X24*17**	*8MV*0901716**	0.98	0.98
ED*4X24F**		0.98	1.09	ENH4X24*17**	*8MV*1102120**	0.98	1.00
ED*4X30B**	*8MV*0701412**	0.98	0.98	ENH4X24*17**	*8MV*1352422**	0.98	1.00
ED*4X30B**	*8MX*0451408**	0.99	1.02	ENH4X24*17**	*8MX*0451408**	0.98	1.02
ED*4X30B**	*9MV*0401410A**	0.98	1.06	ENH4X24*17**	*9MA*0601714A**	0.98	1.00
ED*4X30B**	*9MX*0401410A**	0.99	1.11	ENH4X24*17**	*9MA*0801714A**	0.97	0.99
ED*4X30B**	MV08B15**B*	0.99	0.99	ENH4X24*17**	*9MA*1202422A**	0.98	1.01
ED*4X30B**	*8MPV050	1.00	1.07	ENH4X24*17**	*9MV*0401410A**	0.97	1.05
ED*4X30B**		0.99	1.11	ENH4X24*17**	*9MV*0601714A**	0.97	1.01
ED*4X30F**	*8MV*0901716**	0.98	0.98	ENH4X24*17**	*9MV*0801716A**	0.98	1.00
ED*4X30F**	*8MV*1102120**	0.98	0.98	ENH4X24*17**	*9MV*1202422A**	0.97	0.99
ED*4X30F**	*9MA*0601714A**	0.98	1.01	ENH4X24*17**	*9MX*0401410A**	0.98	1.09
ED*4X30F**	*9MA*0602120A**	0.99	0.99	ENH4X24*17**	*9MX*0601714A**	0.97	0.99

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X30F**	*9MA*0801714A**	0.98	0.98	ENH4X24*17**	MV08B15**B*	0.98	0.98
ED*4X30F**	*9MA*0802120A**	1.00	1.00	ENH4X24*17**	MV12F19**B*	0.98	0.98
ED*4X30F**	*9MA*1002122A**	1.01	1.01	ENH4X24*17**	*8MPV050	0.99	1.06
ED*4X30F**	*9MV*0601714A**	0.98	0.98	ENH4X24*17**	*8MPV075	0.99	1.03
ED*4X30F**	*9MV*0801716A**	0.99	0.99	ENH4X24*17**	*8MPV100	1.00	1.02
ED*4X30F**	*9MV*0802120A**	1.01	1.01	ENH4X24*17**	*8MPV125	1.00	1.02
ED*4X30F**	*9MV*1002120A**	1.02	1.02	ENH4X24*17**	*9MA*1002120A**	0.98	1.01
ED*4X30F**	*9MX*0601714A**	0.99	0.99	ENH4X24*17**	*9MPV050	0.98	1.04
ED*4X30F**	MV08B15**B*	0.99	0.99	ENH4X24*17**	*9MPV075	0.98	1.04
ED*4X30F**	MV12F19**B*	0.99	0.99	ENH4X24*17**	*9MPV100	0.99	1.03
ED*4X30F**	*8MPV050	1.01	1.05	ENH4X24*17**	*9MPV125	0.99	1.02
ED*4X30F**	*8MPV075	1.02	1.04	ENH4X24*17**	*9MVX040	0.98	1.02
ED*4X30F**	*9MA*1002120A**	0.99	0.99	ENH4X24*17**	*9MVX060	0.98	1.02
ED*4X30F**	*9MPV050	0.99	1.03	ENH4X24*17**	OLV098A12A	0.98	1.02
ED*4X30F**	*9MPV075	1.00	1.04	ENH4X24*17**	OMV098J12A	0.98	1.02
ED*4X30F**	*9MV*1002116A**	0.98	0.98	ENH4X24*17**	OMV112K14A	0.98	1.00
ED*4X30F**	*9MVX040	1.00	1.04	ENH4X24*17**		0.98	1.10
ED*4X30F**	*9MVX060	1.01	1.03	ENH4X30*17**	*8MV*0701412**	0.98	0.98
ED*4X30F**	OLV098A12A	0.99	0.99	ENH4X30*17**	*8MV*0901716**	0.98	0.98
ED*4X30F**	OMV098J12A	0.99	0.99	ENH4X30*17**	*8MV*1102120**	0.98	0.98
ED*4X30F**	OMV112K14A	0.99	0.99	ENH4X30*17**	*8MV*1352422**	0.98	0.98
ED*4X30F**		0.99	1.11	ENH4X30*17**	*8MX*0451408**	0.99	0.99
ED*4X36F**	*9MVX040	1.00	1.02	ENH4X30*17**	*9MA*0601714A**	0.98	1.01
ED*4X36F**	*9MVX060	1.01	1.03	ENH4X30*17**	*9MA*0801714A**	0.98	0.98
EHD4X24A**	*8MV*0701412**	0.98	1.01	ENH4X30*17**	*9MA*1202422A**	0.99	0.99
EHD4X24A**	*8MV*0901716**	0.98	0.98	ENH4X30*17**	*9MV*0401410A**	0.98	1.04
EHD4X24A**	*8MV*1102120**	0.98	1.01	ENH4X30*17**	*9MV*0601714A**	0.98	0.98
EHD4X24A**	*8MV*1352422**	0.98	0.98	ENH4X30*17**	*9MV*0801716A**	0.99	0.99
EHD4X24A**	*8MX*0451408**	0.98	1.01	ENH4X30*17**	*9MV*1202422A**	1.00	1.00
EHD4X24A**	*9MA*0601714A**	0.98	1.02	ENH4X30*17**	*9MX*0401410A**	0.99	1.08
EHD4X24A**	*9MA*0602120A**	1.00	1.04	ENH4X30*17**	*9MX*0601714A**	0.99	0.99
EHD4X24A**	*9MA*0801714A**	0.98	1.01	ENH4X30*17**	MV08B15**B*	0.99	0.99
EHD4X24A**	*9MA*0802120A**	1.01	1.03	ENH4X30*17**	MV12F19**B*	0.99	0.99
EHD4X24A**	*9MA*1002122A**	1.01	1.01	ENH4X30*17**	*8MPV050	1.01	1.05
EHD4X24A**	*9MA*1202422A**	0.99	1.02	ENH4X30*17**	*8MPV075	1.01	1.03

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X24A**	*9MV*0401410A**	0.98	1.06	ENH4X30*17**	*8MPV100	1.03	1.03
EHD4X24A**	*9MV*0601714A**	0.98	1.00	ENH4X30*17**	*8MPV125	1.03	1.03
EHD4X24A**	*9MV*0801716A**	0.98	1.00	ENH4X30*17**	*9MA*1002120A**	0.99	0.99
EHD4X24A**	*9MV*0802120A**	0.98	1.00	ENH4X30*17**	*9MPV050	0.99	1.02
EHD4X24A**	*9MV*1002120A**	0.98	1.01	ENH4X30*17**	*9MPV075	1.00	1.02
EHD4X24A**	*9MV*1202422A**	0.98	0.98	ENH4X30*17**	*9MPV100	1.02	1.02
EHD4X24A**	*9MX*0401410A**	0.99	1.11	ENH4X30*17**	*9MPV125	1.02	1.02
EHD4X24A**	*9MX*0601714A**	0.98	1.00	ENH4X30*17**	*9MV*1002116A**	0.98	0.98
EHD4X24A**	MV08B15**B*	1.00	1.00	ENH4X30*17**	*9MVX040	0.99	1.02
EHD4X24A**	MV12F19**B*	1.00	1.00	ENH4X30*17**	*9MVX060	1.01	1.03
EHD4X24A**	*8MPV050	1.00	1.07	ENH4X30*17**	OLV098A12A	0.99	0.99
EHD4X24A**	*8MPV075	1.00	1.02	ENH4X30*17**	OMV098J12A	0.99	0.99
EHD4X24A**	*8MPV100	1.01	1.01	ENH4X30*17**	OMV112K14A	0.99	0.99
EHD4X24A**	*8MPV125	1.01	1.01	ENH4X30*17**		0.99	1.11
EHD4X24A**	*9MA*1002120A**	0.99	1.02	ENH4X31*17**	*9MA*0601714A**	1.00	1.00
EHD4X24A**	*9MPV050	0.98	1.02	ENH4X31*17**	*9MA*0801714A**	1.00	1.00
EHD4X24A**	*9MPV075	0.98	1.02	ENH4X31*17**	*9MA*1202422A**	1.01	1.01
EHD4X24A**	*9MPV100	1.00	1.04	ENH4X31*17**	*9MV*0401410A**	1.00	1.04
EHD4X24A**	*9MPV125	1.00	1.02	ENH4X31*17**	*9MV*0601714A**	1.01	1.01
EHD4X24A**	*9MVX040	0.99	1.03	ENH4X31*17**	*9MV*0801716A**	1.02	1.02
EHD4X24A**	*9MVX060	0.99	1.03	ENH4X31*17**	*9MV*1202422A**	1.03	1.03
EHD4X24A**	OLV098A12A	0.99	1.02	ENH4X31*17**	*9MX*0401410A**	1.02	1.09
EHD4X24A**	OMV098J12A	0.99	1.03	ENH4X31*17**	*9MX*0601714A**	1.01	1.01
EHD4X24A**	OMV112K14A	0.99	0.99	ENH4X31*17**	MV08B15**B*	1.02	1.00
EHD4X24A**	*8MV*0701412**	0.98	1.11	ENH4X31*17**	MV12F19**B*	1.02	1.00
EHD4X30A**	*8MV*0901716**	0.99	0.98	ENH4X31*17**	*8MPV050	1.03	1.06
EHD4X30A**	*8MV*1102120**	0.99	0.99	ENH4X31*17**	*8MPV075	1.03	1.03
EHD4X30A**	*8MV*1352422**	0.99	0.99	ENH4X31*17**	*8MPV100	1.05	1.05
EHD4X30A**	*8MX*0451408**	0.99	0.99	ENH4X31*17**	*8MPV125	1.05	1.03
EHD4X30A**	*9MA*0601714A**	0.99	1.02	ENH4X31*17**	*9MA*1002120A**	1.02	1.02
EHD4X30A**	*9MA*0602120A**	1.00	1.00	ENH4X31*17**	*9MPV050	1.02	1.02
EHD4X30A**	*9MA*0801714A**	0.98	0.98	ENH4X31*17**	*9MPV075	1.03	1.03
EHD4X30A**	*9MA*0802120A**	1.01	1.01	ENH4X31*17**	*9MPV100	1.04	1.04
EHD4X30A**	*9MA*1002122A**	1.01	1.01	ENH4X31*17**	*9MPV125	1.04	1.04
EHD4X30A**				ENH4X31*17**	*9MV*1002116A**	1.01	1.01

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X30A**	*9MA*1202422A**	1.00	1.00	ENH4X31*17**	*9MVX040	1.02	1.02
EHD4X30A**	*9MV*0401410A**	0.98	1.05	ENH4X31*17**	*9MVX060	1.03	1.03
EHD4X30A**	*9MV*0601714A**	0.98	0.98	ENH4X31*17**	OLV098A12A	1.02	1.02
EHD4X30A**	*9MV*0801716A**	0.99	0.99	ENH4X31*17**	OMV098J12A	1.02	1.02
EHD4X30A**	*9MV*0802120A**	1.00	1.00	ENH4X31*17**	OMV112K14A	1.01	1.01
EHD4X30A**	*9MV*1002120A**	1.01	1.01	FCM4X24***		0.99	0.99
EHD4X30A**	*9MV*1202422A**	0.99	0.99	FCM4X36***		1.00	0.98
EHD4X30A**	*9MX*0401410A**	1.00	1.09	FEA4X24**A*		0.99	1.03
EHD4X30A**	*9MX*0601714A**	0.99	0.99	FEA4X30**A*		0.99	1.03
EHD4X30A**	MV08B15**B*	1.00	1.00	FEA4X36**A*		1.01	1.03
EHD4X30A**	MV12F19**B*	1.00	1.00	FEM4P24**A*		0.98	1.03
EHD4X30A**	*8MPV050	1.01	1.05	FEM4P30**A*		1.00	1.00
EHD4X30A**	*8MPV075	1.02	1.02	FEM4X24***		0.99	1.03
EHD4X30A**	*8MPV100	1.03	1.03	FEM4X30***		1.00	1.00
EHD4X30A**	*8MPV125	1.03	1.03	FS(M,U)4P24**A*		0.99	1.06
EHD4X30A**	*9MA*1002120A**	1.00	1.00	FS(M,U)4P30**A*		0.99	1.08
EHD4X30A**	*9MPV050	1.00	1.02	FSA4X24**A*		0.98	1.11
EHD4X30A**	*9MPV075	1.00	1.04	FSA4X30**A*		0.98	1.11
EHD4X30A**	*9MPV100	1.02	1.02	FVM4X24***		0.99	0.99
EHD4X30A**	*9MPV125	1.02	1.02	FVM4X36***		1.00	0.98
				FXM4X30**A*		1.01	1.03

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
(C,H,T)SH530							
*FXM4X30**A*		1.00	1.00	EHD4X36A**	*9MPV125	1.01	1.01
EA*4X30*14A*	*8MV*0701412**	0.97	1.01	EHD4X36A**	*9MV*1002116A**	1.00	1.00
EA*4X30*14A*	MV08B15**B*	0.99	0.99	EHD4X36A**	*9MVX040	1.00	1.04
EA*4X30*14A*	*8MPV050	0.98	1.06	EHD4X36A**	*9MVX060	1.01	1.05
EA*4X30*14A*		0.98	1.09	EHD4X36A**	OLV098A12A	1.00	1.02
EA*4X30*17A*	*8MV*0901716**	0.98	0.98	EHD4X36A**	OLV112A16A	1.01	1.03
EA*4X30*17A*	*8MX*0701716**	0.98	1.02	EHD4X36A**	OMV098J12A	1.00	1.02
EA*4X30*17A*	*9MA*0601714A**	0.97	1.04	EHD4X36A**	OMV112K14A	1.01	1.01
EA*4X30*17A*	*9MA*0801714A**	0.98	1.02	EHD4X36A**		1.00	1.09
EA*4X30*17A*	*9MV*0601714A**	0.97	1.01	EN(A,D)4X30*14**	*8MV*0701412**	0.97	1.01

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X30*17A*	*9MV*0801716A**	0.98	1.02	EN(A,D)4X30*14**	MV08B15**B*	0.99	0.99
EA*4X30*17A*	*9MX*0601714A**	0.98	1.02	EN(A,D)4X30*14**	*8MPV050	0.97	1.08
EA*4X30*17A*	*9MX*0801716A**	0.99	1.03	EN(A,D)4X30*14**		0.98	1.09
EA*4X30*17A*	MV08B15**B*	0.99	0.99	EN(A,D)4X30*17**	*8MV*0901716**	0.98	0.98
EA*4X30*17A*	MV12F19**B*	0.99	0.99	EN(A,D)4X30*17**	*8MX*0701716**	0.98	1.02
EA*4X30*17A*	*8MPV050	0.98	1.08	EN(A,D)4X30*17**	*9MA*0601714A**	0.97	1.04
EA*4X30*17A*	*8MPV075	0.99	1.03	EN(A,D)4X30*17**	*9MA*0801714A**	0.98	1.02
EA*4X30*17A*	*9MPV050	0.98	1.05	EN(A,D)4X30*17**	*9MV*0601714A**	0.97	1.01
EA*4X30*17A*	*9MPV075	0.98	1.05	EN(A,D)4X30*17**	*9MV*0801716A**	0.98	1.02
EA*4X30*17A*	OLV098A12A	0.98	1.02	EN(A,D)4X30*17**	*9MX*0601714A**	0.98	1.02
EA*4X30*17A*	OMV098J12A	0.98	1.02	EN(A,D)4X30*17**	*9MX*0801716A**	0.99	1.03
EA*4X30*17A*	OMV112K14A	0.98	0.98	EN(A,D)4X30*17**	MV08B15**B*	0.99	0.99
EA*4X30*17A*		0.98	0.98	EN(A,D)4X30*17**	MV12F19**B*	0.99	0.99
EA*4X30*17A*	*8MV*0701412**	0.98	1.02	EN(A,D)4X30*17**	*8MPV050	0.98	1.06
EA*4X30*17A*	MV08B15**B*	0.99	0.99	EN(A,D)4X30*17**	*8MPV075	0.99	1.03
EA*4X30*17A*	*8MPV050	0.98	1.06	EN(A,D)4X30*17**	*9MPV050	0.97	1.04
EA*4X30*17A*		0.98	1.09	EN(A,D)4X30*17**	*9MPV075	0.98	1.05
EA*4X30*17A*	*8MV*0901716**	0.98	0.98	EN(A,D)4X30*17**	*9MVX040	0.98	1.05
EA*4X30*17A*	*8MX*0701716**	0.99	1.03	EN(A,D)4X30*17**	*9MVX060	0.98	1.05
EA*4X30*17A*	*9MA*0601714A**	0.98	1.02	EN(A,D)4X30*17**	OLV098A12A	0.98	1.02
EA*4X30*17A*	*9MA*0801714A**	0.98	1.02	EN(A,D)4X30*17**	OMV098J12A	0.98	1.02
EA*4X30*17A*	*9MV*0601714A**	0.98	1.02	EN(A,D)4X30*17**	OMV112K14A	0.99	1.01
EA*4X30*17A*	*9MV*0801716A**	0.99	1.03	EN(A,D)4X30*17**		0.98	1.09
EA*4X30*17A*	*9MX*0601714A**	0.99	1.03	EN(A,D)4X31*17**	*8MV*0901716**	1.00	1.00
EA*4X30*17A*	*9MX*0801716A**	0.99	1.03	EN(A,D)4X31*17**	*8MX*0701716**	1.01	1.05
EA*4X30*17A*	MV08B15**B*	0.99	0.99	EN(A,D)4X31*17**	*9MA*0601714A**	0.99	1.03
EA*4X30*17A*	MV12F19**B*	0.99	0.99	EN(A,D)4X31*17**	*9MA*0801714A**	1.00	1.00
EA*4X30*17A*	*8MPV050	0.99	1.09	EN(A,D)4X31*17**	*9MV*0601714A**	1.00	1.04
EA*4X30*17A*	*8MPV075	0.99	1.03	EN(A,D)4X31*17**	*9MV*0801716A**	1.00	1.00
EA*4X30*17A*	*9MPV050	0.98	1.05	EN(A,D)4X31*17**	*9MX*0601714A**	1.01	1.05
EA*4X30*17A*	*9MPV075	0.99	1.05	EN(A,D)4X31*17**	*9MX*0801716A**	1.01	1.04
EA*4X30*17A*	OLV098A12A	0.98	1.02	EN(A,D)4X31*17**	MV08B15**B*	1.01	0.99
EA*4X30*17A*	OMV098J12A	0.98	1.02	EN(A,D)4X31*17**	MV12F19**B*	1.01	1.00
EA*4X30*17A*	OMV112K14A	0.99	0.99	EN(A,D)4X31*17**	*8MPV050	1.01	1.08
EA*4X30*17A*		0.98	1.09	EN(A,D)4X31*17**	*8MPV075	1.01	1.01

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X36*21A*	*8MV*1102120**	0.99	0.99	EN(A,D)4X31*17**	*9MPV050	1.00	1.04
EA*4X36*21A*	*8MX*0902116**	0.99	0.99	EN(A,D)4X31*17**	*9MPV075	1.00	1.04
EA*4X36*21A*	*9MA*0601714A**	0.98	1.02	EN(A,D)4X31*17**	*9MVX040	1.00	1.04
EA*4X36*21A*	*9MA*0602120A**	0.99	1.02	EN(A,D)4X31*17**	*9MVX060	1.01	1.03
EA*4X36*21A*	*9MA*0801714A**	0.99	1.01	EN(A,D)4X31*17**	OLV098A12A	1.00	1.02
EA*4X36*21A*	*9MA*0802120A**	0.99	0.99	EN(A,D)4X31*17**	OMV098J12A	1.00	1.02
EA*4X36*21A*	*9MA*1002122A**	1.00	1.00	EN(A,D)4X31*17**	OMV112K14A	1.01	1.01
EA*4X36*21A*	*9MV*0601714A**	0.98	1.02	EN(A,D)4X31*17**		1.01	1.09
EA*4X36*21A*	*9MV*0801716A**	0.99	1.03	EN(A,D)4X36*21**	*8MV*1102120**	0.98	0.98
EA*4X36*21A*	*9MV*0802120A**	0.99	0.99	EN(A,D)4X36*21**	*8MX*0902116**	0.99	1.03
EA*4X36*21A*	*9MV*1002120A**	0.99	0.99	EN(A,D)4X36*21**	*9MA*0601714A**	0.97	1.01
EA*4X36*21A*	*9MX*0601714A**	0.99	1.03	EN(A,D)4X36*21**	*9MA*0602120A**	0.99	1.03
EA*4X36*21A*	*9MX*0801716A**	0.99	1.03	EN(A,D)4X36*21**	*9MA*0801714A**	0.98	1.02
EA*4X36*21A*	*8MPV075	1.00	1.04	EN(A,D)4X36*21**	*9MA*0802120A**	0.99	1.01
EA*4X36*21A*	*8MPV100	1.00	1.00	EN(A,D)4X36*21**	*9MA*1002122A**	0.99	0.99
EA*4X36*21A*	*8MPV125	1.00	1.00	EN(A,D)4X36*21**	*9MV*0601714A**	0.97	1.01
EA*4X36*21A*	*9MA*1002120A**	0.99	1.01	EN(A,D)4X36*21**	*9MV*0801716A**	0.98	1.02
EA*4X36*21A*	*9MPV050	0.99	1.05	EN(A,D)4X36*21**	*9MV*0802120A**	0.99	1.01
EA*4X36*21A*	*9MPV075	0.99	1.05	EN(A,D)4X36*21**	*9MV*1002120A**	0.98	1.00
EA*4X36*21A*	*9MPV100	1.00	1.02	EN(A,D)4X36*21**	*9MX*0601714A**	0.98	1.02
EA*4X36*21A*	*9MV*1002116A**	0.99	0.99	EN(A,D)4X36*21**	*9MX*0801716A**	0.99	1.03
EA*4X36*21A*	*9MVX080	1.00	1.02	EN(A,D)4X36*21**	MV12F19**B*	0.99	0.99
EA*4X36*21A*	OLV098A12A	0.98	1.00	EN(A,D)4X36*21**	*8MPV075	0.99	1.03
EA*4X36*21A*	OLV112A16A	0.99	1.02	EN(A,D)4X36*21**	*8MPV100	0.99	0.99
EA*4X36*21A*	OMV098J12A	0.98	1.02	EN(A,D)4X36*21**	*8MPV125	0.99	0.99
EA*4X36*21A*	OMV112K14A	0.99	0.99	EN(A,D)4X36*21**	*9MA*1002120A**	0.99	1.03
EA*4X36*21A*		0.98	1.09	EN(A,D)4X36*21**	*9MPV050	0.98	1.05
ED*4X30B**	*8MV*0701412**	0.97	1.01	EN(A,D)4X36*21**	*9MPV075	0.98	1.05
ED*4X30B**	*9MV*0401410A**	0.96	1.09	EN(A,D)4X36*21**	*9MPV100	0.99	1.03
ED*4X30B**	MV08B15**B*	0.99	0.99	EN(A,D)4X36*21**	*9MV*1002116A**	0.98	1.02
ED*4X30B**	*8MPV050	0.98	1.06	EN(A,D)4X36*21**	*9MVX040	0.98	1.05
ED*4X30B**		0.98	1.11	EN(A,D)4X36*21**	*9MVX060	0.99	1.05
ED*4X30F**	*8MV*0901716**	0.98	0.98	EN(A,D)4X36*21**	*9MVX080	0.99	1.02
ED*4X30F**	*8MV*1102120**	0.98	0.98	EN(A,D)4X36*21**	OLV098A12A	0.98	1.02
ED*4X30F**	*8MX*0701716**	0.98	1.02	EN(A,D)4X36*21**	OLV112A16A	0.99	1.01

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X30F**	*8MX*0902116**	0.99	1.03	EN(A,D)4X36*21**	OMV098J12A	0.98	1.02
ED*4X30F**	*9MA*0601714A**	0.97	1.01	EN(A,D)4X36*21**	OMV112K14A	0.99	1.01
ED*4X30F**	*9MA*0602120A**	0.99	1.03	EN(A,D)4X36*21**		0.98	1.09
ED*4X30F**	*9MA*0801714A**	0.98	1.02	EN(A,D)4X37*17**	*8MV*0901716**	1.01	1.01
ED*4X30F**	*9MA*0802120A**	0.99	1.01	EN(A,D)4X37*17**	*8MX*0701716**	1.02	1.02
ED*4X30F**	*9MA*1002122A**	0.99	0.99	EN(A,D)4X37*17**	*9MA*0601714A**	1.01	1.01
ED*4X30F**	*9MV*0601714A**	0.97	1.01	EN(A,D)4X37*17**	*9MA*0801714A**	1.01	1.01
ED*4X30F**	*9MV*0801716A**	0.98	1.02	EN(A,D)4X37*17**	*9MV*0601714A**	1.01	1.01
ED*4X30F**	*9MV*0802120A**	0.99	1.01	EN(A,D)4X37*17**	*9MV*0801716A**	1.01	1.01
ED*4X30F**	*9MV*1002120A**	0.98	1.00	EN(A,D)4X37*17**	*9MX*0601714A**	1.02	1.02
ED*4X30F**	*9MX*0601714A**	0.98	1.02	EN(A,D)4X37*17**	*9MX*0801716A**	1.03	1.03
ED*4X30F**	*9MX*0801716A**	0.99	1.03	EN(A,D)4X37*17**	MV08B15**B*	1.02	1.01
ED*4X30F**	MV08B15**B*	0.99	0.99	EN(A,D)4X37*17**	MV12F19**B*	1.02	0.98
ED*4X30F**	MV12F19**B*	0.99	0.99	EN(A,D)4X37*17**	*8MPV050	1.02	1.09
ED*4X30F**	*8MPV050	0.98	1.08	EN(A,D)4X37*17**	*8MPV075	1.03	1.03
ED*4X30F**	*8MPV075	0.99	1.03	EN(A,D)4X37*17**	*9MPV050	1.01	1.06
ED*4X30F**	*9MA*1002120A**	0.99	1.03	EN(A,D)4X37*17**	*9MPV075	1.02	1.06
ED*4X30F**	*9MPV050	0.98	1.05	EN(A,D)4X37*17**	*9MVX040	1.01	1.04
ED*4X30F**	*9MPV075	0.98	1.05	EN(A,D)4X37*17**	*9MVX060	1.02	1.05
ED*4X30F**	*9MV*1002116A**	0.98	1.02	EN(A,D)4X37*17**	OLV098A12A	1.01	1.01
ED*4X30F**	*9MVX040	0.98	1.05	EN(A,D)4X37*17**	OMV098J12A	1.01	1.01
ED*4X30F**	*9MVX060	0.99	1.05	EN(A,D)4X37*17**	OMV112K14A	1.02	1.01
ED*4X30F**	OLV098A12A	0.98	1.02	EN(A,D)4X37*17**		1.01	1.10
ED*4X30F**	OLV112A16A	0.99	1.03	EN(A,D,W)4X36*17**	*8MV*0901716**	0.98	0.98
ED*4X30F**	OMV098J12A	0.98	1.02	EN(A,D,W)4X36*17**	*8MX*0701716**	0.98	1.02
ED*4X30F**	OMV112K14A	0.98	0.98	EN(A,D,W)4X36*17**	*9MA*0601714A**	0.97	1.01
ED*4X30F**		0.98	1.11	EN(A,D,W)4X36*17**	*9MA*0801714A**	0.98	1.02
ED*4X36B**	*8MV*0701412**	0.98	1.02	EN(A,D,W)4X36*17**	*9MV*0601714A**	0.97	1.01
ED*4X36B**	*9MV*0401410A**	0.96	1.10	EN(A,D,W)4X36*17**	*9MV*0801716A**	0.98	1.02
ED*4X36B**	MV08B15**B*	0.99	0.99	EN(A,D,W)4X36*17**	*9MX*0601714A**	0.98	1.02
ED*4X36B**	*8MPV050	0.98	1.08	EN(A,D,W)4X36*17**	*9MX*0801716A**	0.99	1.03
ED*4X36B**		0.98	1.09	EN(A,D,W)4X36*17**	MV08B15**B*	0.99	0.99
ED*4X36F**	*9MA*0601714A**	0.98	1.02	EN(A,D,W)4X36*17**	MV12F19**B*	0.99	0.99
ED*4X36F**	*9MA*0602120A**	0.99	1.01	EN(A,D,W)4X36*17**	*8MPV050	0.98	1.06
ED*4X36F**	*9MA*0801714A**	0.98	1.02	EN(A,D,W)4X36*17**	*8MPV075	0.99	1.03

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X36F**	*9MA*0802120A**	0.99	1.02	EN(A,D,W)4X36*17**	*9MPV050	0.97	1.04
ED*4X36F**	*9MA*1002122A**	1.00	1.00	EN(A,D,W)4X36*17**	*9MPV075	0.98	1.05
ED*4X36F**	*9MV*0601714A**	0.98	1.02	EN(A,D,W)4X36*17**	*9MVX040	0.98	1.05
ED*4X36F**	*9MV*0801716A**	0.99	1.03	EN(A,D,W)4X36*17**	*9MVX060	0.98	1.05
ED*4X36F**	*9MV*0802120A**	0.99	0.99	EN(A,D,W)4X36*17**	OLV098A12A	0.98	1.02
ED*4X36F**	*9MV*1002120A**	0.99	0.99	EN(A,D,W)4X36*17**	OMV098J12A	0.98	1.02
ED*4X36F**	*9MX*0601714A**	0.99	1.03	EN(A,D,W)4X36*17**	OMV112K14A	0.99	1.01
ED*4X36F**	*9MX*0801716A**	0.99	1.03	EN(A,D,W)4X36*17**		0.98	1.09
ED*4X36F**	MV08B15**B*	0.99	0.99	ENH4X30*17**	*8MV*0701412**	0.98	1.02
ED*4X36F**	MV12F19**B*	0.99	0.99	ENH4X30*17**	*8MV*0901716**	0.98	0.98
ED*4X36F**	*8MPV050	0.99	1.07	ENH4X30*17**	*8MV*1102120**	0.98	1.02
ED*4X36F**	*8MPV075	0.99	1.03	ENH4X30*17**	*8MV*1352422**	0.98	0.98
ED*4X36F**	*9MA*1002120A**	0.99	1.03	ENH4X30*17**	*8MX*0701716**	0.98	1.02
ED*4X36F**	*9MPV050	0.98	1.05	ENH4X30*17**	*8MX*0902116**	0.98	1.02
ED*4X36F**	*9MPV075	0.99	1.05	ENH4X30*17**	*9MA*0601714A**	0.97	1.01
ED*4X36F**	*9MV*1002116A**	0.99	1.03	ENH4X30*17**	*9MA*0801714A**	0.98	1.02
ED*4X36F**	*9MVX040	0.98	1.05	ENH4X30*17**	*9MA*1202422A**	0.99	1.01
ED*4X36F**	*9MVX060	0.99	1.03	ENH4X30*17**	*9MV*0601714A**	0.97	1.01
ED*4X36F**	OLV098A12A	0.98	1.00	ENH4X30*17**	*9MV*0801716A**	0.98	1.02
ED*4X36F**	OLV112A16A	0.99	1.01	ENH4X30*17**	*9MV*1202422A**	0.98	0.98
ED*4X36F**	OMV112K14A	0.99	0.99	ENH4X30*17**	*9MX*0601714A**	0.98	1.02
ED*4X36F**		0.98	1.09	ENH4X30*17**	*9MX*0801716A**	0.99	1.03
ED*4X36J**	*8MV*1102120**	0.99	0.99	ENH4X30*17**	MV08B15**B*	0.99	0.99
ED*4X36J**	*8MV*1352422**	0.99	0.99	ENH4X30*17**	MV12F19**B*	0.99	0.99
ED*4X36J**	*8MX*0902116**	0.99	0.99	ENH4X30*17**	*8MPV050	0.98	1.06
ED*4X36J**	*9MA*0602120A**	0.99	1.02	ENH4X30*17**	*8MPV075	0.99	1.03
ED*4X36J**	*9MA*0802120A**	0.99	0.99	ENH4X30*17**	*8MPV100	0.99	0.99
ED*4X36J**	*9MA*1002122A**	1.00	1.00	ENH4X30*17**	*8MPV125	0.99	0.99
ED*4X36J**	*9MA*1202422A**	0.99	0.99	ENH4X30*17**	*9MA*1002120A**	0.99	1.03
ED*4X36J**	*9MV*0802120A**	0.99	0.99	ENH4X30*17**	*9MPV050	0.97	1.04
ED*4X36J**	*9MV*1002120A**	0.99	0.99	ENH4X30*17**	*9MPV075	0.98	1.05
ED*4X36J**	*9MV*1202422A**	0.99	0.99	ENH4X30*17**	*9MPV100	0.99	1.03
ED*4X36J**	MV12F19**B*	0.99	0.99	ENH4X30*17**	*9MPV125	0.99	1.01
ED*4X36J**	*8MPV075	1.00	1.04	ENH4X30*17**	*9MV*1002116A**	0.98	1.02
ED*4X36J**	*8MPV100	1.00	1.00	ENH4X30*17**	*9MVX040	0.98	1.06

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X36J**	*8MPV125	1.00	1.00	ENH4X30*17**	*9MVX060	0.98	1.05
ED*4X36J**	*9MA*1002120A**	0.99	0.99	ENH4X30*17**	OLV098A12A	0.98	1.02
ED*4X36J**	*9MPV050	0.99	1.05	ENH4X30*17**	OLV112A16A	0.99	1.03
ED*4X36J**	*9MPV075	0.99	1.05	ENH4X30*17**	OMV098J12A	0.98	1.02
ED*4X36J**	*9MPV100	1.00	1.02	ENH4X30*17**	OMV112K14A	0.99	1.01
ED*4X36J**	*9MPV125	1.00	1.00	ENH4X30*17**		0.98	1.09
ED*4X36J**	*9MV*1002116A**	0.99	0.99	ENH4X31*17**	*9MA*0601714A**	0.99	1.03
ED*4X36J**	*9MVX040	0.99	1.05	ENH4X31*17**	*9MA*0801714A**	1.00	1.00
ED*4X36J**	*9MVX060	0.99	1.06	ENH4X31*17**	*9MA*1202422A**	1.01	1.01
ED*4X36J**	*9MVX080	1.00	1.02	ENH4X31*17**	*9MV*0601714A**	1.00	1.02
ED*4X36J**	*9MVX100	0.99	0.99	ENH4X31*17**	*9MV*0801716A**	1.00	1.00
ED*4X36J**	OLV112A16A	0.99	1.02	ENH4X31*17**	*9MV*1202422A**	1.01	1.01
ED*4X36J**	*	0.98	1.09	ENH4X31*17**	*9MX*0601714A**	1.01	1.05
EHD4X30A**	*8MV*0701412**	0.98	1.02	ENH4X31*17**	*9MX*0801716A**	1.01	1.01
EHD4X30A**	*8MV*0901716**	0.98	0.98	ENH4X31*17**	MV08B15**B*	1.01	0.99
EHD4X30A**	*8MV*1102120**	0.99	1.03	ENH4X31*17**	MV12F19**B*	1.01	1.00
EHD4X30A**	*8MV*1352422**	0.99	0.99	ENH4X31*17**	*8MPV050	1.01	1.08
EHD4X30A**	*8MX*0701716**	0.98	1.02	ENH4X31*17**	*8MPV075	1.01	1.01
EHD4X30A**	*8MX*0902116**	0.99	1.03	ENH4X31*17**	*8MPV100	1.01	1.01
EHD4X30A**	*9MA*0601714A**	0.98	1.05	ENH4X31*17**	*8MPV125	1.01	1.01
EHD4X30A**	*9MA*0602120A**	0.99	1.03	ENH4X31*17**	*9MA*1002120A**	1.01	1.01
EHD4X30A**	*9MA*0801714A**	0.99	1.03	ENH4X31*17**	*9MPV050	1.00	1.04
EHD4X30A**	*9MA*0802120A**	0.99	1.02	ENH4X31*17**	*9MPV075	1.00	1.04
EHD4X30A**	*9MA*1002122A**	1.00	1.02	ENH4X31*17**	*9MPV100	1.01	1.01
EHD4X30A**	*9MA*1202422A**	0.99	1.03	ENH4X31*17**	*9MPV125	1.01	1.01
EHD4X30A**	*9MV*0601714A**	0.98	1.02	ENH4X31*17**	*9MV*1002116A**	1.00	1.00
EHD4X30A**	*9MV*0801716A**	0.98	1.02	ENH4X31*17**	*9MVX040	1.00	1.04
EHD4X30A**	*9MV*0802120A**	0.99	1.01	ENH4X31*17**	*9MVX060	1.01	1.03
EHD4X30A**	*9MV*1002120A**	0.98	1.00	ENH4X31*17**	OLV098A12A	1.00	1.00
EHD4X30A**	*9MV*1202422A**	0.99	0.99	ENH4X31*17**	OLV112A16A	1.01	1.01
EHD4X30A**	*9MX*0601714A**	0.99	1.03	ENH4X31*17**	OMV098J12A	1.00	1.02
EHD4X30A**	*9MX*0801716A**	0.99	1.03	ENH4X31*17**	OMV112K14A	1.01	1.01
EHD4X30A**	MV08B15**B*	0.99	0.99	ENH4X36*17**	*8MV*0701412**	0.98	1.02
EHD4X30A**	MV12F19**B*	0.99	0.99	ENH4X36*17**	*8MV*0901716**	0.98	0.98
EHD4X30A**	*8MPV050	0.99	1.09	ENH4X36*17**	*8MV*1102120**	0.98	1.02

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X30A**	*8MPV075	0.99	1.03	ENH4X36*17**	*8MV*1352422**	0.98	0.98
EHD4X30A**	*8MPV100	0.99	0.99	ENH4X36*17**	*8MX*0701716**	0.98	1.02
EHD4X30A**	*8MPV125	0.99	0.99	ENH4X36*17**	*8MX*0902116**	0.99	1.03
EHD4X30A**	*9MA*1002120A**	0.99	1.03	ENH4X36*17**	*9MA*0601714A**	0.97	1.04
EHD4X30A**	*9MPV050	0.98	1.05	ENH4X36*17**	*9MA*0801714A**	0.98	1.02
EHD4X30A**	*9MPV075	0.98	1.05	ENH4X36*17**	*9MA*1202422A**	0.99	1.01
EHD4X30A**	*9MPV100	0.99	1.03	ENH4X36*17**	*9MV*0601714A**	0.97	1.01
EHD4X30A**	*9MPV125	0.99	1.03	ENH4X36*17**	*9MV*0801716A**	0.98	1.02
EHD4X30A**	*9MV*1002116A**	0.98	1.02	ENH4X36*17**	*9MV*1202422A**	0.98	0.98
EHD4X30A**	*9MVX040	0.98	1.06	ENH4X36*17**	*9MX*0601714A**	0.98	1.02
EHD4X30A**	*9MVX060	0.99	1.05	ENH4X36*17**	*9MX*0801716A**	0.99	1.03
EHD4X30A**	OLV098A12A	0.98	1.02	ENH4X36*17**	MV08B15**B*	0.99	0.99
EHD4X30A**	OLV112A16A	0.99	1.03	ENH4X36*17**	MV12F19**B*	0.99	0.99
EHD4X30A**	OMV098J12A	0.99	1.05	ENH4X36*17**	*8MPV050	0.98	1.06
EHD4X30A**	OMV112K14A	0.99	1.01	ENH4X36*17**	*8MPV075	0.99	1.03
EHD4X30A**		0.99	1.10	ENH4X36*17**	*8MPV100	0.99	0.99
EHD4X36A**	*8MV*0701412**	0.99	0.99	ENH4X36*17**	*8MPV125	0.99	0.99
EHD4X36A**	*8MV*0901716**	1.00	1.00	ENH4X36*17**	*9MA*1002120A**	0.99	1.03
EHD4X36A**	*8MV*1102120**	1.00	1.00	ENH4X36*17**	*9MPV050	0.97	1.04
EHD4X36A**	*8MV*1352422**	1.00	1.00	ENH4X36*17**	*9MPV075	0.98	1.05
EHD4X36A**	*8MX*0701716**	1.00	1.04	ENH4X36*17**	*9MPV100	0.99	1.03
EHD4X36A**	*8MX*0902116**	1.01	1.01	ENH4X36*17**	*9MPV125	0.99	1.01
EHD4X36A**	*9MA*0601714A**	0.99	1.03	ENH4X36*17**	*9MV*1002116A**	0.98	1.02
EHD4X36A**	*9MA*0602120A**	1.01	1.03	ENH4X36*17**	*9MVX040	0.98	1.06
EHD4X36A**	*9MA*0801714A**	1.00	1.00	ENH4X36*17**	*9MVX060	0.98	1.05
EHD4X36A**	*9MA*0802120A**	1.01	1.01	ENH4X36*17**	OLV098A12A	0.98	1.02
EHD4X36A**	*9MA*1002122A**	1.01	1.00	ENH4X36*17**	OLV112A16A	0.99	1.03
EHD4X36A**	*9MA*1202422A**	1.01	1.01	ENH4X36*17**	OMV098J12A	0.98	1.02
EHD4X36A**	*9MV*0601714A**	0.99	1.03	ENH4X36*17**	OMV112K14A	0.99	1.01
EHD4X36A**	*9MV*0801716A**	1.00	1.00	ENH4X36*17**		0.98	1.09
EHD4X36A**	*9MV*0802120A**	1.01	0.99	FCM4X24****		0.99	0.99
EHD4X36A**	*9MV*1002120A**	1.00	1.00	FCM4X36****		0.99	0.98
EHD4X36A**	*9MV*1202422A**	1.01	1.01	FEA4X30**A*		0.99	1.03
EHD4X36A**	*9MX*0601714A**	1.01	1.05	FEA4X36**A*		0.99	1.03
EHD4X36A**	*9MX*0801716A**	1.01	1.04	FEM4P30**A*		0.99	1.03

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X36A**	MV08B15**B*	1.01	0.99	FEM4P36**A*		0.99	1.03
EHD4X36A**	MV12F19**B*	1.01	0.99	FEM4X30****		0.99	1.03
EHD4X36A**	*8MPV050	1.01	1.09	FEM4X36****		1.01	1.05
EHD4X36A**	*8MPV075	1.01	1.01	FS(M,U)4P30**A*		0.99	1.06
EHD4X36A**	*8MPV100	1.01	1.01	FS(M,U)4P36**A*		0.99	1.07
EHD4X36A**	*8MPV125	1.01	1.01	FSA4X30**A*		0.96	1.08
EHD4X36A**	*9MA*1002120A**	1.01	1.01	FSA4X36**A*		0.99	1.10
EHD4X36A**	*9MPV050	1.00	1.04	FVM4X24****		0.99	0.99
EHD4X36A**	*9MPV075	1.00	1.04	FVM4X36****		0.99	0.99
EHD4X36A**	*9MPV100	1.01	1.01	FXM4X36**A*		1.02	1.02

COOLING Multiplying Factors for other Indoor Combinations							
Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)

(C,H,T)SH536							
*FXM4X36**A*		1.00	1.00	EHD4X42A**	*9MA*1002122A**	0.99	1.01
EA*4X36*14A*	*8MV*0701412**	0.95	1.03	EHD4X42A**	*9MA*1202422A**	0.98	1.01
EA*4X36*14A*	*8MX*0451408**	0.95	1.08	EHD4X42A**	*9MV*0601714A**	0.98	1.05
EA*4X36*14A*	MV08B15**B*	0.96	1.00	EHD4X42A**	*9MV*0801716A**	0.99	1.03
EA*4X36*14A*	*8MPV050	0.94	1.07	EHD4X42A**	*9MV*0802120A**	0.99	1.01
EA*4X36*14A*		0.95	1.08	EHD4X42A**	*9MV*1002120A**	0.99	1.01
EA*4X36*17A*	*8MV*0901716**	0.95	0.99	EHD4X42A**	*9MV*1202422A**	0.99	1.03
EA*4X36*17A*	*8MX*0701716**	0.95	1.04	EHD4X42A**	*9MX*0601714A**	0.98	1.05
EA*4X36*17A*	*9MA*0601714A**	0.94	1.02	EHD4X42A**	*9MX*0801716A**	0.98	1.02
EA*4X36*17A*	*9MA*0801714A**	0.95	1.01	EHD4X42A**	MV08B15**B*	0.99	0.99
EA*4X36*17A*	*9MV*0601714A**	0.95	1.04	EHD4X42A**	MV12F19**B*	0.99	0.99
EA*4X36*17A*	*9MV*0801716A**	0.95	1.02	EHD4X42A**	MV16J22**B*	0.99	0.99
EA*4X36*17A*	*9MX*0601714A**	0.95	1.04	EHD4X42A**	MV20L24**B*	0.99	0.99
EA*4X36*17A*	*9MX*0801716A**	0.95	1.02	EHD4X42A**	*8MPV050	0.98	1.09
EA*4X36*17A*	MV08B15**B*	0.97	1.01	EHD4X42A**	*8MPV075	0.99	1.04
EA*4X36*17A*	MV12F19**B*	0.97	0.99	EHD4X42A**	*8MPV100	1.01	1.05
EA*4X36*17A*	*8MPV050	0.95	1.08	EHD4X42A**	*8MPV125	1.01	1.01
EA*4X36*17A*	*8MPV075	0.96	1.04	EHD4X42A**	*9MA*1002120A**	0.98	1.02
EA*4X36*17A*	*9MPV050	0.95	1.06	EHD4X42A**	*9MPV050	0.98	1.07
EA*4X36*17A*	*9MPV075	0.95	1.07	EHD4X42A**	*9MPV075	0.98	1.05

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X36*17A*	OLV098A12A	0.95	1.03	EHD4X42A**	*9MPV100	1.00	1.04
EA*4X36*17A*	OMV098J12A	0.95	1.04	EHD4X42A**	*9MPV125	1.00	1.04
EA*4X36*17A*	OMV112K14A	0.95	1.02	EHD4X42A**	*9MV*1002116A**	0.99	1.03
EA*4X36*17A*		0.96	1.09	EHD4X42A**	*9MPV040	0.98	1.06
EA*4X36*21A*	*8MV*1102120**	0.96	1.00	EHD4X42A**	*9MPV060	0.99	1.07
EA*4X36*21A*	*8MX*0902116**	0.97	1.01	EHD4X42A**	*9MPV080	1.01	1.05
EA*4X36*21A*	*8MX*1102120**	0.97	1.01	EHD4X42A**	*9MPV100	0.99	1.04
EA*4X36*21A*	*9MA*0601714A**	0.94	1.02	EHD4X42A**	OLV098A12A	0.98	1.04
EA*4X36*21A*	*9MA*0602120A**	0.95	0.99	EHD4X42A**	OLV112A16A	0.99	1.03
EA*4X36*21A*	*9MA*0801714A**	0.95	1.01	EHD4X42A**	OLV154F20A	1.01	1.05
EA*4X36*21A*	*9MA*0802120A**	0.96	1.00	EHD4X42A**	OMV098J12A	0.98	1.05
EA*4X36*21A*	*9MA*1002122A**	0.97	1.01	EHD4X42A**	OMV112K14A	0.98	1.02
EA*4X36*21A*	*9MV*0601714A**	0.95	1.04	EHD4X42A**		0.99	1.12
EA*4X36*21A*	*9MV*0801716A**	0.96	1.03	EN(A,D)4X36*21**	*8MV*1102120**	0.95	0.99
EA*4X36*21A*	*9MV*0802120A**	0.97	1.01	EN(A,D)4X36*21**	*8MX*0902116**	0.96	1.00
EA*4X36*21A*	*9MV*1002120A**	0.97	1.01	EN(A,D)4X36*21**	*8MX*1102120**	0.97	1.01
EA*4X36*21A*	*9MX*0601714A**	0.96	1.04	EN(A,D)4X36*21**	*9MA*0601714A**	0.94	1.02
EA*4X36*21A*	*9MX*0801716A**	0.95	1.02	EN(A,D)4X36*21**	*9MA*0602120A**	0.95	1.02
EA*4X36*21A*	MV12F19**B*	0.97	0.97	EN(A,D)4X36*21**	*9MA*0801714A**	0.94	1.02
EA*4X36*21A*	MV16J22**B*	0.97	0.97	EN(A,D)4X36*21**	*9MA*0802120A**	0.95	0.99
EA*4X36*21A*	*8MPV075	0.97	1.03	EN(A,D)4X36*21**	*9MA*1002122A**	0.96	1.00
EA*4X36*21A*	*8MPV100	0.98	1.02	EN(A,D)4X36*21**	*9MV*0601714A**	0.95	1.06
EA*4X36*21A*	*8MPV125	0.98	1.02	EN(A,D)4X36*21**	*9MV*0801716A**	0.95	1.04
EA*4X36*21A*	*9MA*1002120A**	0.95	1.02	EN(A,D)4X36*21**	*9MV*0802120A**	0.96	1.00
EA*4X36*21A*	*9MPV050	0.95	1.07	EN(A,D)4X36*21**	*9MV*1002120A**	0.95	0.99
EA*4X36*21A*	*9MPV075	0.96	1.04	EN(A,D)4X36*21**	*9MX*0601714A**	0.95	1.04
EA*4X36*21A*	*9MPV100	0.97	1.04	EN(A,D)4X36*21**	*9MX*0801716A**	0.95	1.01
EA*4X36*21A*	*9MV*1002116A**	0.96	1.03	EN(A,D)4X36*21**	MV12F19**B*	0.97	1.01
EA*4X36*21A*	OLV098A12A	0.95	1.03	EN(A,D)4X36*21**	MV16J22**B*	0.97	1.01
EA*4X36*21A*	OLV112A16A	0.96	1.03	EN(A,D)4X36*21**	*8MPV075	0.96	1.04
EA*4X36*21A*	OMV098J12A	0.95	1.04	EN(A,D)4X36*21**	*8MPV100	0.97	1.04
EA*4X36*21A*	OMV112K14A	0.96	1.03	EN(A,D)4X36*21**	*8MPV125	0.97	1.03
EA*4X36*21A*		0.96	1.09	EN(A,D)4X36*21**	*9MA*1002120A**	0.95	1.01
EA*4X42*21A*	*8MV*1102120**	0.97	1.01	EN(A,D)4X36*21**	*9MPV050	0.95	1.06
EA*4X42*21A*	*8MX*0902116**	0.98	1.02	EN(A,D)4X36*21**	*9MPV075	0.95	1.06

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X42*21A*	*8MX*1102120**	0.98	1.02	EN(A,D)4X36*21**	*9MPV100	0.97	1.05
EA*4X42*21A*	*9MA*0601714A**	0.95	1.01	EN(A,D)4X36*21**	*9MV*1002116A**	0.95	1.04
EA*4X42*21A*	*9MA*0602120A**	0.96	1.00	EN(A,D)4X36*21**	*9MVX040	0.95	1.08
EA*4X42*21A*	*9MA*0801714A**	0.95	1.02	EN(A,D)4X36*21**	*9MVX060	0.95	1.07
EA*4X42*21A*	*9MA*0802120A**	0.97	1.01	EN(A,D)4X36*21**	*9MVX080	0.97	1.05
EA*4X42*21A*	*9MA*1002122A**	0.97	1.01	EN(A,D)4X36*21**	OLV098A12A	0.95	1.03
EA*4X42*21A*	*9MV*0601714A**	0.97	1.05	EN(A,D)4X36*21**	OLV112A16A	0.96	1.04
EA*4X42*21A*	*9MV*0801716A**	0.97	1.03	EN(A,D)4X36*21**	OMV098J12A	0.95	1.06
EA*4X42*21A*	*9MV*0802120A**	0.97	1.01	EN(A,D)4X36*21**	OMV112K14A	0.95	1.04
EA*4X42*21A*	*9MV*1002120A**	0.97	1.01	EN(A,D)4X36*21**		0.96	1.09
EA*4X42*21A*	*9MX*0601714A**	0.97	1.05	EN(A,D)4X37*17**	*8MV*0901716**	0.99	0.99
EA*4X42*21A*	*9MX*0801716A**	0.96	1.03	EN(A,D)4X37*17**	*8MX*0701716**	0.99	1.04
EA*4X42*21A*	MV12F19**B*	0.98	0.98	EN(A,D)4X37*17**	*9MA*0601714A**	0.98	1.02
EA*4X42*21A*	MV16J22**B*	0.98	0.98	EN(A,D)4X37*17**	*9MA*0801714A**	0.98	1.02
EA*4X42*21A*	*8MPV075	0.97	1.04	EN(A,D)4X37*17**	*9MV*0601714A**	0.98	1.02
EA*4X42*21A*	*8MPV100	0.98	1.02	EN(A,D)4X37*17**	*9MV*0801716A**	0.98	1.02
EA*4X42*21A*	*8MPV125	0.98	1.02	EN(A,D)4X37*17**	*9MX*0601714A**	0.99	1.04
EA*4X42*21A*	*9MA*1002120A**	0.96	1.00	EN(A,D)4X37*17**	*9MX*0801716A**	0.99	1.03
EA*4X42*21A*	*9MPV050	0.96	1.07	EN(A,D)4X37*17**	MV08B15**B*	1.00	1.00
EA*4X42*21A*	*9MPV075	0.97	1.05	EN(A,D)4X37*17**	MV12F19**B*	1.01	1.01
EA*4X42*21A*	*9MPV100	0.98	1.05	EN(A,D)4X37*17**	*8MPV050	0.98	1.07
EA*4X42*21A*	*9MV*1002116A**	0.97	1.04	EN(A,D)4X37*17**	*8MPV075	1.00	1.04
EA*4X42*21A*	OLV098A12A	0.96	1.04	EN(A,D)4X37*17**	*9MPV050	0.99	1.07
EA*4X42*21A*	OLV112A16A	0.97	1.04	EN(A,D)4X37*17**	*9MPV075	0.99	1.06
EA*4X42*21A*	OMV098J12A	0.96	1.04	EN(A,D)4X37*17**	*9MVX040	0.99	1.07
EA*4X42*21A*	OMV112K14A	0.97	1.01	EN(A,D)4X37*17**	*9MVX060	1.00	1.07
EA*4X42*21A*		0.97	1.10	EN(A,D)4X37*17**	OLV098A12A	0.99	1.06
EA*4X42*24A*	*8MV*1352422**	0.97	1.01	EN(A,D)4X37*17**	OMV098J12A	0.99	1.06
EA*4X42*24A*	*9MA*0602120A**	0.96	1.00	EN(A,D)4X37*17**	OMV112K14A	0.99	1.04
EA*4X42*24A*	*9MA*0802120A**	0.97	0.99	EN(A,D)4X37*17**		1.00	1.09
EA*4X42*24A*	*9MA*1002122A**	0.97	1.00	EN(A,D)4X43*24**	*8MV*1352422**	0.99	0.99
EA*4X42*24A*	*9MA*1202422A**	0.96	1.00	EN(A,D)4X43*24**	*9MA*1202422A**	0.99	0.99
EA*4X42*24A*	*9MV*0802120A**	0.97	1.01	EN(A,D)4X43*24**	*9MV*1202422A**	0.99	0.99
EA*4X42*24A*	*9MV*1002120A**	0.98	1.02	EN(A,D)4X43*24**	MV16J22**B*	1.01	0.99
EA*4X42*24A*	*9MV*1202422A**	0.97	1.01	EN(A,D)4X43*24**	MV20L24**B*	1.01	0.99

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X42*24A*	MV16J22**B*	0.98	0.98	EN(A,D)4X43*24**	*8MPV100	1.02	1.02
EA*4X42*24A*	MV20L24**B*	0.98	0.98	EN(A,D)4X43*24**	*8MPV125	1.02	1.02
EA*4X42*24A*	*8MPV100	0.99	1.03	EN(A,D)4X43*24**	*9MA*1002120A**	0.99	0.99
EA*4X42*24A*	*8MPV125	0.99	1.03	EN(A,D)4X43*24**	*9MPV100	1.02	1.06
EA*4X42*24A*	*9MA*1002120A**	0.96	1.00	EN(A,D)4X43*24**	*9MPV125	1.02	1.02
EA*4X42*24A*	*9MPV100	0.98	1.05	EN(A,D)4X43*24**	*9MV*1002116A**	0.99	0.99
EA*4X42*24A*	*9MPV125	0.98	1.02	EN(A,D)4X43*24**	*9MVX080	1.02	1.06
EA*4X42*24A*	*9MV*1002116A**	0.97	1.04	EN(A,D)4X43*24**	*9MVX100	1.01	1.01
EA*4X42*24A*	*9MVX100	0.98	1.02	EN(A,D)4X43*24**	OLV112A16A	1.00	1.04
EA*4X42*24A*	OLV112A16A	0.97	1.01	EN(A,D)4X43*24**	OLV154F20A	1.02	1.02
EA*4X42*24A*	OLV154F20A	0.99	1.03	EN(A,D)4X43*24**		1.00	1.09
EA*4X42*24A*		0.97	1.10	EN(A,D,W)4X36*17**	*8MV*0901716**	0.95	1.02
ED*4X36B**	*8MV*0701412**	0.95	1.03	EN(A,D,W)4X36*17**	*8MX*0701716**	0.95	1.04
ED*4X36B**	*8MX*0451408**	0.95	1.06	EN(A,D,W)4X36*17**	*9MA*0601714A**	0.94	1.02
ED*4X36B**	MV08B15**B*	0.96	1.00	EN(A,D,W)4X36*17**	*9MA*0801714A**	0.94	1.02
ED*4X36B**	*8MPV050	0.94	1.07	EN(A,D,W)4X36*17**	*9MV*0601714A**	0.95	1.06
ED*4X36B**		0.95	1.08	EN(A,D,W)4X36*17**	*9MV*0801716A**	0.95	1.04
ED*4X36F**	*9MA*0601714A**	0.94	1.02	EN(A,D,W)4X36*17**	*9MX*0601714A**	0.95	1.03
ED*4X36F**	*9MA*0602120A**	0.95	1.02	EN(A,D,W)4X36*17**	*9MX*0801716A**	0.95	1.03
ED*4X36F**	*9MA*0801714A**	0.95	1.01	EN(A,D,W)4X36*17**	MV08B15**B*	0.96	1.00
ED*4X36F**	*9MA*0802120A**	0.96	1.00	EN(A,D,W)4X36*17**	MV12F19**B*	0.97	1.01
ED*4X36F**	*9MA*1002122A**	0.96	1.00	EN(A,D,W)4X36*17**	*8MPV050	0.94	1.07
ED*4X36F**	*9MV*0601714A**	0.95	1.04	EN(A,D,W)4X36*17**	*8MPV075	0.96	1.04
ED*4X36F**	*9MV*0801716A**	0.95	1.02	EN(A,D,W)4X36*17**	*9MPV050	0.95	1.06
ED*4X36F**	*9MV*0802120A**	0.96	1.00	EN(A,D,W)4X36*17**	*9MPV075	0.95	1.06
ED*4X36F**	*9MV*1002120A**	0.96	1.00	EN(A,D,W)4X36*17**	*9MVX040	0.95	1.08
ED*4X36F**	*9MX*0601714A**	0.95	1.04	EN(A,D,W)4X36*17**	*9MVX060	0.95	1.07
ED*4X36F**	*9MX*0801716A**	0.95	1.02	EN(A,D,W)4X36*17**	OLV098A12A	0.95	1.06
ED*4X36F**	MV08B15**B*	0.97	1.01	EN(A,D,W)4X36*17**	OMV098J12A	0.95	1.06
ED*4X36F**	MV12F19**B*	0.97	0.99	EN(A,D,W)4X36*17**	OMV112K14A	0.95	1.04
ED*4X36F**	*8MPV050	0.95	1.06	EN(A,D,W)4X36*17**		0.96	1.09
ED*4X36F**	*8MPV075	0.96	1.04	EN(A,D,W)4X42*21**	*8MV*1102120**	0.97	1.01
ED*4X36F**	*9MA*1002120A**	0.95	1.02	EN(A,D,W)4X42*21**	*8MX*0902116**	0.97	1.01
ED*4X36F**	*9MPV050	0.95	1.06	EN(A,D,W)4X42*21**	*8MX*1102120**	0.98	1.02
ED*4X36F**	*9MPV075	0.95	1.07	EN(A,D,W)4X42*21**	*9MA*0601714A**	0.95	1.03

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X36F**	*9MV*1002116A**	0.96	1.03	EN(A,D,W)4X42*21**	*9MA*0602120A**	0.96	1.00
ED*4X36F**	*9MVX040	0.95	1.08	EN(A,D,W)4X42*21**	*9MA*0801714A**	0.95	1.02
ED*4X36F**	*9MVX060	0.96	1.04	EN(A,D,W)4X42*21**	*9MA*0802120A**	0.97	1.01
ED*4X36F**	OLV098A12A	0.95	1.03	EN(A,D,W)4X42*21**	*9MA*1002122A**	0.97	1.01
ED*4X36F**	OLV112A16A	0.96	1.04	EN(A,D,W)4X42*21**	*9MV*0601714A**	0.96	1.04
ED*4X36F**	OMV098J12A	0.95	1.04	EN(A,D,W)4X42*21**	*9MV*0801716A**	0.97	1.03
ED*4X36F**	OMV112K14A	0.95	1.02	EN(A,D,W)4X42*21**	*9MV*0802120A**	0.97	1.01
ED*4X36F**		0.96	1.09	EN(A,D,W)4X42*21**	*9MV*1002120A**	0.97	1.01
ED*4X36J**	*8MV*1102120**	0.96	1.00	EN(A,D,W)4X42*21**	*9MX*0601714A**	0.97	1.05
ED*4X36J**	*8MV*1352422**	0.96	1.00	EN(A,D,W)4X42*21**	*9MX*0801716A**	0.96	1.03
ED*4X36J**	*8MX*0902116**	0.97	1.01	EN(A,D,W)4X42*21**	MV12F19**B*	0.98	0.98
ED*4X36J**	*8MX*1102120**	0.97	1.01	EN(A,D,W)4X42*21**	MV16J22**B*	0.98	0.98
ED*4X36J**	*9MA*0602120A**	0.95	0.99	EN(A,D,W)4X42*21**	*8MPV075	0.97	1.04
ED*4X36J**	*9MA*0802120A**	0.96	1.00	EN(A,D,W)4X42*21**	*8MPV100	0.98	1.02
ED*4X36J**	*9MA*1002122A**	0.97	1.01	EN(A,D,W)4X42*21**	*8MPV125	0.98	1.02
ED*4X36J**	*9MA*1202422A**	0.95	0.99	EN(A,D,W)4X42*21**	*9MA*1002120A**	0.96	1.03
ED*4X36J**	*9MV*0802120A**	0.97	1.01	EN(A,D,W)4X42*21**	*9MPV050	0.96	1.07
ED*4X36J**	*9MV*1002120A**	0.97	1.01	EN(A,D,W)4X42*21**	*9MPV075	0.97	1.08
ED*4X36J**	*9MV*1202422A**	0.96	1.00	EN(A,D,W)4X42*21**	*9MPV100	0.98	1.04
ED*4X36J**	MV12F19**B*	0.97	0.97	EN(A,D,W)4X42*21**	*9MV*1002116A**	0.97	1.03
ED*4X36J**	MV16J22**B*	0.97	0.97	EN(A,D,W)4X42*21**	*9MVX060	0.97	1.05
ED*4X36J**	MV20L24**B*	0.97	0.97	EN(A,D,W)4X42*21**	*9MVX080	0.98	1.05
ED*4X36J**	*8MPV075	0.97	1.03	EN(A,D,W)4X42*21**	OLV098A12A	0.96	1.04
ED*4X36J**	*8MPV100	0.98	1.02	EN(A,D,W)4X42*21**	OLV112A16A	0.97	1.06
ED*4X36J**	*8MPV125	0.98	1.02	EN(A,D,W)4X42*21**	OMV098J12A	0.96	1.04
ED*4X36J**	*9MA*1002120A**	0.95	1.02	EN(A,D,W)4X42*21**	OMV112K14A	0.97	1.03
ED*4X36J**	*9MPV050	0.95	1.07	EN(A,D,W)4X42*21**		0.97	1.10
ED*4X36J**	*9MPV075	0.96	1.07	END4X42*17**	*8MV*0901716**	0.97	1.01
ED*4X36J**	*9MPV100	0.97	1.04	END4X42*17**	*8MX*0701716**	0.97	1.04
ED*4X36J**	*9MPV125	0.98	1.02	END4X42*17**	*9MA*0601714A**	0.96	1.03
ED*4X36J**	*9MV*1002116A**	0.96	1.03	END4X42*17**	*9MA*0801714A**	0.97	1.03
ED*4X36J**	*9MVX040	0.95	1.07	END4X42*17**	*9MV*0601714A**	0.97	1.06
ED*4X36J**	*9MVX060	0.96	1.04	END4X42*17**	*9MV*0801716A**	0.97	1.04
ED*4X36J**	*9MVX080	0.98	1.04	END4X42*17**	*9MX*0601714A**	0.97	1.04
ED*4X36J**	*9MVX100	0.97	1.01	END4X42*17**	*9MX*0801716A**	0.97	1.01

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X36J**	OLV112A16A	0.96	1.03	END4X42*17**	MV08B15**B*	0.98	1.02
ED*4X36J**		0.96	1.09	END4X42*17**	MV12F19**B*	0.98	0.98
ED*4X42F**	*8MV*0901716**	0.97	1.01	END4X42*17**	*8MPV050	0.97	1.08
ED*4X42F**	*8MV*1102120**	0.97	1.01	END4X42*17**	*8MPV075	0.98	1.04
ED*4X42F**	*8MX*0701716**	0.97	1.03	END4X42*17**	*9MPV050	0.97	1.08
ED*4X42F**	*8MX*0902116**	0.97	1.01	END4X42*17**	*9MPV075	0.97	1.06
ED*4X42F**	*8MX*1102120**	0.98	1.02	END4X42*17**	*9MVX040	0.97	1.08
ED*4X42F**	*9MA*0601714A**	0.95	1.01	END4X42*17**	*9MVX060	0.98	1.06
ED*4X42F**	*9MA*0602120A**	0.96	1.00	END4X42*17**	OLV098A12A	0.97	1.05
ED*4X42F**	*9MA*0801714A**	0.95	1.02	END4X42*17**	OMV098J12A	0.97	1.06
ED*4X42F**	*9MA*0802120A**	0.97	1.01	END4X42*17**	OMV112K14A	0.97	1.04
ED*4X42F**	*9MA*1002122A**	0.97	1.01	END4X42*17**		0.98	1.09
ED*4X42F**	*9MV*0601714A**	0.96	1.04	ENH4X36*17**	*8MV*0701412**	0.95	1.03
ED*4X42F**	*9MV*0801716A**	0.97	1.03	ENH4X36*17**	*8MV*0901716**	0.95	1.02
ED*4X42F**	*9MV*0802120A**	0.97	1.01	ENH4X36*17**	*8MV*1102120**	0.95	1.02
ED*4X42F**	*9MV*1002120A**	0.97	1.01	ENH4X36*17**	*8MV*1352422**	0.95	0.99
ED*4X42F**	*9MX*0601714A**	0.97	1.05	ENH4X36*17**	*8MX*0451408**	0.95	1.06
ED*4X42F**	*9MX*0801716A**	0.96	1.03	ENH4X36*17**	*8MX*0701716**	0.95	1.04
ED*4X42F**	MV08B15**B*	0.97	1.01	ENH4X36*17**	*8MX*0902116**	0.96	1.00
ED*4X42F**	MV12F19**B*	0.97	0.97	ENH4X36*17**	*8MX*1102120**	0.96	1.00
ED*4X42F**	*8MPV050	0.95	1.07	ENH4X36*17**	*9MA*0601714A**	0.94	1.02
ED*4X42F**	*8MPV075	0.97	1.04	ENH4X36*17**	*9MA*0801714A**	0.94	1.02
ED*4X42F**	*9MA*1002120A**	0.96	1.03	ENH4X36*17**	*9MA*1202422A**	0.95	1.01
ED*4X42F**	*9MPV050	0.96	1.07	ENH4X36*17**	*9MV*0601714A**	0.95	1.06
ED*4X42F**	*9MPV075	0.96	1.07	ENH4X36*17**	*9MV*0801716A**	0.95	1.04
ED*4X42F**	*9MV*1002116A**	0.97	1.03	ENH4X36*17**	*9MV*1202422A**	0.95	1.01
ED*4X42F**	*9MVX040	0.96	1.07	ENH4X36*17**	*9MX*0601714A**	0.95	1.06
ED*4X42F**	*9MVX060	0.97	1.05	ENH4X36*17**	*9MX*0801716A**	0.95	1.03
ED*4X42F**	OLV098A12A	0.96	1.04	ENH4X36*17**	MV08B15**B*	0.96	1.00
ED*4X42F**	OLV112A16A	0.97	1.03	ENH4X36*17**	MV12F19**B*	0.97	1.01
ED*4X42F**	OMV098J12A	0.96	1.04	ENH4X36*17**	MV16J22**B*	0.97	1.01
ED*4X42F**	OMV112K14A	0.97	1.03	ENH4X36*17**	MV20L24**B*	0.97	1.01
ED*4X42F**		0.97	1.10	ENH4X36*17**	*8MPV050	0.94	1.07
ED*4X42J**	*8MV*1102120**	0.97	1.01	ENH4X36*17**	*8MPV075	0.96	1.04
ED*4X42J**	*8MV*1352422**	0.97	1.01	ENH4X36*17**	*8MPV100	0.97	1.03

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X42J**	*8MX*0902116**	0.98	1.02	ENH4X36*17**	*8MPV125	0.97	1.03
ED*4X42J**	*8MX*1102120**	0.98	1.02	ENH4X36*17**	*9MA*1002120A**	0.95	1.03
ED*4X42J**	*9MA*0602120A**	0.96	1.00	ENH4X36*17**	*9MPV050	0.95	1.06
ED*4X42J**	*9MA*0802120A**	0.97	1.01	ENH4X36*17**	*9MPV075	0.95	1.06
ED*4X42J**	*9MA*1002122A**	0.97	1.01	ENH4X36*17**	*9MPV100	0.96	1.04
ED*4X42J**	*9MA*1202422A**	0.96	1.00	ENH4X36*17**	*9MPV125	0.97	1.03
ED*4X42J**	*9MV*0802120A**	0.97	1.01	ENH4X36*17**	*9MV*1002116A**	0.95	1.04
ED*4X42J**	*9MV*1002120A**	0.97	1.01	ENH4X36*17**	*9MVX040	0.95	1.08
ED*4X42J**	*9MV*1202422A**	0.97	1.01	ENH4X36*17**	*9MVX060	0.95	1.07
ED*4X42J**	MV12F19**B*	0.98	0.98	ENH4X36*17**	*9MVX080	0.97	1.05
ED*4X42J**	MV16J22**B*	0.98	0.98	ENH4X36*17**	*9MVX100	0.96	1.03
ED*4X42J**	MV20L24**B*	0.98	0.98	ENH4X36*17**	OLV098A12A	0.95	1.06
ED*4X42J**	*8MPV075	0.97	1.04	ENH4X36*17**	OLV112A16A	0.96	1.04
ED*4X42J**	*8MPV100	0.98	1.02	ENH4X36*17**	OLV154F20A	0.98	1.04
ED*4X42J**	*8MPV125	0.98	1.02	ENH4X36*17**	OMV098J12A	0.95	1.06
ED*4X42J**	*9MA*1002120A**	0.96	1.00	ENH4X36*17**	OMV112K14A	0.95	1.04
ED*4X42J**	*9MPV050	0.96	1.07	ENH4X36*17**		0.96	1.09
ED*4X42J**	*9MPV075	0.97	1.05	ENH4X42*21**	*8MV*0701412**	0.96	1.03
ED*4X42J**	*9MPV100	0.98	1.05	ENH4X42*21**	*8MV*0901716**	0.97	1.01
ED*4X42J**	*9MPV125	0.98	1.02	ENH4X42*21**	*8MV*1102120**	0.97	1.01
ED*4X42J**	*9MV*1002116A**	0.97	1.04	ENH4X42*21**	*8MV*1352422**	0.97	1.01
ED*4X42J**	*9MVX040	0.96	1.07	ENH4X42*21**	*8MX*0451408**	0.96	1.07
ED*4X42J**	*9MVX060	0.97	1.06	ENH4X42*21**	*8MX*0701716**	0.97	1.05
ED*4X42J**	*9MVX080	0.98	1.05	ENH4X42*21**	*8MX*0902116**	0.97	1.01
ED*4X42J**	*9MVX100	0.98	1.02	ENH4X42*21**	*8MX*1102120**	0.98	1.02
ED*4X42J**	OLV112A16A	0.97	1.04	ENH4X42*21**	*9MA*0601714A**	0.95	1.03
ED*4X42J**		0.97	1.10	ENH4X42*21**	*9MA*0602120A**	0.96	1.00
ED*4X42L**	*8MV*1102120**	0.97	1.01	ENH4X42*21**	*9MA*0801714A**	0.95	1.02
ED*4X42L**	*8MV*1352422**	0.97	1.01	ENH4X42*21**	*9MA*0802120A**	0.97	1.01
ED*4X42L**	*8MX*0902116**	0.98	1.02	ENH4X42*21**	*9MA*1002122A**	0.97	1.01
ED*4X42L**	*8MX*1102120**	0.98	1.02	ENH4X42*21**	*9MA*1202422A**	0.96	1.00
ED*4X42L**	*9MA*0602120A**	0.96	1.00	ENH4X42*21**	*9MV*0601714A**	0.96	1.04
ED*4X42L**	*9MA*0802120A**	0.97	0.99	ENH4X42*21**	*9MV*0801716A**	0.97	1.03
ED*4X42L**	*9MA*1002122A**	0.97	1.00	ENH4X42*21**	*9MV*0802120A**	0.97	1.01
ED*4X42L**	*9MA*1202422A**	0.96	1.00	ENH4X42*21**	*9MV*1002120A**	0.97	1.01

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED4X42L**	*9MV*0802120A**	0.97	1.01	ENH4X42*21**	*9MV*1202422A**	0.97	1.01
ED4X42L**	*9MV*1002120A**	0.98	1.02	ENH4X42*21**	*9MX*0601714A**	0.97	1.05
ED4X42L**	*9MV*1202422A**	0.97	1.01	ENH4X42*21**	*9MX*0801716A**	0.96	1.03
ED4X42L**	MV16J22**B*	0.98	0.98	ENH4X42*21**	MV08B15**B*	0.97	1.01
ED4X42L**	MV20L24**B*	0.98	0.98	ENH4X42*21**	MV12F19**B*	0.98	0.98
ED4X42L**	*8MPV100	0.99	1.03	ENH4X42*21**	MV16J22**B*	0.98	0.98
ED4X42L**	*8MPV125	0.99	1.03	ENH4X42*21**	MV20L24**B*	0.98	0.98
ED4X42L**	*9MA*1002120A**	0.96	1.00	ENH4X42*21**	*8MPV050	0.95	1.07
ED4X42L**	*9MPV100	0.98	1.05	ENH4X42*21**	*8MPV075	0.97	1.04
ED4X42L**	*9MPV125	0.98	1.02	ENH4X42*21**	*8MPV100	0.98	1.02
ED4X42L**	*9MV*1002116A**	0.97	1.04	ENH4X42*21**	*8MPV125	0.98	1.02
ED4X42L**	*9MVX080	0.98	1.05	ENH4X42*21**	*9MA*1002120A**	0.96	1.03
ED4X42L**	*9MVX100	0.98	1.02	ENH4X42*21**	*9MPV050	0.96	1.07
ED4X42L**	OLV112A16A	0.97	1.04	ENH4X42*21**	*9MPV075	0.97	1.08
ED4X42L**	OLV154F20A	0.99	1.03	ENH4X42*21**	*9MPV100	0.98	1.04
ED4X42L**		0.97	1.10	ENH4X42*21**	*9MPV125	0.98	1.02
EHD4X36A**	*8MV*0701412**	0.98	1.02	ENH4X42*21**	*9MV*1002116A**	0.97	1.03
EHD4X36A**	*8MV*0901716**	0.98	1.02	ENH4X42*21**	*9MVX040	0.96	1.07
EHD4X36A**	*8MV*1102120**	0.98	1.02	ENH4X42*21**	*9MVX060	0.97	1.05
EHD4X36A**	*8MV*1352422**	0.98	1.02	ENH4X42*21**	*9MVX080	0.98	1.05
EHD4X36A**	*8MX*0451408**	0.98	1.06	ENH4X42*21**	*9MVX100	0.98	1.02
EHD4X36A**	*8MX*0701716**	0.98	1.04	ENH4X42*21**	OLV098A12A	0.96	1.04
EHD4X36A**	*8MX*0902116**	0.99	1.03	ENH4X42*21**	OLV112A16A	0.97	1.06
EHD4X36A**	*8MX*1102120**	0.99	0.99	ENH4X42*21**	OLV154F20A	0.99	1.03
EHD4X36A**	*9MA*0601714A**	0.97	1.03	ENH4X42*21**	OMV112K14A	0.97	1.03
EHD4X36A**	*9MA*0602120A**	0.98	1.02	ENH4X42*21**		0.97	1.10
EHD4X36A**	*9MA*0801714A**	0.97	1.01	ENH4X43*21**	*9MA*0601714A**	0.98	1.02
EHD4X36A**	*9MA*0802120A**	0.98	1.01	ENH4X43*21**	*9MA*0801714A**	0.98	1.02
EHD4X36A**	*9MA*1002122A**	0.98	1.01	ENH4X43*21**	*9MA*1202422A**	0.99	0.99
EHD4X36A**	*9MA*1202422A**	0.97	1.01	ENH4X43*21**	*9MV*0601714A**	0.98	1.02
EHD4X36A**	*9MV*0601714A**	0.98	1.04	ENH4X43*21**	*9MV*0801716A**	0.98	1.02
EHD4X36A**	*9MV*0801716A**	0.98	1.02	ENH4X43*21**	*9MV*1202422A**	0.99	0.99
EHD4X36A**	*9MV*0802120A**	0.98	1.02	ENH4X43*21**	*9MX*0601714A**	0.99	1.04
EHD4X36A**	*9MV*1002120A**	0.98	1.01	ENH4X43*21**	*9MX*0801716A**	0.99	1.04
EHD4X36A**	*9MV*1202422A**	0.98	1.02	ENH4X43*21**	MV08B15**B*	1.00	1.00

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X36A**	*9MX*0601714A**	0.98	1.04	ENH4X43*21**	MV12F19**B*	1.01	1.01
EHD4X36A**	*9MX*0801716A**	0.98	1.02	ENH4X43*21**	MV16J22**B*	1.01	1.01
EHD4X36A**	MV08B15**B*	0.99	0.99	ENH4X43*21**	MV20L24**B*	1.01	1.01
EHD4X36A**	MV12F19**B*	0.99	0.99	ENH4X43*21**	*8MPV050	0.99	1.07
EHD4X36A**	MV16J22**B*	0.99	0.99	ENH4X43*21**	*8MPV075	1.01	1.05
EHD4X36A**	MV20L24**B*	0.99	0.99	ENH4X43*21**	*8MPV100	1.02	1.02
EHD4X36A**	*8MPV050	0.97	1.08	ENH4X43*21**	*8MPV125	1.02	1.02
EHD4X36A**	*8MPV075	0.98	1.05	ENH4X43*21**	*9MA*1002120A**	0.99	1.03
EHD4X36A**	*8MPV100	0.99	1.04	ENH4X43*21**	*9MPV050	0.99	1.08
EHD4X36A**	*8MPV125	0.99	1.04	ENH4X43*21**	*9MPV075	0.99	1.06
EHD4X36A**	*9MA*1002120A**	0.97	1.01	ENH4X43*21**	*9MPV100	1.01	1.05
EHD4X36A**	*9MPV050	0.97	1.08	ENH4X43*21**	*9MPV125	1.01	1.01
EHD4X36A**	*9MPV075	0.98	1.06	ENH4X43*21**	*9MV*1002116A**	0.99	0.99
EHD4X36A**	*9MPV100	0.99	1.04	ENH4X43*21**	*9MVX040	0.99	1.07
EHD4X36A**	*9MPV125	0.99	1.04	ENH4X43*21**	*9MVX060	1.00	1.04
EHD4X36A**	*9MV*1002116A**	0.98	1.02	ENH4X43*21**	*9MVX080	1.02	1.06
EHD4X36A**	*9MVX040	0.97	1.08	ENH4X43*21**	*9MVX100	1.01	1.01
EHD4X36A**	*9MVX060	0.98	1.07	ENH4X43*21**	OLV098A12A	0.99	1.03
EHD4X36A**	*9MVX080	0.99	1.04	ENH4X43*21**	OLV112A16A	1.00	1.04
EHD4X36A**	*9MVX100	0.99	1.03	ENH4X43*21**	OLV154F20A	1.02	1.02
EHD4X36A**	OLV098A12A	0.97	1.06	ENH4X43*21**	OMV098J12A	0.99	1.03
EHD4X36A**	OLV112A16A	0.98	1.05	ENH4X43*21**	OMV112K14A	0.99	1.04
EHD4X36A**	OLV154F20A	1.01	1.05	FCM4X24****		0.96	1.03
EHD4X36A**	OMV098J12A	0.97	1.06	FCM4X36****		0.97	0.99
EHD4X36A**	OMV112K14A	0.98	1.02	FCM4X48****		1.00	1.00
EHD4X36A**		0.98	1.10	FEA4X36**A*		0.97	1.10
EHD4X42A**	*8MV*0701412**	0.98	1.02	FEM4P36**A*		0.96	1.04
EHD4X42A**	*8MV*0901716**	0.98	0.98	FEM4P42**A*		1.00	1.04
EHD4X42A**	*8MV*1102120**	0.99	0.99	FEM4X36****		0.99	1.06
EHD4X42A**	*8MV*1352422**	0.99	0.99	FEM4X42****		0.99	1.06
EHD4X42A**	*8MX*0451408**	0.98	1.07	FS(M,U)4P36**A*		0.97	1.08
EHD4X42A**	*8MX*0701716**	0.98	1.02	FS(M,U)4P42**A*		0.99	1.07
EHD4X42A**	*8MX*0902116**	0.99	0.99	FSA4X36**A*		0.96	1.09
EHD4X42A**	*8MX*1102120**	1.00	1.00	FVM4X24****		0.96	1.03
EHD4X42A**	*9MA*0601714A**	0.97	1.04	FVM4X36****		0.97	1.01

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X42A**	*9MA*0602120A**	0.98	1.02	FVM4X48***		1.00	1.00
EHD4X42A**	*9MA*0801714A**	0.97	1.01	FXM4X42**A*		1.00	1.00
EHD4X42A**	*9MA*0802120A**	0.99	0.99				

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
(C,H,T)SH542							
*FXM4X42**A*		1.00	1.00	EHD4X42A**	*9MX*0601714A**	0.99	1.06
EA*4X42*21A*	*8MV*1102120**	0.96	1.00	EHD4X42A**	*9MX*0801716A**	0.99	1.03
EA*4X42*21A*	*8MX*0902116**	0.98	1.02	EHD4X42A**	*9MX*0802120A**	1.00	1.00
EA*4X42*21A*	*8MX*1102120**	0.98	1.00	EHD4X42A**	*9MX*1002120A**	0.99	0.99
EA*4X42*21A*	*9MA*0601714A**	0.95	1.04	EHD4X42A**	*9MX*1202422A**	1.00	1.00
EA*4X42*21A*	*9MA*0602120A**	0.95	1.02	EHD4X42A**	MV12F19**B*	1.00	1.00
EA*4X42*21A*	*9MA*0801714A**	0.95	1.02	EHD4X42A**	MV16J22**B*	1.00	0.98
EA*4X42*21A*	*9MA*0802120A**	0.96	1.00	EHD4X42A**	MV20L24**B*	1.00	0.98
EA*4X42*21A*	*9MA*1002122A**	0.98	1.00	EHD4X42A**	*8MPV075	1.00	1.04
EA*4X42*21A*	*9MV*0601714A**	0.96	1.05	EHD4X42A**	*8MPV100	1.00	1.00
EA*4X42*21A*	*9MV*0801716A**	0.96	1.03	EHD4X42A**	*8MPV125	1.00	1.00
EA*4X42*21A*	*9MV*0802120A**	0.96	1.00	EHD4X42A**	*9MA*1002120A**	0.99	1.01
EA*4X42*21A*	*9MV*1002120A**	0.96	0.99	EHD4X42A**	*9MPV075	0.99	1.07
EA*4X42*21A*	*9MX*0601714A**	0.96	1.05	EHD4X42A**	*9MPV100	1.00	1.02
EA*4X42*21A*	*9MX*0801716A**	0.96	1.03	EHD4X42A**	*9MPV125	1.00	1.00
EA*4X42*21A*	*9MX*0802120A**	0.98	1.02	EHD4X42A**	*9MV*1002116A**	0.99	1.03
EA*4X42*21A*	*9MX*1002120A**	0.98	1.00	EHD4X42A**	*9MVX080	1.00	1.02
EA*4X42*21A*	MV12F19**B*	0.98	0.98	EHD4X42A**	*9MVX100	1.00	1.00
EA*4X42*21A*	MV16J22**B*	0.98	0.98	EHD4X42A**	*9MX*1002116A**	0.99	1.03
EA*4X42*21A*	*8MPV075	0.98	1.04	EHD4X42A**	OLV112A16A	1.00	1.07
EA*4X42*21A*	*8MPV100	0.98	1.02	EHD4X42A**	OLV154F20A	1.01	1.01
EA*4X42*21A*	*8MPV125	0.98	1.00	EHD4X42A**	OMV112K14A	0.99	1.03
EA*4X42*21A*	*9MA*1002120A**	0.96	1.03	EHD4X42A**		1.00	1.07
EA*4X42*21A*	*9MPV075	0.96	1.08	EHD4X48A**	*8MV*0701412**	0.99	1.03
EA*4X42*21A*	*9MPV100	0.98	1.04	EHD4X48A**	*8MV*0901716**	1.00	1.00
EA*4X42*21A*	*9MV*1002116A**	0.96	1.03	EHD4X48A**	*8MV*1102120**	1.00	1.00
EA*4X42*21A*	*9MX*1002116A**	0.96	1.03	EHD4X48A**	*8MV*1352422**	1.00	1.00
EA*4X42*21A*	OLV112A16A	0.98	1.06	EHD4X48A**	*8MX*0701716**	1.00	1.07

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X42*24A*	OMV112K14A	0.96	1.03	EHD4X48A**	*8MX*0902116**	1.00	1.00
EA*4X42*24A*		0.98	1.09	EHD4X48A**	*8MX*1102120**	1.00	1.00
EA*4X42*24A*	*8MV*1352422**	0.98	1.00	EHD4X48A**	*8MX*1352420**	1.00	1.00
EA*4X42*24A*	*8MX*1352420**	0.98	1.00	EHD4X48A**	*9MA*0601714A**	0.98	1.04
EA*4X42*24A*	*9MA*0602120A**	0.95	1.02	EHD4X48A**	*9MA*0602120A**	0.99	1.01
EA*4X42*24A*	*9MA*0802120A**	0.96	1.00	EHD4X48A**	*9MA*0801714A**	0.99	1.03
EA*4X42*24A*	*9MA*1002122A**	0.98	1.00	EHD4X48A**	*9MA*0802120A**	0.99	0.99
EA*4X42*24A*	*9MA*1202422A**	0.96	1.00	EHD4X48A**	*9MA*1002122A**	1.00	1.00
EA*4X42*24A*	*9MV*0802120A**	0.98	1.02	EHD4X48A**	*9MA*1202422A**	0.99	0.99
EA*4X42*24A*	*9MV*1002120A**	0.98	1.00	EHD4X48A**	*9MV*0601714A**	0.99	1.06
EA*4X42*24A*	*9MV*1202422A**	0.98	1.02	EHD4X48A**	*9MV*0801716A**	0.99	1.03
EA*4X42*24A*	*9MX*0802120A**	0.98	1.02	EHD4X48A**	*9MV*0802120A**	1.00	1.00
EA*4X42*24A*	*9MX*1002120A**	0.98	1.00	EHD4X48A**	*9MV*1002120A**	0.99	0.99
EA*4X42*24A*	*9MX*1202422A**	0.98	1.02	EHD4X48A**	*9MV*1202422A**	1.00	1.00
EA*4X42*24A*	MV16J22**B*	0.98	0.98	EHD4X48A**	*9MX*0601714A**	0.99	1.03
EA*4X42*24A*	MV20L24**B*	0.98	0.98	EHD4X48A**	*9MX*0801716A**	1.00	1.04
EA*4X42*24A*	*8MPV100	0.99	1.03	EHD4X48A**	*9MX*0802120A**	1.00	1.00
EA*4X42*24A*	*8MPV125	0.99	1.01	EHD4X48A**	*9MX*1002120A**	1.00	1.00
EA*4X42*24A*	*9MA*1002120A**	0.96	1.03	EHD4X48A**	*9MX*1202422A**	1.00	1.00
EA*4X42*24A*	*9MPV100	0.98	1.02	EHD4X48A**	MV12F19**B*	1.00	0.98
EA*4X42*24A*	*9MPV125	0.98	1.02	EHD4X48A**	MV16J22**B*	1.01	1.00
EA*4X42*24A*	*9MV*1002116A**	0.98	1.04	EHD4X48A**	MV20L24**B*	1.01	1.00
EA*4X42*24A*	*9MVX100	0.98	1.02	EHD4X48A**	*8MPV075	1.00	1.04
EA*4X42*24A*	*9MX*1002116A**	0.96	1.03	EHD4X48A**	*8MPV100	1.01	1.01
EA*4X42*24A*	OLV112A16A	0.98	1.06	EHD4X48A**	*8MPV125	1.01	1.01
EA*4X42*24A*	OLV154F20A	0.99	1.03	EHD4X48A**	*9MA*1002120A**	0.99	1.01
EA*4X42*24A*		0.98	1.09	EHD4X48A**	*9MPV075	0.99	1.06
EA*4X48*17A*	*8MV*0901716**	0.99	0.99	EHD4X48A**	*9MPV100	1.00	1.02
EA*4X48*17A*	*8MX*0701716**	0.99	1.06	EHD4X48A**	*9MPV125	1.00	1.00
EA*4X48*17A*	*9MA*0601714A**	0.98	1.04	EHD4X48A**	*9MV*1002116A**	1.00	1.02
EA*4X48*17A*	*9MA*0801714A**	0.98	1.02	EHD4X48A**	*9MVX080	1.01	1.04
EA*4X48*17A*	*9MV*0601714A**	0.99	1.06	EHD4X48A**	*9MVX100	1.00	1.00
EA*4X48*17A*	*9MV*0801716A**	0.99	1.03	EHD4X48A**	*9MX*1002116A**	0.99	1.01
EA*4X48*17A*	*9MX*0601714A**	0.99	1.06	EHD4X48A**	OLV112A16A	1.00	1.04
EA*4X48*17A*	*9MX*0801716A**	0.99	1.03	EHD4X48A**	OLV154F20A	1.02	1.02

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X48*17A*	MV12F19**B*	1.00	1.00	EHD4X48A**	OMV112K14A	0.99	1.03
EA*4X48*17A*	*8MPV075	1.00	1.04	EHD4X48A**		1.01	1.08
EA*4X48*17A*	*9MPV075	0.99	1.07	EN(A,D)4X43*24**	*8MV*1102120**	1.00	1.00
EA*4X48*17A*	OMV112K14A	0.99	1.03	EN(A,D)4X43*24**	*8MV*1352422**	1.00	0.98
EA*4X48*17A*		1.00	1.07	EN(A,D)4X43*24**	*8MX*1102120**	1.01	1.00
EA*4X48*21A*	*8MV*1102120**	0.99	1.01	EN(A,D)4X43*24**	*8MX*1352420**	1.01	1.00
EA*4X48*21A*	*8MX*0902116**	0.99	0.99	EN(A,D)4X43*24**	*9MA*1202422A**	1.00	1.00
EA*4X48*21A*	*8MX*1102120**	0.99	0.99	EN(A,D)4X43*24**	*9MV*1202422A**	1.00	1.00
EA*4X48*21A*	*9MA*0601714A**	0.96	1.03	EN(A,D)4X43*24**	*9MX*1202422A**	1.01	1.01
EA*4X48*21A*	*9MA*0602120A**	0.98	1.02	EN(A,D)4X43*24**	MV16J22**B*	1.01	0.97
EA*4X48*21A*	*9MA*0801714A**	0.98	1.04	EN(A,D)4X43*24**	MV20L24**B*	1.01	0.97
EA*4X48*21A*	*9MA*0802120A**	0.98	1.00	EN(A,D)4X43*24**	*8MPV100	1.02	1.02
EA*4X48*21A*	*9MA*1002122A**	0.99	1.01	EN(A,D)4X43*24**	*8MPV125	1.02	1.01
EA*4X48*21A*	*9MV*0601714A**	0.98	1.06	EN(A,D)4X43*24**	*9MA*1002120A**	1.00	1.00
EA*4X48*21A*	*9MV*0801716A**	0.98	1.04	EN(A,D)4X43*24**	*9MPV100	1.01	1.01
EA*4X48*21A*	*9MV*0802120A**	0.99	1.01	EN(A,D)4X43*24**	*9MPV125	1.01	1.01
EA*4X48*21A*	*9MV*1002120A**	0.99	1.01	EN(A,D)4X43*24**	*9MV*1002116A**	0.99	0.99
EA*4X48*21A*	*9MX*0601714A**	0.98	1.04	EN(A,D)4X43*24**	*9MVX080	1.02	1.02
EA*4X48*21A*	*9MX*0801716A**	0.99	1.06	EN(A,D)4X43*24**	*9MVX100	1.01	1.01
EA*4X48*21A*	*9MX*0802120A**	0.99	1.01	EN(A,D)4X43*24**	*9MX*1002116A**	1.00	1.00
EA*4X48*21A*	*9MX*1002120A**	0.99	1.01	EN(A,D)4X43*24**	OLV112A16A	1.01	1.04
EA*4X48*21A*	MV12F19**B*	0.99	0.99	EN(A,D)4X43*24**	OLV154F20A	1.04	1.04
EA*4X48*21A*	MV16J22**B*	1.00	1.00	EN(A,D)4X43*24**		1.01	1.05
EA*4X48*21A*	*8MPV075	0.99	1.06	EN(A,D)4X48*24**	*8MV*1352422**	0.99	0.99
EA*4X48*21A*	*8MPV100	1.00	1.00	EN(A,D)4X48*24**	*8MX*1352420**	1.00	1.00
EA*4X48*21A*	*8MPV125	1.00	1.00	EN(A,D)4X48*24**	*9MA*0602120A**	0.98	1.02
EA*4X48*21A*	*9MA*1002120A**	0.98	1.02	EN(A,D)4X48*24**	*9MA*0802120A**	0.98	1.00
EA*4X48*21A*	*9MPV075	0.98	1.06	EN(A,D)4X48*24**	*9MA*1002122A**	0.99	0.99
EA*4X48*21A*	*9MPV100	0.99	1.03	EN(A,D)4X48*24**	*9MA*1202422A**	0.98	0.98
EA*4X48*21A*	*9MV*1002116A**	0.99	1.03	EN(A,D)4X48*24**	*9MV*0802120A**	0.99	0.99
EA*4X48*21A*	*9MX*1002116A**	0.98	1.02	EN(A,D)4X48*24**	*9MV*1002120A**	0.99	0.99
EA*4X48*21A*	OLV112A16A	0.99	1.06	EN(A,D)4X48*24**	*9MV*1202422A**	0.99	0.99
EA*4X48*21A*	OMV112K14A	0.98	1.02	EN(A,D)4X48*24**	*9MX*0802120A**	1.00	1.00
EA*4X48*21A*		0.99	1.06	EN(A,D)4X48*24**	*9MX*1002120A**	0.99	0.99
EA*4X48*24A*	*8MV*1352422**	0.99	0.99	EN(A,D)4X48*24**	*9MX*1202422A**	1.00	1.00

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X48*24A*	*8MX*1352420**	0.99	0.99	EN(A,D)4X48*24**	MV16J22**B*	1.00	0.98
EA*4X48*24A*	*9MA*0602120A**	0.98	1.02	EN(A,D)4X48*24**	MV20L24**B*	1.00	0.98
EA*4X48*24A*	*9MA*0802120A**	0.98	1.00	EN(A,D)4X48*24**	*8MPV100	1.00	1.00
EA*4X48*24A*	*9MA*1002122A**	0.99	0.99	EN(A,D)4X48*24**	*8MPV125	1.00	1.00
EA*4X48*24A*	*9MA*1202422A**	0.98	1.00	EN(A,D)4X48*24**	*9MA*1002120A**	0.98	1.00
EA*4X48*24A*	*9MV*0802120A**	0.99	1.01	EN(A,D)4X48*24**	*9MPV100	1.00	1.02
EA*4X48*24A*	*9MV*1002120A**	0.99	0.99	EN(A,D)4X48*24**	*9MPV125	1.00	1.00
EA*4X48*24A*	*9MV*1202422A**	0.99	0.99	EN(A,D)4X48*24**	*9MV*1002116A**	0.99	1.03
EA*4X48*24A*	*9MX*0802120A**	0.99	1.01	EN(A,D)4X48*24**	*9MVX080	1.00	1.02
EA*4X48*24A*	*9MX*1002120A**	0.99	0.99	EN(A,D)4X48*24**	*9MVX100	1.00	1.00
EA*4X48*24A*	*9MX*1202422A**	1.00	1.00	EN(A,D)4X48*24**	*9MX*1002116A**	0.99	1.03
EA*4X48*24A*	MV16J22**B*	1.00	0.98	EN(A,D)4X48*24**	OLV112A16A	0.99	1.03
EA*4X48*24A*	MV20L24**B*	1.00	0.98	EN(A,D)4X48*24**	OLV154F20A	1.01	1.01
EA*4X48*24A*	*8MPV100	1.00	1.00	EN(A,D)4X48*24**		1.00	1.09
EA*4X48*24A*	*8MPV125	1.00	1.00	EN(A,D,W)4X42*21**	*8MV*1102120**	0.98	1.02
EA*4X48*24A*	*9MA*1002120A**	0.98	1.02	EN(A,D,W)4X42*21**	*8MX*0902116**	0.98	1.02
EA*4X48*24A*	*9MPV100	1.00	1.02	EN(A,D,W)4X42*21**	*8MX*1102120**	0.98	1.00
EA*4X48*24A*	*9MPV125	1.00	1.00	EN(A,D,W)4X42*21**	*9MA*0601714A**	0.95	1.04
EA*4X48*24A*	*9MV*1002116A**	0.99	1.03	EN(A,D,W)4X42*21**	*9MA*0602120A**	0.96	1.03
EA*4X48*24A*	*9MX*1002116A**	0.98	1.02	EN(A,D,W)4X42*21**	*9MA*0801714A**	0.96	1.05
EA*4X48*24A*	OLV112A16A	0.99	1.06	EN(A,D,W)4X42*21**	*9MA*0802120A**	0.96	1.00
EA*4X48*24A*	OLV154F20A	1.01	1.01	EN(A,D,W)4X42*21**	*9MA*1002122A**	0.98	1.02
EA*4X48*24A*		0.99	1.06	EN(A,D,W)4X42*21**	*9MV*0601714A**	0.96	1.05
ED*4X42F**	*8MV*0901716**	0.96	1.00	EN(A,D,W)4X42*21**	*9MV*0801716A**	0.96	1.05
ED*4X42F**	*8MV*1102120**	0.96	1.00	EN(A,D,W)4X42*21**	*9MV*0802120A**	0.96	1.00
ED*4X42F**	*8MX*0701716**	0.96	1.08	EN(A,D,W)4X42*21**	*9MV*1002120A**	0.96	1.00
ED*4X42F**	*8MX*0902116**	0.98	1.02	EN(A,D,W)4X42*21**	*9MX*0601714A**	0.96	1.05
ED*4X42F**	*8MX*1102120**	0.98	1.00	EN(A,D,W)4X42*21**	*9MX*0801716A**	0.96	1.05
ED*4X42F**	*9MA*0601714A**	0.95	1.04	EN(A,D,W)4X42*21**	*9MX*0802120A**	0.98	1.02
ED*4X42F**	*9MA*0602120A**	0.95	1.02	EN(A,D,W)4X42*21**	*9MX*1002120A**	0.96	1.00
ED*4X42F**	*9MA*0801714A**	0.95	1.04	EN(A,D,W)4X42*21**	MV12F19**B*	0.98	0.98
ED*4X42F**	*9MA*0802120A**	0.96	1.00	EN(A,D,W)4X42*21**	MV16J22**B*	0.98	0.98
ED*4X42F**	*9MA*1002122A**	0.96	1.00	EN(A,D,W)4X42*21**	*8MPV075	0.98	1.06
ED*4X42F**	*9MV*0601714A**	0.96	1.08	EN(A,D,W)4X42*21**	*8MPV100	0.98	1.02
ED*4X42F**	*9MV*0801716A**	0.96	1.05	EN(A,D,W)4X42*21**	*8MPV125	0.98	1.02

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X42F**	*9MV*0802120A**	0.96	1.00	EN(A,D,W)4X42*21**	*9MA*1002120A**	0.96	1.03
ED*4X42F**	*9MV*1002120A**	0.96	1.00	EN(A,D,W)4X42*21**	*9MPV100	0.98	1.04
ED*4X42F**	*9MX*0601714A**	0.96	1.05	EN(A,D,W)4X42*21**	*9MV*1002116A**	0.96	1.03
ED*4X42F**	*9MX*0801716A**	0.96	1.05	EN(A,D,W)4X42*21**	*9MVX060	0.96	1.08
ED*4X42F**	*9MX*0802120A**	0.98	1.02	EN(A,D,W)4X42*21**	*9MVX080	0.98	1.04
ED*4X42F**	*9MX*1002120A**	0.96	1.00	EN(A,D,W)4X42*21**	*9MX*1002116A**	0.96	1.03
ED*4X42F**	MV12F19**B*	0.98	1.00	EN(A,D,W)4X42*21**	OLV112A16A	0.98	1.06
ED*4X42F**	*8MPV075	0.96	1.05	EN(A,D,W)4X42*21**	OMV112K14A	0.96	1.05
ED*4X42F**	*9MA*1002120A**	0.96	1.03	EN(A,D,W)4X42*21**		0.98	1.06
ED*4X42F**	*9MPV075	0.96	1.08	EN(A,D,W)4X48*21**	*8MV*1102120**	0.99	0.99
ED*4X42F**	*9MV*1002116A**	0.96	1.03	EN(A,D,W)4X48*21**	*8MX*0902116**	1.00	1.00
ED*4X42F**	*9MVX060	0.96	1.08	EN(A,D,W)4X48*21**	*8MX*1102120**	1.00	1.00
ED*4X42F**	*9MX*1002116A**	0.96	1.03	EN(A,D,W)4X48*21**	*9MA*0601714A**	0.98	1.04
ED*4X42F**	OLV112A16A	0.96	1.05	EN(A,D,W)4X48*21**	*9MA*0602120A**	0.98	1.02
ED*4X42F**	OMV112K14A	0.96	1.05	EN(A,D,W)4X48*21**	*9MA*0801714A**	0.98	1.02
ED*4X42F**		0.98	1.09	EN(A,D,W)4X48*21**	*9MA*0802120A**	0.98	1.00
ED*4X42J**	*8MV*1102120**	0.96	1.00	EN(A,D,W)4X48*21**	*9MA*1002122A**	0.99	0.99
ED*4X42J**	*8MV*1352422**	0.98	1.00	EN(A,D,W)4X48*21**	*9MV*0601714A**	0.98	1.04
ED*4X42J**	*8MX*0902116**	0.98	1.02	EN(A,D,W)4X48*21**	*9MV*0801716A**	0.99	1.03
ED*4X42J**	*8MX*1102120**	0.98	1.00	EN(A,D,W)4X48*21**	*9MV*0802120A**	0.99	0.99
ED*4X42J**	*8MX*1352420**	0.98	1.02	EN(A,D,W)4X48*21**	*9MV*1002120A**	0.99	0.99
ED*4X42J**	*9MA*0602120A**	0.95	1.02	EN(A,D,W)4X48*21**	*9MX*0601714A**	0.99	1.06
ED*4X42J**	*9MA*0802120A**	0.96	1.00	EN(A,D,W)4X48*21**	*9MX*0801716A**	0.99	1.03
ED*4X42J**	*9MA*1002122A**	0.98	1.00	EN(A,D,W)4X48*21**	*9MX*0802120A**	1.00	1.00
ED*4X42J**	*9MA*1202422A**	0.96	1.00	EN(A,D,W)4X48*21**	*9MX*1002120A**	0.99	0.99
ED*4X42J**	*9MV*0802120A**	0.96	1.00	EN(A,D,W)4X48*21**	MV12F19**B*	1.00	1.00
ED*4X42J**	*9MV*1002120A**	0.96	0.99	EN(A,D,W)4X48*21**	MV16J22**B*	1.00	0.98
ED*4X42J**	*9MV*1202422A**	0.96	1.00	EN(A,D,W)4X48*21**	*8MPV075	1.00	1.04
ED*4X42J**	*9MX*0802120A**	0.98	1.02	EN(A,D,W)4X48*21**	*8MPV100	1.00	1.00
ED*4X42J**	*9MX*1002120A**	0.98	1.00	EN(A,D,W)4X48*21**	*8MPV125	1.00	1.00
ED*4X42J**	*9MX*1202422A**	0.98	1.02	EN(A,D,W)4X48*21**	*9MA*1002120A**	0.98	1.00
ED*4X42J**	MV12F19**B*	0.98	0.98	EN(A,D,W)4X48*21**	*9MPV075	0.99	1.07
ED*4X42J**	MV16J22**B*	0.98	0.98	EN(A,D,W)4X48*21**	*9MPV100	1.00	1.02
ED*4X42J**	MV20L24**B*	0.98	0.98	EN(A,D,W)4X48*21**	*9MV*1002116A**	0.99	1.03
ED*4X42J**	*8MPV075	0.98	1.04	EN(A,D,W)4X48*21**	*9MVX060	0.99	1.06

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X42J**	*8MPV100	0.98	1.02	EN(A,D,W)4X48*21**	*9MVX080	1.00	1.02
ED*4X42J**	*8MPV125	0.98	1.00	EN(A,D,W)4X48*21**	*9MX*1002116A**	0.99	1.03
ED*4X42J**	*9MA*1002120A**	0.96	1.03	EN(A,D,W)4X48*21**	OLV112A16A	0.99	1.03
ED*4X42J**	*9MPV075	0.96	1.08	EN(A,D,W)4X48*21**	OMV112K14A	0.99	1.03
ED*4X42J**	*9MPV100	0.98	1.04	EN(A,D,W)4X48*21**		1.00	1.09
ED*4X42J**	*9MPV125	0.98	1.02	END4X42*17**	*8MV*0901716**	0.98	1.02
ED*4X42J**	*9MV*1002116A**	0.96	1.03	END4X42*17**	*8MX*0701716**	0.98	1.06
ED*4X42J**	*9MVX060	0.96	1.05	END4X42*17**	*9MA*0601714A**	0.96	1.05
ED*4X42J**	*9MVX080	0.98	1.04	END4X42*17**	*9MA*0801714A**	0.96	1.03
ED*4X42J**	*9MVX100	0.98	1.02	END4X42*17**	*9MV*0601714A**	0.96	1.05
ED*4X42J**	*9MX*1002116A**	0.96	1.03	END4X42*17**	*9MV*0801716A**	0.98	1.04
ED*4X42J**	OLV112A16A	0.98	1.06	END4X42*17**	*9MX*0601714A**	0.98	1.06
ED*4X42J**		0.98	1.09	END4X42*17**	*9MX*0801716A**	0.98	1.04
ED*4X42L**	*8MV*1102120**	0.98	1.02	END4X42*17**	MV12F19**B*	0.99	0.99
ED*4X42L**	*8MV*1352422**	0.98	1.00	END4X42*17**	*8MPV075	0.98	1.04
ED*4X42L**	*8MX*0902116**	0.98	1.00	END4X42*17**	*9MPV075	0.98	1.09
ED*4X42L**	*8MX*1102120**	0.98	1.00	END4X42*17**	*9MVX060	0.98	1.06
ED*4X42L**	*8MX*1352420**	0.98	1.00	END4X42*17**	OMV112K14A	0.98	1.04
ED*4X42L**	*9MA*0602120A**	0.95	1.02	END4X42*17**		0.99	1.07
ED*4X42L**	*9MA*0802120A**	0.96	1.00	ENH4X42*21**	*8MV*0701412**	0.96	1.05
ED*4X42L**	*9MA*1002122A**	0.98	1.00	ENH4X42*21**	*8MV*0901716**	0.96	1.00
ED*4X42L**	*9MA*1202422A**	0.96	1.00	ENH4X42*21**	*8MV*1102120**	0.98	1.02
ED*4X42L**	*9MV*0802120A**	0.98	1.02	ENH4X42*21**	*8MV*1352422**	0.98	1.00
ED*4X42L**	*9MV*1002120A**	0.98	1.00	ENH4X42*21**	*8MX*0701716**	0.96	1.05
ED*4X42L**	*9MV*1202422A**	0.98	1.02	ENH4X42*21**	*8MX*0902116**	0.98	1.02
ED*4X42L**	*9MX*0802120A**	0.98	1.02	ENH4X42*21**	*8MX*1102120**	0.98	1.00
ED*4X42L**	*9MX*1002120A**	0.98	1.00	ENH4X42*21**	*8MX*1352420**	0.98	1.02
ED*4X42L**	*9MX*1202422A**	0.98	1.02	ENH4X42*21**	*9MA*0601714A**	0.95	1.04
ED*4X42L**	MV16J22**B*	0.98	0.98	ENH4X42*21**	*9MA*0602120A**	0.96	1.03
ED*4X42L**	MV20L24**B*	0.98	0.98	ENH4X42*21**	*9MA*0801714A**	0.96	1.05
ED*4X42L**	*8MPV100	0.99	1.03	ENH4X42*21**	*9MA*0802120A**	0.96	1.00
ED*4X42L**	*8MPV125	0.99	1.01	ENH4X42*21**	*9MA*1002122A**	0.98	1.02
ED*4X42L**	*9MA*1002120A**	0.96	1.00	ENH4X42*21**	*9MA*1202422A**	0.96	1.00
ED*4X42L**	*9MPV100	0.98	1.02	ENH4X42*21**	*9MV*0601714A**	0.96	1.05
ED*4X42L**	*9MPV125	0.98	1.02	ENH4X42*21**	*9MV*0801716A**	0.96	1.05

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X42L**	*9MV*1002116A**	0.98	1.04	ENH4X42*21**	*9MV*0802120A**	0.96	1.00
ED*4X42L**	*9MVX080	0.98	1.04	ENH4X42*21**	*9MV*1002120A**	0.96	1.00
ED*4X42L**	*9MVX100	0.98	1.02	ENH4X42*21**	*9MV*1202422A**	0.96	1.00
ED*4X42L**	*9MX*1002116A**	0.96	1.03	ENH4X42*21**	*9MX*0601714A**	0.96	1.05
ED*4X42L**	OLV112A16A	0.98	1.06	ENH4X42*21**	*9MX*0801716A**	0.96	1.05
ED*4X42L**	OLV154F20A	0.99	1.03	ENH4X42*21**	*9MX*0802120A**	0.98	1.02
ED*4X42L**		0.98	1.09	ENH4X42*21**	*9MX*1002120A**	0.96	1.00
ED*4X48F**	*8MV*0901716**	0.99	0.99	ENH4X42*21**	*9MX*1202422A**	0.98	1.02
ED*4X48F**	*8MV*1102120**	0.99	0.99	ENH4X42*21**	MV12F19**B*	0.98	0.98
ED*4X48F**	*8MX*0701716**	0.99	1.06	ENH4X42*21**	MV16J22**B*	0.98	0.98
ED*4X48F**	*8MX*0902116**	1.00	1.00	ENH4X42*21**	MV20L24**B*	0.98	0.98
ED*4X48F**	*8MX*1102120**	1.00	1.00	ENH4X42*21**	*8MPV075	0.98	1.06
ED*4X48F**	*9MA*0601714A**	0.98	1.04	ENH4X42*21**	*8MPV100	0.98	1.02
ED*4X48F**	*9MA*0602120A**	0.98	1.02	ENH4X42*21**	*8MPV125	0.98	1.02
ED*4X48F**	*9MA*0801714A**	0.98	1.02	ENH4X42*21**	*9MA*1002120A**	0.96	1.03
ED*4X48F**	*9MA*0802120A**	0.99	1.01	ENH4X42*21**	*9MPV075	0.96	1.08
ED*4X48F**	*9MA*1002122A**	1.00	1.00	ENH4X42*21**	*9MPV100	0.98	1.04
ED*4X48F**	*9MV*0601714A**	0.99	1.06	ENH4X42*21**	*9MPV125	0.98	1.02
ED*4X48F**	*9MV*0801716A**	0.99	1.03	ENH4X42*21**	*9MV*1002116A**	0.96	1.03
ED*4X48F**	*9MV*0802120A**	0.99	1.01	ENH4X42*21**	*9MVX080	0.98	1.04
ED*4X48F**	*9MV*1002120A**	0.99	0.99	ENH4X42*21**	*9MVX100	0.98	1.02
ED*4X48F**	*9MX*0601714A**	0.99	1.06	ENH4X42*21**	*9MX*1002116A**	0.96	1.03
ED*4X48F**	*9MX*0801716A**	0.99	1.03	ENH4X42*21**	OLV112A16A	0.98	1.06
ED*4X48F**	*9MX*0802120A**	1.00	1.02	ENH4X42*21**	OLV154F20A	0.99	1.03
ED*4X48F**	*9MX*1002120A**	0.99	0.99	ENH4X42*21**		0.98	1.09
ED*4X48F**	MV12F19**B*	1.00	1.00	ENH4X43*21**	*9MA*0601714A**	0.99	1.03
ED*4X48F**	*8MPV075	1.00	1.04	ENH4X43*21**	*9MA*0801714A**	0.99	1.01
ED*4X48F**	*9MA*1002120A**	0.99	1.03	ENH4X43*21**	*9MA*1202422A**	1.00	1.00
ED*4X48F**	*9MPV075	0.99	1.07	ENH4X43*21**	*9MV*0601714A**	0.99	1.03
ED*4X48F**	*9MV*1002116A**	0.99	1.03	ENH4X43*21**	*9MV*0801716A**	0.99	1.01
ED*4X48F**	*9MVX060	0.99	1.06	ENH4X43*21**	*9MV*1202422A**	0.99	0.99
ED*4X48F**	*9MX*1002116A**	0.99	1.03	ENH4X43*21**	*9MX*0601714A**	1.00	1.04
ED*4X48F**	OLV112A16A	1.00	1.07	ENH4X43*21**	*9MX*0801716A**	1.00	1.02
ED*4X48F**	OMV112K14A	0.99	1.03	ENH4X43*21**	*9MX*1202422A**	1.01	1.01
ED*4X48F**		1.00	1.07	ENH4X43*21**	MV12F19**B*	1.01	1.00

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X48J**	*9MA*0602120A**	0.98	1.02	ENH4X43*21**	MV16J22**B*	1.01	1.00
ED*4X48J**	*9MA*0802120A**	0.98	1.00	ENH4X43*21**	MV20L24**B*	1.01	1.00
ED*4X48J**	*9MA*1002122A**	0.99	1.01	ENH4X43*21**	*8MPV075	1.01	1.04
ED*4X48J**	*9MA*1202422A**	0.98	1.00	ENH4X43*21**	*8MPV100	1.01	1.01
ED*4X48J**	*9MV*0802120A**	0.99	1.01	ENH4X43*21**	*8MPV125	1.01	1.01
ED*4X48J**	*9MV*1002120A**	0.99	1.01	ENH4X43*21**	*9MA*1002120A**	0.99	0.99
ED*4X48J**	*9MV*1202422A**	0.99	1.01	ENH4X43*21**	*9MPV075	1.00	1.07
ED*4X48J**	*9MX*0802120A**	0.99	1.01	ENH4X43*21**	*9MPV100	1.01	1.01
ED*4X48J**	*9MX*1002120A**	0.99	1.01	ENH4X43*21**	*9MPV125	1.01	1.01
ED*4X48J**	*9MX*1202422A**	0.99	1.01	ENH4X43*21**	*9MV*1002116A**	0.99	0.99
ED*4X48J**	MV12F19**B*	0.99	0.99	ENH4X43*21**	*9MVX080	1.01	1.01
ED*4X48J**	MV16J22**B*	1.00	1.00	ENH4X43*21**	*9MVX100	1.01	1.01
ED*4X48J**	*8MPV075	0.99	1.06	ENH4X43*21**	*9MX*1002116A**	1.00	1.02
ED*4X48J**	*8MPV100	1.00	1.00	ENH4X43*21**	OLV112A16A	1.00	1.04
ED*4X48J**	*8MPV125	1.00	1.00	ENH4X43*21**	OLV154F20A	1.02	1.02
ED*4X48J**	*9MA*1002120A**	0.98	1.02	ENH4X43*21**	OMV112K14A	1.00	1.02
ED*4X48J**	*9MPV075	0.98	1.06	ENH4X48*21**	*8MV*0701412**	0.98	1.02
ED*4X48J**	*9MPV100	0.99	1.03	ENH4X48*21**	*8MV*0901716**	0.99	0.99
ED*4X48J**	*9MPV125	0.99	1.01	ENH4X48*21**	*8MV*1102120**	0.99	0.99
ED*4X48J**	*9MV*1002116A**	0.99	1.03	ENH4X48*21**	*8MV*1352422**	0.99	0.99
ED*4X48J**	*9MVX080	1.00	1.04	ENH4X48*21**	*8MX*0701716**	0.99	1.06
ED*4X48J**	*9MX*1002116A**	0.98	1.02	ENH4X48*21**	*8MX*0902116**	1.00	1.00
ED*4X48J**	OLV112A16A	0.99	1.06	ENH4X48*21**	*8MX*1102120**	1.00	1.00
ED*4X48J**		0.99	1.06	ENH4X48*21**	*8MX*1352420**	1.00	1.00
ED*4X48L**	*8MV*1102120**	0.99	0.99	ENH4X48*21**	*9MA*0601714A**	0.98	1.04
ED*4X48L**	*8MV*1352422**	0.99	0.99	ENH4X48*21**	*9MA*0602120A**	0.98	1.02
ED*4X48L**	*8MX*0902116**	0.99	0.99	ENH4X48*21**	*9MA*0801714A**	0.98	1.02
ED*4X48L**	*8MX*1102120**	0.99	0.99	ENH4X48*21**	*9MA*0802120A**	0.98	1.00
ED*4X48L**	*8MX*1352420**	0.99	0.99	ENH4X48*21**	*9MA*1002122A**	0.99	0.99
ED*4X48L**	*9MA*0602120A**	0.98	1.02	ENH4X48*21**	*9MA*1202422A**	0.98	0.98
ED*4X48L**	*9MA*0802120A**	0.98	1.00	ENH4X48*21**	*9MV*0601714A**	0.98	1.04
ED*4X48L**	*9MA*1002122A**	0.99	1.01	ENH4X48*21**	*9MV*0801716A**	0.99	1.03
ED*4X48L**	*9MA*1202422A**	0.98	1.00	ENH4X48*21**	*9MV*0802120A**	0.99	0.99
ED*4X48L**	*9MV*0802120A**	0.99	1.01	ENH4X48*21**	*9MV*1002120A**	0.99	0.99
ED*4X48L**	*9MV*1002120A**	0.99	0.99	ENH4X48*21**	*9MV*1202422A**	0.99	0.99

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED4X48L**	*9MV*1202422A**	0.99	0.99	ENH4X48*21**	*9MX*0601714A**	0.99	1.06
ED4X48L**	*9MX*0802120A**	0.99	1.01	ENH4X48*21**	*9MX*0801716A**	0.99	1.03
ED4X48L**	*9MX*1002120A**	0.99	0.99	ENH4X48*21**	*9MX*0802120A**	1.00	1.00
ED4X48L**	*9MX*1202422A**	1.00	1.00	ENH4X48*21**	*9MX*1002120A**	0.99	0.99
ED4X48L**	MV16J22**B*	1.00	0.98	ENH4X48*21**	*9MX*1202422A**	1.00	1.00
ED4X48L**	MV20L24**B*	1.00	0.98	ENH4X48*21**	MV12F19**B*	1.00	1.00
ED4X48L**	*8MPV100	1.00	1.00	ENH4X48*21**	MV16J22**B*	1.00	0.98
ED4X48L**	*8MPV125	1.00	1.00	ENH4X48*21**	MV20L24**B*	1.00	0.98
ED4X48L**	*9MA*1002120A**	0.98	1.02	ENH4X48*21**	*8MPV075	1.00	1.04
ED4X48L**	*9MPV100	1.00	1.02	ENH4X48*21**	*8MPV100	1.00	1.00
ED4X48L**	*9MPV125	1.00	1.00	ENH4X48*21**	*8MPV125	1.00	1.00
ED4X48L**	*9MV*1002116A**	0.99	1.03	ENH4X48*21**	*9MA*1002120A**	0.98	1.00
ED4X48L**	*9MVX080	1.00	1.04	ENH4X48*21**	*9MPV075	0.99	1.07
ED4X48L**	*9MVX100	0.99	1.01	ENH4X48*21**	*9MPV100	1.00	1.02
ED4X48L**	*9MX*1002116A**	0.98	1.02	ENH4X48*21**	*9MPV125	1.00	1.00
ED4X48L**	OLV112A16A	0.99	1.06	ENH4X48*21**	*9MV*1002116A**	0.99	1.03
ED4X48L**	OLV154F20A	1.01	1.01	ENH4X48*21**	*9MVX080	1.00	1.02
ED4X48L**		0.99	1.06	ENH4X48*21**	*9MVX100	1.00	1.00
EHD4X42A**	*8MV*0701412**	0.99	1.03	ENH4X48*21**	*9MX*1002116A**	0.99	1.03
EHD4X42A**	*8MV*0901716**	0.99	0.99	ENH4X48*21**	OLV112A16A	0.99	1.03
EHD4X42A**	*8MV*1102120**	0.99	0.99	ENH4X48*21**	OLV154F20A	1.01	1.01
EHD4X42A**	*8MV*1352422**	1.00	1.00	ENH4X48*21**	OMV112K14A	0.99	1.03
EHD4X42A**	*8MX*0701716**	0.99	1.06	ENH4X48*21**		1.00	1.07
EHD4X42A**	*8MX*0902116**	1.00	1.00	FCM4X36****		0.96	0.99
EHD4X42A**	*8MX*1102120**	1.00	1.00	FCM4X48****		1.01	1.00
EHD4X42A**	*8MX*1352420**	1.00	1.00	FCM4X60****		1.02	0.98
EHD4X42A**	*9MA*0601714A**	0.98	1.04	FEM4P42**A*		1.00	1.02
EHD4X42A**	*9MA*0602120A**	0.98	1.02	FEM4P48**A*		1.00	1.00
EHD4X42A**	*9MA*0801714A**	0.98	1.02	FEM4X42****		1.00	1.04
EHD4X42A**	*9MA*0802120A**	0.99	1.01	FEM4X48****		1.02	1.02
EHD4X42A**	*9MA*1002122A**	0.99	0.99	FS(M,U)4P42**A*		1.00	1.04
EHD4X42A**	*9MA*1202422A**	0.99	0.99	FS(M,U)4P48**A*		1.01	1.05
EHD4X42A**	*9MV*0601714A**	0.99	1.06	FVM4X36****		0.96	0.99
EHD4X42A**	*9MV*0801716A**	0.99	1.03	FVM4X48****		1.01	1.00
EHD4X42A**	*9MV*0802120A**	0.99	0.99	FVM4X60****		1.02	0.98

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X42A**	*9MV*1002120A**	0.99	0.99	FXM4X48**A*		1.02	1.01
EHD4X42A**	*9MV*1202422A**	0.99	0.99				

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
(C,H,T)SH548							
*FXM4X48**A*		1.00	1.00	EHD4X48A**	*9MVX080	0.98	1.06
EA*4X48*17A*	*8MV*0901716**	0.97	1.03	EHD4X48A**	*9MVX100	0.98	1.05
EA*4X48*17A*		0.97	1.05	EHD4X48A**	*9MX*1002116A**	0.97	1.05
EA*4X48*21A*	*8MV*1102120**	0.96	1.02	EHD4X48A**	OLV154F20A	0.99	1.08
EA*4X48*21A*	*8MX*0902116**	0.97	1.03	EHD4X48A**		0.99	1.08
EA*4X48*21A*	*8MX*1102120**	0.97	1.01	EHD4X60A**	*8MV*0901716**	0.99	1.03
EA*4X48*21A*	*9MA*0602120A**	0.95	1.03	EHD4X60A**	*8MV*1102120**	0.99	1.03
EA*4X48*21A*	*9MA*0802120A**	0.96	1.02	EHD4X60A**	*8MV*1352422**	0.99	0.99
EA*4X48*21A*	*9MA*1002122A**	0.96	1.02	EHD4X60A**	*8MX*0902116**	1.00	1.04
EA*4X48*21A*	*9MV*0802120A**	0.96	1.02	EHD4X60A**	*8MX*1102120**	1.00	1.00
EA*4X48*21A*	*9MV*1002120A**	0.96	1.02	EHD4X60A**	*8MX*1352420**	1.00	1.02
EA*4X48*21A*	*9MX*0802120A**	0.97	1.03	EHD4X60A**	*9MA*0602120A**	0.98	1.05
EA*4X48*21A*	*9MX*1002120A**	0.96	1.02	EHD4X60A**	*9MA*0802120A**	0.98	1.00
EA*4X48*21A*	MV16J22**B*	0.97	0.99	EHD4X60A**	*9MA*1002122A**	0.99	1.01
EA*4X48*21A*	*8MPV100	0.97	1.03	EHD4X60A**	*9MA*1202422A**	0.98	1.00
EA*4X48*21A*	*8MPV125	0.97	1.03	EHD4X60A**	*9MV*0801716A**	0.99	1.08
EA*4X48*21A*	*9MA*1002120A**	0.96	1.04	EHD4X60A**	*9MV*0802120A**	0.99	1.01
EA*4X48*21A*	*9MPV100	0.97	1.05	EHD4X60A**	*9MV*1002120A**	0.99	1.01
EA*4X48*21A*	*9MV*1002116A**	0.96	1.07	EHD4X60A**	*9MV*1202422A**	0.99	1.03
EA*4X48*21A*	*9MX*1002116A**	0.96	1.04	EHD4X60A**	*9MX*0801716A**	0.98	1.06
EA*4X48*21A*	OLV112A16A	0.96	1.09	EHD4X60A**	*9MX*0802120A**	0.99	1.03
EA*4X48*21A*		0.98	1.09	EHD4X60A**	*9MX*1002120A**	0.99	1.01
EA*4X48*24A*	*8MV*1352422**	0.97	1.01	EHD4X60A**	*9MX*1202422A**	1.00	1.04
EA*4X48*24A*	*8MX*1352420**	0.97	1.03	EHD4X60A**	MV16J22**B*	1.00	1.00
EA*4X48*24A*	*9MA*0602120A**	0.95	1.03	EHD4X60A**	MV20L24**B*	1.00	1.00
EA*4X48*24A*	*9MA*0802120A**	0.96	1.02	EHD4X60A**	*8MPV100	1.00	1.04
EA*4X48*24A*	*9MA*1002122A**	0.97	1.01	EHD4X60A**	*8MPV125	1.00	1.02
EA*4X48*24A*	*9MA*1202422A**	0.96	1.02	EHD4X60A**	*9MA*1002120A**	0.98	1.02
EA*4X48*24A*	*9MV*0802120A**	0.96	1.02	EHD4X60A**	*9MPV100	1.00	1.07

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X48*24A*	*9MV*1002120A**	0.97	1.03	EHD4X60A**	*9MPV125	1.00	1.04
EA*4X48*24A*	*9MV*1202422A**	0.97	1.03	EHD4X60A**	*9MV*1002116A**	0.99	1.06
EA*4X48*24A*	*9MX*0802120A**	0.97	1.03	EHD4X60A**	*9MVX080	1.00	1.07
EA*4X48*24A*	*9MX*1002120A**	0.97	1.03	EHD4X60A**	*9MVX100	0.99	1.03
EA*4X48*24A*	*9MX*1202422A**	0.97	1.03	EHD4X60A**	*9MX*1002116A**	0.99	1.06
EA*4X48*24A*	MV16J22**B*	0.98	1.00	EHD4X60A**	OLV112A16A	0.99	1.08
EA*4X48*24A*	MV20L24**B*	0.98	1.00	EHD4X60A**	OLV154F20A	1.01	1.08
EA*4X48*24A*	*8MPV100	0.98	1.05	EHD4X60A**		1.00	1.07
EA*4X48*24A*	*8MPV125	0.98	1.05	EN(A,D)4X48*24**	*8MV*1352422**	0.97	1.01
EA*4X48*24A*	*9MA*1002120A**	0.96	1.04	EN(A,D)4X48*24**	*8MX*1352420**	0.97	1.03
EA*4X48*24A*	*9MPV100	0.97	1.05	EN(A,D)4X48*24**	*9MA*0602120A**	0.96	1.04
EA*4X48*24A*	*9MPV125	0.97	1.05	EN(A,D)4X48*24**	*9MA*0802120A**	0.96	1.00
EA*4X48*24A*	*9MV*1002116A**	0.96	1.07	EN(A,D)4X48*24**	*9MA*1002122A**	0.97	1.01
EA*4X48*24A*	*9MX*1002116A**	0.96	1.04	EN(A,D)4X48*24**	*9MA*1202422A**	0.96	1.02
EA*4X48*24A*	OLV112A16A	0.96	1.07	EN(A,D)4X48*24**	*9MV*0802120A**	0.97	1.03
EA*4X48*24A*	OLV154F20A	0.98	1.06	EN(A,D)4X48*24**	*9MV*1002120A**	0.97	1.01
EA*4X48*24A*		0.98	1.09	EN(A,D)4X48*24**	*9MV*1202422A**	0.97	1.03
EA*4X60*21A*	*8MV*1102120**	0.98	1.02	EN(A,D)4X48*24**	*9MX*0802120A**	0.97	1.03
EA*4X60*21A*	*8MX*0902116**	0.99	1.03	EN(A,D)4X48*24**	*9MX*1002120A**	0.97	1.03
EA*4X60*21A*	*8MX*1102120**	0.99	1.01	EN(A,D)4X48*24**	*9MX*1202422A**	0.97	1.03
EA*4X60*21A*	*9MA*0602120A**	0.97	1.03	EN(A,D)4X48*24**	MV16J22**B*	0.98	0.98
EA*4X60*21A*	*9MA*0802120A**	0.98	1.02	EN(A,D)4X48*24**	MV20L24**B*	0.98	0.98
EA*4X60*21A*	*9MA*1002122A**	0.98	1.00	EN(A,D)4X48*24**	*8MPV100	0.98	1.05
EA*4X60*21A*	*9MV*0802120A**	0.98	1.02	EN(A,D)4X48*24**	*8MPV125	0.98	1.05
EA*4X60*21A*	*9MV*1002120A**	0.98	1.02	EN(A,D)4X48*24**	*9MA*1002120A**	0.96	1.04
EA*4X60*21A*	*9MX*0802120A**	0.99	1.03	EN(A,D)4X48*24**	*9MPV100	0.97	1.05
EA*4X60*21A*	*9MX*1002120A**	0.99	1.03	EN(A,D)4X48*24**	*9MPV125	0.97	1.03
EA*4X60*21A*	MV16J22**B*	0.99	0.99	EN(A,D)4X48*24**	*9MV*1002116A**	0.97	1.05
EA*4X60*21A*	*8MPV100	0.99	1.03	EN(A,D)4X48*24**	*9MVX080	0.97	1.05
EA*4X60*21A*	*8MPV125	0.99	1.03	EN(A,D)4X48*24**	*9MVX100	0.97	1.03
EA*4X60*21A*	*9MA*1002120A**	0.98	1.05	EN(A,D)4X48*24**	*9MX*1002116A**	0.97	1.05
EA*4X60*21A*	*9MPV100	0.99	1.06	EN(A,D)4X48*24**	OLV154F20A	0.99	1.08
EA*4X60*21A*	*9MV*1002116A**	0.98	1.06	EN(A,D)4X48*24**		0.98	1.09
EA*4X60*21A*	*9MX*1002116A**	0.98	1.05	EN(A,D)4X61*24**	*8MV*1102120**	1.00	1.00
EA*4X60*21A*		0.99	1.08	EN(A,D)4X61*24**	*8MV*1352422**	1.00	1.00

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X60*24A*	*8MV*1352422**	0.99	1.01	EN(A,D)4X61*24**	*8MX*1352420**	1.00	1.00
EA*4X60*24A*	*8MX*1352420**	0.99	1.03	EN(A,D)4X61*24**	*9MA*1202422A**	0.99	0.99
EA*4X60*24A*	*9MA*0602120A**	0.97	1.03	EN(A,D)4X61*24**	*9MV*1202422A**	0.99	0.99
EA*4X60*24A*	*9MA*0802120A**	0.98	1.02	EN(A,D)4X61*24**	*9MX*1202422A**	1.00	1.04
EA*4X60*24A*	*9MA*1002122A**	0.98	1.00	EN(A,D)4X61*24**	MV16J22**B*	1.01	1.01
EA*4X60*24A*	*9MA*1202422A**	0.98	1.02	EN(A,D)4X61*24**	MV20L24**B*	1.01	1.01
EA*4X60*24A*	*9MV*0802120A**	0.98	1.02	EN(A,D)4X61*24**	*8MPV100	1.01	1.04
EA*4X60*24A*	*9MV*1002120A**	0.99	1.03	EN(A,D)4X61*24**	*8MPV125	1.01	1.04
EA*4X60*24A*	*9MV*1202422A**	0.99	1.03	EN(A,D)4X61*24**	*9MA*1002120A**	0.99	1.03
EA*4X60*24A*	*9MX*0802120A**	0.99	1.03	EN(A,D)4X61*24**	*9MPV100	1.00	1.04
EA*4X60*24A*	*9MX*1002120A**	0.99	1.03	EN(A,D)4X61*24**	*9MPV125	1.00	1.04
EA*4X60*24A*	*9MX*1202422A**	0.99	1.03	EN(A,D)4X61*24**	*9MV*1002116A**	0.99	1.03
EA*4X60*24A*	MV16J22**B*	0.99	0.99	EN(A,D)4X61*24**	*9MVX080	1.00	1.04
EA*4X60*24A*	MV20L24**B*	0.99	0.99	EN(A,D)4X61*24**	*9MVX100	1.00	1.04
EA*4X60*24A*	*8MPV100	1.00	1.04	EN(A,D)4X61*24**	*9MX*1002116A**	0.99	1.06
EA*4X60*24A*	*8MPV125	1.00	1.04	EN(A,D)4X61*24**	OLV112A16A	0.99	1.06
EA*4X60*24A*	*9MA*1002120A**	0.98	1.05	EN(A,D)4X61*24**	OLV154F20A	1.02	1.06
EA*4X60*24A*	*9MPV100	0.99	1.06	EN(A,D)4X61*24**		1.01	1.08
EA*4X60*24A*	*9MPV125	0.99	1.06	EN(A,D,W)4X48*21**	*8MV*1102120**	0.97	1.03
EA*4X60*24A*	*9MV*1002116A**	0.98	1.06	EN(A,D,W)4X48*21**	*8MX*0902116**	0.97	1.03
EA*4X60*24A*	*9MX*1002116A**	0.98	1.05	EN(A,D,W)4X48*21**	*8MX*1102120**	0.97	1.01
EA*4X60*24A*	OLV154F20A	1.00	1.07	EN(A,D,W)4X48*21**	*9MA*0602120A**	0.96	1.04
EA*4X60*24A*		0.99	1.08	EN(A,D,W)4X48*21**	*9MA*0802120A**	0.96	1.00
ED*4X48F**	*8MV*0901716**	0.97	1.03	EN(A,D,W)4X48*21**	*9MA*1002122A**	0.97	1.01
ED*4X48F**	*8MV*1102120**	0.97	1.03	EN(A,D,W)4X48*21**	*9MV*0801716A**	0.96	1.07
ED*4X48F**	*8MX*0902116**	0.97	1.03	EN(A,D,W)4X48*21**	*9MV*0802120A**	0.97	1.03
ED*4X48F**	*8MX*1102120**	0.97	1.01	EN(A,D,W)4X48*21**	*9MV*1002120A**	0.97	1.01
ED*4X48F**	*9MA*0602120A**	0.96	1.04	EN(A,D,W)4X48*21**	*9MX*0801716A**	0.96	1.07
ED*4X48F**	*9MA*0802120A**	0.96	1.02	EN(A,D,W)4X48*21**	*9MX*0802120A**	0.97	1.03
ED*4X48F**	*9MA*1002122A**	0.97	1.03	EN(A,D,W)4X48*21**	*9MX*1002120A**	0.97	1.03
ED*4X48F**	*9MV*0802120A**	0.97	1.03	EN(A,D,W)4X48*21**	MV16J22**B*	0.98	0.98
ED*4X48F**	*9MV*1002120A**	0.97	1.03	EN(A,D,W)4X48*21**	*8MPV100	0.98	1.05
ED*4X48F**	*9MX*0802120A**	0.97	1.03	EN(A,D,W)4X48*21**	*8MPV125	0.98	1.05
ED*4X48F**	*9MX*1002120A**	0.97	1.03	EN(A,D,W)4X48*21**	*9MA*1002120A**	0.96	1.04
ED*4X48F**	*9MA*1002120A**	0.96	1.04	EN(A,D,W)4X48*21**	*9MPV100	0.97	1.05

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X48F**	*9MV*1002116A**	0.97	1.05	EN(A,D,W)4X48*21**	*9MV*1002116A**	0.97	1.05
ED*4X48F**	*9MX*1002116A**	0.97	1.05	EN(A,D,W)4X48*21**	*9MVX080	0.97	1.05
ED*4X48F**		0.97	1.05	EN(A,D,W)4X48*21**	*9MX*1002116A**	0.97	1.05
ED*4X48J**	*9MA*0602120A**	0.95	1.03	EN(A,D,W)4X48*21**		0.98	1.09
ED*4X48J**	*9MA*0802120A**	0.96	1.02	EN(A,D,W)4X60*24**	*8MV*1352422**	0.99	1.01
ED*4X48J**	*9MA*1002122A**	0.96	1.02	EN(A,D,W)4X60*24**	*8MX*1352420**	0.99	1.03
ED*4X48J**	*9MA*1202422A**	0.96	1.02	EN(A,D,W)4X60*24**	*9MA*0602120A**	0.97	1.03
ED*4X48J**	*9MV*0802120A**	0.96	1.02	EN(A,D,W)4X60*24**	*9MA*0802120A**	0.98	1.02
ED*4X48J**	*9MV*1002120A**	0.96	1.02	EN(A,D,W)4X60*24**	*9MA*1002122A**	0.98	1.00
ED*4X48J**	*9MV*1202422A**	0.96	1.02	EN(A,D,W)4X60*24**	*9MA*1202422A**	0.98	1.02
ED*4X48J**	*9MX*0802120A**	0.97	1.03	EN(A,D,W)4X60*24**	*9MV*0802120A**	0.98	1.02
ED*4X48J**	*9MX*1002120A**	0.96	1.02	EN(A,D,W)4X60*24**	*9MV*1002120A**	0.99	1.01
ED*4X48J**	*9MX*1202422A**	0.97	1.03	EN(A,D,W)4X60*24**	*9MV*1202422A**	0.99	1.03
ED*4X48J**	MV16J22**B*	0.97	0.99	EN(A,D,W)4X60*24**	*9MX*0802120A**	0.99	1.03
ED*4X48J**	MV20L24**B*	0.97	0.99	EN(A,D,W)4X60*24**	*9MX*1002120A**	0.99	1.03
ED*4X48J**	*8MPV100	0.97	1.03	EN(A,D,W)4X60*24**	*9MX*1202422A**	0.99	1.03
ED*4X48J**	*8MPV125	0.97	1.03	EN(A,D,W)4X60*24**	MV16J22**B*	0.99	0.99
ED*4X48J**	*9MA*1002120A**	0.96	1.04	EN(A,D,W)4X60*24**	MV20L24**B*	0.99	0.99
ED*4X48J**	*9MPV100	0.97	1.05	EN(A,D,W)4X60*24**	*8MPV100	1.00	1.04
ED*4X48J**	*9MPV125	0.97	1.05	EN(A,D,W)4X60*24**	*8MPV125	1.00	1.04
ED*4X48J**	*9MV*1002116A**	0.96	1.07	EN(A,D,W)4X60*24**	*9MA*1002120A**	0.98	1.05
ED*4X48J**	*9MVX080	0.97	1.05	EN(A,D,W)4X60*24**	*9MPV100	0.99	1.06
ED*4X48J**	*9MX*1002116A**	0.96	1.04	EN(A,D,W)4X60*24**	*9MPV125	0.99	1.06
ED*4X48J**		0.98	1.09	EN(A,D,W)4X60*24**	*9MV*1002116A**	0.98	1.05
ED*4X48L**	*8MV*1102120**	0.96	1.02	EN(A,D,W)4X60*24**	*9MVX080	0.99	1.06
ED*4X48L**	*8MV*1352422**	0.97	1.01	EN(A,D,W)4X60*24**	*9MVX100	0.99	1.06
ED*4X48L**	*8MX*0902116**	0.97	1.03	EN(A,D,W)4X60*24**	*9MX*1002116A**	0.98	1.05
ED*4X48L**	*8MX*1102120**	0.97	1.01	EN(A,D,W)4X60*24**	OLV154F20A	1.00	1.07
ED*4X48L**	*8MX*1352420**	0.97	1.03	EN(A,D,W)4X60*24**		0.99	1.08
ED*4X48L**	*9MA*0602120A**	0.95	1.03	ENH4X48*21**	*8MV*0901716**	0.97	1.03
ED*4X48L**	*9MA*0802120A**	0.96	1.02	ENH4X48*21**	*8MV*1102120**	0.97	1.03
ED*4X48L**	*9MA*1002122A**	0.97	1.01	ENH4X48*21**	*8MV*1352422**	0.97	1.01
ED*4X48L**	*9MA*1202422A**	0.96	1.02	ENH4X48*21**	*8MX*0902116**	0.97	1.03
ED*4X48L**	*9MV*0802120A**	0.96	1.02	ENH4X48*21**	*8MX*1102120**	0.97	1.01
ED*4X48L**	*9MV*1002120A**	0.97	1.03	ENH4X48*21**	*8MX*1352420**	0.97	1.01

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X48L**	*9MV*1202422A**	0.97	1.03	ENH4X48*21**	*9MA*0602120A**	0.96	1.04
ED*4X48L**	*9MX*0802120A**	0.97	1.03	ENH4X48*21**	*9MA*0802120A**	0.96	1.00
ED*4X48L**	*9MX*1002120A**	0.97	1.03	ENH4X48*21**	*9MA*1002122A**	0.97	1.01
ED*4X48L**	*9MX*1202422A**	0.97	1.03	ENH4X48*21**	*9MA*1202422A**	0.96	1.02
ED*4X48L**	MV16J22**B*	0.98	1.00	ENH4X48*21**	*9MV*0801716A**	0.96	1.07
ED*4X48L**	MV20L24**B*	0.98	1.00	ENH4X48*21**	*9MV*0802120A**	0.97	1.03
ED*4X48L**	*8MPV100	0.98	1.05	ENH4X48*21**	*9MV*1002120A**	0.97	1.01
ED*4X48L**	*8MPV125	0.98	1.05	ENH4X48*21**	*9MV*1202422A**	0.97	1.03
ED*4X48L**	*9MA*1002120A**	0.96	1.04	ENH4X48*21**	*9MX*0801716A**	0.96	1.07
ED*4X48L**	*9MPV100	0.97	1.05	ENH4X48*21**	*9MX*0802120A**	0.97	1.03
ED*4X48L**	*9MPV125	0.97	1.05	ENH4X48*21**	*9MX*1002120A**	0.97	1.03
ED*4X48L**	*9MV*1002116A**	0.96	1.07	ENH4X48*21**	*9MX*1202422A**	0.97	1.03
ED*4X48L**	*9MVX080	0.97	1.05	ENH4X48*21**	MV16J22**B*	0.98	0.98
ED*4X48L**	*9MVX100	0.96	1.04	ENH4X48*21**	MV20L24**B*	0.98	0.98
ED*4X48L**	OLV112A16A	0.96	1.07	ENH4X48*21**	*8MPV100	0.98	1.05
ED*4X48L**	OLV154F20A	0.98	1.06	ENH4X48*21**	*8MPV125	0.98	1.05
ED*4X48L**		0.98	1.09	ENH4X48*21**	*9MA*1002120A**	0.96	1.04
ED*4X60J**	*8MV*1102120**	0.98	1.02	ENH4X48*21**	*9MPV100	0.97	1.05
ED*4X60J**	*8MV*1352422**	0.99	1.01	ENH4X48*21**	*9MPV125	0.97	1.03
ED*4X60J**	*8MX*0902116**	0.99	1.03	ENH4X48*21**	*9MV*1002116A**	0.97	1.05
ED*4X60J**	*8MX*1102120**	0.99	1.01	ENH4X48*21**	*9MVX080	0.97	1.05
ED*4X60J**	*8MX*1352420**	0.99	1.03	ENH4X48*21**	*9MVX100	0.97	1.03
ED*4X60J**	*9MA*0602120A**	0.97	1.03	ENH4X48*21**	*9MX*1002116A**	0.97	1.05
ED*4X60J**	*9MA*0802120A**	0.98	1.02	ENH4X48*21**	OLV154F20A	0.99	1.08
ED*4X60J**	*9MA*1002122A**	0.98	1.00	ENH4X48*21**		0.98	1.09
ED*4X60J**	*9MA*1202422A**	0.98	1.02	ENH4X60*24**	*8MV*0901716**	0.98	1.02
ED*4X60J**	*9MV*0802120A**	0.98	1.02	ENH4X60*24**	*8MV*1102120**	0.98	1.02
ED*4X60J**	*9MV*1002120A**	0.98	1.02	ENH4X60*24**	*8MV*1352422**	0.99	1.01
ED*4X60J**	*9MV*1202422A**	0.99	1.03	ENH4X60*24**	*8MX*0902116**	0.99	1.03
ED*4X60J**	*9MX*0802120A**	0.99	1.03	ENH4X60*24**	*8MX*1102120**	0.99	0.99
ED*4X60J**	*9MX*1002120A**	0.99	1.03	ENH4X60*24**	*8MX*1352420**	0.99	1.03
ED*4X60J**	*9MX*1202422A**	0.99	1.03	ENH4X60*24**	*9MA*0602120A**	0.97	1.03
ED*4X60J**	MV16J22**B*	0.99	0.99	ENH4X60*24**	*9MA*0802120A**	0.98	1.02
ED*4X60J**	MV20L24**B*	0.99	0.99	ENH4X60*24**	*9MA*1002122A**	0.98	1.00
ED*4X60J**		0.99	0.99	ENH4X60*24**	*9MA*1202422A**	0.98	1.02

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X60J**	*8MPV100	0.99	1.03	ENH4X60*24**	*9MV*0801716A**	0.98	1.06
ED*4X60J**	*8MPV125	0.99	1.03	ENH4X60*24**	*9MV*0802120A**	0.98	1.02
ED*4X60J**	*9MA*1002120A**	0.98	1.05	ENH4X60*24**	*9MV*1002120A**	0.99	1.01
ED*4X60J**	*9MPV100	0.99	1.06	ENH4X60*24**	*9MV*1202422A**	0.99	1.03
ED*4X60J**	*9MPV125	0.99	1.06	ENH4X60*24**	*9MX*0801716A**	0.98	1.06
ED*4X60J**	*9MV*1002116A**	0.98	1.06	ENH4X60*24**	*9MX*0802120A**	0.99	1.03
ED*4X60J**	*9MVX080	0.99	1.06	ENH4X60*24**	*9MX*1002120A**	0.99	1.03
ED*4X60J**	*9MVX100	0.99	1.06	ENH4X60*24**	*9MX*1202422A**	0.99	1.03
ED*4X60J**	*9MX*1002116A**	0.98	1.05	ENH4X60*24**	MV16J22**B*	0.99	0.99
ED*4X60J**		0.99	1.08	ENH4X60*24**	MV20L24**B*	0.99	0.99
ED*4X60L**	*9MA*0602120A**	0.97	1.03	ENH4X60*24**	*8MPV100	1.00	1.04
ED*4X60L**	*9MA*0802120A**	0.98	1.02	ENH4X60*24**	*8MPV125	1.00	1.04
ED*4X60L**	*9MA*1002122A**	0.98	1.00	ENH4X60*24**	*9MA*1002120A**	0.98	1.05
ED*4X60L**	*9MA*1202422A**	0.98	1.02	ENH4X60*24**	*9MPV100	0.99	1.06
ED*4X60L**	*9MV*0802120A**	0.98	1.02	ENH4X60*24**	*9MPV125	0.99	1.06
ED*4X60L**	*9MV*1002120A**	0.99	1.03	ENH4X60*24**	*9MV*1002116A**	0.98	1.05
ED*4X60L**	*9MV*1202422A**	0.99	1.03	ENH4X60*24**	*9MVX080	0.99	1.06
ED*4X60L**	*9MX*0802120A**	0.99	1.03	ENH4X60*24**	*9MVX100	0.99	1.06
ED*4X60L**	*9MX*1002120A**	0.99	1.03	ENH4X60*24**	*9MX*1002116A**	0.98	1.05
ED*4X60L**	*9MX*1202422A**	0.99	1.03	ENH4X60*24**	OLV154F20A	1.00	1.07
ED*4X60L**	MV16J22**B*	0.99	0.99	ENH4X60*24**		0.99	1.08
ED*4X60L**	MV20L24**B*	0.99	0.99	ENH4X61*24**	*8MV*0901716**	0.99	1.03
ED*4X60L**	*8MPV100	1.00	1.04	ENH4X61*24**	*8MV*1102120**	0.99	1.03
ED*4X60L**	*8MPV125	1.00	1.04	ENH4X61*24**	*8MV*1352422**	0.99	1.01
ED*4X60L**	*9MA*1002120A**	0.98	1.05	ENH4X61*24**	*8MX*0902116**	0.99	1.03
ED*4X60L**	*9MPV100	0.99	1.06	ENH4X61*24**	*8MX*1102120**	0.99	0.99
ED*4X60L**	*9MPV125	0.99	1.06	ENH4X61*24**	*8MX*1352420**	0.99	1.03
ED*4X60L**	*9MV*1002116A**	0.98	1.06	ENH4X61*24**	*9MA*1202422A**	0.98	1.02
ED*4X60L**	*9MVX100	0.99	1.06	ENH4X61*24**	*9MV*0801716A**	0.97	1.03
ED*4X60L**	*9MX*1002116A**	0.98	1.05	ENH4X61*24**	*9MV*1202422A**	0.98	1.02
ED*4X60L**	OLV154F20A	1.00	1.07	ENH4X61*24**	*9MX*1202422A**	0.99	1.03
ED*4X60L**		0.99	1.08	ENH4X61*24**	MV16J22**B*	1.00	1.00
EHD4X48A**	*8MV*0901716**	0.97	1.03	ENH4X61*24**	MV20L24**B*	1.00	1.00
EHD4X48A**	*8MV*1102120**	0.97	1.03	ENH4X61*24**	*8MPV100	1.00	1.04
EHD4X48A**	*8MV*1352422**	0.98	1.02	ENH4X61*24**	*8MPV125	1.00	1.02

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X48A**	*8MX*0902116**	0.98	1.05	ENH4X61*24**	*9MA*1002120A**	0.98	1.05
EHD4X48A**	*8MX*1102120**	0.98	1.02	ENH4X61*24**	*9MPV100	0.99	1.06
EHD4X48A**	*8MX*1352420**	0.98	1.02	ENH4X61*24**	*9MPV125	0.99	1.06
EHD4X48A**	*9MA*0602120A**	0.96	1.02	ENH4X61*24**	*9MV*1002116A**	0.98	1.05
EHD4X48A**	*9MA*0802120A**	0.97	1.01	ENH4X61*24**	*9MVX080	0.99	1.06
EHD4X48A**	*9MA*1002122A**	0.98	1.02	ENH4X61*24**	*9MVX100	0.99	1.03
EHD4X48A**	*9MA*1202422A**	0.97	1.03	ENH4X61*24**	*9MX*1002116A**	0.98	1.05
EHD4X48A**	*9MV*0802120A**	0.97	1.01	ENH4X61*24**	OLV154F20A	1.01	1.08
EHD4X48A**	*9MV*1002120A**	0.97	1.01	ENH4X61*24**		1.00	1.07
EHD4X48A**	*9MV*1202422A**	0.97	1.03	FCM4X48***		0.99	0.99
EHD4X48A**	*9MX*0802120A**	0.98	1.05	FCM4X60***		1.00	0.98
EHD4X48A**	*9MX*1002120A**	0.98	1.02	FEM4P48**A*		0.98	1.06
EHD4X48A**	*9MX*1202422A**	0.98	1.05	FEM4X48***		1.00	1.04
EHD4X48A**	MV16J22**B*	0.99	0.99	FEM4X60***		1.01	1.04
EHD4X48A**	MV20L24**B*	0.99	0.99	FEM4X60**B*		1.00	1.04
EHD4X48A**	*8MPV100	0.98	1.05	FS(M,U)4P48**A*		1.00	1.07
EHD4X48A**	*8MPV125	0.98	1.02	FS(M,U)4X60**A*		1.00	1.12
EHD4X48A**	*9MA*1002120A**	0.97	1.05	FVM4X48***		0.99	0.99
EHD4X48A**	*9MPV100	0.98	1.06	FVM4X60***		1.00	0.98
EHD4X48A**	*9MPV125	0.98	1.05	FXM4X60**A*		1.02	1.02
EHD4X48A**	*9MV*1002116A**	0.97	1.05				

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
(C,H,T)SH560							
*FXM4X60**A*		1.00	1.00	EHD4X60A**	*9MVX100	0.96	1.04
EA*4X60*21A*	*8MV*1102120**	0.96	1.02	EHD4X60A**	OLV154F20A	0.98	1.02
EA*4X60*21A*	*8MX*1102120**	0.96	1.00	EHD4X60A**		0.96	1.02
EA*4X60*21A*	*9MA*1002122A**	0.97	1.04	EN(A,D)4X61*24**	*8MV*1352422**	0.97	1.00
EA*4X60*21A*	*9MV*1002120A**	0.97	1.04	EN(A,D)4X61*24**	*8MX*1352420**	0.97	1.01
EA*4X60*21A*	*9MX*0802120A**	0.97	1.03	EN(A,D)4X61*24**	*9MA*1202422A**	0.98	1.02
EA*4X60*21A*	MV16J22**B*	0.98	1.01	EN(A,D)4X61*24**	*9MV*1202422A**	0.98	1.02
EA*4X60*21A*	*8MPV125	0.98	1.05	EN(A,D)4X61*24**	*9MX*1202422A**	0.98	1.02
EA*4X60*21A*		0.96	1.02	EN(A,D)4X61*24**	MV16J22**B*	1.00	1.00
EA*4X60*24A*	*8MV*1352422**	0.96	1.00	EN(A,D)4X61*24**	MV20L24**B*	1.00	1.00

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X60*24A*	*8MX*1352420**	0.96	1.00	EN(A,D)4X61*24**	*8MPV125	1.00	1.07
EA*4X60*24A*	*9MA*0802120A**	0.97	1.03	EN(A,D)4X61*24**	*9MVX100	0.99	1.08
EA*4X60*24A*	*9MA*1002122A**	0.97	1.04	EN(A,D)4X61*24**	OLV154F20A	0.99	1.03
EA*4X60*24A*	*9MA*1202422A**	0.97	1.04	EN(A,D)4X61*24**		0.97	1.01
EA*4X60*24A*	*9MV*1002120A**	0.97	1.04	EN(A,D,W)4X60*24**	*8MV*1352422**	0.96	1.00
EA*4X60*24A*	*9MV*1202422A**	0.97	1.04	EN(A,D,W)4X60*24**	*8MX*1352420**	0.96	1.00
EA*4X60*24A*	*9MX*0802120A**	0.97	1.04	EN(A,D,W)4X60*24**	*9MA*0802120A**	0.97	1.03
EA*4X60*24A*	*9MX*1002120A**	0.97	1.04	EN(A,D,W)4X60*24**	*9MA*1002122A**	0.97	1.04
EA*4X60*24A*	*9MX*1202422A**	0.97	1.04	EN(A,D,W)4X60*24**	*9MA*1202422A**	0.97	1.04
EA*4X60*24A*	MV16J22**B*	0.99	1.02	EN(A,D,W)4X60*24**	*9MV*1002120A**	0.97	1.04
EA*4X60*24A*	MV20L24**B*	0.99	1.02	EN(A,D,W)4X60*24**	*9MV*1202422A**	0.97	1.03
EA*4X60*24A*	*8MPV125	0.98	1.05	EN(A,D,W)4X60*24**	*9MX*0802120A**	0.97	1.03
EA*4X60*24A*	OLV154F20A	0.97	1.01	EN(A,D,W)4X60*24**	*9MX*1002120A**	0.97	1.04
EA*4X60*24A*		0.96	1.02	EN(A,D,W)4X60*24**	*9MX*1202422A**	0.97	1.04
ED*4X60J**	*8MV*1102120**	0.97	1.04	EN(A,D,W)4X60*24**	MV16J22**B*	0.98	0.98
ED*4X60J**	*8MV*1352422**	0.97	1.01	EN(A,D,W)4X60*24**	MV20L24**B*	0.98	0.98
ED*4X60J**	*8MX*1102120**	0.97	1.01	EN(A,D,W)4X60*24**	*8MPV125	0.98	1.05
ED*4X60J**	*8MX*1352420**	0.97	1.04	EN(A,D,W)4X60*24**	*9MVX100	0.97	1.06
ED*4X60J**	*9MA*1002122A**	0.97	1.04	EN(A,D,W)4X60*24**	OLV154F20A	0.97	1.01
ED*4X60J**	*9MA*1202422A**	0.97	1.04	EN(A,D,W)4X60*24**		0.96	1.02
ED*4X60J**	*9MV*1002120A**	0.97	1.04	ENH4X60*24**	*8MV*1102120**	0.96	1.02
ED*4X60J**	*9MV*1202422A**	0.97	1.03	ENH4X60*24**	*8MV*1352422**	0.96	1.00
ED*4X60J**	*9MX*0802120A**	0.97	1.03	ENH4X60*24**	*8MX*1102120**	0.96	1.00
ED*4X60J**	*9MX*1202422A**	0.97	1.04	ENH4X60*24**	*8MX*1352420**	0.96	1.00
ED*4X60J**	MV16J22**B*	0.98	1.01	ENH4X60*24**	*9MA*0802120A**	0.97	1.03
ED*4X60J**	MV20L24**B*	0.98	1.01	ENH4X60*24**	*9MA*1002122A**	0.97	1.04
ED*4X60J**	*8MPV125	0.98	1.05	ENH4X60*24**	*9MA*1202422A**	0.97	1.04
ED*4X60J**		0.97	1.04	ENH4X60*24**	*9MV*1002120A**	0.97	1.04
ED*4X60L**	*9MA*0802120A**	0.97	1.03	ENH4X60*24**	*9MV*1202422A**	0.97	1.03
ED*4X60L**	*9MA*1002122A**	0.97	1.04	ENH4X60*24**	*9MX*0802120A**	0.97	1.03
ED*4X60L**	*9MA*1202422A**	0.97	1.04	ENH4X60*24**	*9MX*1002120A**	0.97	1.04
ED*4X60L**	*9MV*1002120A**	0.97	1.04	ENH4X60*24**	*9MX*1202422A**	0.97	1.04
ED*4X60L**	*9MV*1202422A**	0.97	1.04	ENH4X60*24**	MV16J22**B*	0.98	0.98
ED*4X60L**	*9MX*0802120A**	0.97	1.04	ENH4X60*24**	MV20L24**B*	0.98	0.98
ED*4X60L**		0.97	1.04	ENH4X60*24**	*8MPV125	0.98	1.05

COOLING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED4X60L**	*9MX*1202422A**	0.97	1.04	ENH4X60*24**	*9MVX080	0.97	1.08
ED4X60L**	MV16J22**B*	0.99	1.02	ENH4X60*24**	*9MVX100	0.96	1.04
ED4X60L**	MV20L24**B*	0.99	1.02	ENH4X60*24**	OLV154F20A	0.97	1.01
ED4X60L**	*8MPV125	0.98	1.05	ENH4X60*24**		0.96	1.02
ED4X60L**	*9MVX100	0.96	1.04	ENH4X61*24**	*8MV*1102120**	0.97	1.03
ED4X60L**	OLV154F20A	0.97	1.01	ENH4X61*24**	*8MV*1352422**	0.97	1.01
ED4X60L**		0.96	1.02	ENH4X61*24**	*8MX*1102120**	0.97	1.01
EHD4X60A**	*8MV*1102120**	0.97	1.03	ENH4X61*24**	*8MX*1352420**	0.97	1.01
EHD4X60A**	*8MV*1352422**	0.97	1.01	ENH4X61*24**	*9MA*1202422A**	0.97	1.03
EHD4X60A**	*8MX*1102120**	0.97	1.01	ENH4X61*24**	*9MV*1202422A**	0.97	1.01
EHD4X60A**	*8MX*1352420**	0.97	1.01	ENH4X61*24**	*9MX*1202422A**	0.97	1.03
EHD4X60A**	*9MA*0802120A**	0.97	1.04	ENH4X61*24**	MV16J22**B*	0.99	0.99
EHD4X60A**	*9MA*1002122A**	0.98	1.02	ENH4X61*24**	MV20L24**B*	0.99	0.99
EHD4X60A**	*9MA*1202422A**	0.97	1.01	ENH4X61*24**	*8MPV125	0.98	1.05
EHD4X60A**	*9MV*1002120A**	0.98	1.05	ENH4X61*24**	*9MVX080	0.97	1.08
EHD4X60A**	*9MV*1202422A**	0.97	1.01	ENH4X61*24**	*9MVX100	0.97	1.05
EHD4X60A**	*9MX*0802120A**	0.97	1.04	ENH4X61*24**	OLV154F20A	0.97	1.01
EHD4X60A**	*9MX*1002120A**	0.98	1.05	ENH4X61*24**		0.97	1.03
EHD4X60A**	*9MX*1202422A**	0.98	1.05	FCM4X60***		1.00	1.00
EHD4X60A**	MV16J22**B*	0.99	0.99	FEM4X60***		0.99	1.03
EHD4X60A**	MV20L24**B*	0.99	0.99	FEM4X60**B*		0.96	1.02
EHD4X60A**	*8MPV125	0.99	1.06	FS(M,U)4X60**A*		0.97	1.05
EHD4X60A**	*9MVX080	0.97	1.08	FVM4X60***		1.00	1.00

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
(C,H,T)SH518							
*FXM4X18**A*		1.00	1.00	EHD4X24A**	*9MV*1002120A**	1.00	0.99
EA*4X18*14A*	*8MV*0701412**	0.97	1.05	ENH4X24*17**	*9MX*0401410A**	0.98	1.04
EA*4X18*14A*	*8MX*0451408**	0.98	1.04	EA*4X24*17A*	*8MPV050	1.02	1.01
EA*4X18*14A*	*9MV*0401410A**	0.98	1.07	EHD4X24A**	*9MVX040	1.02	1.01
EA*4X24*14A*	*8MV*0701412**	0.98	1.03	EA*4X18*14A*	MV08B15**B*	0.97	1.03
EA*4X24*14A*	*8MX*0451408**	0.99	1.01	ED*4X18B**	*8MPV050	1.00	1.03

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X24*14A*	*9MV*0401410A**	0.99	1.04	EN(A,D)4X24*17**	*9MVX040	1.02	1.01
EA*4X24*17A*	*8MV*0901716**	0.98	1.02	EN(A,D)4X18*14**	MV08B15**B*	0.98	1.01
EA*4X24*17A*	*9MA*0601714A**	0.98	1.03	EN(A,D)4X24*17**	*8MPV050	1.02	1.01
EA*4X24*17A*	*9MA*0801714A**	0.97	1.02	EHD4X24A**	*9MPV075	1.02	1.01
EA*4X24*17A*	*9MV*0401410A**	0.99	1.04	ENH4X24*17**	*9MVX040	1.02	1.01
EA*4X24*17A*	*9MV*0601714A**	0.99	1.00	ENH4X24*17**	OLV098A12A	1.00	1.01
EA*4X24*17A*	*9MV*0801716A**	1.00	0.99	ENH4X24*17**	OMV098J12A	1.01	1.00
ED*4X18B**	*8MV*0701412**	0.97	1.05	EA*4X24*14A*	MV08B15**B*	0.98	1.00
ED*4X18B**	*8MX*0451408**	0.98	1.04	ED*4X24B**	*8MPV050	1.01	1.01
ED*4X18B**	*9MV*0401410A**	0.98	1.07	EHD4X24A**	*9MVX060	1.02	1.01
ED*4X24B**	*8MV*0701412**	0.98	1.03	EA*4X24*17A*	MV08B15**B*	0.98	1.00
ED*4X24B**	*8MX*0451408**	0.99	1.01	ED*4X24F**	*8MPV050	1.02	1.01
ED*4X24B**	*9MV*0401410A**	0.99	1.04	EN(A,D)4X24*17**	*9MVX060	1.02	1.01
ED*4X24F**	*8MV*0901716**	0.98	1.02	EN(A,D)4X24*14**	MV08B15**B*	0.98	1.00
ED*4X24F**	*9MA*0601714A**	0.98	1.03	ENH4X24*17**	*8MPV050	1.02	1.01
ED*4X24F**	*9MA*0602120A**	0.98	1.03	EN(A,D)4X24*17**	*9MPV050	1.02	1.01
ED*4X24F**	*9MA*0801714A**	0.97	1.02	EN(A,D)4X24*17**	*9MPV075	1.02	1.01
ED*4X24F**	*9MV*0601714A**	0.99	1.00	EA*4X24*17A*	OMV098J12A	1.00	1.00
ED*4X24F**	*9MV*0801716A**	1.00	0.99	EA*4X24*14A*		1.02	1.10
ED*4X24F**	*9MV*0802120A**	1.01	0.99	EN(A,D)4X24*14**		1.03	1.10
ED*4X24F**	*9MV*1002120A**	1.01	0.98	ENH4X24*17**		1.03	1.10
EHD4X24A**	*8MV*0701412**	0.98	1.03	ED*4X18B**	MV08B15**B*	0.97	1.03
EHD4X24A**	*8MV*0901716**	0.98	1.02	EN(A,D)4X24*17**	MV08B15**B*	0.98	1.00
EHD4X24A**	*8MX*0451408**	0.99	1.02	EHD4X24A**	*8MPV050	1.02	1.01
EHD4X24A**	*9MA*0601714A**	0.98	1.03	EA*4X24*17A*	*9MPV050	1.02	1.00
EHD4X24A**	*9MA*0602120A**	0.99	1.03	ENH4X24*17**	*9MPV050	1.02	1.01
EHD4X24A**	*9MA*0801714A**	0.98	1.03	ENH4X24*17**	*9MPV075	1.02	1.01
EHD4X24A**	*9MV*0401410A**	0.99	1.05	ENH4X24*17**	*9MVX060	1.02	1.01
EHD4X24A**	*9MV*0601714A**	0.98	1.03	ED*4X24F**	OMV098J12A	1.00	1.00
EHD4X24A**	*9MV*0801716A**	0.99	1.01	EA*4X24*17A*		1.02	1.10
EHD4X24A**	*9MV*0802120A**	1.00	1.01	EN(A,D)4X24*17**		1.03	1.10
EN(A,D)4X18*14**	*8MV*0701412**	0.98	1.04	ED*4X24B**	MV08B15**B*	0.98	1.00
EN(A,D)4X18*14**	*8MX*0451408**	0.99	1.03	EN(A,D)4X18*14**	*8MPV050	1.01	1.03
EN(A,D)4X18*14**	*9MV*0401410A**	0.99	1.07	EA*4X24*17A*	OLV098A12A	0.99	1.01
EN(A,D)4X19*17**	*8MV*0901716**	0.98	1.01	ENH4X24*17**	MV08B15**B*	0.98	1.00

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EN(A,D)4X19*17**	*9MA*0601714A**	0.99	1.01	ED*4X24F**	*9MPV050	1.02	1.00
EN(A,D)4X19*17**	*9MA*0801714A**	0.98	1.01	ED*4X24F**	*9MV*1002116A**	1.01	1.00
EN(A,D)4X19*17**	*9MV*0401410A**	1.00	1.02	ED*4X24F**	OLV098A12A	0.99	1.01
EN(A,D)4X19*17**	*9MV*0601714A**	1.01	0.99	EHD4X24A**	OMV098J12A	1.01	1.01
EN(A,D)4X19*17**	*9MV*0801716A**	1.01	0.98	EHD4X24A**		1.03	1.09
EN(A,D)4X24*14**	*8MV*0701412**	0.98	1.02	ED*4X24F**	MV08B15**B*	0.98	1.00
EN(A,D)4X24*14**	*8MX*0451408**	0.99	1.01	EN(A,D)4X19*17**	*8MPV050	1.02	0.99
EN(A,D)4X24*14**	*9MV*0401410A**	0.99	1.04	EHD4X24A**	OLV098A12A	1.00	1.01
EN(A,D)4X24*17**	*8MV*0901716**	0.98	1.02	EA*4X18*14A*	*8MPV050	1.00	1.03
EN(A,D)4X24*17**	*9MA*0601714A**	0.98	1.03	EHD4X24A**	*9MPV050	1.02	1.01
EN(A,D)4X24*17**	*9MA*0801714A**	0.98	1.03	EHD4X24A**	*9MV*1002116A**	0.99	1.01
EN(A,D)4X24*17**	*9MV*0401410A**	0.99	1.04	EN(A,D)4X19*17**	OLV098A12A	1.00	0.99
EN(A,D)4X24*17**	*9MV*0601714A**	0.99	1.01	EN(A,D)4X19*17**	OMV098J12A	1.01	0.99
EN(A,D)4X24*17**	*9MV*0801716A**	0.99	1.00	EN(A,D)4X18*14**		1.02	1.10
ENH4X24*17**	*8MV*0701412**	0.98	1.02	EHD4X24A**	MV08B15**B*	0.98	1.00
ENH4X24*17**	*8MV*0901716**	0.98	1.02	EA*4X24*14A*	*8MPV050	1.01	1.01
ENH4X24*17**	*8MX*0451408**	0.99	1.01	EN(A,D)4X24*14**	*8MPV050	1.02	1.01
ENH4X24*17**	*9MA*0601714A**	0.98	1.03	EN(A,D)4X19*17**	*9MPV050	1.03	0.99
ENH4X24*17**	*9MA*0801714A**	0.98	1.03	ENH4X24*17**	*9MV*1002116A**	1.00	1.00
ENH4X24*17**	*9MV*0401410A**	0.99	1.04	EN(A,D)4X24*17**	OLV098A12A	1.00	1.01
ENH4X24*17**	*9MV*0601714A**	0.99	1.01	EN(A,D)4X24*17**	OMV098J12A	1.01	1.00
ENH4X24*17**	*9MV*0801716A**	0.99	1.00	EN(A,D)4X19*17**		1.03	1.09
FCM4X24****		0.98	1.00	EHD4X24A**	*9MV*1202422A**	1.00	1.01
FEA4X18**A*		0.99	1.03	ENH4X24*17**	*9MV*1202422A**	1.01	1.00
FEA4X24**A*		0.99	1.00	EA*4X18*14A*	*9MX*0401410A**	0.97	1.07
FEM4P18**A*		0.99	1.03	EA*4X24*14A*	*9MX*0401410A**	0.98	1.05
FEM4P24**A*		0.99	1.03	EA*4X24*17A*	*9MX*0401410A**	0.98	1.04
FEM4X18****		0.99	1.03	ED*4X18B**	*9MX*0401410A**	0.97	1.07
FEM4X24****		0.99	1.02	ED*4X24B**	*9MX*0401410A**	0.98	1.05
FS(M,U)4P18**A*		1.01	1.08	EHD4X24A**	*9MX*0401410A**	0.98	1.05
FS(M,U)4P24**A*		1.01	1.07	EN(A,D)4X18*14**	*9MX*0401410A**	0.98	1.07
FSA4X24**A*		1.02	1.12	EN(A,D)4X19*17**	*9MX*0401410A**	0.99	1.03
FVM4X24****		0.98	1.00	EN(A,D)4X24*14**	*9MX*0401410A**	0.98	1.04
FXM4X24**A*		1.00	1.00	EN(A,D)4X24*17**	*9MX*0401410A**	0.98	1.04

HEATING Multiplying Factors for other Indoor Combinations

HEATING Multiplying Factors for other Indoor Combinations

(C,H,T)SH524

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
*FXM4X24**A*		1.00	1.00	EHD4X30A**	*9MVX040	1.00	1.02
EA*4X24*14A*	*8MV*0701412**	0.98	1.03	EHD4X30A**	*9MVX060	1.01	1.01
EA*4X24*14A*	*8MX*0451408**	0.99	1.02	EHD4X30A**	OLV098A12A	1.00	0.99
EA*4X24*14A*	*9MV*0401410A**	1.00	1.07	EHD4X30A**	OMV098J12A	1.00	1.00
EA*4X24*14A*	*9MX*0401410A**	1.02	1.07	EHD4X30A**	OMV112K14A	0.99	0.99
EA*4X24*14A*	MV08B15**B*	0.98	1.00	EHD4X30A**		1.02	1.07
EA*4X24*14A*	*8MPV050	1.01	1.03	EN(A,D)4X24*14**	*8MV*0701412**	0.98	1.01
EA*4X24*14A*		1.02	1.09	EN(A,D)4X24*14**	*8MX*0451408**	0.99	1.01
EA*4X24*17A*	*8MV*0901716**	0.98	1.01	EN(A,D)4X24*14**	*9MV*0401410A**	1.00	1.06
EA*4X24*17A*	*9MA*0601714A**	0.98	1.03	EN(A,D)4X24*14**	*9MX*0401410A**	1.02	1.06
EA*4X24*17A*	*9MA*0801714A**	0.98	1.02	EN(A,D)4X24*14**	MV08B15**B*	0.99	0.99
EA*4X24*17A*	*9MV*0401410A**	1.00	1.07	EN(A,D)4X24*14**	*8MPV050	1.02	1.03
EA*4X24*17A*	*9MV*0601714A**	0.98	1.03	EN(A,D)4X24*14**		1.03	1.08
EA*4X24*17A*	*9MV*0801716A**	0.98	1.01	EN(A,D)4X24*17**	*8MV*0901716**	0.98	1.00
EA*4X24*17A*	*9MX*0401410A**	1.02	1.07	EN(A,D)4X24*17**	*9MA*0601714A**	0.99	1.02
EA*4X24*17A*	*9MX*0601714A**	0.98	1.02	EN(A,D)4X24*17**	*9MA*0801714A**	0.98	1.01
EA*4X24*17A*	MV08B15**B*	0.98	1.00	EN(A,D)4X24*17**	*9MV*0401410A**	1.00	1.06
EA*4X24*17A*	MV12F19**B*	0.98	0.99	EN(A,D)4X24*17**	*9MV*0601714A**	0.98	1.02
EA*4X24*17A*	*8MPV050	1.02	1.03	EN(A,D)4X24*17**	*9MV*0801716A**	0.98	1.01
EA*4X24*17A*	*8MPV075	1.01	1.00	EN(A,D)4X24*17**	*9MX*0401410A**	1.02	1.06
EA*4X24*17A*	*9MPV050	1.00	1.03	EN(A,D)4X24*17**	*9MX*0601714A**	0.98	1.01
EA*4X24*17A*	*9MPV075	1.00	1.02	EN(A,D)4X24*17**	MV08B15**B*	0.99	0.99
EA*4X24*17A*	OLV098A12A	0.99	1.01	EN(A,D)4X24*17**	MV12F19**B*	0.99	0.99
EA*4X24*17A*	OMV098J12A	0.99	1.02	EN(A,D)4X24*17**	*8MPV050	1.02	1.03
EA*4X24*17A*	OMV112K14A	0.98	1.01	EN(A,D)4X24*17**	*8MPV075	1.01	1.01
EA*4X24*17A*		1.02	1.09	EN(A,D)4X24*17**	*9MPV050	1.00	1.03
EA*4X30*14A*	*8MV*0701412**	0.98	1.02	EN(A,D)4X24*17**	*9MPV075	1.00	1.02
EA*4X30*14A*	*8MX*0451408**	0.99	1.01	EN(A,D)4X24*17**	*9MVX040	1.00	1.02
EA*4X30*14A*	*9MV*0401410A**	1.00	1.06	EN(A,D)4X24*17**	*9MVX060	1.01	1.02
EA*4X30*14A*	*9MX*0401410A**	1.02	1.07	EN(A,D)4X24*17**	OLV098A12A	1.00	1.01
EA*4X30*14A*	MV08B15**B*	0.98	0.99	EN(A,D)4X24*17**	OMV098J12A	1.00	1.01
EA*4X30*14A*	*8MPV050	1.02	1.03	EN(A,D)4X24*17**	OMV112K14A	0.99	1.00
EA*4X30*14A*		1.02	1.08	EN(A,D)4X24*17**		1.03	1.08
EA*4X30*17A*	*8MV*0901716**	0.98	1.01	EN(A,D)4X30*14**	*8MV*0701412**	0.98	1.02

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X30*17A*	*9MA*0601714A**	0.98	1.02	EN(A,D)4X30*14**	*8MX*0451408**	0.99	1.02
EA*4X30*17A*	*9MA*0801714A**	0.98	1.02	EN(A,D)4X30*14**	*9MV*0401410A**	1.00	1.07
EA*4X30*17A*	*9MV*0401410A**	1.00	1.05	EN(A,D)4X30*14**	*9MX*0401410A**	1.02	1.07
EA*4X30*17A*	*9MV*0601714A**	0.99	1.02	EN(A,D)4X30*14**	MV08B15**B*	0.98	0.99
EA*4X30*17A*	*9MV*0801716A**	0.99	1.01	EN(A,D)4X30*14**	*8MPV050	1.02	1.03
EA*4X30*17A*	*9MX*0401410A**	1.02	1.06	EN(A,D)4X30*14**		1.02	1.08
EA*4X30*17A*	*9MX*0601714A**	0.99	1.01	EN(A,D)4X30*17**	*8MV*0901716**	0.98	1.00
EA*4X30*17A*	MV08B15**B*	0.98	0.99	EN(A,D)4X30*17**	*9MA*0601714A**	0.98	1.01
EA*4X30*17A*	MV12F19**B*	0.98	0.99	EN(A,D)4X30*17**	*9MA*0801714A**	0.98	1.02
EA*4X30*17A*	*8MPV050	1.02	1.02	EN(A,D)4X30*17**	*9MV*0401410A**	1.00	1.05
EA*4X30*17A*	*8MPV075	1.01	0.99	EN(A,D)4X30*17**	*9MV*0601714A**	0.99	1.02
EA*4X30*17A*	*9MPV050	1.00	1.02	EN(A,D)4X30*17**	*9MV*0801716A**	0.99	1.01
EA*4X30*17A*	*9MPV075	1.01	1.01	EN(A,D)4X30*17**	*9MX*0401410A**	1.02	1.05
EA*4X30*17A*	OLV098A12A	0.99	1.00	EN(A,D)4X30*17**	*9MX*0601714A**	0.99	1.01
EA*4X30*17A*	OMV098J12A	0.99	1.01	EN(A,D)4X30*17**	MV08B15**B*	0.98	0.99
EA*4X30*17A*	OMV112K14A	0.98	1.00	EN(A,D)4X30*17**	MV12F19**B*	0.98	0.98
EA*4X30*17A*		1.02	1.08	EN(A,D)4X30*17**	*8MPV050	1.02	1.02
ED*4X24B**	*8MV*0701412**	0.98	1.03	EN(A,D)4X30*17**	*8MPV075	1.01	0.99
ED*4X24B**	*8MX*0451408**	0.99	1.02	EN(A,D)4X30*17**	*9MPV050	1.00	1.02
ED*4X24B**	*9MV*0401410A**	1.00	1.07	EN(A,D)4X30*17**	*9MPV075	1.01	1.02
ED*4X24B**	*9MX*0401410A**	1.02	1.07	EN(A,D)4X30*17**	*9MVX040	1.00	1.02
ED*4X24B**	MV08B15**B*	0.98	1.00	EN(A,D)4X30*17**	*9MVX060	1.01	1.00
ED*4X24B**	*8MPV050	1.01	1.03	EN(A,D)4X30*17**	OLV098A12A	0.99	1.00
ED*4X24B**		1.02	1.09	EN(A,D)4X30*17**	OMV098J12A	0.99	1.01
ED*4X24F**	*8MV*0901716**	0.98	1.01	EN(A,D)4X30*17**	OMV112K14A	0.98	1.00
ED*4X24F**	*8MV*1102120**	0.98	1.02	EN(A,D)4X30*17**		1.02	1.08
ED*4X24F**	*9MA*0601714A**	0.98	1.03	EN(A,D)4X31*17**	*8MV*0901716**	0.96	0.94
ED*4X24F**	*9MA*0602120A**	0.98	1.01	EN(A,D)4X31*17**	*9MA*0601714A**	0.96	0.95
ED*4X24F**	*9MA*0801714A**	0.98	1.02	EN(A,D)4X31*17**	*9MA*0801714A**	0.96	0.96
ED*4X24F**	*9MA*0802120A**	0.99	1.01	EN(A,D)4X31*17**	*9MV*0401410A**	0.96	0.97
ED*4X24F**	*9MA*1002122A**	0.99	1.00	EN(A,D)4X31*17**	*9MV*0601714A**	0.96	0.95
ED*4X24F**	*9MV*0601714A**	0.98	1.03	EN(A,D)4X31*17**	*9MV*0801716A**	0.96	0.93
ED*4X24F**	*9MV*0801716A**	0.98	1.01	EN(A,D)4X31*17**	*9MX*0401410A**	0.96	0.95
ED*4X24F**	*9MV*0802120A**	0.98	1.00	EN(A,D)4X31*17**	*9MX*0601714A**	0.96	0.94
ED*4X24F**	*9MV*1002120A**	0.99	1.00	EN(A,D)4X31*17**	MV08B15**B*	0.96	0.92

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X24F**	*9MX*0601714A**	0.98	1.02	EN(A,D)4X31*17**	MV12F19**B*	0.96	0.92
ED*4X24F**	MV08B15**B*	0.98	1.00	EN(A,D)4X31*17**	*8MPV050	0.96	0.92
ED*4X24F**	MV12F19**B*	0.98	0.99	EN(A,D)4X31*17**	*8MPV075	0.96	0.90
ED*4X24F**	*8MPV050	1.02	1.03	EN(A,D)4X31*17**	*9MPV050	0.96	0.93
ED*4X24F**	*8MPV075	1.01	1.00	EN(A,D)4X31*17**	*9MPV075	0.96	0.92
ED*4X24F**	*9MA*1002120A**	0.99	1.01	EN(A,D)4X31*17**	*9MVX040	0.96	0.93
ED*4X24F**	*9MPV050	1.00	1.03	EN(A,D)4X31*17**	*9MVX060	0.96	0.91
ED*4X24F**	*9MPV075	1.00	1.02	EN(A,D)4X31*17**	OLV098A12A	0.96	0.93
ED*4X24F**	*9MV*1002116A**	0.98	1.02	EN(A,D)4X31*17**	OMV098J12A	0.96	0.93
ED*4X24F**	*9MVX040	1.00	1.03	EN(A,D)4X31*17**	OMV112K14A	0.96	0.94
ED*4X24F**	*9MVX060	1.01	1.02	EN(A,D)4X31*17**		0.97	0.98
ED*4X24F**	OLV098A12A	0.99	1.01	ENH4X24*17**	*8MV*0701412**	0.98	1.01
ED*4X24F**	OMV098J12A	0.99	1.02	ENH4X24*17**	*8MV*0901716**	0.98	1.00
ED*4X24F**	OMV112K14A	0.98	1.01	ENH4X24*17**	*8MV*1102120**	0.99	1.01
ED*4X24F**		1.02	1.09	ENH4X24*17**	*8MV*1352422**	0.99	1.01
ED*4X30B**	*8MV*0701412**	0.98	1.02	ENH4X24*17**	*8MX*0451408**	0.99	1.01
ED*4X30B**	*8MX*0451408**	0.99	1.01	ENH4X24*17**	*9MA*0601714A**	0.99	1.02
ED*4X30B**	*9MV*0401410A**	1.00	1.06	ENH4X24*17**	*9MA*0801714A**	0.98	1.01
ED*4X30B**	*9MX*0401410A**	1.02	1.07	ENH4X24*17**	*9MA*1202422A**	0.99	1.00
ED*4X30B**	MV08B15**B*	0.98	0.99	ENH4X24*17**	*9MV*0401410A**	1.00	1.06
ED*4X30B**	*8MPV050	1.02	1.03	ENH4X24*17**	*9MV*0601714A**	0.98	1.02
ED*4X30B**		1.02	1.08	ENH4X24*17**	*9MV*0801716A**	0.98	1.01
ED*4X30F**	*8MV*0901716**	0.98	1.01	ENH4X24*17**	*9MV*1202422A**	0.98	1.01
ED*4X30F**	*8MV*1102120**	0.98	1.01	ENH4X24*17**	*9MX*0401410A**	1.02	1.06
ED*4X30F**	*9MA*0601714A**	0.98	1.02	ENH4X24*17**	*9MX*0601714A**	0.98	1.01
ED*4X30F**	*9MA*0602120A**	0.98	1.01	ENH4X24*17**	MV08B15**B*	0.99	0.99
ED*4X30F**	*9MA*0801714A**	0.98	1.02	ENH4X24*17**	MV12F19**B*	0.99	0.99
ED*4X30F**	*9MA*0802120A**	0.99	1.00	ENH4X24*17**	*8MPV050	0.96	0.97
ED*4X30F**	*9MA*1002122A**	0.99	1.00	ENH4X24*17**	*8MPV075	1.01	1.01
ED*4X30F**	*9MV*0601714A**	0.99	1.02	ENH4X24*17**	*8MPV100	1.01	0.99
ED*4X30F**	*9MV*0801716A**	0.99	1.01	ENH4X24*17**	*8MPV125	1.01	0.98
ED*4X30F**	*9MV*0802120A**	0.99	0.99	ENH4X24*17**	*9MA*1002120A**	1.00	1.01
ED*4X30F**	*9MV*1002120A**	1.00	0.99	ENH4X24*17**	*9MPV050	1.00	1.03
ED*4X30F**	*9MX*0601714A**	0.99	1.01	ENH4X24*17**	*9MPV075	1.00	1.02
ED*4X30F**	MV08B15**B*	0.98	0.99	ENH4X24*17**	*9MPV100	1.01	1.01

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X30F**	MV12F19**B*	0.98	0.99	ENH4X24*17**	*9MPV125	1.01	1.00
ED*4X30F**	*8MPV050	1.02	1.02	ENH4X24*17**	*9MVX040	1.00	1.02
ED*4X30F**	*8MPV075	1.01	0.99	ENH4X24*17**	*9MVX060	1.01	1.02
ED*4X30F**	*9MA*1002120A**	0.99	1.01	ENH4X24*17**	OLV098A12A	1.00	1.01
ED*4X30F**	*9MPV050	1.00	1.02	ENH4X24*17**	OMV098J12A	1.00	1.01
ED*4X30F**	*9MPV075	1.01	1.01	ENH4X24*17**	OMV112K14A	0.99	1.00
ED*4X30F**	*9MV*1002116A**	0.98	1.01	ENH4X24*17**		1.03	1.08
ED*4X30F**	*9MVX040	1.00	1.02	ENH4X30*17**	*8MV*0701412**	0.98	1.01
ED*4X30F**	*9MVX060	1.01	1.01	ENH4X30*17**	*8MV*0901716**	0.98	1.00
ED*4X30F**	OLV098A12A	0.99	1.00	ENH4X30*17**	*8MV*1102120**	0.98	1.01
ED*4X30F**	OMV098J12A	0.99	1.01	ENH4X30*17**	*8MV*1352422**	0.98	1.00
ED*4X30F**	OMV112K14A	0.98	1.00	ENH4X30*17**	*8MX*0451408**	1.00	1.01
ED*4X30F**		1.02	1.08	ENH4X30*17**	*9MA*0601714A**	0.98	1.01
ED*4X36F**	*9MVX040	1.01	1.01	ENH4X30*17**	*9MA*0801714A**	0.98	1.02
ED*4X36F**	*9MVX060	1.01	1.00	ENH4X30*17**	*9MA*1202422A**	0.99	1.01
EHD4X24A**	*8MV*0701412**	0.98	1.01	ENH4X30*17**	*9MV*0401410A**	1.00	1.05
EHD4X24A**	*8MV*0901716**	0.98	1.00	ENH4X30*17**	*9MV*0601714A**	0.99	1.02
EHD4X24A**	*8MV*1102120**	0.99	1.02	ENH4X30*17**	*9MV*0801716A**	0.99	1.01
EHD4X24A**	*8MV*1352422**	0.99	1.01	ENH4X30*17**	*9MV*1202422A**	0.99	0.99
EHD4X24A**	*8MX*0451408**	0.99	1.01	ENH4X30*17**	*9MX*0401410A**	1.02	1.05
EHD4X24A**	*9MA*0601714A**	0.99	1.02	ENH4X30*17**	*9MX*0601714A**	0.99	1.01
EHD4X24A**	*9MA*0602120A**	0.99	1.01	ENH4X30*17**	MV08B15**B*	0.98	0.99
EHD4X24A**	*9MA*0801714A**	0.98	1.02	ENH4X30*17**	MV12F19**B*	0.98	0.98
EHD4X24A**	*9MA*0802120A**	1.00	1.01	ENH4X30*17**	*8MPV050	1.02	1.02
EHD4X24A**	*9MA*1002122A**	1.00	1.00	ENH4X30*17**	*8MPV075	1.01	0.99
EHD4X24A**	*9MA*1202422A**	0.99	1.00	ENH4X30*17**	*8MPV100	1.02	0.98
EHD4X24A**	*9MV*0401410A**	1.00	1.07	ENH4X30*17**	*8MPV125	1.02	0.98
EHD4X24A**	*9MV*0601714A**	0.98	1.03	ENH4X30*17**	*9MA*1002120A**	0.99	1.00
EHD4X24A**	*9MV*0801716A**	0.98	1.02	ENH4X30*17**	*9MPV050	1.00	1.02
EHD4X24A**	*9MV*0802120A**	0.98	1.03	ENH4X30*17**	*9MPV075	1.01	1.02
EHD4X24A**	*9MV*1002120A**	0.98	1.02	ENH4X30*17**	*9MPV100	1.02	1.00
EHD4X24A**	*9MV*1202422A**	0.98	1.03	ENH4X30*17**	*9MPV125	1.01	0.98
EHD4X24A**	*9MX*0401410A**	1.02	1.07	ENH4X30*17**	*9MV*1002116A**	0.98	1.01
EHD4X24A**	*9MX*0601714A**	0.98	1.03	ENH4X30*17**	*9MVX040	1.00	1.02
EHD4X24A**	MV08B15**B*	0.99	0.99	ENH4X30*17**	*9MVX060	1.01	1.00

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X24A**	MV12F19**B*	0.99	0.99	ENH4X30*17**	OLV098A12A	0.99	1.00
EHD4X24A**	*8MPV050	1.02	1.03	ENH4X30*17**	OMV098J12A	0.99	1.01
EHD4X24A**	*8MPV075	1.01	1.01	ENH4X30*17**	OMV112K14A	0.98	1.00
EHD4X24A**	*8MPV100	1.01	0.99	ENH4X30*17**		1.02	1.08
EHD4X24A**	*8MPV125	1.01	0.99	ENH4X31*17**	*9MA*0601714A**	0.96	0.95
EHD4X24A**	*9MA*1002120A**	1.00	1.01	ENH4X31*17**	*9MA*0801714A**	0.96	0.96
EHD4X24A**	*9MPV050	1.00	1.03	ENH4X31*17**	*9MA*1202422A**	0.96	0.94
EHD4X24A**	*9MPV075	1.00	1.03	ENH4X31*17**	*9MV*0401410A**	0.96	0.97
EHD4X24A**	*9MPV100	1.01	1.01	ENH4X31*17**	*9MV*0601714A**	0.96	0.94
EHD4X24A**	*9MPV125	1.01	1.00	ENH4X31*17**	*9MV*0801716A**	0.96	0.93
EHD4X24A**	*9MVX040	1.00	1.03	ENH4X31*17**	*9MV*1202422A**	0.96	0.91
EHD4X24A**	*9MVX060	1.01	1.02	ENH4X31*17**	*9MX*0401410A**	0.96	0.95
EHD4X24A**	OLV098A12A	1.00	1.01	ENH4X31*17**	*9MX*0601714A**	0.96	0.94
EHD4X24A**	OMV098J12A	1.00	1.01	ENH4X31*17**	MV08B15**B*	0.96	0.92
EHD4X24A**	OMV112K14A	0.99	1.01	ENH4X31*17**	MV12F19**B*	0.96	0.92
EHD4X24A**		1.03	1.07	ENH4X31*17**	*8MPV050	0.96	0.92
EHD4X30A**	*8MV*0701412**	0.98	1.02	ENH4X31*17**	*8MPV075	0.96	0.90
EHD4X30A**	*8MV*0901716**	0.98	1.01	ENH4X31*17**	*8MPV100	0.96	0.87
EHD4X30A**	*8MV*1102120**	0.98	1.01	ENH4X31*17**	*8MPV125	0.96	0.87
EHD4X30A**	*8MV*1352422**	0.98	1.01	ENH4X31*17**	*9MA*1002120A**	0.96	0.93
EHD4X30A**	*8MX*0451408**	0.99	1.01	ENH4X31*17**	*9MPV050	0.96	0.93
EHD4X30A**	*9MA*0601714A**	0.99	1.01	ENH4X31*17**	*9MPV075	0.96	0.92
EHD4X30A**	*9MA*0602120A**	0.99	1.00	ENH4X31*17**	*9MPV100	0.96	0.89
EHD4X30A**	*9MA*0801714A**	0.98	1.01	ENH4X31*17**	*9MPV125	0.96	0.89
EHD4X30A**	*9MA*0802120A**	1.00	0.99	ENH4X31*17**	*9MV*1002116A**	0.96	0.94
EHD4X30A**	*9MA*1002122A**	1.00	0.98	ENH4X31*17**	*9MVX040	0.97	0.94
EHD4X30A**	*9MA*1202422A**	0.99	0.99	ENH4X31*17**	*9MVX060	0.97	0.92
EHD4X30A**	*9MV*0401410A**	1.01	1.05	ENH4X31*17**	OLV098A12A	0.96	0.93
EHD4X30A**	*9MV*0601714A**	0.99	1.01	ENH4X31*17**	OMV098J12A	0.96	0.93
EHD4X30A**	*9MV*0801716A**	0.99	1.00	ENH4X31*17**	OMV112K14A	0.96	0.94
EHD4X30A**	*9MV*0802120A**	0.99	1.00	FCM4X24****		0.99	1.00
EHD4X30A**	*9MV*1002120A**	0.99	0.99	FCM4X36****		0.97	0.97
EHD4X30A**	*9MV*1202422A**	0.99	1.00	FEA4X24**A*		1.00	1.02
EHD4X30A**	*9MX*0401410A**	1.02	1.05	FEA4X30**A*		1.01	1.03
EHD4X30A**	*9MX*0601714A**	0.99	1.01	FEA4X36**A*		1.01	1.01

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X30A**	MV08B15**B*	0.99	0.98	FEM4P24**A*		1.00	1.04
EHD4X30A**	MV12F19**B*	0.99	0.98	FEM4P30**A*		1.00	1.00
EHD4X30A**	*8MPV050	1.02	1.01	FEM4X24***		1.00	1.03
EHD4X30A**	*8MPV075	1.02	0.99	FEM4X30***		1.00	0.99
EHD4X30A**	*8MPV100	1.02	0.97	FS(M,U)4P24**A*		1.01	1.05
EHD4X30A**	*8MPV125	1.02	0.97	FS(M,U)4P30**A*		1.02	1.07
EHD4X30A**	*9MA*1002120A**	1.00	0.99	FSA4X24**A*		1.02	1.11
EHD4X30A**	*9MPV050	1.01	1.01	FSA4X30**A*		1.02	1.09
EHD4X30A**	*9MPV075	1.01	1.01	FVM4X24***		0.99	1.00
EHD4X30A**	*9MPV100	1.02	0.99	FVM4X36***		0.97	0.97
EHD4X30A**	*9MPV125	1.02	0.98	FXM4X30**A*		1.01	1.01
EHD4X30A**	*9MV*1002116A**	0.98	1.01				

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
(C,H,T)SH530							
EA*4X30*14A*	*8MV*0701412**	0.97	1.01	EHD4X36A**	*9MV*1002116A**	1.00	1.00
EA*4X30*14A*	MV08B15**B*	0.99	0.99	EHD4X36A**	*9MVX040	1.00	1.04
EA*4X30*14A*	*8MPV050	0.98	1.06	EHD4X36A**	*9MVX060	1.01	1.05
EA*4X30*14A*		0.98	1.09	EHD4X36A**	OLV098A12A	1.00	1.02
EA*4X30*17A*	*8MV*0901716**	0.98	0.98	EHD4X36A**	OLV112A16A	1.01	1.03
EA*4X30*17A*	*8MX*0701716**	0.98	1.02	EHD4X36A**	OMV098J12A	1.00	1.02
EA*4X30*17A*	*9MA*0601714A**	0.97	1.04	EHD4X36A**	OMV112K14A	1.01	1.01
EA*4X30*17A*	*9MA*0801714A**	0.98	1.02	EHD4X36A**		1.00	1.09
EA*4X30*17A*	*9MV*0601714A**	0.97	1.01	EN(A,D)4X30*14**	*8MV*0701412**	0.97	1.01
EA*4X30*17A*	*9MV*0801716A**	0.98	1.02	EN(A,D)4X30*14**	MV08B15**B*	0.99	0.99
EA*4X30*17A*	*9MX*0601714A**	0.98	1.02	EN(A,D)4X30*14**	*8MPV050	0.97	1.08
EA*4X30*17A*	*9MX*0801716A**	0.99	1.03	EN(A,D)4X30*14**		0.98	1.09
EA*4X30*17A*	MV08B15**B*	0.99	0.99	EN(A,D)4X30*17**	*8MV*0901716**	0.98	0.98
EA*4X30*17A*	MV12F19**B*	0.99	0.99	EN(A,D)4X30*17**	*8MX*0701716**	0.98	1.02
EA*4X30*17A*	*8MPV050	0.98	1.08	EN(A,D)4X30*17**	*9MA*0601714A**	0.97	1.04
EA*4X30*17A*	*8MPV075	0.99	1.03	EN(A,D)4X30*17**	*9MA*0801714A**	0.98	1.02
EA*4X30*17A*	*9MPV050	0.98	1.05	EN(A,D)4X30*17**	*9MV*0601714A**	0.97	1.01
EA*4X30*17A*	*9MPV075	0.98	1.05	EN(A,D)4X30*17**	*9MV*0801716A**	0.98	1.02
EA*4X30*17A*	OLV098A12A	0.98	1.02	EN(A,D)4X30*17**	*9MX*0601714A**	0.98	1.02

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X30*17A*	OMV098J12A	0.98	1.02	EN(A,D)4X30*17**	*9MX*0801716A**	0.99	1.03
EA*4X30*17A*	OMV112K14A	0.98	0.98	EN(A,D)4X30*17**	MV08B15**B*	0.99	0.99
EA*4X30*17A*		0.98	1.09	EN(A,D)4X30*17**	MV12F19**B*	0.99	0.99
EA*4X36*14A*	*8MV*0701412**	0.98	1.02	EN(A,D)4X30*17**	*8MPV050	0.98	1.06
EA*4X36*14A*	MV08B15**B*	0.99	0.99	EN(A,D)4X30*17**	*8MPV075	0.99	1.03
EA*4X36*14A*	*8MPV050	0.98	1.06	EN(A,D)4X30*17**	*9MPV050	0.97	1.04
EA*4X36*14A*		0.98	1.09	EN(A,D)4X30*17**	*9MPV075	0.98	1.05
EA*4X36*17A*	*8MV*0901716**	0.98	0.98	EN(A,D)4X30*17**	*9MVX040	0.98	1.05
EA*4X36*17A*	*8MX*0701716**	0.99	1.03	EN(A,D)4X30*17**	*9MVX060	0.98	1.05
EA*4X36*17A*	*9MA*0601714A**	0.98	1.02	EN(A,D)4X30*17**	OLV098A12A	0.98	1.02
EA*4X36*17A*	*9MA*0801714A**	0.98	1.02	EN(A,D)4X30*17**	OMV098J12A	0.98	1.02
EA*4X36*17A*	*9MV*0601714A**	0.98	1.02	EN(A,D)4X30*17**	OMV112K14A	0.99	1.01
EA*4X36*17A*	*9MV*0801716A**	0.99	1.03	EN(A,D)4X30*17**		0.98	1.09
EA*4X36*17A*	*9MX*0601714A**	0.99	1.03	EN(A,D)4X31*17**	*8MV*0901716**	1.00	1.00
EA*4X36*17A*	*9MX*0801716A**	0.99	1.03	EN(A,D)4X31*17**	*8MX*0701716**	1.01	1.05
EA*4X36*17A*	MV08B15**B*	0.99	0.99	EN(A,D)4X31*17**	*9MA*0601714A**	0.99	1.03
EA*4X36*17A*	MV12F19**B*	0.99	0.99	EN(A,D)4X31*17**	*9MA*0801714A**	1.00	1.00
EA*4X36*17A*	*8MPV050	0.99	1.09	EN(A,D)4X31*17**	*9MV*0601714A**	1.00	1.04
EA*4X36*17A*	*8MPV075	0.99	1.03	EN(A,D)4X31*17**	*9MV*0801716A**	1.00	1.00
EA*4X36*17A*	*9MPV050	0.98	1.05	EN(A,D)4X31*17**	*9MX*0601714A**	1.01	1.05
EA*4X36*17A*	*9MPV075	0.99	1.05	EN(A,D)4X31*17**	*9MX*0801716A**	1.01	1.04
EA*4X36*17A*	OLV098A12A	0.98	1.02	EN(A,D)4X31*17**	MV08B15**B*	1.01	0.99
EA*4X36*17A*	OMV098J12A	0.98	1.02	EN(A,D)4X31*17**	MV12F19**B*	1.01	1.00
EA*4X36*17A*	OMV112K14A	0.99	0.99	EN(A,D)4X31*17**	*8MPV050	1.01	1.08
EA*4X36*17A*		0.98	1.09	EN(A,D)4X31*17**	*8MPV075	1.01	1.01
EA*4X36*21A*	*8MV*1102120**	0.99	0.99	EN(A,D)4X31*17**	*9MPV050	1.00	1.04
EA*4X36*21A*	*8MX*0902116**	0.99	0.99	EN(A,D)4X31*17**	*9MPV075	1.00	1.04
EA*4X36*21A*	*9MA*0601714A**	0.98	1.02	EN(A,D)4X31*17**	*9MVX040	1.00	1.04
EA*4X36*21A*	*9MA*060120A**	0.99	1.02	EN(A,D)4X31*17**	*9MVX060	1.01	1.03
EA*4X36*21A*	*9MA*0801714A**	0.99	1.01	EN(A,D)4X31*17**	OLV098A12A	1.00	1.02
EA*4X36*21A*	*9MA*0802120A**	0.99	0.99	EN(A,D)4X31*17**	OMV098J12A	1.00	1.02
EA*4X36*21A*	*9MA*1002122A**	1.00	1.00	EN(A,D)4X31*17**	OMV112K14A	1.01	1.01
EA*4X36*21A*	*9MV*0601714A**	0.98	1.02	EN(A,D)4X31*17**		1.01	1.09
EA*4X36*21A*	*9MV*0801716A**	0.99	1.03	EN(A,D)4X36*21**	*8MV*1102120**	0.98	0.98
EA*4X36*21A*	*9MV*0802120A**	0.99	0.99	EN(A,D)4X36*21**	*8MX*0902116**	0.99	1.03

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA4X36*21A*	*9MV*1002120A**	0.99	0.99	EN(A,D)4X36*21**	*9MA*0601714A**	0.97	1.01
EA4X36*21A*	*9MX*0601714A**	0.99	1.03	EN(A,D)4X36*21**	*9MA*0602120A**	0.99	1.03
EA4X36*21A*	*9MX*0801716A**	0.99	1.03	EN(A,D)4X36*21**	*9MA*0801714A**	0.98	1.02
EA4X36*21A*	*8MPV075	1.00	1.04	EN(A,D)4X36*21**	*9MA*0802120A**	0.99	1.01
EA4X36*21A*	*8MPV100	1.00	1.00	EN(A,D)4X36*21**	*9MA*1002122A**	0.99	0.99
EA4X36*21A*	*8MPV125	1.00	1.00	EN(A,D)4X36*21**	*9MV*0601714A**	0.97	1.01
EA4X36*21A*	*9MA*1002120A**	0.99	1.01	EN(A,D)4X36*21**	*9MV*0801716A**	0.98	1.02
EA4X36*21A*	*9MPV050	0.99	1.05	EN(A,D)4X36*21**	*9MV*0802120A**	0.99	1.01
EA4X36*21A*	*9MPV075	0.99	1.05	EN(A,D)4X36*21**	*9MV*1002120A**	0.98	1.00
EA4X36*21A*	*9MPV100	1.00	1.02	EN(A,D)4X36*21**	*9MX*0601714A**	0.98	1.02
EA4X36*21A*	*9MV*1002116A**	0.99	0.99	EN(A,D)4X36*21**	*9MX*0801716A**	0.99	1.03
EA4X36*21A*	*9MVX080	1.00	1.02	EN(A,D)4X36*21**	MV12F19**B*	0.99	0.99
EA4X36*21A*	OLV098A12A	0.98	1.00	EN(A,D)4X36*21**	*8MPV075	0.99	1.03
EA4X36*21A*	OLV112A16A	0.99	1.02	EN(A,D)4X36*21**	*8MPV100	0.99	0.99
EA4X36*21A*	OMV098J12A	0.98	1.02	EN(A,D)4X36*21**	*8MPV125	0.99	0.99
EA4X36*21A*	OMV112K14A	0.99	0.99	EN(A,D)4X36*21**	*9MA*1002120A**	0.99	1.03
EA4X36*21A*		0.98	1.09	EN(A,D)4X36*21**	*9MPV050	0.98	1.05
ED4X30B**	*8MV*0701412**	0.97	1.01	EN(A,D)4X36*21**	*9MPV075	0.98	1.05
ED4X30B**	*9MV*0401410A**	0.96	1.09	EN(A,D)4X36*21**	*9MPV100	0.99	1.03
ED4X30B**	MV08B15**B*	0.99	0.99	EN(A,D)4X36*21**	*9MV*1002116A**	0.98	1.02
ED4X30B**	*8MPV050	0.98	1.06	EN(A,D)4X36*21**	*9MVX040	0.98	1.05
ED4X30B**		0.98	1.11	EN(A,D)4X36*21**	*9MVX060	0.99	1.05
ED4X30F**	*8MV*0901716**	0.98	0.98	EN(A,D)4X36*21**	*9MVX080	0.99	1.02
ED4X30F**	*8MV*1102120**	0.98	0.98	EN(A,D)4X36*21**	OLV098A12A	0.98	1.02
ED4X30F**	*8MX*0701716**	0.98	1.02	EN(A,D)4X36*21**	OLV112A16A	0.99	1.01
ED4X30F**	*8MX*0902116**	0.99	1.03	EN(A,D)4X36*21**	OMV098J12A	0.98	1.02
ED4X30F**	*9MA*0601714A**	0.97	1.01	EN(A,D)4X36*21**	OMV112K14A	0.99	1.01
ED4X30F**	*9MA*0602120A**	0.99	1.03	EN(A,D)4X36*21**		0.98	1.09
ED4X30F**	*9MA*0801714A**	0.98	1.02	EN(A,D)4X37*17**	*8MV*0901716**	1.01	1.01
ED4X30F**	*9MA*0802120A**	0.99	1.01	EN(A,D)4X37*17**	*8MX*0701716**	1.02	1.02
ED4X30F**	*9MA*1002122A**	0.99	0.99	EN(A,D)4X37*17**	*9MA*0601714A**	1.01	1.01
ED4X30F**	*9MV*0601714A**	0.97	1.01	EN(A,D)4X37*17**	*9MA*0801714A**	1.01	1.01
ED4X30F**	*9MV*0801716A**	0.98	1.02	EN(A,D)4X37*17**	*9MV*0601714A**	1.01	1.01
ED4X30F**	*9MV*0802120A**	0.99	1.01	EN(A,D)4X37*17**	*9MV*0801716A**	1.01	1.01
ED4X30F**		0.98	1.00	EN(A,D)4X37*17**	*9MX*0601714A**	1.02	1.02

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X30F**	*9MX*0601714A**	0.98	1.02	EN(A,D)4X37*17**	*9MX*0801716A**	1.03	1.03
ED*4X30F**	*9MX*0801716A**	0.99	1.03	EN(A,D)4X37*17**	MV08B15**B*	1.02	1.01
ED*4X30F**	MV08B15**B*	0.99	0.99	EN(A,D)4X37*17**	MV12F19**B*	1.02	0.98
ED*4X30F**	MV12F19**B*	0.99	0.99	EN(A,D)4X37*17**	*8MPV050	1.02	1.09
ED*4X30F**	*8MPV050	0.98	1.08	EN(A,D)4X37*17**	*8MPV075	1.03	1.03
ED*4X30F**	*8MPV075	0.99	1.03	EN(A,D)4X37*17**	*9MPV050	1.01	1.06
ED*4X30F**	*9MA*1002120A**	0.99	1.03	EN(A,D)4X37*17**	*9MPV075	1.02	1.06
ED*4X30F**	*9MPV050	0.98	1.05	EN(A,D)4X37*17**	*9MVX040	1.01	1.04
ED*4X30F**	*9MPV075	0.98	1.05	EN(A,D)4X37*17**	*9MVX060	1.02	1.05
ED*4X30F**	*9MV*1002116A**	0.98	1.02	EN(A,D)4X37*17**	OLV098A12A	1.01	1.01
ED*4X30F**	*9MVX040	0.98	1.05	EN(A,D)4X37*17**	OMV098J12A	1.01	1.01
ED*4X30F**	*9MVX060	0.99	1.05	EN(A,D)4X37*17**	OMV112K14A	1.02	1.01
ED*4X30F**	OLV098A12A	0.98	1.02	EN(A,D)4X37*17**		1.01	1.10
ED*4X30F**	OLV112A16A	0.99	1.03	EN(A,D,W)4X36*17**	*8MV*0901716**	0.98	0.98
ED*4X30F**	OMV098J12A	0.98	1.02	EN(A,D,W)4X36*17**	*8MX*0701716**	0.98	1.02
ED*4X30F**	OMV112K14A	0.98	0.98	EN(A,D,W)4X36*17**	*9MA*0601714A**	0.97	1.01
ED*4X30F**		0.98	1.11	EN(A,D,W)4X36*17**	*9MA*0801714A**	0.98	1.02
ED*4X36B**	*8MV*0701412**	0.98	1.02	EN(A,D,W)4X36*17**	*9MV*0601714A**	0.97	1.01
ED*4X36B**	*9MV*0401410A**	0.96	1.10	EN(A,D,W)4X36*17**	*9MV*0801716A**	0.98	1.02
ED*4X36B**	MV08B15**B*	0.99	0.99	EN(A,D,W)4X36*17**	*9MX*0601714A**	0.98	1.02
ED*4X36B**	*8MPV050	0.98	1.08	EN(A,D,W)4X36*17**	*9MX*0801716A**	0.99	1.03
ED*4X36B**		0.98	1.09	EN(A,D,W)4X36*17**	MV08B15**B*	0.99	0.99
ED*4X36F**	*9MA*0601714A**	0.98	1.02	EN(A,D,W)4X36*17**	MV12F19**B*	0.99	0.99
ED*4X36F**	*9MA*0602120A**	0.99	1.01	EN(A,D,W)4X36*17**	*8MPV050	0.98	1.06
ED*4X36F**	*9MA*0801714A**	0.98	1.02	EN(A,D,W)4X36*17**	*8MPV075	0.99	1.03
ED*4X36F**	*9MA*0802120A**	0.99	1.02	EN(A,D,W)4X36*17**	*9MPV050	0.97	1.04
ED*4X36F**	*9MA*1002122A**	1.00	1.00	EN(A,D,W)4X36*17**	*9MPV075	0.98	1.05
ED*4X36F**	*9MV*0601714A**	0.98	1.02	EN(A,D,W)4X36*17**	*9MVX040	0.98	1.05
ED*4X36F**	*9MV*0801716A**	0.99	1.03	EN(A,D,W)4X36*17**	*9MVX060	0.98	1.05
ED*4X36F**	*9MV*0802120A**	0.99	0.99	EN(A,D,W)4X36*17**	OLV098A12A	0.98	1.02
ED*4X36F**	*9MV*1002120A**	0.99	0.99	EN(A,D,W)4X36*17**	OMV098J12A	0.98	1.02
ED*4X36F**	*9MX*0601714A**	0.99	1.03	EN(A,D,W)4X36*17**	OMV112K14A	0.99	1.01
ED*4X36F**	*9MX*0801716A**	0.99	1.03	EN(A,D,W)4X36*17**		0.98	1.09
ED*4X36F**	MV08B15**B*	0.99	0.99	ENH4X30*17**	*8MV*0701412**	0.98	1.02
ED*4X36F**	MV12F19**B*	0.99	0.99	ENH4X30*17**	*8MV*0901716**	0.98	0.98

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X36F**	*8MPV050	0.99	1.07	ENH4X30*17**	*8MV*1102120**	0.98	1.02
ED*4X36F**	*8MPV075	0.99	1.03	ENH4X30*17**	*8MV*1352422**	0.98	0.98
ED*4X36F**	*9MA*1002120A**	0.99	1.03	ENH4X30*17**	*8MX*0701716**	0.98	1.02
ED*4X36F**	*9MPV050	0.98	1.05	ENH4X30*17**	*8MX*0902116**	0.98	1.02
ED*4X36F**	*9MPV075	0.99	1.05	ENH4X30*17**	*9MA*0601714A**	0.97	1.01
ED*4X36F**	*9MV*1002116A**	0.99	1.03	ENH4X30*17**	*9MA*0801714A**	0.98	1.02
ED*4X36F**	*9MVX040	0.98	1.05	ENH4X30*17**	*9MA*1202422A**	0.99	1.01
ED*4X36F**	*9MVX060	0.99	1.03	ENH4X30*17**	*9MV*0601714A**	0.97	1.01
ED*4X36F**	OLV098A12A	0.98	1.00	ENH4X30*17**	*9MV*0801716A**	0.98	1.02
ED*4X36F**	OLV112A16A	0.99	1.01	ENH4X30*17**	*9MV*1202422A**	0.98	0.98
ED*4X36F**	OMV112K14A	0.99	0.99	ENH4X30*17**	*9MX*0601714A**	0.98	1.02
ED*4X36F**		0.98	1.09	ENH4X30*17**	*9MX*0801716A**	0.99	1.03
ED*4X36J**	*8MV*1102120**	0.99	0.99	ENH4X30*17**	MV08B15**B*	0.99	0.99
ED*4X36J**	*8MV*1352422**	0.99	0.99	ENH4X30*17**	MV12F19**B*	0.99	0.99
ED*4X36J**	*8MX*0902116**	0.99	0.99	ENH4X30*17**	*8MPV050	0.98	1.06
ED*4X36J**	*9MA*0602120A**	0.99	1.02	ENH4X30*17**	*8MPV075	0.99	1.03
ED*4X36J**	*9MA*0802120A**	0.99	0.99	ENH4X30*17**	*8MPV100	0.99	0.99
ED*4X36J**	*9MA*1002122A**	1.00	1.00	ENH4X30*17**	*8MPV125	0.99	0.99
ED*4X36J**	*9MA*1202422A**	0.99	0.99	ENH4X30*17**	*9MA*1002120A**	0.99	1.03
ED*4X36J**	*9MV*0802120A**	0.99	0.99	ENH4X30*17**	*9MPV050	0.97	1.04
ED*4X36J**	*9MV*1002120A**	0.99	0.99	ENH4X30*17**	*9MPV075	0.98	1.05
ED*4X36J**	*9MV*1202422A**	0.99	0.99	ENH4X30*17**	*9MPV100	0.99	1.03
ED*4X36J**	MV12F19**B*	0.99	0.99	ENH4X30*17**	*9MPV125	0.99	1.01
ED*4X36J**	*8MPV075	1.00	1.04	ENH4X30*17**	*9MV*1002116A**	0.98	1.02
ED*4X36J**	*8MPV100	1.00	1.00	ENH4X30*17**	*9MVX040	0.98	1.06
ED*4X36J**	*8MPV125	1.00	1.00	ENH4X30*17**	*9MVX060	0.98	1.05
ED*4X36J**	*9MA*1002120A**	0.99	0.99	ENH4X30*17**	OLV098A12A	0.98	1.02
ED*4X36J**	*9MPV050	0.99	1.05	ENH4X30*17**	OLV112A16A	0.99	1.03
ED*4X36J**	*9MPV075	0.99	1.05	ENH4X30*17**	OMV098J12A	0.98	1.02
ED*4X36J**	*9MPV100	1.00	1.02	ENH4X30*17**	OMV112K14A	0.99	1.01
ED*4X36J**	*9MPV125	1.00	1.00	ENH4X30*17**		0.98	1.09
ED*4X36J**	*9MV*1002116A**	0.99	0.99	ENH4X31*17**	*9MA*0601714A**	0.99	1.03
ED*4X36J**	*9MVX040	0.99	1.05	ENH4X31*17**	*9MA*0801714A**	1.00	1.00
ED*4X36J**	*9MVX060	0.99	1.06	ENH4X31*17**	*9MA*1202422A**	1.01	1.01
ED*4X36J**	*9MVX080	1.00	1.02	ENH4X31*17**	*9MV*0601714A**	1.00	1.02

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED4X36J**	*9MVX100	0.99	0.99	ENH4X31*17**	*9MV*0801716A**	1.00	1.00
ED4X36J**	OLV112A16A	0.99	1.02	ENH4X31*17**	*9MV*1202422A**	1.01	1.01
ED4X36J**		0.98	1.09	ENH4X31*17**	*9MX*0601714A**	1.01	1.05
EHD4X30A**	*8MV*0701412**	0.98	1.02	ENH4X31*17**	*9MX*0801716A**	1.01	1.01
EHD4X30A**	*8MV*0901716**	0.98	0.98	ENH4X31*17**	MV08B15**B*	1.01	0.99
EHD4X30A**	*8MV*1102120**	0.99	1.03	ENH4X31*17**	MV12F19**B*	1.01	1.00
EHD4X30A**	*8MV*1352422**	0.99	0.99	ENH4X31*17**	*8MPV050	1.01	1.08
EHD4X30A**	*8MX*0701716**	0.98	1.02	ENH4X31*17**	*8MPV075	1.01	1.01
EHD4X30A**	*8MX*0902116**	0.99	1.03	ENH4X31*17**	*8MPV100	1.01	1.01
EHD4X30A**	*9MA*0601714A**	0.98	1.05	ENH4X31*17**	*8MPV125	1.01	1.01
EHD4X30A**	*9MA*0602120A**	0.99	1.03	ENH4X31*17**	*9MA*1002120A**	1.01	1.01
EHD4X30A**	*9MA*0801714A**	0.99	1.03	ENH4X31*17**	*9MPV050	1.00	1.04
EHD4X30A**	*9MA*0802120A**	0.99	1.02	ENH4X31*17**	*9MPV075	1.00	1.04
EHD4X30A**	*9MA*1002122A**	1.00	1.02	ENH4X31*17**	*9MPV100	1.01	1.01
EHD4X30A**	*9MA*1202422A**	0.99	1.03	ENH4X31*17**	*9MPV125	1.01	1.01
EHD4X30A**	*9MV*0601714A**	0.98	1.02	ENH4X31*17**	*9MV*1002116A**	1.00	1.00
EHD4X30A**	*9MV*0801716A**	0.98	1.02	ENH4X31*17**	*9MVX040	1.00	1.04
EHD4X30A**	*9MV*0802120A**	0.99	1.01	ENH4X31*17**	*9MVX060	1.01	1.03
EHD4X30A**	*9MV*1002120A**	0.98	1.00	ENH4X31*17**	OLV098A12A	1.00	1.00
EHD4X30A**	*9MV*1202422A**	0.99	0.99	ENH4X31*17**	OLV112A16A	1.01	1.01
EHD4X30A**	*9MX*0601714A**	0.99	1.03	ENH4X31*17**	OMV098J12A	1.00	1.02
EHD4X30A**	*9MX*0801716A**	0.99	1.03	ENH4X31*17**	OMV112K14A	1.01	1.01
EHD4X30A**	MV08B15**B*	0.99	0.99	ENH4X36*17**	*8MV*0701412**	0.98	1.02
EHD4X30A**	MV12F19**B*	0.99	0.99	ENH4X36*17**	*8MV*0901716**	0.98	0.98
EHD4X30A**	*8MPV050	0.99	1.09	ENH4X36*17**	*8MV*1102120**	0.98	1.02
EHD4X30A**	*8MPV075	0.99	1.03	ENH4X36*17**	*8MV*1352422**	0.98	0.98
EHD4X30A**	*8MPV100	0.99	0.99	ENH4X36*17**	*8MX*0701716**	0.98	1.02
EHD4X30A**	*8MPV125	0.99	0.99	ENH4X36*17**	*8MX*0902116**	0.99	1.03
EHD4X30A**	*9MA*1002120A**	0.99	1.03	ENH4X36*17**	*9MA*0601714A**	0.97	1.04
EHD4X30A**	*9MPV050	0.98	1.05	ENH4X36*17**	*9MA*0801714A**	0.98	1.02
EHD4X30A**	*9MPV075	0.98	1.05	ENH4X36*17**	*9MA*1202422A**	0.99	1.01
EHD4X30A**	*9MPV100	0.99	1.03	ENH4X36*17**	*9MV*0601714A**	0.97	1.01
EHD4X30A**	*9MPV125	0.99	1.03	ENH4X36*17**	*9MV*0801716A**	0.98	1.02
EHD4X30A**	*9MV*1002116A**	0.98	1.02	ENH4X36*17**	*9MV*1202422A**	0.98	0.98
EHD4X30A**	*9MVX040	0.98	1.06	ENH4X36*17**	*9MX*0601714A**	0.98	1.02

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X30A**	*9MVX060	0.99	1.05	ENH4X36*17**	*9MX*0801716A**	0.99	1.03
EHD4X30A**	OLV098A12A	0.98	1.02	ENH4X36*17**	MV08B15**B*	0.99	0.99
EHD4X30A**	OLV112A16A	0.99	1.03	ENH4X36*17**	MV12F19**B*	0.99	0.99
EHD4X30A**	OMV098J12A	0.99	1.05	ENH4X36*17**	*8MPV050	0.98	1.06
EHD4X30A**	OMV112K14A	0.99	1.01	ENH4X36*17**	*8MPV075	0.99	1.03
EHD4X30A**		0.99	1.10	ENH4X36*17**	*8MPV100	0.99	0.99
EHD4X36A**	*8MV*0701412**	0.99	0.99	ENH4X36*17**	*8MPV125	0.99	0.99
EHD4X36A**	*8MV*0901716**	1.00	1.00	ENH4X36*17**	*9MA*1002120A**	0.99	1.03
EHD4X36A**	*8MV*1102120**	1.00	1.00	ENH4X36*17**	*9MPV050	0.97	1.04
EHD4X36A**	*8MV*1352422**	1.00	1.00	ENH4X36*17**	*9MPV075	0.98	1.05
EHD4X36A**	*8MX*0701716**	1.00	1.04	ENH4X36*17**	*9MPV100	0.99	1.03
EHD4X36A**	*8MX*0902116**	1.01	1.01	ENH4X36*17**	*9MPV125	0.99	1.01
EHD4X36A**	*9MA*0601714A**	0.99	1.03	ENH4X36*17**	*9MV*1002116A**	0.98	1.02
EHD4X36A**	*9MA*0602120A**	1.01	1.03	ENH4X36*17**	*9MVX040	0.98	1.06
EHD4X36A**	*9MA*0801714A**	1.00	1.00	ENH4X36*17**	*9MVX060	0.98	1.05
EHD4X36A**	*9MA*0802120A**	1.01	1.01	ENH4X36*17**	OLV098A12A	0.98	1.02
EHD4X36A**	*9MA*1002122A**	1.01	1.00	ENH4X36*17**	OLV112A16A	0.99	1.03
EHD4X36A**	*9MA*1202422A**	1.01	1.01	ENH4X36*17**	OMV098J12A	0.98	1.02
EHD4X36A**	*9MV*0601714A**	0.99	1.03	ENH4X36*17**	OMV112K14A	0.99	1.01
EHD4X36A**	*9MV*0801716A**	1.00	1.00	ENH4X36*17**		0.98	1.09
EHD4X36A**	*9MV*0802120A**	1.01	0.99	FCM4X24****		0.99	0.99
EHD4X36A**	*9MV*1002120A**	1.00	1.00	FCM4X36****		0.99	0.98
EHD4X36A**	*9MV*1202422A**	1.01	1.01	FEA4X30**A*		0.99	1.03
EHD4X36A**	*9MX*0601714A**	1.01	1.05	FEA4X36**A*		0.99	1.03
EHD4X36A**	*9MX*0801716A**	1.01	1.04	FEM4P30**A*		0.99	1.03
EHD4X36A**	MV08B15**B*	1.01	0.99	FEM4P36**A*		0.99	1.03
EHD4X36A**	MV12F19**B*	1.01	0.99	FEM4X30****		0.99	1.03
EHD4X36A**	*8MPV050	1.01	1.09	FEM4X36****		1.01	1.05
EHD4X36A**	*8MPV075	1.01	1.01	FS(M,U)4P30**A*		0.99	1.06
EHD4X36A**	*8MPV100	1.01	1.01	FS(M,U)4P36**A*		0.99	1.07
EHD4X36A**	*8MPV125	1.01	1.01	FSA4X30**A*		0.96	1.08
EHD4X36A**	*9MA*1002120A**	1.01	1.01	FSA4X36**A*		0.99	1.10
EHD4X36A**	*9MPV050	1.00	1.04	FVM4X24****		0.99	0.99
EHD4X36A**	*9MPV075	1.00	1.04	FVM4X36****		0.99	0.99
EHD4X36A**	*9MPV100	1.01	1.01	FXM4X30**A*		1.00	1.00

HEATING Multiplying Factors for other Indoor Combinations						
Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	Power (AMPS)
EHD4X36A**	*9MPV125	1.01	1.01	FXM4X36**A*		1.02
HEATING Multiplying Factors for other Indoor Combinations						
Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	Power (AMPS)
(C,H,T)SH536						
*FXM4X36**A*		1.00	1.00	EHD4X42A**	*9MA*1002122A**	1.01
EA*4X36*14A*	*8MV*0701412**	0.98	1.06	EHD4X42A**	*9MA*1202422A**	1.01
EA*4X36*14A*	*8MX*0451408**	0.99	1.08	EHD4X42A**	*9MV*0601714A**	1.03
EA*4X36*14A*	MV08B15**B*	0.98	1.03	EHD4X42A**	*9MV*0801716A**	1.02
EA*4X36*14A*	*8MPV050	0.99	1.10	EHD4X42A**	*9MV*0802120A**	1.01
EA*4X36*14A*		1.00	1.10	EHD4X42A**	*9MV*1002120A**	1.01
EA*4X36*17A*	*8MV*0901716**	0.97	1.04	EHD4X42A**	*9MV*1202422A**	1.00
EA*4X36*17A*	*8MX*0701716**	0.98	1.06	EHD4X42A**	*9MX*0601714A**	1.03
EA*4X36*17A*	*9MA*0601714A**	0.97	1.07	EHD4X42A**	*9MX*0801716A**	1.02
EA*4X36*17A*	*9MA*0801714A**	0.97	1.06	EHD4X42A**	MV08B15**B*	0.99
EA*4X36*17A*	*9MV*0601714A**	0.98	1.07	EHD4X42A**	MV12F19**B*	0.98
EA*4X36*17A*	*9MV*0801716A**	0.98	1.05	EHD4X42A**	MV16J22**B*	0.98
EA*4X36*17A*	*9MX*0601714A**	0.98	1.06	EHD4X42A**	MV20L24**B*	0.98
EA*4X36*17A*	*9MX*0801716A**	0.98	1.05	EHD4X42A**	*8MPV050	1.05
EA*4X36*17A*	MV08B15**B*	0.98	1.02	EHD4X42A**	*8MPV075	1.01
EA*4X36*17A*	MV12F19**B*	0.97	1.01	EHD4X42A**	*8MPV100	1.00
EA*4X36*17A*	*8MPV050	0.99	1.09	EHD4X42A**	*8MPV125	0.98
EA*4X36*17A*	*8MPV075	0.99	1.05	EHD4X42A**	*9MA*1002120A**	1.01
EA*4X36*17A*	*9MPV050	0.99	1.09	EHD4X42A**	*9MPV050	1.05
EA*4X36*17A*	*9MPV075	0.99	1.07	EHD4X42A**	*9MPV075	1.04
EA*4X36*17A*	OLV098A12A	0.98	1.07	EHD4X42A**	*9MPV100	1.01
EA*4X36*17A*	OMV098J12A	0.98	1.07	EHD4X42A**	*9MPV125	0.99
EA*4X36*17A*	OMV112K14A	0.98	1.05	EHD4X42A**	*9MV*1002116A**	1.02
EA*4X36*17A*		1.01	1.10	EHD4X42A**	*9MVX040	1.05
EA*4X36*21A*	*8MV*1102120**	0.97	1.03	EHD4X42A**	*9MVX060	1.03
EA*4X36*21A*	*8MX*0902116**	0.98	1.02	EHD4X42A**	*9MVX080	1.00
EA*4X36*21A*	*8MX*1102120**	0.98	1.01	EHD4X42A**	*9MVX100	0.99
EA*4X36*21A*	*9MA*0601714A**	0.97	1.06	EHD4X42A**	OLV098A12A	1.04
EA*4X36*21A*	*9MA*0602120A**	0.98	1.06	EHD4X42A**	OLV112A16A	1.02
EA*4X36*21A*	*9MA*0801714A**	0.97	1.05	EHD4X42A**	OLV154F20A	0.99

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X36*21A*	*9MA*0802120A**	0.97	1.04	EHD4X42A**	OMV098J12A	0.99	1.04
EA*4X36*21A*	*9MA*1002122A**	0.98	1.04	EHD4X42A**	OMV112K14A	0.99	1.01
EA*4X36*21A*	*9MV*0601714A**	0.98	1.06	EHD4X42A**		1.02	1.06
EA*4X36*21A*	*9MV*0801716A**	0.98	1.05	EN(A,D)4X36*21**	*8MV*1102120**	0.98	1.05
EA*4X36*21A*	*9MV*0802120A**	0.98	1.04	EN(A,D)4X36*21**	*8MX*0902116**	0.98	1.04
EA*4X36*21A*	*9MV*1002120A**	0.98	1.03	EN(A,D)4X36*21**	*8MX*1102120**	0.98	1.03
EA*4X36*21A*	*9MX*0601714A**	0.98	1.05	EN(A,D)4X36*21**	*9MA*0601714A**	0.97	1.08
EA*4X36*21A*	*9MX*0801716A**	0.98	1.05	EN(A,D)4X36*21**	*9MA*0602120A**	0.98	1.06
EA*4X36*21A*	MV12F19**B*	0.97	1.01	EN(A,D)4X36*21**	*9MA*0801714A**	0.97	1.06
EA*4X36*21A*	MV16J22**B*	0.97	1.01	EN(A,D)4X36*21**	*9MA*0802120A**	0.97	1.05
EA*4X36*21A*	*8MPV075	0.98	1.04	EN(A,D)4X36*21**	*9MA*1002122A**	0.98	1.05
EA*4X36*21A*	*8MPV100	0.99	1.02	EN(A,D)4X36*21**	*9MV*0601714A**	0.98	1.07
EA*4X36*21A*	*8MPV125	0.99	1.01	EN(A,D)4X36*21**	*9MV*0801716A**	0.98	1.05
EA*4X36*21A*	*9MA*1002120A**	0.97	1.04	EN(A,D)4X36*21**	*9MV*0802120A**	0.98	1.05
EA*4X36*21A*	*9MPV050	0.99	1.08	EN(A,D)4X36*21**	*9MV*1002120A**	0.98	1.05
EA*4X36*21A*	*9MPV075	0.99	1.07	EN(A,D)4X36*21**	*9MX*0601714A**	0.98	1.07
EA*4X36*21A*	*9MPV100	0.99	1.03	EN(A,D)4X36*21**	*9MX*0801716A**	0.97	1.05
EA*4X36*21A*	*9MV*1002116A**	0.98	1.04	EN(A,D)4X36*21**	MV12F19**B*	0.97	1.02
EA*4X36*21A*	OLV098A12A	0.98	1.07	EN(A,D)4X36*21**	MV16J22**B*	0.97	1.01
EA*4X36*21A*	OLV112A16A	0.98	1.04	EN(A,D)4X36*21**	*8MPV075	0.98	1.05
EA*4X36*21A*	OMV098J12A	0.98	1.07	EN(A,D)4X36*21**	*8MPV100	0.99	1.04
EA*4X36*21A*	OMV112K14A	0.98	1.04	EN(A,D)4X36*21**	*8MPV125	0.98	1.03
EA*4X36*21A*		1.01	1.10	EN(A,D)4X36*21**	*9MA*1002120A**	0.97	1.05
EA*4X42*21A*	*8MV*1102120**	0.98	1.02	EN(A,D)4X36*21**	*9MPV050	0.99	1.09
EA*4X42*21A*	*8MX*0902116**	0.98	1.01	EN(A,D)4X36*21**	*9MPV075	0.99	1.08
EA*4X42*21A*	*8MX*1102120**	0.98	1.00	EN(A,D)4X36*21**	*9MPV100	0.99	1.05
EA*4X42*21A*	*9MA*0601714A**	0.97	1.05	EN(A,D)4X36*21**	*9MV*1002116A**	0.98	1.05
EA*4X42*21A*	*9MA*0602120A**	0.98	1.05	EN(A,D)4X36*21**	*9MVX040	0.99	1.09
EA*4X42*21A*	*9MA*0801714A**	0.97	1.04	EN(A,D)4X36*21**	*9MVX060	0.99	1.07
EA*4X42*21A*	*9MA*0802120A**	0.98	1.03	EN(A,D)4X36*21**	*9MVX080	0.99	1.05
EA*4X42*21A*	*9MA*1002122A**	0.98	1.02	EN(A,D)4X36*21**	OLV098A12A	0.98	1.08
EA*4X42*21A*	*9MV*0601714A**	0.99	1.05	EN(A,D)4X36*21**	OLV112A16A	0.99	1.06
EA*4X42*21A*	*9MV*0801716A**	0.98	1.04	EN(A,D)4X36*21**	OMV098J12A	0.98	1.08
EA*4X42*21A*	*9MV*0802120A**	0.98	1.03	EN(A,D)4X36*21**	OMV112K14A	0.98	1.05
EA*4X42*21A*	*9MV*1002120A**	0.98	1.03	EN(A,D)4X36*21**		1.01	1.09

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X42*21A*	*9MX*0601714A**	0.99	1.05	EN(A,D)4X37*17**	*8MV*0901716**	0.97	0.97
EA*4X42*21A*	*9MX*0801716A**	0.98	1.04	EN(A,D)4X37*17**	*8MX*0701716**	0.97	0.98
EA*4X42*21A*	MV12F19**B*	0.98	1.00	EN(A,D)4X37*17**	*9MA*0601714A**	0.97	1.01
EA*4X42*21A*	MV16J22**B*	0.97	0.99	EN(A,D)4X37*17**	*9MA*0801714A**	0.97	0.99
EA*4X42*21A*	*8MPV075	0.98	1.03	EN(A,D)4X37*17**	*9MV*0601714A**	0.97	1.01
EA*4X42*21A*	*8MPV100	0.99	1.01	EN(A,D)4X37*17**	*9MV*0801716A**	0.97	0.99
EA*4X42*21A*	*8MPV125	0.99	1.00	EN(A,D)4X37*17**	*9MX*0601714A**	0.97	0.99
EA*4X42*21A*	*9MA*1002120A**	0.98	1.04	EN(A,D)4X37*17**	*9MX*0801716A**	0.97	0.98
EA*4X42*21A*	*9MPV050	0.99	1.07	EN(A,D)4X37*17**	MV08B15**B*	0.99	0.98
EA*4X42*21A*	*9MPV075	0.99	1.06	EN(A,D)4X37*17**	MV12F19**B*	0.99	0.96
EA*4X42*21A*	*9MPV100	0.99	1.02	EN(A,D)4X37*17**	*8MPV050	0.98	1.02
EA*4X42*21A*	*9MV*1002116A**	0.98	1.03	EN(A,D)4X37*17**	*8MPV075	1.01	1.00
EA*4X42*21A*	OLV098A12A	0.98	1.05	EN(A,D)4X37*17**	*9MPV050	1.01	1.04
EA*4X42*21A*	OLV112A16A	0.99	1.04	EN(A,D)4X37*17**	*9MPV075	1.01	1.03
EA*4X42*21A*	OMV098J12A	0.99	1.06	EN(A,D)4X37*17**	*9MVX040	0.97	1.00
EA*4X42*21A*	OMV112K14A	0.98	1.04	EN(A,D)4X37*17**	*9MVX060	0.97	0.98
EA*4X42*21A*		1.01	1.08	EN(A,D)4X37*17**	OLV098A12A	0.97	1.00
EA*4X42*24A*	*8MV*1352422**	0.97	1.01	EN(A,D)4X37*17**	OMV098J12A	0.97	0.99
EA*4X42*24A*	*9MA*0602120A**	0.98	1.05	EN(A,D)4X37*17**	OMV112K14A	0.97	0.98
EA*4X42*24A*	*9MA*0802120A**	0.98	1.03	EN(A,D)4X37*17**		0.99	1.01
EA*4X42*24A*	*9MA*1002122A**	0.98	1.02	EN(A,D)4X43*24**	*8MV*1352422**	0.97	0.96
EA*4X42*24A*	*9MA*1202422A**	0.97	1.02	EN(A,D)4X43*24**	*9MA*1202422A**	0.97	0.97
EA*4X42*24A*	*9MV*0802120A**	0.98	1.03	EN(A,D)4X43*24**	*9MV*1202422A**	0.97	0.97
EA*4X42*24A*	*9MV*1002120A**	0.98	1.03	EN(A,D)4X43*24**	MV16J22**B*	0.97	0.94
EA*4X42*24A*	*9MV*1202422A**	0.98	1.02	EN(A,D)4X43*24**	MV20L24**B*	0.97	0.94
EA*4X42*24A*	MV16J22**B*	0.97	0.99	EN(A,D)4X43*24**	*8MPV100	0.97	0.93
EA*4X42*24A*	MV20L24**B*	0.97	0.99	EN(A,D)4X43*24**	*8MPV125	0.97	0.93
EA*4X42*24A*	*8MPV100	0.98	0.99	EN(A,D)4X43*24**	*9MA*1002120A**	0.97	0.97
EA*4X42*24A*	*8MPV125	0.99	1.00	EN(A,D)4X43*24**	*9MPV100	0.97	0.94
EA*4X42*24A*	*9MA*1002120A**	0.98	1.04	EN(A,D)4X43*24**	*9MPV125	0.97	0.94
EA*4X42*24A*	*9MPV100	0.99	1.02	EN(A,D)4X43*24**	*9MV*1002116A**	0.97	0.97
EA*4X42*24A*	*9MPV125	0.99	1.01	EN(A,D)4X43*24**	*9MVX080	0.97	0.94
EA*4X42*24A*	*9MV*1002116A**	0.98	1.03	EN(A,D)4X43*24**	*9MVX100	0.97	0.94
EA*4X42*24A*	*9MVX100	0.99	1.01	EN(A,D)4X43*24**	OLV112A16A	0.97	0.97
EA*4X42*24A*	OLV112A16A	0.99	1.04	EN(A,D)4X43*24**	OLV154F20A	0.97	0.92

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X42*24A*	OLV154F20A	1.00	1.01	EN(A,D)4X43*24**		0.98	1.00
EA*4X42*24A*		1.01	1.08	EN(A,D,W)4X36*17**	*8MV*0901716**	0.97	1.04
ED*4X36B**	*8MV*0701412**	0.98	1.06	EN(A,D,W)4X36*17**	*8MX*0701716**	0.98	1.07
ED*4X36B**	*8MX*0451408**	0.99	1.08	EN(A,D,W)4X36*17**	*9MA*0601714A**	0.97	1.08
ED*4X36B**	MV08B15**B*	0.98	1.03	EN(A,D,W)4X36*17**	*9MA*0801714A**	0.97	1.06
ED*4X36B**	*8MPV050	0.99	1.10	EN(A,D,W)4X36*17**	*9MV*0601714A**	0.98	1.08
ED*4X36B**		0.98	1.08	EN(A,D,W)4X36*17**	*9MV*0801716A**	0.98	1.05
ED*4X36F**	*9MA*0601714A**	0.97	1.07	EN(A,D,W)4X36*17**	*9MX*0601714A**	0.98	1.07
ED*4X36F**	*9MA*0602120A**	0.98	1.06	EN(A,D,W)4X36*17**	*9MX*0801716A**	0.97	1.06
ED*4X36F**	*9MA*0801714A**	0.97	1.06	EN(A,D,W)4X36*17**	MV08B15**B*	0.98	1.03
ED*4X36F**	*9MA*0802120A**	0.97	1.04	EN(A,D,W)4X36*17**	MV12F19**B*	0.97	1.02
ED*4X36F**	*9MA*1002122A**	0.98	1.04	EN(A,D,W)4X36*17**	*8MPV050	0.99	1.10
ED*4X36F**	*9MV*0601714A**	0.98	1.07	EN(A,D,W)4X36*17**	*8MPV075	0.98	1.05
ED*4X36F**	*9MV*0801716A**	0.98	1.05	EN(A,D,W)4X36*17**	*9MPV050	0.99	1.09
ED*4X36F**	*9MV*0802120A**	0.98	1.04	EN(A,D,W)4X36*17**	*9MPV075	0.99	1.08
ED*4X36F**	*9MV*1002120A**	0.98	1.04	EN(A,D,W)4X36*17**	*9MVX040	0.99	1.10
ED*4X36F**	*9MX*0601714A**	0.98	1.06	EN(A,D,W)4X36*17**	*9MVX060	0.99	1.07
ED*4X36F**	*9MX*0801716A**	0.98	1.05	EN(A,D,W)4X36*17**	OLV098A12A	0.98	1.08
ED*4X36F**	MV08B15**B*	0.98	1.02	EN(A,D,W)4X36*17**	OMV098J12A	0.99	1.08
ED*4X36F**	MV12F19**B*	0.97	1.01	EN(A,D,W)4X36*17**	OMV112K14A	0.98	1.06
ED*4X36F**	*8MPV050	0.99	1.09	EN(A,D,W)4X36*17**		1.01	1.09
ED*4X36F**	*8MPV075	0.99	1.05	EN(A,D,W)4X42*21**	*8MV*1102120**	0.98	1.02
ED*4X36F**	*9MA*1002120A**	0.97	1.05	EN(A,D,W)4X42*21**	*8MX*0902116**	0.98	1.02
ED*4X36F**	*9MPV050	0.99	1.09	EN(A,D,W)4X42*21**	*8MX*1102120**	0.98	1.01
ED*4X36F**	*9MPV075	0.99	1.07	EN(A,D,W)4X42*21**	*9MA*0601714A**	0.98	1.06
ED*4X36F**	*9MV*1002116A**	0.98	1.05	EN(A,D,W)4X42*21**	*9MA*0602120A**	0.98	1.05
ED*4X36F**	*9MVX040	0.99	1.09	EN(A,D,W)4X42*21**	*9MA*0801714A**	0.98	1.05
ED*4X36F**	*9MVX060	0.99	1.06	EN(A,D,W)4X42*21**	*9MA*0802120A**	0.98	1.03
ED*4X36F**	OLV098A12A	0.98	1.07	EN(A,D,W)4X42*21**	*9MA*1002122A**	0.98	1.03
ED*4X36F**	OLV112A16A	0.99	1.05	EN(A,D,W)4X42*21**	*9MV*0601714A**	0.99	1.05
ED*4X36F**	OMV098J12A	0.98	1.07	EN(A,D,W)4X42*21**	*9MV*0801716A**	0.98	1.04
ED*4X36F**	OMV112K14A	0.98	1.05	EN(A,D,W)4X42*21**	*9MV*0802120A**	0.98	1.04
ED*4X36F**		1.01	1.10	EN(A,D,W)4X42*21**	*9MV*1002120A**	0.98	1.03
ED*4X36J**	*8MV*1102120**	0.97	1.03	EN(A,D,W)4X42*21**	*9MX*0601714A**	0.99	1.05
ED*4X36J**	*8MV*1352422**	0.97	1.02	EN(A,D,W)4X42*21**	*9MX*0801716A**	0.98	1.04

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X36J**	*8MX*0902116**	0.98	1.02	EN(A,D,W)4X42*21**	MV12F19**B*	0.98	1.00
ED*4X36J**	*8MX*1102120**	0.98	1.01	EN(A,D,W)4X42*21**	MV16J22**B*	0.98	1.00
ED*4X36J**	*9MA*0602120A**	0.98	1.06	EN(A,D,W)4X42*21**	*8MPV075	0.99	1.04
ED*4X36J**	*9MA*0802120A**	0.97	1.04	EN(A,D,W)4X42*21**	*8MPV100	0.99	1.02
ED*4X36J**	*9MA*1002122A**	0.98	1.04	EN(A,D,W)4X42*21**	*8MPV125	0.99	1.01
ED*4X36J**	*9MA*1202422A**	0.97	1.03	EN(A,D,W)4X42*21**	*9MA*1002120A**	0.98	1.04
ED*4X36J**	*9MV*0802120A**	0.98	1.04	EN(A,D,W)4X42*21**	*9MPV050	0.99	1.08
ED*4X36J**	*9MV*1002120A**	0.98	1.03	EN(A,D,W)4X42*21**	*9MPV075	0.99	1.07
ED*4X36J**	*9MV*1202422A**	0.98	1.03	EN(A,D,W)4X42*21**	*9MPV100	0.99	1.03
ED*4X36J**	MV12F19**B*	0.97	1.01	EN(A,D,W)4X42*21**	*9MV*1002116A**	0.98	1.04
ED*4X36J**	MV16J22**B*	0.97	1.01	EN(A,D,W)4X42*21**	*9MVX060	0.99	1.05
ED*4X36J**	MV20L24**B*	0.97	1.01	EN(A,D,W)4X42*21**	*9MVX080	1.00	1.03
ED*4X36J**	*8MPV075	0.99	1.04	EN(A,D,W)4X42*21**	OLV098A12A	0.99	1.07
ED*4X36J**	*8MPV100	0.99	1.02	EN(A,D,W)4X42*21**	OLV112A16A	0.99	1.04
ED*4X36J**	*8MPV125	0.99	1.01	EN(A,D,W)4X42*21**	OMV098J12A	0.99	1.06
ED*4X36J**	*9MA*1002120A**	0.97	1.04	EN(A,D,W)4X42*21**	OMV112K14A	0.98	1.04
ED*4X36J**	*9MPV050	0.99	1.08	EN(A,D,W)4X42*21**		1.01	1.08
ED*4X36J**	*9MPV075	0.99	1.07	END4X42*17**	*8MV*0901716**	0.98	1.02
ED*4X36J**	*9MPV100	0.99	1.03	END4X42*17**	*8MX*0701716**	0.99	1.04
ED*4X36J**	*9MPV125	0.99	1.02	END4X42*17**	*9MA*0601714A**	0.98	1.05
ED*4X36J**	*9MV*1002116A**	0.98	1.04	END4X42*17**	*9MA*0801714A**	0.98	1.04
ED*4X36J**	*9MVX040	0.99	1.08	END4X42*17**	*9MV*0601714A**	0.99	1.05
ED*4X36J**	*9MVX060	0.99	1.06	END4X42*17**	*9MV*0801716A**	0.99	1.03
ED*4X36J**	*9MVX080	0.99	1.03	END4X42*17**	*9MX*0601714A**	0.99	1.04
ED*4X36J**	*9MVX100	0.99	1.03	END4X42*17**	*9MX*0801716A**	0.98	1.03
ED*4X36J**	OLV112A16A	0.98	1.04	END4X42*17**	MV08B15**B*	0.98	1.00
ED*4X36J**		0.98	1.07	END4X42*17**	MV12F19**B*	0.98	0.99
ED*4X42F**	*8MV*0901716**	0.98	1.03	END4X42*17**	*8MPV050	1.00	1.07
ED*4X42F**	*8MV*1102120**	0.98	1.02	END4X42*17**	*8MPV075	0.99	1.03
ED*4X42F**	*8MX*0701716**	0.99	1.05	END4X42*17**	*9MPV050	1.00	1.07
ED*4X42F**	*8MX*0902116**	0.98	1.02	END4X42*17**	*9MPV075	0.99	1.05
ED*4X42F**	*8MX*1102120**	0.98	1.01	END4X42*17**	*9MVX040	1.00	1.07
ED*4X42F**	*9MA*0601714A**	0.98	1.06	END4X42*17**	*9MVX060	1.00	1.04
ED*4X42F**	*9MA*0602120A**	0.98	1.05	END4X42*17**	OLV098A12A	0.99	1.05
ED*4X42F**	*9MA*0801714A**	0.97	1.05	END4X42*17**	OMV098J12A	0.99	1.05

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X42F**	*9MA*0802120A**	0.98	1.03	END4X42*17**	OMV112K14A	0.99	1.03
ED*4X42F**	*9MA*1002122A**	0.98	1.02	END4X42*17**		1.02	1.07
ED*4X42F**	*9MV*0601714A**	0.99	1.05	ENH4X36*17**	*8MV*0701412**	0.98	1.06
ED*4X42F**	*9MV*0801716A**	0.98	1.04	ENH4X36*17**	*8MV*0901716**	0.97	1.04
ED*4X42F**	*9MV*0802120A**	0.98	1.04	ENH4X36*17**	*8MV*1102120**	0.98	1.05
ED*4X42F**	*9MV*1002120A**	0.98	1.03	ENH4X36*17**	*8MV*1352422**	0.97	1.04
ED*4X42F**	*9MX*0601714A**	0.99	1.05	ENH4X36*17**	*8MX*0451408**	0.99	1.08
ED*4X42F**	*9MX*0801716A**	0.98	1.04	ENH4X36*17**	*8MX*0701716**	0.98	1.07
ED*4X42F**	MV08B15**B*	0.98	1.01	ENH4X36*17**	*8MX*0902116**	0.98	1.04
ED*4X42F**	MV12F19**B*	0.98	1.00	ENH4X36*17**	*8MX*1102120**	0.98	1.03
ED*4X42F**	*8MPV050	0.99	1.08	ENH4X36*17**	*9MA*0601714A**	0.97	1.08
ED*4X42F**	*8MPV075	0.99	1.04	ENH4X36*17**	*9MA*0801714A**	0.97	1.06
ED*4X42F**	*9MA*1002120A**	0.98	1.04	ENH4X36*17**	*9MA*1202422A**	0.97	1.05
ED*4X42F**	*9MPV050	0.99	1.08	ENH4X36*17**	*9MV*0601714A**	0.98	1.08
ED*4X42F**	*9MPV075	0.99	1.07	ENH4X36*17**	*9MV*0801716A**	0.98	1.05
ED*4X42F**	*9MV*1002116A**	0.98	1.03	ENH4X36*17**	*9MV*1202422A**	0.97	1.05
ED*4X42F**	*9MVX040	0.99	1.08	ENH4X36*17**	*9MX*0601714A**	0.98	1.07
ED*4X42F**	*9MVX060	0.99	1.05	ENH4X36*17**	*9MX*0801716A**	0.97	1.06
ED*4X42F**	OLV098A12A	0.98	1.06	ENH4X36*17**	MV08B15**B*	0.98	1.03
ED*4X42F**	OLV112A16A	0.99	1.04	ENH4X36*17**	MV12F19**B*	0.97	1.02
ED*4X42F**	OMV098J12A	0.99	1.06	ENH4X36*17**	MV16J22**B*	0.97	1.01
ED*4X42F**	OMV112K14A	0.98	1.04	ENH4X36*17**	MV20L24**B*	0.97	1.02
ED*4X42F**		0.99	1.07	ENH4X36*17**	*8MPV050	0.99	1.10
ED*4X42J**	*8MV*1102120**	0.98	1.02	ENH4X36*17**	*8MPV075	0.98	1.05
ED*4X42J**	*8MV*1352422**	0.97	1.01	ENH4X36*17**	*8MPV100	0.99	1.04
ED*4X42J**	*8MX*0902116**	0.98	1.01	ENH4X36*17**	*8MPV125	0.98	1.03
ED*4X42J**	*8MX*1102120**	0.98	1.00	ENH4X36*17**	*9MA*1002120A**	0.97	1.05
ED*4X42J**	*9MA*0602120A**	0.98	1.05	ENH4X36*17**	*9MPV050	0.99	1.09
ED*4X42J**	*9MA*0802120A**	0.98	1.03	ENH4X36*17**	*9MPV075	0.99	1.08
ED*4X42J**	*9MA*1002122A**	0.98	1.02	ENH4X36*17**	*9MPV100	0.99	1.05
ED*4X42J**	*9MA*1202422A**	0.97	1.02	ENH4X36*17**	*9MPV125	0.98	1.04
ED*4X42J**	*9MV*0802120A**	0.98	1.03	ENH4X36*17**	*9MV*1002116A**	0.98	1.05
ED*4X42J**	*9MV*1002120A**	0.98	1.03	ENH4X36*17**	*9MVX040	0.99	1.10
ED*4X42J**	*9MV*1202422A**	0.98	1.02	ENH4X36*17**	*9MVX060	0.99	1.07
ED*4X42J**	MV12F19**B*	0.98	1.00	ENH4X36*17**	*9MVX080	0.99	1.05

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X42J**	MV16J22**B*	0.97	0.99	ENH4X36*17**	*9MVX100	0.98	1.04
ED*4X42J**	MV20L24**B*	0.97	1.00	ENH4X36*17**	OLV098A12A	0.98	1.08
ED*4X42J**	*8MPV075	0.99	1.04	ENH4X36*17**	OLV112A16A	0.99	1.07
ED*4X42J**	*8MPV100	0.99	1.01	ENH4X36*17**	OLV154F20A	1.00	1.03
ED*4X42J**	*8MPV125	0.99	1.00	ENH4X36*17**	OMV098J12A	0.99	1.08
ED*4X42J**	*9MA*1002120A**	0.98	1.04	ENH4X36*17**	OMV112K14A	0.98	1.06
ED*4X42J**	*9MPV050	0.99	1.07	ENH4X36*17**		1.01	1.09
ED*4X42J**	*9MPV075	0.99	1.06	ENH4X42*21**	*8MV*0701412**	0.98	1.04
ED*4X42J**	*9MPV100	0.99	1.02	ENH4X42*21**	*8MV*0901716**	0.98	1.02
ED*4X42J**	*9MPV125	0.99	1.02	ENH4X42*21**	*8MV*1102120**	0.98	1.02
ED*4X42J**	*9MV*1002116A**	0.98	1.03	ENH4X42*21**	*8MV*1352422**	0.98	1.02
ED*4X42J**	*9MVX040	0.99	1.07	ENH4X42*21**	*8MX*0451408**	0.99	1.07
ED*4X42J**	*9MVX060	0.99	1.05	ENH4X42*21**	*8MX*0701716**	0.99	1.05
ED*4X42J**	*9MVX080	1.00	1.03	ENH4X42*21**	*8MX*0902116**	0.98	1.02
ED*4X42J**	*9MVX100	0.99	1.01	ENH4X42*21**	*8MX*1102120**	0.98	1.01
ED*4X42J**	OLV112A16A	0.98	1.03	ENH4X42*21**	*9MA*0601714A**	0.98	1.06
ED*4X42J**		1.00	1.07	ENH4X42*21**	*9MA*0602120A**	0.98	1.05
ED*4X42L**	*8MV*1102120**	0.98	1.02	ENH4X42*21**	*9MA*0801714A**	0.98	1.05
ED*4X42L**	*8MV*1352422**	0.97	1.01	ENH4X42*21**	*9MA*0802120A**	0.98	1.03
ED*4X42L**	*8MX*0902116**	0.98	1.01	ENH4X42*21**	*9MA*1002122A**	0.98	1.03
ED*4X42L**	*8MX*1102120**	0.98	1.00	ENH4X42*21**	*9MA*1202422A**	0.97	1.03
ED*4X42L**	*9MA*0602120A**	0.98	1.05	ENH4X42*21**	*9MV*0601714A**	0.99	1.05
ED*4X42L**	*9MA*0802120A**	0.98	1.03	ENH4X42*21**	*9MV*0801716A**	0.98	1.04
ED*4X42L**	*9MA*1002122A**	0.98	1.02	ENH4X42*21**	*9MV*0802120A**	0.98	1.04
ED*4X42L**	*9MA*1202422A**	0.97	1.02	ENH4X42*21**	*9MV*1002120A**	0.98	1.03
ED*4X42L**	*9MV*0802120A**	0.98	1.03	ENH4X42*21**	*9MV*1202422A**	0.98	1.02
ED*4X42L**	*9MV*1002120A**	0.98	1.03	ENH4X42*21**	*9MX*0601714A**	0.99	1.05
ED*4X42L**	*9MV*1202422A**	0.98	1.02	ENH4X42*21**	*9MX*0801716A**	0.98	1.04
ED*4X42L**	MV16J22**B*	0.97	0.99	ENH4X42*21**	MV08B15**B*	0.98	1.01
ED*4X42L**	MV20L24**B*	0.97	0.99	ENH4X42*21**	MV12F19**B*	0.98	1.00
ED*4X42L**	*8MPV100	0.99	1.00	ENH4X42*21**	MV16J22**B*	0.98	1.00
ED*4X42L**	*8MPV125	0.99	1.00	ENH4X42*21**	MV20L24**B*	0.98	1.00
ED*4X42L**	*9MA*1002120A**	0.98	1.04	ENH4X42*21**	*8MPV050	0.98	1.07
ED*4X42L**	*9MPV100	0.99	1.02	ENH4X42*21**	*8MPV075	0.99	1.04
ED*4X42L**	*9MPV125	0.99	1.01	ENH4X42*21**	*8MPV100	0.99	1.02

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED4X42L**	*9MV*1002116A**	0.98	1.03	ENH4X42*21**	*8MPV125	0.99	1.01
ED4X42L**	*9MVX080	1.00	1.02	ENH4X42*21**	*9MA*1002120A**	0.98	1.04
ED4X42L**	*9MVX100	0.99	1.01	ENH4X42*21**	*9MPV050	0.99	1.08
ED4X42L**	OLV112A16A	0.98	1.03	ENH4X42*21**	*9MPV075	0.99	1.07
ED4X42L**	OLV154F20A	1.00	1.01	ENH4X42*21**	*9MPV100	0.99	1.03
ED4X42L**		1.00	1.07	ENH4X42*21**	*9MPV125	0.99	1.02
EHD4X36A**	*8MV*0701412**	0.98	1.03	ENH4X42*21**	*9MV*1002116A**	0.98	1.04
EHD4X36A**	*8MV*0901716**	0.98	1.01	ENH4X42*21**	*9MVX040	0.99	1.08
EHD4X36A**	*8MV*1102120**	0.98	1.01	ENH4X42*21**	*9MVX060	0.99	1.05
EHD4X36A**	*8MV*1352422**	0.98	1.01	ENH4X42*21**	*9MVX080	1.00	1.03
EHD4X36A**	*8MX*0451408**	1.00	1.05	ENH4X42*21**	*9MVX100	0.99	1.03
EHD4X36A**	*8MX*0701716**	0.99	1.04	ENH4X42*21**	OLV098A12A	0.99	1.07
EHD4X36A**	*8MX*0902116**	0.99	1.00	ENH4X42*21**	OLV112A16A	0.99	1.04
EHD4X36A**	*8MX*1102120**	0.99	1.00	ENH4X42*21**	OLV154F20A	1.00	1.01
EHD4X36A**	*9MA*0601714A**	0.98	1.05	ENH4X42*21**	OMV112K14A	0.98	1.04
EHD4X36A**	*9MA*0602120A**	0.98	1.04	ENH4X42*21**		1.01	1.08
EHD4X36A**	*9MA*0801714A**	0.98	1.03	ENH4X43*21**	*9MA*0601714A**	0.97	1.00
EHD4X36A**	*9MA*0802120A**	0.98	1.02	ENH4X43*21**	*9MA*0801714A**	0.97	0.99
EHD4X36A**	*9MA*1002122A**	0.99	1.02	ENH4X43*21**	*9MA*1202422A**	0.97	0.97
EHD4X36A**	*9MA*1202422A**	0.98	1.01	ENH4X43*21**	*9MV*0601714A**	0.97	1.00
EHD4X36A**	*9MV*0601714A**	0.99	1.04	ENH4X43*21**	*9MV*0801716A**	0.97	0.98
EHD4X36A**	*9MV*0801716A**	0.99	1.03	ENH4X43*21**	*9MV*1202422A**	0.97	0.98
EHD4X36A**	*9MV*0802120A**	0.99	1.02	ENH4X43*21**	*9MX*0601714A**	0.97	0.98
EHD4X36A**	*9MV*1002120A**	0.98	1.01	ENH4X43*21**	*9MX*0801716A**	0.97	0.98
EHD4X36A**	*9MV*1202422A**	0.98	1.01	ENH4X43*21**	MV08B15**B*	0.97	0.95
EHD4X36A**	*9MX*0601714A**	0.99	1.04	ENH4X43*21**	MV12F19**B*	0.97	0.94
EHD4X36A**	*9MX*0801716A**	0.98	1.03	ENH4X43*21**	MV16J22**B*	0.97	0.94
EHD4X36A**	MV08B15**B*	0.98	1.00	ENH4X43*21**	MV20L24**B*	0.97	0.94
EHD4X36A**	MV12F19**B*	0.98	0.99	ENH4X43*21**	*8MPV050	0.97	1.00
EHD4X36A**	MV16J22**B*	0.98	0.99	ENH4X43*21**	*8MPV075	0.97	0.96
EHD4X36A**	MV20L24**B*	0.98	0.99	ENH4X43*21**	*8MPV100	0.97	0.94
EHD4X36A**	*8MPV050	1.00	1.07	ENH4X43*21**	*8MPV125	0.97	0.93
EHD4X36A**	*8MPV075	0.99	1.02	ENH4X43*21**	*9MA*1002120A**	0.97	0.98
EHD4X36A**	*8MPV100	1.00	1.01	ENH4X43*21**	*9MPV050	0.97	1.00
EHD4X36A**	*8MPV125	0.99	0.99	ENH4X43*21**	*9MPV075	0.97	0.98

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X36A**	*9MA*1002120A**	0.98	1.03	ENH4X43*21**	*9MPV100	0.97	0.95
EHD4X36A**	*9MPV050	1.00	1.06	ENH4X43*21**	*9MPV125	0.97	0.94
EHD4X36A**	*9MPV075	1.00	1.05	ENH4X43*21**	*9MV*1002116A**	0.97	0.98
EHD4X36A**	*9MPV100	1.00	1.02	ENH4X43*21**	*9MVX040	0.97	1.00
EHD4X36A**	*9MPV125	1.00	1.01	ENH4X43*21**	*9MVX060	0.97	0.98
EHD4X36A**	*9MV*1002116A**	0.99	1.02	ENH4X43*21**	*9MVX080	0.97	0.95
EHD4X36A**	*9MVX040	1.00	1.07	ENH4X43*21**	*9MVX100	0.97	0.95
EHD4X36A**	*9MVX060	1.00	1.04	ENH4X43*21**	OLV098A12A	0.97	0.99
EHD4X36A**	*9MVX080	1.01	1.02	ENH4X43*21**	OLV112A16A	0.97	0.96
EHD4X36A**	*9MVX100	0.99	1.01	ENH4X43*21**	OLV154F20A	0.97	0.93
EHD4X36A**	OLV098A12A	0.99	1.04	ENH4X43*21**	OMV098J12A	0.97	0.99
EHD4X36A**	OLV112A16A	0.99	1.03	ENH4X43*21**	OMV112K14A	0.97	0.97
EHD4X36A**	OLV154F20A	1.01	1.00	FCM4X24****		0.98	1.03
EHD4X36A**	OMV098J12A	0.99	1.05	FCM4X36****		0.97	1.01
EHD4X36A**	OMV112K14A	0.99	1.03	FCM4X48****		0.97	0.96
EHD4X36A**		1.02	1.07	FEA4X36**A*		1.01	1.09
EHD4X42A**	*8MV*0701412**	0.99	1.02	FEM4P36**A*		0.99	1.05
EHD4X42A**	*8MV*0901716**	0.98	1.00	FEM4P42**A*		1.00	1.01
EHD4X42A**	*8MV*1102120**	0.98	1.00	FEM4X36****		0.99	1.01
EHD4X42A**	*8MV*1352422**	0.98	1.00	FEM4X42****		1.01	1.03
EHD4X42A**	*8MX*0451408**	1.01	1.05	FS(M,U)4P36**A*		1.00	1.06
EHD4X42A**	*8MX*0701716**	0.99	1.02	FS(M,U)4P42**A*		1.01	1.04
EHD4X42A**	*8MX*0902116**	0.99	0.99	FSA4X36**A*		1.01	1.10
EHD4X42A**	*8MX*1102120**	0.99	0.98	FVM4X24****		0.98	1.03
EHD4X42A**	*9MA*0601714A**	0.98	1.04	FVM4X36****		0.97	1.01
EHD4X42A**	*9MA*0602120A**	0.99	1.03	FVM4X48****		0.97	0.96
EHD4X42A**	*9MA*0801714A**	0.98	1.03	FXM4X42**A*		0.99	0.99
EHD4X42A**	*9MA*0802120A**	0.98	1.01				

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
*FXM4X42**A*		1.00	1.00	EHD4X42A**	*9MX*0601714A**	0.99	1.02
EA*4X42*21A*	*8MV*1102120**	0.98	1.01	EHD4X42A**	*9MX*0801716A**	0.99	1.00
EA*4X42*21A*	*8MX*0902116**	0.98	1.01	EHD4X42A**	*9MX*0802120A**	0.99	0.99

(C,H,T)SH542

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X42*21A*	*8MX*1102120**	0.98	1.00	EHD4X42A**	*9MX*1002120A**	0.98	0.99
EA*4X42*21A*	*9MA*0601714A**	0.98	1.05	EHD4X42A**	*9MX*1202422A**	0.99	0.99
EA*4X42*21A*	*9MA*0602120A**	0.97	1.03	EHD4X42A**	MV12F19**B*	0.98	0.97
EA*4X42*21A*	*9MA*0801714A**	0.98	1.04	EHD4X42A**	MV16J22**B*	0.98	0.96
EA*4X42*21A*	*9MA*0802120A**	0.97	1.02	EHD4X42A**	MV20L24**B*	0.98	0.96
EA*4X42*21A*	*9MA*1002122A**	0.98	1.01	EHD4X42A**	*8MPV075	1.00	1.02
EA*4X42*21A*	*9MV*0601714A**	0.99	1.06	EHD4X42A**	*8MPV100	0.99	0.98
EA*4X42*21A*	*9MV*0801716A**	0.98	1.04	EHD4X42A**	*8MPV125	0.99	0.98
EA*4X42*21A*	*9MV*0802120A**	0.98	1.02	EHD4X42A**	*9MA*1002120A**	0.98	1.00
EA*4X42*21A*	*9MV*1002120A**	0.97	1.00	EHD4X42A**	*9MPV075	1.00	1.04
EA*4X42*21A*	*9MX*0601714A**	0.99	1.05	EHD4X42A**	*9MPV100	1.00	1.01
EA*4X42*21A*	*9MX*0801716A**	0.99	1.04	EHD4X42A**	*9MPV125	0.99	0.99
EA*4X42*21A*	*9MX*0802120A**	0.98	1.01	EHD4X42A**	*9MV*1002116A**	0.99	1.00
EA*4X42*21A*	*9MX*1002120A**	0.98	1.01	EHD4X42A**	*9MVX080	1.00	1.00
EA*4X42*21A*	MV12F19**B*	0.97	0.99	EHD4X42A**	*9MVX100	0.99	0.99
EA*4X42*21A*	MV16J22**B*	0.97	0.98	EHD4X42A**	*9MX*1002116A**	0.99	1.01
EA*4X42*21A*	*8MPV075	0.99	1.03	EHD4X42A**	OLV112A16A	1.00	1.02
EA*4X42*21A*	*8MPV100	0.99	1.01	EHD4X42A**	OLV154F20A	1.01	0.99
EA*4X42*21A*	*8MPV125	0.98	1.00	EHD4X42A**	OMV112K14A	0.99	1.01
EA*4X42*21A*	*9MA*1002120A**	0.97	1.02	EHD4X42A**		1.01	1.03
EA*4X42*21A*	*9MPV075	0.99	1.06	EHD4X48A**	*8MV*0701412**	0.99	1.01
EA*4X42*21A*	*9MPV100	0.99	1.02	EHD4X48A**	*8MV*0901716**	0.99	0.99
EA*4X42*21A*	*9MV*1002116A**	0.98	1.02	EHD4X48A**	*8MV*1102120**	0.99	0.99
EA*4X42*21A*	*9MX*1002116A**	0.98	1.03	EHD4X48A**	*8MV*1352422**	0.98	0.97
EA*4X42*21A*	OLV112A16A	0.99	1.04	EHD4X48A**	*8MX*0701716**	1.00	1.02
EA*4X42*21A*	OMV112K14A	0.98	1.03	EHD4X48A**	*8MX*0902116**	0.99	0.98
EA*4X42*21A*		1.00	1.06	EHD4X48A**	*8MX*1102120**	0.99	0.98
EA*4X42*24A*	*8MV*1352422**	0.97	1.00	EHD4X48A**	*8MX*1352420**	0.99	0.98
EA*4X42*24A*	*8MX*1352420**	0.98	1.00	EHD4X48A**	*9MA*0601714A**	0.99	1.03
EA*4X42*24A*	*9MA*0602120A**	0.97	1.03	EHD4X48A**	*9MA*0602120A**	0.98	1.00
EA*4X42*24A*	*9MA*0802120A**	0.97	1.01	EHD4X48A**	*9MA*0801714A**	0.99	1.02
EA*4X42*24A*	*9MA*1002122A**	0.98	1.01	EHD4X48A**	*9MA*0802120A**	0.98	0.99
EA*4X42*24A*	*9MA*1202422A**	0.97	1.01	EHD4X48A**	*9MA*1002122A**	0.99	0.98
EA*4X42*24A*	*9MV*0802120A**	0.98	1.01	EHD4X48A**	*9MA*1202422A**	0.98	0.99
EA*4X42*24A*	*9MV*1002120A**	0.98	1.01	EHD4X48A**	*9MV*0601714A**	1.00	1.03

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X42*24A*	*9MV*1202422A**	0.98	1.01	EHD4X48A**	*9MV*0801716A**	0.99	1.01
EA*4X42*24A*	*9MX*0802120A**	0.98	1.01	EHD4X48A**	*9MV*0802120A**	0.99	0.99
EA*4X42*24A*	*9MX*1002120A**	0.98	1.01	EHD4X48A**	*9MV*1002120A**	0.98	0.98
EA*4X42*24A*	*9MX*1202422A**	0.98	1.00	EHD4X48A**	*9MV*1202422A**	0.99	0.99
EA*4X42*24A*	MV16J22**B*	0.97	0.98	EHD4X48A**	*9MX*0601714A**	1.00	1.02
EA*4X42*24A*	MV20L24**B*	0.97	0.98	EHD4X48A**	*9MX*0801716A**	1.00	1.01
EA*4X42*24A*	*8MPV100	0.99	1.01	EHD4X48A**	*9MX*0802120A**	0.99	0.98
EA*4X42*24A*	*8MPV125	0.98	0.99	EHD4X48A**	*9MX*1002120A**	0.99	0.99
EA*4X42*24A*	*9MA*1002120A**	0.97	1.02	EHD4X48A**	*9MX*1202422A**	0.99	0.98
EA*4X42*24A*	*9MPV100	0.99	1.02	EHD4X48A**	MV12F19**B*	0.99	0.97
EA*4X42*24A*	*9MPV125	0.98	1.00	EHD4X48A**	MV16J22**B*	0.99	0.96
EA*4X42*24A*	*9MV*1002116A**	0.98	1.02	EHD4X48A**	MV20L24**B*	0.99	0.96
EA*4X42*24A*	*9MVX100	0.98	1.01	EHD4X48A**	*8MPV075	1.00	1.01
EA*4X42*24A*	*9MX*1002116A**	0.98	1.03	EHD4X48A**	*8MPV100	1.00	0.98
EA*4X42*24A*	OLV112A16A	0.99	1.04	EHD4X48A**	*8MPV125	0.99	0.97
EA*4X42*24A*	OLV154F20A	0.99	1.00	EHD4X48A**	*9MA*1002120A**	0.99	1.00
EA*4X42*24A*		1.00	1.06	EHD4X48A**	*9MPV075	1.00	1.03
EA*4X48*17A*	*8MV*0901716**	0.98	0.98	EHD4X48A**	*9MPV100	1.00	0.99
EA*4X48*17A*	*8MX*0701716**	0.98	0.99	EHD4X48A**	*9MPV125	0.99	0.98
EA*4X48*17A*	*9MA*0601714A**	0.98	1.01	EHD4X48A**	*9MV*1002116A**	0.99	0.99
EA*4X48*17A*	*9MA*0801714A**	0.98	1.00	EHD4X48A**	*9MVX080	1.00	0.99
EA*4X48*17A*	*9MV*0601714A**	0.98	1.00	EHD4X48A**	*9MVX100	0.99	0.98
EA*4X48*17A*	*9MV*0801716A**	0.98	0.99	EHD4X48A**	*9MX*1002116A**	0.99	1.00
EA*4X48*17A*	*9MX*0601714A**	0.98	1.00	EHD4X48A**	OLV112A16A	1.00	1.01
EA*4X48*17A*	*9MX*0801716A**	0.98	0.99	EHD4X48A**	OLV154F20A	1.01	0.99
EA*4X48*17A*	MV12F19**B*	0.97	0.95	EHD4X48A**	OMV112K14A	0.99	1.00
EA*4X48*17A*	*8MPV075	0.98	0.98	EHD4X48A**		1.01	1.02
EA*4X48*17A*	*9MPV075	0.98	1.00	EN(A,D)4X43*24**	*8MV*1102120**	0.98	0.96
EA*4X48*17A*	OMV112K14A	0.98	0.99	EN(A,D)4X43*24**	*8MV*1352422**	0.98	0.95
EA*4X48*17A*		0.98	0.98	EN(A,D)4X43*24**	*8MX*1102120**	0.98	0.94
EA*4X48*21A*	*8MV*1102120**	0.97	0.98	EN(A,D)4X43*24**	*8MX*1352420**	0.98	0.94
EA*4X48*21A*	*8MX*0902116**	0.98	0.98	EN(A,D)4X43*24**	*9MA*1202422A**	0.97	0.96
EA*4X48*21A*	*8MX*1102120**	0.97	0.97	EN(A,D)4X43*24**	*9MV*1202422A**	0.97	0.95
EA*4X48*21A*	*9MA*0601714A**	0.98	1.03	EN(A,D)4X43*24**	*9MX*1202422A**	0.98	0.94
EA*4X48*21A*	*9MA*0602120A**	0.98	1.01	EN(A,D)4X43*24**	MV16J22**B*	0.97	0.92

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X48*21A*	*9MA*0801714A**	0.98	1.01	EN(A,D)4X43*24**	MV20L24**B*	0.97	0.92
EA*4X48*21A*	*9MA*0802120A**	0.98	1.00	EN(A,D)4X43*24**	*8MPV100	0.98	0.94
EA*4X48*21A*	*9MA*1002122A**	0.98	0.98	EN(A,D)4X43*24**	*8MPV125	0.98	0.94
EA*4X48*21A*	*9MV*0601714A**	0.98	1.01	EN(A,D)4X43*24**	*9MA*1002120A**	0.97	0.96
EA*4X48*21A*	*9MV*0801716A**	0.98	1.01	EN(A,D)4X43*24**	*9MPV100	0.98	0.95
EA*4X48*21A*	*9MV*0802120A**	0.98	0.99	EN(A,D)4X43*24**	*9MPV125	0.98	0.95
EA*4X48*21A*	*9MV*1002120A**	0.98	0.99	EN(A,D)4X43*24**	*9MV*1002116A**	0.97	0.97
EA*4X48*21A*	*9MX*0601714A**	0.98	1.01	EN(A,D)4X43*24**	*9MVX080	0.98	0.95
EA*4X48*21A*	*9MX*0801716A**	0.98	1.00	EN(A,D)4X43*24**	*9MVX100	0.98	0.95
EA*4X48*21A*	*9MX*0802120A**	0.99	0.99	EN(A,D)4X43*24**	*9MX*1002116A**	0.97	0.96
EA*4X48*21A*	*9MX*1002120A**	0.98	0.99	EN(A,D)4X43*24**	OLV112A16A	0.98	0.97
EA*4X48*21A*	MV12F19**B*	0.97	0.96	EN(A,D)4X43*24**	OLV154F20A	0.98	0.93
EA*4X48*21A*	MV16J22**B*	0.97	0.95	EN(A,D)4X43*24**		0.97	0.97
EA*4X48*21A*	*8MPV075	0.98	0.99	EN(A,D)4X48*24**	*8MV*1352422**	0.98	0.98
EA*4X48*21A*	*8MPV100	0.97	0.96	EN(A,D)4X48*24**	*8MX*1352420**	0.99	0.98
EA*4X48*21A*	*8MPV125	0.97	0.96	EN(A,D)4X48*24**	*9MA*0602120A**	0.98	1.01
EA*4X48*21A*	*9MA*1002120A**	0.98	1.00	EN(A,D)4X48*24**	*9MA*0802120A**	0.98	0.99
EA*4X48*21A*	*9MPV075	0.98	1.01	EN(A,D)4X48*24**	*9MA*1002122A**	0.98	0.98
EA*4X48*21A*	*9MPV100	0.98	0.98	EN(A,D)4X48*24**	*9MA*1202422A**	0.98	0.99
EA*4X48*21A*	*9MV*1002116A**	0.98	0.99	EN(A,D)4X48*24**	*9MV*0802120A**	0.99	0.99
EA*4X48*21A*	*9MX*1002116A**	0.98	1.00	EN(A,D)4X48*24**	*9MV*1002120A**	0.98	0.98
EA*4X48*21A*	OLV112A16A	0.98	1.00	EN(A,D)4X48*24**	*9MV*1202422A**	0.99	0.99
EA*4X48*21A*	OMV112K14A	0.98	1.00	EN(A,D)4X48*24**	*9MX*0802120A**	0.99	0.99
EA*4X48*21A*		0.98	1.00	EN(A,D)4X48*24**	*9MX*1002120A**	0.98	0.98
EA*4X48*24A*	*8MV*1352422**	0.97	0.97	EN(A,D)4X48*24**	*9MX*1202422A**	0.99	0.98
EA*4X48*24A*	*8MX*1352420**	0.98	0.97	EN(A,D)4X48*24**	MV16J22**B*	0.98	0.96
EA*4X48*24A*	*9MA*0602120A**	0.98	1.01	EN(A,D)4X48*24**	MV20L24**B*	0.98	0.96
EA*4X48*24A*	*9MA*0802120A**	0.98	1.00	EN(A,D)4X48*24**	*8MPV100	0.99	0.97
EA*4X48*24A*	*9MA*1002122A**	0.98	0.98	EN(A,D)4X48*24**	*8MPV125	0.99	0.97
EA*4X48*24A*	*9MA*1202422A**	0.98	1.00	EN(A,D)4X48*24**	*9MA*1002120A**	0.98	1.00
EA*4X48*24A*	*9MV*0802120A**	0.99	1.00	EN(A,D)4X48*24**	*9MPV100	1.00	1.00
EA*4X48*24A*	*9MV*1002120A**	0.98	0.98	EN(A,D)4X48*24**	*9MPV125	0.99	0.98
EA*4X48*24A*	*9MV*1202422A**	0.98	0.98	EN(A,D)4X48*24**	*9MV*1002116A**	0.99	1.00
EA*4X48*24A*	*9MX*0802120A**	0.99	0.99	EN(A,D)4X48*24**	*9MVX080	1.00	0.99
EA*4X48*24A*	*9MX*1002120A**	0.98	0.98	EN(A,D)4X48*24**	*9MVX100	0.99	0.99

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X48*24A*	*9MX*1202422A**	0.98	0.97	EN(A,D)4X48*24**	*9MX*1002116A**	0.99	1.01
EA*4X48*24A*	MV16J22**B*	0.97	0.95	EN(A,D)4X48*24**	OLV112A16A	1.00	1.02
EA*4X48*24A*	MV20L24**B*	0.97	0.95	EN(A,D)4X48*24**	OLV154F20A	1.00	0.98
EA*4X48*24A*	*8MPV100	0.97	0.96	EN(A,D)4X48*24**		1.01	1.03
EA*4X48*24A*	*8MPV125	0.97	0.95	EN(A,D,W)4X42*21**	*8MV*1102120**	0.98	1.02
EA*4X48*24A*	*9MA*1002120A**	0.98	1.00	EN(A,D,W)4X42*21**	*8MX*0902116**	0.98	1.01
EA*4X48*24A*	*9MPV100	0.98	0.98	EN(A,D,W)4X42*21**	*8MX*1102120**	0.98	1.01
EA*4X48*24A*	*9MPV125	0.98	0.97	EN(A,D,W)4X42*21**	*9MA*0601714A**	0.98	1.05
EA*4X48*24A*	*9MV*1002116A**	0.98	0.99	EN(A,D,W)4X42*21**	*9MA*0602120A**	0.98	1.04
EA*4X48*24A*	*9MX*1002116A**	0.98	1.00	EN(A,D,W)4X42*21**	*9MA*0801714A**	0.98	1.04
EA*4X48*24A*	OLV112A16A	0.98	0.99	EN(A,D,W)4X42*21**	*9MA*0802120A**	0.97	1.02
EA*4X48*24A*	OLV154F20A	0.98	0.96	EN(A,D,W)4X42*21**	*9MA*1002122A**	0.98	1.01
EA*4X48*24A*		0.98	1.00	EN(A,D,W)4X42*21**	*9MV*0601714A**	0.99	1.06
ED*4X42F**	*8MV*0901716**	0.98	1.02	EN(A,D,W)4X42*21**	*9MV*0801716A**	0.98	1.04
ED*4X42F**	*8MV*1102120**	0.98	1.02	EN(A,D,W)4X42*21**	*9MV*0802120A**	0.98	1.02
ED*4X42F**	*8MX*0701716**	0.99	1.06	EN(A,D,W)4X42*21**	*9MV*1002120A**	0.97	1.01
ED*4X42F**	*8MX*0902116**	0.98	1.01	EN(A,D,W)4X42*21**	*9MX*0601714A**	0.99	1.05
ED*4X42F**	*8MX*1102120**	0.98	1.01	EN(A,D,W)4X42*21**	*9MX*0801716A**	0.99	1.04
ED*4X42F**	*9MA*0601714A**	0.98	1.05	EN(A,D,W)4X42*21**	*9MX*0802120A**	0.98	1.01
ED*4X42F**	*9MA*0602120A**	0.97	1.03	EN(A,D,W)4X42*21**	*9MX*1002120A**	0.98	1.02
ED*4X42F**	*9MA*0801714A**	0.98	1.05	EN(A,D,W)4X42*21**	MV12F19**B*	0.98	1.00
ED*4X42F**	*9MA*0802120A**	0.97	1.02	EN(A,D,W)4X42*21**	MV16J22**B*	0.98	0.99
ED*4X42F**	*9MA*1002122A**	0.98	1.01	EN(A,D,W)4X42*21**	*8MPV075	0.99	1.04
ED*4X42F**	*9MV*0601714A**	0.99	1.06	EN(A,D,W)4X42*21**	*8MPV100	0.98	1.00
ED*4X42F**	*9MV*0801716A**	0.98	1.04	EN(A,D,W)4X42*21**	*8MPV125	0.98	1.00
ED*4X42F**	*9MV*0802120A**	0.98	1.03	EN(A,D,W)4X42*21**	*9MA*1002120A**	0.98	1.04
ED*4X42F**	*9MV*1002120A**	0.97	1.01	EN(A,D,W)4X42*21**	*9MPV100	0.99	1.03
ED*4X42F**	*9MX*0601714A**	0.99	1.06	EN(A,D,W)4X42*21**	*9MV*1002116A**	0.98	1.03
ED*4X42F**	*9MX*0801716A**	0.99	1.04	EN(A,D,W)4X42*21**	*9MVX060	0.99	1.05
ED*4X42F**	*9MX*0802120A**	0.98	1.01	EN(A,D,W)4X42*21**	*9MVX080	0.99	1.03
ED*4X42F**	*9MX*1002120A**	0.97	1.01	EN(A,D,W)4X42*21**	*9MX*1002116A**	0.98	1.04
ED*4X42F**	MV12F19**B*	0.98	1.00	EN(A,D,W)4X42*21**	OLV112A16A	0.99	1.04
ED*4X42F**	*8MPV075	0.99	1.04	EN(A,D,W)4X42*21**	OMV112K14A	0.98	1.03
ED*4X42F**	*9MA*1002120A**	0.98	1.04	EN(A,D,W)4X42*21**		1.00	1.05
ED*4X42F**	*9MPV075	0.99	1.06	EN(A,D,W)4X48*21**	*8MV*1102120**	0.98	0.98

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X42F**	*9MV*1002116A**	0.98	1.03	EN(A,D,W)4X48*21**	*8MX*0902116**	0.99	0.99
ED*4X42F**	*9MPVX060	0.99	1.05	EN(A,D,W)4X48*21**	*8MX*1102120**	0.99	0.98
ED*4X42F**	*9MX*1002116A**	0.98	1.04	EN(A,D,W)4X48*21**	*9MA*0601714A**	0.99	1.03
ED*4X42F**	OLV112A16A	0.99	1.04	EN(A,D,W)4X48*21**	*9MA*0602120A**	0.98	1.01
ED*4X42F**	OMV112K14A	0.98	1.03	EN(A,D,W)4X48*21**	*9MA*0801714A**	0.98	1.01
ED*4X42F**		1.00	1.06	EN(A,D,W)4X48*21**	*9MA*0802120A**	0.98	0.99
ED*4X42J**	*8MV*1102120**	0.98	1.01	EN(A,D,W)4X48*21**	*9MA*1002122A**	0.98	0.98
ED*4X42J**	*8MV*1352422**	0.97	1.00	EN(A,D,W)4X48*21**	*9MV*0601714A**	0.99	1.02
ED*4X42J**	*8MX*0902116**	0.98	1.01	EN(A,D,W)4X48*21**	*9MV*0801716A**	0.99	1.02
ED*4X42J**	*8MX*1102120**	0.98	1.00	EN(A,D,W)4X48*21**	*9MV*0802120A**	0.99	0.99
ED*4X42J**	*8MX*1352420**	0.98	1.01	EN(A,D,W)4X48*21**	*9MV*1002120A**	0.98	0.98
ED*4X42J**	*9MA*0602120A**	0.97	1.03	EN(A,D,W)4X48*21**	*9MX*0601714A**	0.99	1.02
ED*4X42J**	*9MA*0802120A**	0.97	1.02	EN(A,D,W)4X48*21**	*9MX*0801716A**	0.99	1.00
ED*4X42J**	*9MA*1002122A**	0.98	1.01	EN(A,D,W)4X48*21**	*9MX*0802120A**	0.99	0.99
ED*4X42J**	*9MA*1202422A**	0.97	1.01	EN(A,D,W)4X48*21**	*9MX*1002120A**	0.98	0.98
ED*4X42J**	*9MV*0802120A**	0.98	1.02	EN(A,D,W)4X48*21**	MV12F19**B*	0.98	0.96
ED*4X42J**	*9MV*1002120A**	0.97	1.00	EN(A,D,W)4X48*21**	MV16J22**B*	0.98	0.96
ED*4X42J**	*9MV*1202422A**	0.98	1.01	EN(A,D,W)4X48*21**	*8MPV075	1.00	1.01
ED*4X42J**	*9MX*0802120A**	0.98	1.01	EN(A,D,W)4X48*21**	*8MPV100	0.99	0.97
ED*4X42J**	*9MX*1002120A**	0.98	1.01	EN(A,D,W)4X48*21**	*8MPV125	0.99	0.97
ED*4X42J**	*9MX*1202422A**	0.98	1.00	EN(A,D,W)4X48*21**	*9MA*1002120A**	0.98	1.00
ED*4X42J**	MV12F19**B*	0.97	0.99	EN(A,D,W)4X48*21**	*9MPV075	1.00	1.03
ED*4X42J**	MV16J22**B*	0.97	0.98	EN(A,D,W)4X48*21**	*9MPV100	1.00	1.00
ED*4X42J**	MV20L24**B*	0.97	0.98	EN(A,D,W)4X48*21**	*9MV*1002116A**	0.99	1.00
ED*4X42J**	*8MPV075	0.99	1.03	EN(A,D,W)4X48*21**	*9MVX060	1.00	1.03
ED*4X42J**	*8MPV100	0.99	1.01	EN(A,D,W)4X48*21**	*9MVX080	1.00	0.99
ED*4X42J**	*8MPV125	0.98	1.00	EN(A,D,W)4X48*21**	*9MX*1002116A**	0.99	1.01
ED*4X42J**	*9MA*1002120A**	0.97	1.02	EN(A,D,W)4X48*21**	OLV112A16A	1.00	1.02
ED*4X42J**	*9MPV075	0.99	1.06	EN(A,D,W)4X48*21**	OMV112K14A	0.99	1.01
ED*4X42J**	*9MPV100	0.99	1.02	EN(A,D,W)4X48*21**		1.01	1.03
ED*4X42J**	*9MPV125	0.98	1.01	END4X42*17**	*8MV*0901716**	0.98	1.00
ED*4X42J**	*9MV*1002116A**	0.98	1.02	END4X42*17**	*8MX*0701716**	0.99	1.04
ED*4X42J**	*9MVX060	0.99	1.05	END4X42*17**	*9MA*0601714A**	0.98	1.04
ED*4X42J**	*9MVX080	0.99	1.02	END4X42*17**	*9MA*0801714A**	0.98	1.03
ED*4X42J**	*9MVX100	0.98	1.01	END4X42*17**	*9MV*0601714A**	0.99	1.04

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X42J**	*9MX*1002116A**	0.98	1.03	END4X42*17**	*9MV*0801716A**	0.99	1.04
ED*4X42J**	OLV112A16A	0.99	1.04	END4X42*17**	*9MX*0601714A**	0.99	1.04
ED*4X42J**		1.00	1.06	END4X42*17**	*9MX*0801716A**	0.99	1.03
ED*4X42L**	*8MV*1102120**	0.98	1.01	END4X42*17**	MV12F19**B*	0.98	0.98
ED*4X42L**	*8MV*1352422**	0.97	1.00	END4X42*17**	*8MPV075	0.99	1.03
ED*4X42L**	*8MX*0902116**	0.98	1.01	END4X42*17**	*9MPV075	1.00	1.06
ED*4X42L**	*8MX*1102120**	0.98	1.00	END4X42*17**	*9MVX060	1.00	1.05
ED*4X42L**	*8MX*1352420**	0.98	1.00	END4X42*17**	OMV112K14A	0.99	1.03
ED*4X42L**	*9MA*0602120A**	0.97	1.03	END4X42*17**		1.01	1.04
ED*4X42L**	*9MA*0802120A**	0.97	1.01	ENH4X42*21**	*8MV*0701412**	0.98	1.04
ED*4X42L**	*9MA*1002122A**	0.98	1.01	ENH4X42*21**	*8MV*0901716**	0.98	1.02
ED*4X42L**	*9MA*1202422A**	0.97	1.01	ENH4X42*21**	*8MV*1102120**	0.98	1.02
ED*4X42L**	*9MV*0802120A**	0.98	1.01	ENH4X42*21**	*8MV*1352422**	0.98	1.01
ED*4X42L**	*9MV*1002120A**	0.98	1.01	ENH4X42*21**	*8MX*0701716**	0.99	1.05
ED*4X42L**	*9MV*1202422A**	0.98	1.01	ENH4X42*21**	*8MX*0902116**	0.98	1.01
ED*4X42L**	*9MX*0802120A**	0.98	1.01	ENH4X42*21**	*8MX*1102120**	0.98	1.01
ED*4X42L**	*9MX*1002120A**	0.98	1.01	ENH4X42*21**	*8MX*1352420**	0.98	1.01
ED*4X42L**	*9MX*1202422A**	0.98	1.00	ENH4X42*21**	*9MA*0601714A**	0.98	1.05
ED*4X42L**	MV16J22**B*	0.97	0.98	ENH4X42*21**	*9MA*0602120A**	0.98	1.04
ED*4X42L**	MV20L24**B*	0.97	0.98	ENH4X42*21**	*9MA*0801714A**	0.98	1.04
ED*4X42L**	*8MPV100	0.99	1.01	ENH4X42*21**	*9MA*0802120A**	0.97	1.02
ED*4X42L**	*8MPV125	0.98	0.99	ENH4X42*21**	*9MA*1002122A**	0.98	1.01
ED*4X42L**	*9MA*1002120A**	0.97	1.02	ENH4X42*21**	*9MA*1202422A**	0.97	1.01
ED*4X42L**	*9MPV100	0.99	1.02	ENH4X42*21**	*9MV*0601714A**	0.99	1.06
ED*4X42L**	*9MPV125	0.98	1.00	ENH4X42*21**	*9MV*0801716A**	0.98	1.04
ED*4X42L**	*9MV*1002116A**	0.98	1.02	ENH4X42*21**	*9MV*0802120A**	0.98	1.02
ED*4X42L**	*9MVX080	0.99	1.02	ENH4X42*21**	*9MV*1002120A**	0.97	1.01
ED*4X42L**	*9MVX100	0.98	1.01	ENH4X42*21**	*9MV*1202422A**	0.98	1.02
ED*4X42L**	*9MX*1002116A**	0.98	1.03	ENH4X42*21**	*9MX*0601714A**	0.99	1.05
ED*4X42L**	OLV112A16A	0.99	1.04	ENH4X42*21**	*9MX*0801716A**	0.99	1.04
ED*4X42L**	OLV154F20A	0.99	1.00	ENH4X42*21**	*9MX*0802120A**	0.98	1.01
ED*4X42L**		1.00	1.06	ENH4X42*21**	*9MX*1002120A**	0.98	1.02
ED*4X48F**	*8MV*0901716**	0.98	0.98	ENH4X42*21**	*9MX*1202422A**	0.98	1.01
ED*4X48F**	*8MV*1102120**	0.98	0.98	ENH4X42*21**	MV12F19**B*	0.98	1.00
ED*4X48F**	*8MX*0701716**	0.98	0.99	ENH4X42*21**	MV16J22**B*	0.98	0.99

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X48F**	*8MX*0902116**	0.98	0.97	ENH4X42*21**	MV20L24**B*	0.98	0.99
ED*4X48F**	*8MX*1102120**	0.98	0.97	ENH4X42*21**	*8MPV075	0.99	1.04
ED*4X48F**	*9MA*0601714A**	0.98	1.01	ENH4X42*21**	*8MPV100	0.98	1.00
ED*4X48F**	*9MA*0602120A**	0.99	1.01	ENH4X42*21**	*8MPV125	0.98	1.00
ED*4X48F**	*9MA*0801714A**	0.98	1.00	ENH4X42*21**	*9MA*1002120A**	0.98	1.04
ED*4X48F**	*9MA*0802120A**	0.98	0.99	ENH4X42*21**	*9MPV075	0.99	1.06
ED*4X48F**	*9MA*1002122A**	0.99	0.98	ENH4X42*21**	*9MPV100	0.99	1.03
ED*4X48F**	*9MV*0601714A**	0.98	1.00	ENH4X42*21**	*9MPV125	0.98	1.01
ED*4X48F**	*9MV*0801716A**	0.98	0.99	ENH4X42*21**	*9MV*1002116A**	0.98	1.03
ED*4X48F**	*9MV*0802120A**	0.99	0.99	ENH4X42*21**	*9MVX080	0.99	1.03
ED*4X48F**	*9MV*1002120A**	0.99	0.99	ENH4X42*21**	*9MVX100	0.98	1.01
ED*4X48F**	*9MX*0601714A**	0.98	1.00	ENH4X42*21**	*9MX*1002116A**	0.98	1.04
ED*4X48F**	*9MX*0801716A**	0.98	0.99	ENH4X42*21**	OLV112A16A	0.99	1.04
ED*4X48F**	*9MX*0802120A**	0.99	0.98	ENH4X42*21**	OLV154F20A	1.00	1.02
ED*4X48F**	*9MX*1002120A**	0.99	0.99	ENH4X42*21**		1.00	1.05
ED*4X48F**	MV12F19**B*	0.98	0.96	ENH4X43*21**	*9MA*0601714A**	0.97	0.99
ED*4X48F**	*8MPV075	0.98	0.98	ENH4X43*21**	*9MA*0801714A**	0.97	0.98
ED*4X48F**	*9MA*1002120A**	0.98	0.99	ENH4X43*21**	*9MA*1202422A**	0.97	0.96
ED*4X48F**	*9MPV075	0.98	1.00	ENH4X43*21**	*9MV*0601714A**	0.97	0.99
ED*4X48F**	*9MV*1002116A**	0.98	0.98	ENH4X43*21**	*9MV*0801716A**	0.97	0.98
ED*4X48F**	*9MVX060	0.98	0.99	ENH4X43*21**	*9MV*1202422A**	0.97	0.96
ED*4X48F**	*9MX*1002116A**	0.98	0.99	ENH4X43*21**	*9MX*0601714A**	0.98	0.98
ED*4X48F**	OLV112A16A	0.98	0.99	ENH4X43*21**	*9MX*0801716A**	0.98	0.97
ED*4X48F**	OMV112K14A	0.98	0.99	ENH4X43*21**	*9MX*1202422A**	0.98	0.95
ED*4X48F**		0.98	0.98	ENH4X43*21**	MV12F19**B*	0.97	0.93
ED*4X48J**	*9MA*0602120A**	0.98	1.01	ENH4X43*21**	MV16J22**B*	0.97	0.93
ED*4X48J**	*9MA*0802120A**	0.98	1.00	ENH4X43*21**	MV20L24**B*	0.97	0.93
ED*4X48J**	*9MA*1002122A**	0.98	0.98	ENH4X43*21**	*8MPV075	0.98	0.97
ED*4X48J**	*9MA*1202422A**	0.98	1.00	ENH4X43*21**	*8MPV100	0.98	0.94
ED*4X48J**	*9MV*0802120A**	0.98	0.99	ENH4X43*21**	*8MPV125	0.98	0.94
ED*4X48J**	*9MV*1002120A**	0.98	0.99	ENH4X43*21**	*9MA*1002120A**	0.97	0.97
ED*4X48J**	*9MV*1202422A**	0.98	0.99	ENH4X43*21**	*9MPV075	0.98	0.99
ED*4X48J**	*9MX*0802120A**	0.99	0.99	ENH4X43*21**	*9MPV100	0.98	0.95
ED*4X48J**	*9MX*1002120A**	0.98	0.99	ENH4X43*21**	*9MPV125	0.98	0.95
ED*4X48J**	*9MX*1202422A**	0.98	0.98	ENH4X43*21**	*9MV*1002116A**	0.97	0.97

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X48J**	MV12F19**B*	0.97	0.96	ENH4X43*21**	*9MVX080	0.98	0.95
ED*4X48J**	MV16J22**B*	0.97	0.95	ENH4X43*21**	*9MVX100	0.98	0.96
ED*4X48J**	*8MPV075	0.98	0.99	ENH4X43*21**	*9MX*1002116A**	0.97	0.96
ED*4X48J**	*8MPV100	0.98	0.97	ENH4X43*21**	OLV112A16A	0.97	0.96
ED*4X48J**	*8MPV125	0.98	0.97	ENH4X43*21**	OLV154F20A	0.97	0.92
ED*4X48J**	*9MA*1002120A**	0.98	1.00	ENH4X43*21**	OMV112K14A	0.98	0.97
ED*4X48J**	*9MPV075	0.98	1.01	ENH4X48*21**	*8MV*0701412**	0.99	1.02
ED*4X48J**	*9MPV100	0.98	0.98	ENH4X48*21**	*8MV*0901716**	0.98	0.99
ED*4X48J**	*9MPV125	0.98	0.98	ENH4X48*21**	*8MV*1102120**	0.98	0.98
ED*4X48J**	*9MV*1002116A**	0.98	0.99	ENH4X48*21**	*8MV*1352422**	0.98	0.98
ED*4X48J**	*9MVX080	1.00	1.00	ENH4X48*21**	*8MX*0701716**	1.00	1.03
ED*4X48J**	*9MX*1002116A**	0.99	1.02	ENH4X48*21**	*8MX*0902116**	0.99	0.99
ED*4X48J**	OLV112A16A	0.98	1.00	ENH4X48*21**	*8MX*1102120**	0.99	0.98
ED*4X48L**	*8MV*1102120**	0.98	1.00	ENH4X48*21**	*8MX*1352420**	0.99	0.98
ED*4X48L**	*8MV*1352422**	0.97	0.97	ENH4X48*21**	*9MA*0601714A**	0.99	1.03
ED*4X48L**	*8MX*0902116**	0.97	0.97	ENH4X48*21**	*9MA*0602120A**	0.98	1.01
ED*4X48L**	*8MX*1102120**	0.98	0.97	ENH4X48*21**	*9MA*0801714A**	0.98	1.01
ED*4X48L**	*8MX*1352420**	0.98	0.97	ENH4X48*21**	*9MA*0802120A**	0.98	0.99
ED*4X48L**	*9MA*0602120A**	0.98	1.01	ENH4X48*21**	*9MA*1002122A**	0.98	0.98
ED*4X48L**	*9MA*0802120A**	0.98	1.00	ENH4X48*21**	*9MV*0601714A**	0.99	1.02
ED*4X48L**	*9MA*1002122A**	0.98	0.98	ENH4X48*21**	*9MV*0801716A**	0.99	1.02
ED*4X48L**	*9MA*1202422A**	0.97	0.99	ENH4X48*21**	*9MV*0802120A**	0.99	0.99
ED*4X48L**	*9MV*0802120A**	0.99	1.00	ENH4X48*21**	*9MV*1002120A**	0.98	0.98
ED*4X48L**	*9MV*1002120A**	0.98	0.98	ENH4X48*21**	*9MV*1202422A**	0.99	0.99
ED*4X48L**	*9MV*1202422A**	0.98	0.98	ENH4X48*21**	*9MX*0601714A**	0.99	1.02
ED*4X48L**	*9MX*0802120A**	0.99	0.99	ENH4X48*21**	*9MX*0801716A**	0.99	1.00
ED*4X48L**	*9MX*1002120A**	0.98	0.98	ENH4X48*21**	*9MX*0802120A**	0.99	0.99
ED*4X48L**	*9MX*1202422A**	0.97	0.95	ENH4X48*21**	*9MX*1002120A**	0.98	0.98
ED*4X48L**	MV16J22**B*	0.97	0.95	ENH4X48*21**	*9MX*1202422A**	0.99	0.98
ED*4X48L**	MV20L24**B*	0.97	0.95	ENH4X48*21**	MV12F19**B*	0.98	0.96
ED*4X48L**	*8MPV100	0.98	0.97	ENH4X48*21**	MV16J22**B*	0.98	0.96
ED*4X48L**	*8MPV125	0.98	0.96	ENH4X48*21**	MV20L24**B*	0.98	0.96
ED*4X48L**	*9MA*1002120A**	0.97	0.99	ENH4X48*21**	*8MPV075	1.00	1.01
ED*4X48L**	*9MPV100	0.98	0.98	ENH4X48*21**	*8MPV100	0.99	0.97

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X48L**	*9MPV125	0.98	0.97	ENH4X48*21**	*8MPV125	0.99	0.97
ED*4X48L**	*9MV*1002116A**	0.98	0.99	ENH4X48*21**	*9MA*1002120A**	0.98	1.00
ED*4X48L**	*9MVX080	0.98	0.97	ENH4X48*21**	*9MPV075	1.00	1.03
ED*4X48L**	*9MVX100	0.98	0.98	ENH4X48*21**	*9MPV100	1.00	1.00
ED*4X48L**	*9MX*1002116A**	0.98	1.00	ENH4X48*21**	*9MPV125	0.99	0.98
ED*4X48L**	OLV112A16A	0.98	0.99	ENH4X48*21**	*9MV*1002116A**	0.99	1.00
ED*4X48L**	OLV154F20A	0.98	0.96	ENH4X48*21**	*9MVX080	1.00	0.99
ED*4X48L**		0.98	1.00	ENH4X48*21**	*9MVX100	0.99	0.99
EHD4X42A**	*8MV*0701412**	0.99	1.02	ENH4X48*21**	*9MX*1002116A**	0.99	1.01
EHD4X42A**	*8MV*0901716**	0.98	0.99	ENH4X48*21**	OLV112A16A	1.00	1.02
EHD4X42A**	*8MV*1102120**	0.99	0.99	ENH4X48*21**	OLV154F20A	1.00	0.98
EHD4X42A**	*8MV*1352422**	0.98	0.98	ENH4X48*21**	OMV112K14A	0.99	1.01
EHD4X42A**	*8MX*0701716**	1.00	1.03	ENH4X48*21**		1.01	1.03
EHD4X42A**	*8MX*0902116**	0.99	0.99	FCM4X36***		0.97	1.00
EHD4X42A**	*8MX*1102120**	0.98	0.97	FCM4X48***		0.97	0.95
EHD4X42A**	*8MX*1352420**	0.99	0.99	FCM4X60***		0.98	0.93
EHD4X42A**	*9MA*0601714A**	0.99	1.03	FEM4P42**A*		0.98	0.98
EHD4X42A**	*9MA*0602120A**	0.98	1.01	FEM4P48**A*		0.98	0.98
EHD4X42A**	*9MA*0801714A**	0.98	1.01	FEM4X42***		0.98	0.99
EHD4X42A**	*9MA*0802120A**	0.98	1.00	FEM4X48***		0.98	0.95
EHD4X42A**	*9MA*1002122A**	0.99	0.99	FS(M,U)4P42**A*		0.98	0.99
EHD4X42A**	*9MA*1202422A**	0.98	0.99	FS(M,U)4P48**A*		0.99	0.99
EHD4X42A**	*9MV*0601714A**	0.99	1.02	FVM4X36***		0.97	1.00
EHD4X42A**	*9MV*0801716A**	0.99	1.02	FVM4X48***		0.97	0.95
EHD4X42A**	*9MV*0802120A**	0.98	0.99	FVM4X60***		0.98	0.93
EHD4X42A**	*9MV*1002120A**	0.98	0.99	FXM4X48**A*		0.98	0.94
EHD4X42A**	*9MV*1202422A**	0.98	0.99				

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
(C,H,T)SH548							
*FXM4X48**A*		1.00	1.00	EHD4X48A**	*9MVX080	1.00	1.04
EA*4X48*17A*	*8MV*0901716**	0.99	1.03	EHD4X48A**	*9MVX100	0.99	1.03
EA*4X48*17A*		1.00	1.05	EHD4X48A**	*9MX*1002116A**	0.99	1.04
EA*4X48*21A*	*8MV*1102120**	0.98	1.03	EHD4X48A**	OLV154F20A	1.01	1.03

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X48*21A*	*8MX*0902116**	0.99	1.03	EHD4X48A**		1.01	1.05
EA*4X48*21A*	*8MX*1102120**	0.98	1.02	EHD4X60A**	*8MV*0901716**	0.99	1.02
EA*4X48*21A*	*9MA*0602120A**	0.98	1.06	EHD4X60A**	*8MV*1102120**	0.99	1.01
EA*4X48*21A*	*9MA*0802120A**	0.98	1.04	EHD4X60A**	*8MV*1352422**	0.98	0.99
EA*4X48*21A*	*9MA*1002122A**	0.98	1.02	EHD4X60A**	*8MX*0902116**	0.99	1.01
EA*4X48*21A*	*9MV*0802120A**	0.98	1.03	EHD4X60A**	*8MX*1102120**	0.99	0.99
EA*4X48*21A*	*9MV*1002120A**	0.98	1.03	EHD4X60A**	*8MX*1352420**	0.99	1.00
EA*4X48*21A*	*9MX*0802120A**	0.99	1.04	EHD4X60A**	*9MA*0602120A**	0.98	1.03
EA*4X48*21A*	*9MX*1002120A**	0.98	1.03	EHD4X60A**	*9MA*0802120A**	0.98	1.01
EA*4X48*21A*	MV16J22**B*	0.98	1.00	EHD4X60A**	*9MA*1002122A**	0.98	0.99
EA*4X48*21A*	*8MPV100	0.99	1.03	EHD4X60A**	*9MA*1202422A**	0.98	1.01
EA*4X48*21A*	*8MPV125	0.99	1.02	EHD4X60A**	*9MV*0801716A**	1.00	1.04
EA*4X48*21A*	*9MA*1002120A**	0.98	1.04	EHD4X60A**	*9MV*0802120A**	0.99	1.01
EA*4X48*21A*	*9MV*1002116A**	0.99	1.05	EHD4X60A**	*9MV*1002120A**	0.99	1.01
EA*4X48*21A*	*9MX*1002116A**	0.99	1.06	EHD4X60A**	*9MV*1202422A**	0.99	1.01
EA*4X48*21A*	OLV112A16A	1.00	1.07	EHD4X60A**	*9MX*0801716A**	1.00	1.05
EA*4X48*21A*		1.01	1.06	EHD4X60A**	*9MX*0802120A**	0.99	1.01
EA*4X48*24A*	*8MV*1352422**	0.98	1.02	EHD4X60A**	*9MX*1002120A**	0.99	1.01
EA*4X48*24A*	*8MX*1352420**	0.98	1.02	EHD4X60A**	*9MX*1202422A**	0.99	1.00
EA*4X48*24A*	*9MA*0602120A**	0.98	1.05	EHD4X60A**	MV16J22**B*	0.98	0.97
EA*4X48*24A*	*9MA*0802120A**	0.97	1.02	EHD4X60A**	MV20L24**B*	0.98	0.97
EA*4X48*24A*	*9MA*1002122A**	0.98	1.02	EHD4X60A**	*8MPV100	1.00	1.01
EA*4X48*24A*	*9MA*1202422A**	0.97	1.02	EHD4X60A**	*8MPV125	1.00	1.00
EA*4X48*24A*	*9MV*0802120A**	0.98	1.03	EHD4X60A**	*9MA*1002120A**	0.99	1.03
EA*4X48*24A*	*9MV*1002120A**	0.98	1.02	EHD4X60A**	*9MPV100	1.00	1.02
EA*4X48*24A*	*9MV*1202422A**	0.98	1.02	EHD4X60A**	*9MPV125	1.00	1.02
EA*4X48*24A*	*9MX*0802120A**	0.99	1.03	EHD4X60A**	*9MV*1002116A**	1.00	1.03
EA*4X48*24A*	*9MX*1002120A**	0.98	1.02	EHD4X60A**	*9MVX080	1.00	1.02
EA*4X48*24A*	MV16J22**B*	0.98	0.99	EHD4X60A**	*9MVX100	1.00	1.02
EA*4X48*24A*	MV20L24**B*	0.98	0.99	EHD4X60A**	*9MX*1002116A**	0.99	1.02
EA*4X48*24A*	*8MPV100	0.99	1.02	EHD4X60A**	OLV112A16A	1.00	1.04
EA*4X48*24A*	*8MPV125	0.99	1.02	EHD4X60A**	OLV154F20A	1.01	1.01
EA*4X48*24A*	*9MA*1002120A**	0.98	1.04	EHD4X60A**		1.01	1.03
		0.99	1.02	EN(A,D)4X48*24**	*8MV*1352422**	0.98	1.02
		0.98	1.04	EN(A,D)4X48*24**	*8MX*1352420**	0.98	1.01

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X48*24A*	*9MPV100	0.99	1.04	EN(A,D)4X48*24**	*9MA*0602120A**	0.98	1.05
EA*4X48*24A*	*9MPV125	0.99	1.03	EN(A,D)4X48*24**	*9MA*0802120A**	0.97	1.02
EA*4X48*24A*	*9MV*1002116A**	0.99	1.05	EN(A,D)4X48*24**	*9MA*1002122A**	0.98	1.02
EA*4X48*24A*	*9MX*1002116A**	0.99	1.05	EN(A,D)4X48*24**	*9MA*1202422A**	0.97	1.02
EA*4X48*24A*	OLV112A16A	1.00	1.07	EN(A,D)4X48*24**	*9MV*0802120A**	0.98	1.02
EA*4X48*24A*	OLV154F20A	1.01	1.04	EN(A,D)4X48*24**	*9MV*1002120A**	0.98	1.02
EA*4X48*24A*		1.01	1.06	EN(A,D)4X48*24**	*9MV*1202422A**	0.98	1.02
EA*4X60*21A*	*8MV*1102120**	0.99	1.02	EN(A,D)4X48*24**	*9MX*0802120A**	0.99	1.03
EA*4X60*21A*	*8MX*0902116**	0.99	1.02	EN(A,D)4X48*24**	*9MX*1002120A**	0.98	1.02
EA*4X60*21A*	*8MX*1102120**	0.98	1.00	EN(A,D)4X48*24**	*9MX*1202422A**	0.99	1.03
EA*4X60*21A*	*9MA*0602120A**	0.98	1.04	EN(A,D)4X48*24**	MV16J22**B*	0.98	0.99
EA*4X60*21A*	*9MA*0802120A**	0.98	1.02	EN(A,D)4X48*24**	MV20L24**B*	0.98	0.99
EA*4X60*21A*	*9MA*1002122A**	0.98	1.00	EN(A,D)4X48*24**	*8MPV100	0.99	1.02
EA*4X60*21A*	*9MV*0802120A**	0.99	1.02	EN(A,D)4X48*24**	*8MPV125	0.99	1.02
EA*4X60*21A*	*9MV*1002120A**	0.98	1.00	EN(A,D)4X48*24**	*9MA*1002120A**	0.98	1.04
EA*4X60*21A*	*9MX*0802120A**	0.99	1.02	EN(A,D)4X48*24**	*9MPV100	0.99	1.03
EA*4X60*21A*	*9MX*1002120A**	0.99	1.02	EN(A,D)4X48*24**	*9MPV125	0.99	1.03
EA*4X60*21A*	MV16J22**B*	0.98	0.98	EN(A,D)4X48*24**	*9MV*1002116A**	0.99	1.04
EA*4X60*21A*	*8MPV100	1.00	1.02	EN(A,D)4X48*24**	*9MVX080	1.00	1.04
EA*4X60*21A*	*8MPV125	0.99	1.01	EN(A,D)4X48*24**	*9MVX100	0.99	1.03
EA*4X60*21A*	*9MA*1002120A**	0.99	1.04	EN(A,D)4X48*24**	*9MX*1002116A**	0.99	1.04
EA*4X60*21A*	*9MPV100	1.00	1.03	EN(A,D)4X48*24**	OLV154F20A	1.01	1.04
EA*4X60*21A*	*9MV*1002116A**	1.00	1.04	EN(A,D)4X48*24**		1.01	1.06
EA*4X60*21A*	*9MX*1002116A**	0.99	1.04	EN(A,D)4X61*24**	*8MV*1102120**	0.98	0.98
EA*4X60*21A*		1.01	1.04	EN(A,D)4X61*24**	*8MV*1352422**	0.99	0.99
EA*4X60*24A*	*8MV*1352422**	0.98	1.00	EN(A,D)4X61*24**	*8MX*1352420**	0.99	0.98
EA*4X60*24A*	*8MX*1352420**	0.99	1.01	EN(A,D)4X61*24**	*9MA*1202422A**	0.98	0.99
EA*4X60*24A*	*9MA*0602120A**	0.98	1.04	EN(A,D)4X61*24**	*9MV*1202422A**	0.98	0.99
EA*4X60*24A*	*9MA*0802120A**	0.98	1.02	EN(A,D)4X61*24**	*9MX*1202422A**	0.98	0.98
EA*4X60*24A*	*9MA*1002122A**	0.98	1.00	EN(A,D)4X61*24**	MV16J22**B*	0.99	0.97
EA*4X60*24A*	*9MA*1202422A**	0.98	1.02	EN(A,D)4X61*24**	MV20L24**B*	0.98	0.96
EA*4X60*24A*	*9MV*0802120A**	0.99	1.02	EN(A,D)4X61*24**	*8MPV100	1.00	0.99
EA*4X60*24A*	*9MV*1002120A**	0.98	1.00	EN(A,D)4X61*24**	*8MPV125	1.00	0.99
EA*4X60*24A*	*9MV*1202422A**	0.99	1.02	EN(A,D)4X61*24**	*9MA*1002120A**	0.99	1.02
EA*4X60*24A*	*9MX*0802120A**	0.99	1.02	EN(A,D)4X61*24**	*9MPV100	1.00	1.01

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X60*24A*	*9MX*1002120A**	0.99	1.02	EN(A,D)4X61*24**	*9MPV125	1.00	1.00
EA*4X60*24A*	*9MX*1202422A**	0.99	1.02	EN(A,D)4X61*24**	*9MV*1002116A**	0.99	1.02
EA*4X60*24A*	MV16J22**B*	0.98	0.98	EN(A,D)4X61*24**	*9MVX080	1.01	1.02
EA*4X60*24A*	MV20L24**B*	0.98	0.98	EN(A,D)4X61*24**	*9MVX100	1.00	1.01
EA*4X60*24A*	*8MPV100	1.00	1.02	EN(A,D)4X61*24**	*9MX*1002116A**	0.98	1.00
EA*4X60*24A*	*8MPV125	0.99	1.00	EN(A,D)4X61*24**	OLV112A16A	1.01	1.04
EA*4X60*24A*	*9MA*1002120A**	0.98	1.03	EN(A,D)4X61*24**	OLV154F20A	1.01	1.00
EA*4X60*24A*	*9MPV100	1.00	1.03	EN(A,D)4X61*24**		1.02	1.04
EA*4X60*24A*	*9MPV125	1.00	1.03	EN(A,D,W)4X48*21**	*8MV*1102120**	0.98	1.02
EA*4X60*24A*	*9MV*1002116A**	1.00	1.04	EN(A,D,W)4X48*21**	*8MX*0902116**	0.99	1.03
EA*4X60*24A*	*9MX*1002116A**	0.99	1.03	EN(A,D,W)4X48*21**	*8MX*1102120**	0.98	1.01
EA*4X60*24A*	OLV154F20A	1.01	1.02	EN(A,D,W)4X48*21**	*9MA*0602120A**	0.98	1.05
EA*4X60*24A*		1.01	1.04	EN(A,D,W)4X48*21**	*9MA*0802120A**	0.97	1.02
ED*4X48F**	*8MV*0901716**	0.99	1.03	EN(A,D,W)4X48*21**	*9MA*1002122A**	0.98	1.02
ED*4X48F**	*8MV*1102120**	0.99	1.03	EN(A,D,W)4X48*21**	*9MV*0801716A**	0.99	1.06
ED*4X48F**	*8MX*0902116**	0.99	1.02	EN(A,D,W)4X48*21**	*9MV*0802120A**	0.98	1.02
ED*4X48F**	*8MX*1102120**	0.98	1.01	EN(A,D,W)4X48*21**	*9MV*1002120A**	0.98	1.02
ED*4X48F**	*9MA*0602120A**	0.98	1.04	EN(A,D,W)4X48*21**	*9MX*0801716A**	0.99	1.06
ED*4X48F**	*9MA*0802120A**	0.98	1.03	EN(A,D,W)4X48*21**	*9MX*0802120A**	0.99	1.03
ED*4X48F**	*9MA*1002122A**	0.99	1.02	EN(A,D,W)4X48*21**	*9MX*1002120A**	0.98	1.02
ED*4X48F**	*9MV*0802120A**	0.98	1.02	EN(A,D,W)4X48*21**	MV16J22**B*	0.98	0.99
ED*4X48F**	*9MV*1002120A**	0.98	1.02	EN(A,D,W)4X48*21**	*8MPV100	0.99	1.02
ED*4X48F**	*9MX*0802120A**	0.99	1.03	EN(A,D,W)4X48*21**	*8MPV125	0.99	1.02
ED*4X48F**	*9MX*1002120A**	0.99	1.03	EN(A,D,W)4X48*21**	*9MA*1002120A**	0.98	1.04
ED*4X48F**	*9MA*1002120A**	0.99	1.04	EN(A,D,W)4X48*21**	*9MPV100	0.99	1.03
ED*4X48F**	*9MV*1002116A**	1.00	1.05	EN(A,D,W)4X48*21**	*9MV*1002116A**	0.99	1.04
ED*4X48F**	*9MX*1002116A**	0.99	1.04	EN(A,D,W)4X48*21**	*9MVX080	1.00	1.04
ED*4X48F**		1.00	1.05	EN(A,D,W)4X48*21**	*9MX*1002116A**	0.99	1.04
ED*4X48J**	*9MA*0602120A**	0.98	1.06	EN(A,D,W)4X48*21**		1.01	1.06
ED*4X48J**	*9MA*0802120A**	0.98	1.04	EN(A,D,W)4X60*24**	*8MV*1352422**	0.98	1.00
ED*4X48J**	*9MA*1002122A**	0.98	1.02	EN(A,D,W)4X60*24**	*8MX*1352420**	0.99	1.01
ED*4X48J**	*9MA*1202422A**	0.98	1.04	EN(A,D,W)4X60*24**	*9MA*0602120A**	0.98	1.04
ED*4X48J**	*9MV*0802120A**	0.98	1.03	EN(A,D,W)4X60*24**	*9MA*0802120A**	0.98	1.02
ED*4X48J**	*9MV*1002120A**	0.98	1.03	EN(A,D,W)4X60*24**	*9MA*1002122A**	0.98	1.00
ED*4X48J**	*9MV*1202422A**	0.98	1.03	EN(A,D,W)4X60*24**	*9MA*1202422A**	0.98	1.02

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X48J**	*9MX*0802120A**	0.99	1.04	EN(A,D,W)4X60*24**	*9MV*0802120A**	0.98	1.01
ED*4X48J**	*9MX*1002120A**	0.98	1.03	EN(A,D,W)4X60*24**	*9MV*1002120A**	0.98	1.00
ED*4X48J**	*9MX*1202422A**	0.98	1.03	EN(A,D,W)4X60*24**	*9MV*1202422A**	0.99	1.02
ED*4X48J**	MV16J22**B*	0.98	1.00	EN(A,D,W)4X60*24**	*9MX*0802120A**	0.99	1.02
ED*4X48J**	MV20L24**B*	0.98	1.00	EN(A,D,W)4X60*24**	*9MX*1002120A**	0.99	1.02
ED*4X48J**	*8MPV100	0.99	1.03	EN(A,D,W)4X60*24**	*9MX*1202422A**	0.99	1.02
ED*4X48J**	*8MPV125	0.99	1.02	EN(A,D,W)4X60*24**	MV16J22**B*	0.98	0.98
ED*4X48J**	*9MA*1002120A**	0.98	1.04	EN(A,D,W)4X60*24**	MV20L24**B*	0.98	0.98
ED*4X48J**	*9MPV100	0.99	1.04	EN(A,D,W)4X60*24**	*8MPV100	1.00	1.02
ED*4X48J**	*9MPV125	0.99	1.04	EN(A,D,W)4X60*24**	*8MPV125	0.99	1.00
ED*4X48J**	*9MV*1002116A**	0.99	1.05	EN(A,D,W)4X60*24**	*9MA*1002120A**	0.98	1.03
ED*4X48J**	*9MVX080	1.00	1.05	EN(A,D,W)4X60*24**	*9MPV100	1.00	1.03
ED*4X48J**	*9MX*1002116A**	0.99	1.06	EN(A,D,W)4X60*24**	*9MPV125	0.99	1.02
ED*4X48L**	*8MV*1102120**	1.01	1.06	EN(A,D,W)4X60*24**	*9MV*1002116A**	1.00	1.04
ED*4X48L**	*8MV*1352422**	0.98	1.03	EN(A,D,W)4X60*24**	*9MVX080	1.00	1.03
ED*4X48L**	*8MV*1352422**	0.98	1.02	EN(A,D,W)4X60*24**	*9MVX100	0.99	1.02
ED*4X48L**	*8MX*0902116**	0.99	1.03	EN(A,D,W)4X60*24**	*9MX*1002116A**	0.99	1.03
ED*4X48L**	*8MX*1102120**	0.98	1.01	EN(A,D,W)4X60*24**	OLV154F20A	1.01	1.02
ED*4X48L**	*8MX*1352420**	0.98	1.02	EN(A,D,W)4X60*24**		1.01	1.05
ED*4X48L**	*9MA*0602120A**	0.98	1.05	ENH4X48*21**	*8MV*0901716**	0.98	1.03
ED*4X48L**	*9MA*0802120A**	0.97	1.02	ENH4X48*21**	*8MV*1102120**	0.98	1.02
ED*4X48L**	*9MA*1002122A**	0.98	1.02	ENH4X48*21**	*8MV*1352422**	0.98	1.02
ED*4X48L**	*9MA*1202422A**	0.98	1.03	ENH4X48*21**	*8MX*0902116**	0.99	1.03
ED*4X48L**	*9MV*0802120A**	0.98	1.03	ENH4X48*21**	*8MX*1102120**	0.98	1.01
ED*4X48L**	*9MV*1002120A**	0.98	1.02	ENH4X48*21**	*8MX*1352420**	0.98	1.01
ED*4X48L**	*9MV*1202422A**	0.98	1.02	ENH4X48*21**	*9MA*0602120A**	0.98	1.05
ED*4X48L**	*9MX*0802120A**	0.99	1.03	ENH4X48*21**	*9MA*0802120A**	0.97	1.02
ED*4X48L**	*9MX*1002120A**	0.98	1.02	ENH4X48*21**	*9MA*1002122A**	0.98	1.02
ED*4X48L**	*9MX*1202422A**	0.99	1.03	ENH4X48*21**	*9MA*1202422A**	0.97	1.02
ED*4X48L**	MV16J22**B*	0.98	0.99	ENH4X48*21**	*9MV*0801716A**	0.99	1.06
ED*4X48L**	MV20L24**B*	0.98	0.99	ENH4X48*21**	*9MV*0802120A**	0.98	1.02
ED*4X48L**	*8MPV100	0.99	1.02	ENH4X48*21**	*9MV*1002120A**	0.98	1.02
ED*4X48L**	*8MPV125	0.99	1.02	ENH4X48*21**	*9MV*1202422A**	0.98	1.02
ED*4X48L**	*9MA*1002120A**	0.98	1.04	ENH4X48*21**	*9MX*0801716A**	0.99	1.06
ED*4X48L**	*9MPV100	0.99	1.04	ENH4X48*21**	*9MX*0802120A**	0.99	1.03
ED*4X48L**	*9MPV125	0.99	1.04	ENH4X48*21**		0.99	1.03

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED*4X48L**	*9MPV125	0.99	1.03	ENH4X48*21**	*9MX*1002120A**	0.98	1.02
ED*4X48L**	*9MV*1002116A**	0.99	1.04	ENH4X48*21**	*9MX*1202422A**	0.99	1.03
ED*4X48L**	*9MVX080	1.00	1.04	ENH4X48*21**	MV16J22**B*	0.98	0.99
ED*4X48L**	*9MVX100	0.99	1.03	ENH4X48*21**	MV20L24**B*	0.98	0.99
ED*4X48L**	*9MX*1002116A**	0.99	1.05	ENH4X48*21**	*8MPV100	0.99	1.02
ED*4X48L**	OLV112A16A	1.00	1.07	ENH4X48*21**	*8MPV125	0.99	1.02
ED*4X48L**	OLV154F20A	1.01	1.04	ENH4X48*21**	*9MA*1002120A**	0.98	1.04
ED*4X48L**		1.01	1.06	ENH4X48*21**	*9MPV100	0.99	1.03
ED*4X60J**	*8MV*1102120**	0.99	1.02	ENH4X48*21**	*9MPV125	0.99	1.03
ED*4X60J**	*8MV*1352422**	0.98	1.00	ENH4X48*21**	*9MV*1002116A**	0.99	1.04
ED*4X60J**	*8MX*0902116**	0.99	1.02	ENH4X48*21**	*9MVX080	1.00	1.04
ED*4X60J**	*8MX*1102120**	0.98	1.00	ENH4X48*21**	*9MVX100	0.99	1.03
ED*4X60J**	*8MX*1352420**	0.99	1.02	ENH4X48*21**	*9MX*1002116A**	0.99	1.04
ED*4X60J**	*9MA*0602120A**	0.98	1.04	ENH4X48*21**	OLV154F20A	1.01	1.04
ED*4X60J**	*9MA*0802120A**	0.98	1.02	ENH4X48*21**		1.01	1.06
ED*4X60J**	*9MA*1002122A**	0.98	1.00	ENH4X60*24**	*8MV*0901716**	0.98	1.02
ED*4X60J**	*9MA*1202422A**	0.98	1.02	ENH4X60*24**	*8MV*1102120**	0.98	1.01
ED*4X60J**	*9MV*0802120A**	0.99	1.02	ENH4X60*24**	*8MV*1352422**	0.98	1.00
ED*4X60J**	*9MV*1002120A**	0.98	1.00	ENH4X60*24**	*8MX*0902116**	0.99	1.02
ED*4X60J**	*9MV*1202422A**	0.99	1.02	ENH4X60*24**	*8MX*1102120**	0.98	0.99
ED*4X60J**	*9MX*0802120A**	0.99	1.02	ENH4X60*24**	*8MX*1352420**	0.99	1.01
ED*4X60J**	*9MX*1002120A**	0.99	1.02	ENH4X60*24**	*9MA*0602120A**	0.98	1.04
ED*4X60J**	*9MX*1202422A**	0.99	1.02	ENH4X60*24**	*9MA*0802120A**	0.98	1.02
ED*4X60J**	MV16J22**B*	0.98	0.98	ENH4X60*24**	*9MA*1002122A**	0.98	1.00
ED*4X60J**	MV20L24**B*	0.98	0.98	ENH4X60*24**	*9MA*1202422A**	0.98	1.02
ED*4X60J**	*8MPV100	1.00	1.02	ENH4X60*24**	*9MV*0801716A**	1.00	1.05
ED*4X60J**	*8MPV125	0.99	1.01	ENH4X60*24**	*9MV*0802120A**	0.98	1.01
ED*4X60J**	*9MA*1002120A**	0.99	1.04	ENH4X60*24**	*9MV*1002120A**	0.98	1.00
ED*4X60J**	*9MPV100	1.00	1.03	ENH4X60*24**	*9MV*1202422A**	0.99	1.02
ED*4X60J**	*9MPV125	1.00	1.03	ENH4X60*24**	*9MX*0801716A**	0.99	1.04
ED*4X60J**	*9MV*1002116A**	1.00	1.04	ENH4X60*24**	*9MX*0802120A**	0.99	1.02
ED*4X60J**	*9MVX080	1.00	1.03	ENH4X60*24**	*9MX*1002120A**	0.99	1.02
ED*4X60J**	*9MVX100	0.99	1.02	ENH4X60*24**	*9MX*1202422A**	0.99	1.02
ED*4X60J**	*9MX*1002116A**	0.99	1.04	ENH4X60*24**	MV16J22**B*	0.98	0.98
ED*4X60J**		1.01	1.04	ENH4X60*24**	MV20L24**B*	0.98	0.98

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
ED4X60L**	*9MA*0602120A**	0.98	1.04	ENH4X60*24**	*8MPV100	1.00	1.02
ED4X60L**	*9MA*0802120A**	0.98	1.02	ENH4X60*24**	*8MPV125	0.99	1.00
ED4X60L**	*9MA*1002122A**	0.98	1.00	ENH4X60*24**	*9MA*1002120A**	0.98	1.03
ED4X60L**	*9MA*1202422A**	0.98	1.02	ENH4X60*24**	*9MPV100	1.00	1.03
ED4X60L**	*9MV*0802120A**	0.99	1.02	ENH4X60*24**	*9MPV125	0.99	1.02
ED4X60L**	*9MV*1002120A**	0.98	1.00	ENH4X60*24**	*9MV*1002116A**	1.00	1.04
ED4X60L**	*9MV*1202422A**	0.99	1.02	ENH4X60*24**	*9MVX080	1.00	1.03
ED4X60L**	*9MX*0802120A**	0.99	1.02	ENH4X60*24**	*9MVX100	0.99	1.02
ED4X60L**	*9MX*1002120A**	0.99	1.02	ENH4X60*24**	*9MX*1002116A**	0.99	1.03
ED4X60L**	*9MX*1202422A**	0.99	1.02	ENH4X60*24**	OLV154F20A	1.01	1.02
ED4X60L**	MV16J22**B*	0.98	0.98	ENH4X60*24**		1.01	1.05
ED4X60L**	MV20L24**B*	0.98	0.98	ENH4X61*24**	*8MV*0901716**	0.98	1.00
ED4X60L**	*8MPV100	1.00	1.02	ENH4X61*24**	*8MV*1102120**	0.98	1.00
ED4X60L**	*8MPV125	0.99	1.00	ENH4X61*24**	*8MV*1352422**	0.98	0.99
ED4X60L**	*9MA*1002120A**	0.98	1.03	ENH4X61*24**	*8MX*0902116**	0.98	0.99
ED4X60L**	*9MPV100	1.00	1.03	ENH4X61*24**	*8MX*1102120**	0.98	0.99
ED4X60L**	*9MPV125	1.00	1.03	ENH4X61*24**	*8MX*1352420**	0.98	0.99
ED4X60L**	*9MV*1002116A**	1.00	1.04	ENH4X61*24**	*9MA*1202422A**	0.98	1.01
ED4X60L**	*9MVX100	0.99	1.02	ENH4X61*24**	*9MV*0801716A**	0.98	1.03
ED4X60L**	*9MX*1002116A**	0.99	1.03	ENH4X61*24**	*9MV*1202422A**	0.98	1.01
ED4X60L**	OLV154F20A	1.01	1.02	ENH4X61*24**	*9MX*1202422A**	0.98	0.99
ED4X60L**		1.01	1.04	ENH4X61*24**	MV16J22**B*	0.98	0.97
EHD4X48A**	*8MV*0901716**	0.99	1.03	ENH4X61*24**	MV20L24**B*	0.98	0.97
EHD4X48A**	*8MV*1102120**	0.99	1.03	ENH4X61*24**	*8MPV100	0.98	0.98
EHD4X48A**	*8MV*1352422**	0.98	1.01	ENH4X61*24**	*8MPV125	0.98	0.98
EHD4X48A**	*8MX*0902116**	0.99	1.02	ENH4X61*24**	*9MA*1002120A**	0.98	1.02
EHD4X48A**	*8MX*1102120**	0.98	1.00	ENH4X61*24**	*9MPV100	0.98	1.00
EHD4X48A**	*8MX*1352420**	0.98	1.01	ENH4X61*24**	*9MPV125	0.98	0.99
EHD4X48A**	*9MA*0602120A**	0.98	1.04	ENH4X61*24**	*9MV*1002116A**	0.98	1.02
EHD4X48A**	*9MA*0802120A**	0.98	1.03	ENH4X61*24**	*9MVX080	0.99	1.01
EHD4X48A**	*9MA*1002122A**	0.98	1.01	ENH4X61*24**	*9MVX100	0.99	1.01
EHD4X48A**	*9MA*1202422A**	0.98	1.03	ENH4X61*24**	*9MX*1002116A**	0.98	1.02
EHD4X48A**	*9MV*0802120A**	0.98	1.02	ENH4X61*24**	OLV154F20A	0.99	0.99
EHD4X48A**	*9MV*1002120A**	0.98	1.02	ENH4X61*24**		1.00	1.02
EHD4X48A**	*9MV*1202422A**	0.98	1.02	FCM4X48****		0.98	1.00

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X48A**	*9MX*0802120A**	0.99	1.03	FCM4X60****		0.98	0.96
EHD4X48A**	*9MX*1002120A**	0.98	1.02	FEM4P48**A*		0.99	1.03
EHD4X48A**	*9MX*1202422A**	0.99	1.03	FEM4X48****		1.00	1.02
EHD4X48A**	MV16J22**B*	0.98	0.98	FEM4X60****		1.00	0.98
EHD4X48A**	MV20L24**B*	0.98	0.99	FEM4X60**B*		1.00	1.02
EHD4X48A**	*8MPV100	0.99	1.02	FS(M,U)4P48**A*		1.00	1.02
EHD4X48A**	*8MPV125	0.99	1.01	FS(M,U)4X60**A*		1.02	1.05
EHD4X48A**	*9MA*1002120A**	0.99	1.04	FVM4X48****		0.98	1.00
EHD4X48A**	*9MPV100	1.00	1.04	FVM4X60****		0.98	0.96
EHD4X48A**	*9MPV125	0.99	1.03	FXM4X60**A*		1.00	0.97
EHD4X48A**	*9MV*1002116A**	0.99	1.04				

HEATING Multiplying Factors for other Indoor Combinations

(C,H,T)SH560							
Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
*FXM4X60**A*		1.00	1.00	EHD4X60A**	*9MVX100	1.02	1.06
EA*4X60*21A*	*8MV*1102120**	1.00	1.05	EHD4X60A**	OLV154F20A	1.00	1.03
EA*4X60*21A*	*8MX*1102120**	0.99	1.03	EHD4X60A**		1.01	1.05
EA*4X60*21A*	*9MA*1002122A**	1.00	1.05	EN(A,D)4X61*24**	*8MV*1352422**	1.00	1.01
EA*4X60*21A*	*9MV*1002120A**	1.00	1.05	EN(A,D)4X61*24**	*8MX*1352420**	1.00	1.02
EA*4X60*21A*	*9MX*0802120A**	1.00	1.06	EN(A,D)4X61*24**	*9MA*1202422A**	1.00	1.03
EA*4X60*21A*	MV16J22**B*	1.00	1.02	EN(A,D)4X61*24**	*9MV*1202422A**	1.00	1.03
EA*4X60*21A*	*8MPV125	1.01	1.05	EN(A,D)4X61*24**	*9MX*1202422A**	1.00	1.03
EA*4X60*21A*		1.01	1.06	EN(A,D)4X61*24**	MV16J22**B*	1.00	0.99
EA*4X60*24A*	*8MV*1352422**	1.00	1.04	EN(A,D)4X61*24**	MV20L24**B*	1.00	0.99
EA*4X60*24A*	*8MX*1352420**	0.99	1.03	EN(A,D)4X61*24**	*8MPV125	1.02	1.03
EA*4X60*24A*	*9MA*0802120A**	0.99	1.06	EN(A,D)4X61*24**	*9MVX100	1.02	1.05
EA*4X60*24A*	*9MA*1002122A**	1.00	1.04	EN(A,D)4X61*24**	OLV154F20A	1.00	1.02
EA*4X60*24A*	*9MA*1202422A**	1.00	1.05	EN(A,D)4X61*24**		1.01	1.04
EA*4X60*24A*	*9MV*1002120A**	1.00	1.05	EN(A,D,W)4X60*24**	*8MV*1352422**	0.99	1.03
EA*4X60*24A*	*9MV*1202422A**	0.99	1.04	EN(A,D,W)4X60*24**	*8MX*1352420**	0.99	1.03
EA*4X60*24A*	*9MX*0802120A**	1.00	1.05	EN(A,D,W)4X60*24**	*9MA*0802120A**	0.99	1.06
EA*4X60*24A*	*9MX*1002120A**	1.01	1.06	EN(A,D,W)4X60*24**	*9MA*1002122A**	1.00	1.05
EA*4X60*24A*	*9MX*1202422A**	1.00	1.05	EN(A,D,W)4X60*24**	*9MA*1202422A**	0.99	1.04
EA*4X60*24A*	MV16J22**B*	1.00	1.02	EN(A,D,W)4X60*24**	*9MV*1002120A**	1.00	1.05

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EA*4X60*24A*	MV20L24**B*	1.00	1.02	EN(A,D,W)4X60*24**	*9MV*1202422A**	0.99	1.04
EA*4X60*24A*	*8MPV125	1.01	1.05	EN(A,D,W)4X60*24**	*9MX*0802120A**	0.99	1.05
EA*4X60*24A*	OLV154F20A	1.00	1.04	EN(A,D,W)4X60*24**	*9MX*1002120A**	1.00	1.05
EA*4X60*24A*		1.01	1.06	EN(A,D,W)4X60*24**	*9MX*1202422A**	0.99	1.04
ED*4X60J**	*8MV*1102120**	1.00	1.05	EN(A,D,W)4X60*24**	MV16J22**B*	0.99	1.01
ED*4X60J**	*8MV*1352422**	1.00	1.04	EN(A,D,W)4X60*24**	MV20L24**B*	0.99	1.01
ED*4X60J**	*8MX*1102120**	1.00	1.04	EN(A,D,W)4X60*24**	*8MPV125	1.01	1.05
ED*4X60J**	*8MX*1352420**	0.99	1.04	EN(A,D,W)4X60*24**	*9MVX100	1.01	1.07
ED*4X60J**	*9MA*1002122A**	1.00	1.05	EN(A,D,W)4X60*24**	OLV154F20A	0.99	1.03
ED*4X60J**	*9MA*1202422A**	1.00	1.05	EN(A,D,W)4X60*24**		1.00	1.05
ED*4X60J**	*9MV*1002120A**	1.00	1.05	ENH4X60*24**	*8MV*1102120**	1.00	1.05
ED*4X60J**	*9MV*1202422A**	0.99	1.05	ENH4X60*24**	*8MV*1352422**	0.99	1.03
ED*4X60J**	*9MX*0802120A**	1.00	1.06	ENH4X60*24**	*8MX*1102120**	0.99	1.03
ED*4X60J**	*9MX*1202422A**	1.00	1.05	ENH4X60*24**	*8MX*1352420**	0.99	1.03
ED*4X60J**	MV16J22**B*	1.00	1.02	ENH4X60*24**	*9MA*0802120A**	0.99	1.06
ED*4X60J**	MV20L24**B*	1.00	1.02	ENH4X60*24**	*9MA*1002122A**	1.00	1.05
ED*4X60J**	*8MPV125	1.01	1.05	ENH4X60*24**	*9MA*1202422A**	0.99	1.04
ED*4X60J**		1.01	1.06	ENH4X60*24**	*9MV*1002120A**	1.00	1.05
ED*4X60L**	*9MA*0802120A**	0.99	1.06	ENH4X60*24**	*9MV*1202422A**	0.99	1.04
ED*4X60L**	*9MA*1002122A**	1.00	1.04	ENH4X60*24**	*9MX*0802120A**	0.99	1.05
ED*4X60L**	*9MA*1202422A**	1.00	1.05	ENH4X60*24**	*9MX*1002120A**	1.00	1.05
ED*4X60L**	*9MV*1002120A**	1.00	1.05	ENH4X60*24**	*9MX*1202422A**	0.99	1.04
ED*4X60L**	*9MV*1202422A**	0.99	1.04	ENH4X60*24**	MV16J22**B*	0.99	1.01
ED*4X60L**	*9MX*0802120A**	1.00	1.05	ENH4X60*24**	MV20L24**B*	0.99	1.01
ED*4X60L**	*9MX*1002120A**	1.01	1.06	ENH4X60*24**	*8MPV125	1.01	1.05
ED*4X60L**	*9MX*1202422A**	1.00	1.05	ENH4X60*24**	*9MVX080	1.02	1.08
ED*4X60L**	MV16J22**B*	1.00	1.02	ENH4X60*24**	*9MVX100	1.01	1.07
ED*4X60L**	MV20L24**B*	1.00	1.02	ENH4X60*24**	OLV154F20A	0.99	1.03
ED*4X60L**	*8MPV125	1.01	1.05	ENH4X60*24**		1.00	1.05
ED*4X60L**	*9MVX100	1.01	1.06	ENH4X61*24**	*8MV*1102120**	1.01	1.05
ED*4X60L**	OLV154F20A	1.00	1.04	ENH4X61*24**	*8MV*1352422**	1.00	1.03
ED*4X60L**		1.01	1.06	ENH4X61*24**	*8MX*1102120**	1.00	1.03
EHD4X60A**	*8MV*1102120**	1.00	1.03	ENH4X61*24**	*8MX*1352420**	1.00	1.04
EHD4X60A**	*8MV*1352422**	1.00	1.02	ENH4X61*24**	*9MA*1202422A**	1.00	1.04
EHD4X60A**	*8MX*1102120**	1.00	1.02	ENH4X61*24**	*9MV*1202422A**	1.00	1.04

HEATING Multiplying Factors for other Indoor Combinations

Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)	Indoor Model	Furnace Model	CAPACITY (MBh)	Power (AMPS)
EHD4X60A**	*8MX*1352420**	1.00	1.03	ENH4X61*24**	*9MX*1202422A**	1.00	1.04
EHD4X60A**	*9MA*0802120A**	1.00	1.05	ENH4X61*24**	MV16J22**B*	1.00	1.01
EHD4X60A**	*9MA*1002122A**	1.00	1.03	ENH4X61*24**	MV20L24**B*	1.00	1.01
EHD4X60A**	*9MA*1202422A**	1.00	1.04	ENH4X61*24**	*8MPV125	1.01	1.04
EHD4X60A**	*9MV*1002120A**	1.01	1.05	ENH4X61*24**	*9MVX080	1.03	1.08
EHD4X60A**	*9MV*1202422A**	0.99	1.03	ENH4X61*24**	*9MVX100	1.02	1.07
EHD4X60A**	*9MX*0802120A**	1.00	1.04	ENH4X61*24**	OLV154F20A	1.00	1.03
EHD4X60A**	*9MX*1002120A**	1.01	1.05	ENH4X61*24**		1.01	1.04
EHD4X60A**	*9MX*1202422A**	1.00	1.04	FCM4X60****		1.00	1.00
EHD4X60A**	MV16J22**B*	1.00	1.00	FEM4X60****		1.00	1.01
EHD4X60A**	MV20L24**B*	1.00	1.00	FEM4X60**B*		1.00	1.05
EHD4X60A**	*8MPV125	1.01	1.04	FS(M,U)4X60**A*		1.02	1.07
EHD4X60A**	*9MVX080	1.03	1.08	FVM4X60****		1.00	1.00