


# **PIPE & CONDUIT SUPPORT**




## AS 004OD THRU AS 106P - Make selection in chart below.

□ EG □ ZTC □ Other \_\_\_\_

### **CUSHION CLAMP ASSEMBLY**





#### <u>Material</u>

Clamp: 1008-1010 Carbon Steel Cushion: Dupont Hytel Locknut: Nylon Insert Service Temperature: -65°F to 275°F.

Std Pkg & Wt/100 pcs: See chart above.

Part No.	O.D. Size	A	В	C	Std Pkg	Wt/100 pcs
AS 0040D	1/4"	0.25	0.62	0.98	25	10
AS 0060DN	3/8"	0.37	0.82	1.13	25	11
AS 0080DN	1/2"	0.50	0.94	1.34	25	13
AS 009P	(1/4" Pipe)	0.54	0.98	1.34	25	13
AS 0100DN	5/8"	0.62	1.06	1.54	25	14
AS 011P	(3/8" Pipe)	0.67	1.13	1.54	25	14
AS 0120DN	3/4"	0.75	1.20	1.68	25	14
AS 014P	(½" Pipe)	0.84	1.29	1.82	25	15
AS 0140DN	7/8"	0.87	1.31	1.82	25	15
AS 0160D	1"	1.00	1.44	1.95	25	17
AS 017P	(¾" Pipe)	1.05	1.50	2.08	20	17
AS 0180DN	11//8"	1.12	1.57	2.08	20	18
AS 0200D	11/4"	1.25	1.70	2.21	20	18
AS 021P	(1" Pipe)	1.31	1.76	2.34	20	19
AS 0220DN	1%"	1.37	1.82	2.34	20	20
AS 0240D	1½"	1.50	1.95	2.47	20	33
AS 0260DN	1%"	1.62	2.07	2.60	20	35
AS 027P	(11/4" Pipe)	1.66	2.17	2.73	20	35
AS 0280D	1¾"	1.75	2.20	2.73	20	37
AS 0300DP	(1½" Pipe)	1.90	2.35	2.86	20	39
AS 0320D	2"	2.00	2.45	3.04	10	41
AS 0340D	21/8"	2.12	2.57	3.23	10	46
AS 0380DP	(2" Pipe)	2.37	2.82	3.67	10	47
AS 0400D	21/2"	2.50	2.94	3.79	10	49
AS 0420D	25/8"	2.62	3.07	3.92	5	51
AS 0460DP	(2½" Pipe)	2.87	3.32	4.17	5	55
AS 0480D	3"	3.00	3.57	4.42	5	57
AS 0500D	31/8"	3.12	3.57	4.42	5	60
AS 0560DP	(3" Pipe)	3.50	3.95	4.79	5	55
AS 0580D	35%"	3.62	4.20	5.11	5	70
AS 0640DP	(3½" Pipe)	4.00	4.45	5.42	5	88
AS 0660D	41/8"	4.12	4.57	5.54	5	94
AS 0720DP	(4" Pipe)	4.50	4.95	5.92	5	110
AS 0820D	51/4"	5.12	5.57	6.54	5	125
AS 089P	(5" Pipe)	5.56	6.01	6.92	5	130
AS 0980D	61/8"	6.12	6.57	7.54	5	130
AS 106P	(6" Pipe)	6.62	7.07	8.23	5	140
 A0 1001	(O 1 1pc)	0.02	7.01	0.20		170

### **LEGEND**:

GR: Powder Coated Supr-Green EG: Electro-Galvanized AL: Aluminum HG: Hot Dipped Galvanized PL: Plain SS: Stainless Steel ZTC: Zinc Trivalent Chromium

PROJECT INFORMATION	APPROVAL STAMP
Project:	☐ Approved
Address:	Approved as noted
Contractor:	☐ Not approved
Engineer:	Remarks:
Submittal Date:	
Notes 1:	
Notes 2:	