



Classic Model Parts

Eyewash Bowls



154-058

Impact-resistant plastic eyewash bowl, 10" diameter



187-053

Corrosion-resistant stainless steel bowl, 10 $\frac{3}{4}$ " diameter

Dust Caps



107-371

Eyewash dust caps only (sold individually; two required per eyewash). Yellow plastic tether. Approximately 1" x 1".



S53-063

Dual Eye/Face wash dust caps only (sold individually; two required per eyewash). Beaded chain tether, 2 $\frac{1}{4}$ " x 1".



S53-310

Eyewash dust cap (sold individually; two required per eyewash). Beaded chain tether, 1" x 1".

Sprayhead and Spray Ring Assemblies



S39-394

Eyewash sprayhead assembly with supply stem



S39-396

Eye/face wash sprayhead assembly with supply stem



S39-681

Eye/face wash sprayhead assembly; stem not included

S39-682 (not shown)

Eye/face wash sprayhead assembly for use with PVC unit only. Stem not included



S45-2453

Eye/face wash (sprayheads only) Includes 2.4 gpm flow control inside each head. Total flow from dual heads is 4.8 gpm



S39-397

Eyewash and spray ring assembly with supply stem



Classic Model Parts

Eyewash Ball Valves, Handles and Hardware



S45-122
Plastic eyewash handle with 1/2" brass NPT stay-open ball valve and hardware

S45-123
Plastic eyewash handle with hardware

128-135
Plastic eyewash handle only

S27-282
Brass 1/2" NPT stay-open ball valve only



S30-070
Stainless steel eyewash handle with 1/2" brass NPT stay-open ball valve and hardware

S30-071
Stainless steel eyewash handle with hardware

S08-336
Stainless steel eyewash handle only

S27-282
Brass 1/2" NPT stay-open ball valve only



S30-072
For stainless steel hinged dust covers only. Stainless steel eyewash handle with 1/2" brass NPT stay-open ball valve and hardware

S30-087
For stainless steel hinged dust covers only. Stainless steel eyewash handle with hardware

S27-282
Brass 1/2" NPT stay-open ball valve only



S30-074
For S19-270BL (left-hand) eyewash only. Stainless steel eyewash handle with 1/2" brass NPT stay-open ball valve and hardware

S30-075
For S19-270BL (left-hand) eyewash only. Stainless steel eyewash handle with hardware

S27-282
Brass 1/2" NPT stay-open ball valve only



S30-109
Stainless steel eyewash handle with 1/2" stainless steel NPT stay-open valve

S30-110
Stainless steel eyewash handle with 1/2" vented stainless steel NPT stay-open ball valve

S30-111
316 stainless steel eyewash handle without dust cover with 1/2" stainless steel NPT stay-open ball valve

S30-116
316 stainless steel eyewash handle with hardware



S30-112
Stainless steel eyewash handle with dust cover with 1/2" stainless steel NPT stay-open ball valve



S08-338
For all-stainless steel units only. Stainless steel eyewash handle (can only be used with S27-287 ball valve)

S08-338SS
For all 316 stainless steel units only. 316 stainless steel eyewash handle (can only be used with S27-287 ball valve)



S27-287
Stainless steel 1/2" NPT stay-open ball valve
Discontinued 4/1/2013
S30-109 or S08-338 are available for replacement parts.



Classic Model Parts

Stem Assemblies, Spacers and Flow Restrictors

Sprayhead Assembly	Galvanized Fixture with Plastic Bowl	Galvanized Fixture with Stainless Steel Bowl	Standard Stainless Steel Fixture	316 Stainless Steel Fixture
Eyewash Only	S21-071 (stem) 113-1185 (stem spacer)	S21-071 (stem) 113-1159 (stem spacer)	S21-072 (stem) 113-1159 (stem spacer)	S21-075 (stem) 113-1159 (stem spacer)
Eye/Face Wash with Spray Ring	S21-073 (stem) 113-1185 (stem spacer)	S21-073 (stem) 113-1159 (stem spacer)	S21-074 (stem) 113-1159 (stem spacer)	None
Eye/Face Wash with Dual Black Heads	113-1150 (stem)	113-1150 (stem)	113-1151 (stem)	None

Spacers 113-1159 and 113-1185 are required for units that shipped on or before 11/2/2005.

Stem Assemblies



S21-071

Brass stem assembly with flow restrictor; **for units with eyewash only**

113-1150

Brass stem only; **for units with dual black eye/face wash heads**



S21-072

Stainless steel stem assembly with flow restrictor; **for stainless steel units with eyewash only**

S21-075

316 stainless steel stem assembly with flow restrictor; **for 316 stainless steel units (with eyewash) only**

113-1151

Stainless steel stem only; **for stainless steel units with dual black eye/face wash heads**



S21-073

Brass stem assembly with flow restrictor; **for units with eyewash and spray ring only**



S21-074

Stainless steel stem assembly with flow restrictor; **for stainless steel units with eyewash and spray ring only**

Stem Spacers



113-1159

Stainless steel stem spacer; for use in units with stainless steel bowl



113-1185

Black plastic stem spacer; for use in units with yellow plastic bowl

Eyewash and Eye/Face Wash Flow Restrictors



125-167

3.7 gpm pink flow restrictor; **for eyewash with face spray ring only** (stem not included)



125-032

3.5 gpm black flow restrictor; for swing-activated and swing-down units



Halo Model Parts

Covers and Bowl Kits



187-320
Plastic bowl



S90-390
Plastic bowl cover kit



S90-391
Stainless steel bowl kit



S90-388
Stainless steel bowl cover kit

S90-392
316 stainless steel bowl kit


Sprayhead Assemblies



S05-190
Sprayhead assembly




S05-192
Sprayhead assembly




S05-204
304 Stainless steel sprayhead assembly

S05-205
316 Stainless steel sprayhead assembly

Dust Cover Kits



S45-2675
Eyewash cover kit



S45-2676
Eye/Face wash cover kit


Ball Valves



S27-327
Chrome-plated brass 1/2" ball valve

S27-328 (not shown)
Stainless steel 1/2" ball valve

O-ring and Flow Control



S65-339
O-ring and screen



S88-068
O-ring and flow control

Handle Kit



S08-390
Handle kit



Spintec™ Showerhead and Drench Shower Parts

- Includes integral 22 gpm flow restrictor
- Fully distributes water throughout spray pattern
- Compact design minimizes footprint in your facility



S24-192
Plastic shroud and ring
(showerhead not included)



S24-193
Stainless steel shroud and ring
(showerhead not included)



S24-194
Plastic showerhead and 1"
diameter 90° elbow



S24-200
Stainless steel showerhead and
1" diameter 90° elbow



S24-195
Plastic shroud with ring, plastic
showerhead and 1" diameter 90° elbow



S24-196
Stainless steel shroud with ring, plastic
showerhead and 1" diameter 90° elbow



S24-202
Plastic showerhead, white steel in-ceiling recessed shroud
assembly, ring, coupling and 1" diameter 90° elbow



S154-147
Ring only



128-156A
Drench shower handle for standard
(non-barrier-free) units (27¾" x 9")

128-156B
Drench shower handle for flush-mount
(non-barrier-free) units (36" x 9")

128-156C
Drench shower handle (48" x 9")

128-156D
Drench shower handle (standard; shipped
with barrier-free showers) (45½" x 9")

128-156E
Drench shower handle (57" x 9")

128-156F
Drench shower handle (69" x 9")



S90-365C
Drench shower handle, 2-piece (48" x 9")

S90-365D
Drench shower handle, 2-piece (45½" x 9")



S30-059
Chrome-plated brass
1" NPT ball valve with
lever - recommended for
optimal performance

S27-278
Chrome-plated brass 1"
NPT ball valve only

S30-061 (not shown)
Stainless steel 1" NPT
ball valve with lever
-recommended for optimal
performance. Required to
service any product purchased
before August 2019.



Drench Hose Parts

Hoses



S89-002

8' thermoplastic hose;
yellow


S89-003

6' stainless steel hose



269-053

12' thermoplastic
hose; yellow



269-054

25' thermoplastic
hose; yellow

Hose Guide Bracket



140-226

Drench hose
guide bracket

Drench Hose Replacement Part Valves



S39-817

Replacement valve with
drench hose sprayhead

Backflow Prevention



S27-303

Dual-check
backflow preventer
compliant with
ASSE 1024 &
CSA B64.6 Watts
Series 7



S45-2309

Dual-check
vacuum breaker
compliant with
CSA B64.6
Watts Series 9



S45-2310

Dual-check backflow
preventer compliant with
ASSE 1012 Watts Series
9D; includes fittings for
easy installation



Other


Safety Signs and Tags




114-050
Drench shower sign




114-051
Eyewash sign




114-052
Combination drench
shower and eyewash sign



114-050E
International safety
drench shower sign



114-051E
International safety
eyewash sign



114-052E
International safety
combination drench
shower and eyewash sign


Foot Treadle Kits




S45-572
Foot treadle and hardware kit (with 3-foot chain) for standard pedestal-mounted eyewashes and combination shower/eyewash units with hand operation; provides supplemental foot operation

S45-1314SS
Type 316 stainless steel foot treadle and standard stainless steel hardware kit for stainless steel pedestal-mounted eyewashes and combination shower/eyewash units

S45-1314SS16
Type 316 stainless steel foot treadle and 316 stainless steel hardware kit for Type 316 stainless steel pedestal-mounted eyewashes and combination shower/eyewash units



S39-395
Foot treadle and hardware kit for wall-mounted eyewashes with hand operation; provides supplemental foot operation



S45-620
Foot treadle and hardware kit for model S19-310PVC combination drench shower and eyewash unit with hand operation; provides supplemental foot operation

On-Site Portables




S19-949 On-Site Eyewash Kit
Includes replacement cap, nine foam liners, inspection tag

269-1379 On-Site Water Foam Liner
Perforated foam liner (sold individually)



133-152
Gravity fed tank


Miscellaneous Supplies



204-421
Inspection tag
(sold individually)



269-964
Safety yellow touch-up
paint. 12-oz aerosol



269-1444
Eyewash test gauge



Other

Freeze and Scald Protection Kits

- **Freeze protection valves** completely open at 35°F (1.6°C) and closes at 45°F (7.2°C)
- **Scald protection valves** completely open at 105°F (40.5°C) and closes at 85°F (29.4°C)

Classic combination units require both drench shower and eyewash protection valves.




S45-1703

Freeze protection replacement valve for drench showers and eyewashes

S45-1702

Scald protection replacement valve for drench showers and eyewashes




S45-1987

Freeze protection kit for drench showers; includes freeze protection valve, tee, nipples, compression fitting, ball valve, tubing, and cable tie

S45-1990

Scald protection kit for drench showers; includes scald protection valve, tee, nipples, compression fitting, ball valve, tubing, and cable tie



S45-1986

Freeze protection kit for eyewashes; includes freeze protection valve, tee, nipples, compression fitting, ball valve, tubing, and cable tie

S45-1989

Scald protection kit for eyewashes includes scald protection valve, tee, nipples, compression fitting, ball valve, tubing, and cable tie

Optional Adapters

153-395

Female, 1³/₁₆" x 24 — Chrome

153-396

Male, 3/8" NPSM — Chrome

153-401

Female, 3/4" (Garden Hose) — Chrome