Jerritt

Two-Piece Round Front Toilet

PROFLO®

Product Features

· 1.28 GPF
· Gravity-fed Siphon Jet Flush
· Vitreous China
· 15" Round Front Bowl
· Rough-in: 10"
· Flush Valve: 2"
· Trapway: 2" Fully Glazed
· Water Spot: 6" x 5-1/2"
· Front Mounted Color Match Trip Lever
· Sanitary bar on bowl for easy cleaning
· Quick connect, two-bolt tank-to bowl installation

Optional Accessories/Available Parts

PF5112FLPK   Fill Valve Assembly
PF5112FVPK   Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications

· IAPMO/cUPC
· EPA WaterSense Certified
· ASME A112.19.2 / CAS B45.1
· MaP Rated 1000g

Available Colors: White (WH)

Tank	
PF5110HEWH	10" Rough-in Tank
PF5110RHEWH	10" Rough-in Right Hand Tank

| Bowl	
PF1400TWH	Round Front Bowl - 15"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. **Visit ferguson.com** for detailed warranty information.

Jerritt
Two-Piece Round Front Toilet

PROFLO®

FINISHED WALL LINE

25-3/4" (654 mm)

3/4" (19 mm)

6-1/4" (165 mm)

17-1/2" (445 mm)

29-3/4" (756 mm)

16-1/2" (419 mm)

14-3/8" (366 mm)

15" (361 mm)

℄ SUPPLY

Water Supply

10" (254 mm)

℄ OUTLET

FINISHED FLOOR LINE

5" (127 mm)

Bowl Footprint Dimensions

18-1/2" (470 mm)

6" (152 mm)

9-1/4" (235 mm)

6-1/8" (156 mm)

Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt
Two-Piece Elongated Bowl Toilet

PROFLO®

Product Features

· 1.28 GPF
· Gravity-fed Siphon Jet Flush
· Vitreous China
· 15" Elongated Bowl
· Rough-in: 10"
· Flush Valve: 2"
· Trapway: 2" Fully Glazed
· Water Spot" 7" x 6"
· Front Mounted Color Match Trip Lever
· Sanitary bar on bowl for easy cleaning
· Quick connect, two-bolt tank-to bowl installation

Optional Accessories/Available Parts

PF5112FLPK	Fill Valve Assembly
PF5112FVPK	Flush Valve Assembly
PF5112TLCPPK	Chrome Flush Lever

Codes and Certifications

UPC C ® WaterSense Meets EPA Criteria MaP® Maximum Performance

· IAPMO/cUPC
· EPA WaterSense Certified
· ASME A112.19.2 / CAS B45.1
· MaP Rated 1000g

Available Colors: White (WH)

Tank	
PF5110HEWH	10" Rough-in Tank
PF5110RHEWH	10" Rough-in Right Hand Tank

| Bowl	
PF1401TWH	Elongated Bowl - 15"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings.
**Visit ferguson.com** for detailed warranty information.

Jerritt
Two-Piece Elongated Bowl Toilet

PROFLO®

FINISHED WALL LINE

27-3/4" (705 mm)

3/4" (19 mm)

6-1/4" (165 mm)

17-1/2" (445 mm)

29-3/4" (756 mm)

18-1/2" (470 mm)

14-3/8" (366 mm)

℄ SUPPLY

15" (361 mm)

Water Supply

10" (254 mm)

℄ OUTLET

FINISHED FLOOR LINE

5" (127 mm)

Bowl Footprint Dimensions

18-1/2" (470 mm)

6" (152 mm)

9-1/4" (235 mm)

6-1/2" (165 mm)

Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

FERGUSON.COM/PROFLO

Jerritt

Two-Piece Elongated Bowl Toilet

PROFLO®

Product Features

· 1.28 GPF
· Gravity-fed Siphon Jet Flush
· Vitreous China
· 16-1/4" Elongated Bowl
· Rough-in: 10"
· Flush Valve: 2"
· Trapway: 2" Fully Glazed
· Water Spot: 7" x 6"
· Front Mounted Color Match Trip Lever
· Sanitary bar on bowl for easy cleaning
· Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

PF5112FLPK	Fill Valve Assembly
PF5112FVPK	Flush Valve Assembly
PF5112TLCPPK	Chrome Flush Lever

Codes and Certifications

C **UPC** ®   **WaterSense** Meets EPA Criteria   **MaP** Maximum Performance ®   ♿

· IAPMO/cUPC
· EPA WaterSense Certified
· ASME A112.19.2 / CAS B45.1
· MaP Rated 1000g
· Meets ADA requirements when installed according to ADA guidelines

Available Colors: White (WH)

| Tank	
PF5110HEWH	10" Rough-in Tank
PF5110RHEWH	10" Rough-in Right Hand Tank
Bowl	
PF1402TWH	Elongated, Comfort Height Bowl - 16-1/4"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. **Visit ferguson.com** for detailed warranty information.

Jerritt
Two-Piece
Elongated Bowl Toilet

FINISHED WALL LINE

28-1/2" (724 mm)

3/4" (19 mm)

6-1/4" (165 mm)

17-1/2" (444 mm)

31" (788 mm)

18-1/2" (470 mm)

14-3/8" (366 mm)

16-1/4" (413 mm)

Water
Supply

C̸L
SUPPLY

10" (254 mm)

C̸L
OUTLET

FINISHED FLOOR LINE

5" (127 mm)

Bowl Footprint Dimensions

18-1/2" (470 mm)

6" (152 mm)

9-1/4" (235 mm)

6-1/2" (165 mm)

Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

Jerritt

Two-Piece Elongated Bowl Toilet

PROFLO®

Product Features

· 1.28 GPF
· Gravity-fed Siphon Jet Flush
· Vitreous China
· 17" Elongated ADA Bowl
· Rough-in: 10"
· Flush Valve: 2"
· Trapway: 2" Fully Glazed
· Water Spot: 7" x 6"
· Front Mounted Color Match Trip Lever
· Sanitary bar on bowl for easy cleaning
· Quick connect, two-bolt "tank-to-bowl" installation

Optional Accessories/Available Parts

PF5112FLPK   Fill Valve Assembly
PF5112FVPK   Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications

UPC C ®   WaterSense Meets EPA Criteria   MaP Maximum Performance ®

· IAPMO/cUPC
· EPA WaterSense Certified
· ASME A112.19.2 / CAS B45.1
· MaP Rated 1000g
· Meets ADA guidelines

Available Colors: White (WH)

| Tank	
PF5110HEWH	10" Rough-in Tank
PF5110RHEWH	10" Rough-in Right Hand Tank
Bowl	
PF1403TWH	Elongated ADA Bowl - 17"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. **Visit ferguson.com** for detailed warranty information.

Jerritt

Two-Piece Elongated Bowl Toilet

PROFLO®

FINISHED WALL LINE

28-1/2" (724 mm)

3/4" (19 mm)

6-1/4" (165 mm)

31-3/4" (806 mm)

18-1/2" (470 mm)

17-1/2" (444 mm)

14-3/8" (366 mm)

17" (432 mm)

C̶L SUPPLY

Water Supply

10" (254 mm)

C̶L OUTLET

FINISHED FLOOR LINE

5" (127 mm)

Bowl Footprint Dimensions

18-1/2" (470 mm)

6" (152 mm)

9-1/4" (235 mm)

6-1/2" (165 mm)

Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerances of +3%. Dimensions less than 8" have a tolerances of +5%.

FERGUSON.COM/PROFLO