

GATOR LOCK

couplings



WARNING: Do not open or close this device with insufficient proper protection for your hands in the line.
TO OPEN PRESS PIN AND PULL LEVER
TO CLOSE: Check for correct installation before releasing the pin. Do not operate this device until the lever is fully closed. Press the pin to the closed position and ensure the lever is fully closed.

WARNING: Do not open or close this device with insufficient proper protection for your hands in the line.
TO OPEN PRESS PIN AND PULL LEVER
TO CLOSE: Check for correct installation before releasing the pin. Do not operate this device until the lever is fully closed. Press the pin to the closed position and ensure the lever is fully closed.

WARNING: Do not open or close this device with insufficient proper protection for your hands in the line.
TO OPEN PRESS PIN AND PULL LEVER
TO CLOSE: Check for correct installation before releasing the pin. Do not operate this device until the lever is fully closed. Press the pin to the closed position and ensure the lever is fully closed.

WARNING: Do not open or close this device with insufficient proper protection for your hands in the line.
TO OPEN PRESS PIN AND PULL LEVER
TO CLOSE: Check for correct installation before releasing the pin. Do not operate this device until the lever is fully closed. Press the pin to the closed position and ensure the lever is fully closed.

GATOR LOCK

couplings



Green Leaf[®], Inc. has brought exciting innovations to a product that has existed for years without change. These innovations have prepared this product for use in the 21st century while maintaining interchangeability with other designs.

Some features include:

ENHANCED SAFETY-

Exclusive Cam Lever Locking Mechanism helps to reduce the possibility of unintentionally opening the cam levers, which could result in personal injury and costly spills.

SMOOTH SEALING SURFACE-

Parting lines have been removed from the sealing area of the male couplings, as illustrated below, this reduces the possibility of leaks and wear to the rubber seal.



EXPANDED PRODUCT APPLICATION-

By extending the nipple length of the "B" series this coupling can now be used in applications which would normally require an additional fitting to cam properly.

These improvements and many others have been made to the Gator Lock[®] cam lever couplings which allows Green Leaf[®], Inc. to offer you a significantly improved product at a price that is competitive to products without these improvements.

A SERIES

SIZE & DESCRIPTION	PART #
Male Adapter/ 1/2" - Female Thread	GLP 050 A
Male Adapter/ 3/4" - Female Thread	GLP 075 A
Male Adapter/ 1" - Female Thread	GLP 100 A
Male Adapter/ 1 1/4" - Female Thread	GLP 125 A
Male Adapter/ 1 1/2" - Female Thread	GLP 150 A
Male Adapter/ 1 3/4" - Female Thread	GLP 150125 A
Male Adapter/ 2" - Female Thread	GLP 200 A
Male Adapter/ 3" - Female Thread	GLP 300 A
Male Adapter/ 4" - Female Thread	GLP 400 A



SERIES "A"

GATOR LOCK

couplings


Specifications:

- 1/2" through 2" maximum operating pressure 125 psi @ 70° F.
- 3" and 4" maximum operating pressure 90 psi @ 70° F.
- EPDM Gaskets
- 1/2" series couplings interchange with 3/4" size couplings. Coupling ends are 3/4" size.
- 1-1/4" series couplings interchange with 1" size couplings. Coupling ends are 1" size.

B SERIES

SIZE & DESCRIPTION	PART #	PRICE ea.	PART #
	LOCKING		NON-LOCKING
Female Coupler/ 1/2"- Male Thread	GLP 050 B	\$15.91	GLP 050 B NL
Female Coupler/ 3/4"- Male Thread	GLP 075 B	\$16.00	GLP 075 B NL
Female Coupler/ 1"- Male Thread	GLP 100 B	\$19.59	GLP 100 B NL
Female Coupler/ 1 1/4"- Male Thread	GLP 125 B	\$19.65	GLP 125 B NL
Female Coupler/ 1 1/2"- Male Thread	GLP 150 B	\$24.29	GLP 150 B NL
Female Coupler/ 1 1/4"- Male Thread			GLP 150125 B NL
Female Coupler/ 2"- Male Thread	GLP 200 B	\$26.29	GLP 200 B NL
Female Coupler/ 3"- Male Thread			GLP 300 B NL
Female Coupler/ 4"- Male Thread			GLP 400 B NL


SERIES "B"

SERIES "C"
C SERIES

SIZE & DESCRIPTION	PART #	PRICE ea.	PART #
	LOCKING		NON-LOCKING
Female Coupler/ 1/2"- Hose Shank	GLP 050 C	\$15.99	GLP 050 C NL
Female Coupler/ 3/4"- Hose Shank	GLP 075 C	\$16.01	GLP 075 C NL
Female Coupler/ 1"- Hose Shank	GLP 100 C	\$19.39	GLP 100 C NL
Female Coupler/ 1 1/4"- Hose Shank	GLP 125 C	\$19.39	GLP 125 C NL
Female Coupler/ 1 1/2"- Hose Shank	GLP 150 C	\$23.98	GLP 150 C NL
Female Coupler/ 1 1/4"- Hose Shank			GLP 150125 C NL
Female Coupler/ 2"- Hose Shank	GLP 200 C	\$26.29	GLP 200 C NL
Female Coupler/ 3"- Hose Shank			GLP 300 C NL
Female Coupler/ 4"- Hose Shank			GLP 400 C NL


SERIES "D"
D SERIES

SIZE & DESCRIPTION	PART #	PRICE ea.	PART #
	LOCKING		NON-LOCKING
Female Coupler/ 1/2"- Female Thread	GLP 050 D	\$18.65	GLP 050 D NL
Female Coupler/ 3/4"- Female Thread	GLP 075 D	\$18.62	GLP 075 D NL
Female Coupler/ 1"- Female Thread	GLP 100 D	\$22.25	GLP 100 D NL
Female Coupler/ 1 1/4"- Female Thread	GLP 125 D	\$22.27	GLP 125 D NL
Female Coupler/ 1 1/2"- Female Thread	GLP 150 D	\$23.98	GLP 150 D NL
Female Coupler/ 1 1/4"- Female Thread			GLP 150125 D NL
Female Coupler/ 2"- Female Thread	GLP 200 D	\$27.27	GLP 200 D NL
Female Coupler/ 3"- Female Thread			GLP 300 D NL
Female Coupler/ 4"- Female Thread			GLP 400 D NL

GATOR LOCK

couplings

**SERIES "E"****SERIES "F"****"PL" SERIES****"CAP" SERIES****E SERIES**

SIZE & DESCRIPTION	PART #
Male Adapter/ 1/2" - Hose Shank	GLP 050 E
Male Adapter/ 3/4" - Hose Shank	GLP 075 E
Male Adapter/ 1" - Hose Shank	GLP 100 E
Male Adapter/ 1 1/4" - Hose Shank	GLP 125 E
Male Adapter/ 1 1/2" - Hose Shank	GLP 150 E
Male Adapter/ 1 1/4" - Hose Shank	GLP 150125 E
Male Adapter/ 2" - Hose Shank	GLP 200 E
Male Adapter/ 3" - Hose Shank	GLP 300 E
Male Adapter/ 4" - Hose Shank	GLP 400 E

F SERIES

SIZE & DESCRIPTION	PART #
Male Adapter/ 1/2" - Male Thread	GLP 050 F
Male Adapter/ 3/4" - Male Thread	GLP 075 F
Male Adapter/ 1" - Male Thread	GLP 100 F
Male Adapter/ 1 1/4" - Male Thread	GLP 125 F
Male Adapter/ 1 1/2" - Male Thread	GLP 150 F
Male Adapter/ 1 1/4" - Male Thread	GLP 150125 F
Male Adapter/ 2" - Male Thread	GLP 200 F
Male Adapter/ 3" - Male Thread	GLP 300 F
Male Adapter/ 4" - Male Thread	GLP 400 F

PL SERIES

SIZE & DESCRIPTION	PART #
1/2" - Plug for Female Coupler	GLP 050 PL
3/4" - Plug for Female Coupler	GLP 075 PL
1" - Plug for Female Coupler	GLP 100 PL
1 1/4" - Plug for Female Coupler	GLP 125 PL
1 1/2" - Plug for Female Coupler	GLP 150 PL
2" - Plug for Female Coupler	GLP 200 PL
3" - Plug for Female Coupler	GLP 300 PL
4" - Plug for Female Coupler	GLP 400 PL

CAP SERIES

SIZE & DESCRIPTION	PART #	PRICE ea.	PART #
			LOCKING
1/2" - CAP for Male Adapter	GLP 050 CAP	\$15.88	GLP 050 CAP NL
3/4" - CAP for Male Adapter	GLP 075 CAP	\$15.88	GLP 075 CAP NL
1" - CAP for Male Adapter	GLP 100 CAP	\$19.27	GLP 100 CAP NL
1 1/4" - CAP for Male Adapter	GLP 125 CAP	\$19.27	GLP 125 CAP NL
1 1/2" - CAP for Male Adapter	GLP 150 CAP	\$23.98	GLP 150 CAP NL
2" - CAP for Male Adapter	GLP 200 CAP	\$26.29	GLP 200 CAP NL
3" - CAP for Male Adapter			GLP 300 CAP NL
4" - CAP for Male Adapter			GLP 400 CAP NL

Specifications:

- 1/2" through 2" maximum operating pressure 125 psi @ 70° F.
- 3" and 4" maximum operating pressure 90 psi @ 70° F.
- EPDM Gaskets
- 1/2" series couplings interchange with 3/4" size couplings. Coupling ends are 3/4" size.
- 1-1/4" series couplings interchange with 1" size couplings. Coupling ends are 1" size.

SPOOL ADAPTER

SIZE & DESCRIPTION	PART #
	NON - LOCKING
2" Spool Adapter	GLP 200 SA

45° F

SIZE & DESCRIPTION	PART #
	NON - LOCKING
45° 2" Male Adapter/ 2" Male Thread	GLP 200 F45

90° SERIES

SIZE & DESCRIPTION	PART #
	NON - LOCKING
90° Male Adapter/ 1 1/2" Female Thread	GLP 150 AL
90° Male Adapter/ 2" Female Thread	GLP 200 AL
90° Female Coupler/ 1 1/2" Hose Shank	GLP 150 CL NL
90° Female Coupler/ 2" Hose Shank	GLP 200 CL NL
90° Female Coupler/ 1 1/2" Female Thread	GLP 150 DL NL
90° Female Coupler/ 2" Female Thread	GLP 200 DL NL
90° Male Adapter/ 1 1/2" Male Thread	GLP 150 FL
90° Male Adapter/ 2" Male Thread	GLP 200 FL

REPLACEMENT GASKET

SIZE & DESCRIPTION	PART #
1/2" & 3/4" EPDM Replacement Gasket	90043
1" & 1 1/4" EPDM Replacement Gasket	90042
1 1/2" EPDM Replacement Gasket	90041
2" EPDM Replacement Gasket	90040
3" EPDM Replacement Gasket	90039
4" EPDM Replacement Gasket	90038

GATOR LOCK

couplings


F45


GATOR LOCK

couplings

**300 B-200 A****200-300 A****200-300 F**

Gator Lock 200-300 Series

SIZE & DESCRIPTION	PART #
2" Male Adapter x 3" Female Thread	GLP 200-300 A
2" Male Adapter x 3" Male Thread	GLP 200-300 F
3" Female Coupler x 2" Male Adapter	GLP 300 B-200 A

**SERIES "B"****SERIES "C"****SERIES "D"****"CAP" SERIES**

Green Arm Couplings

- Same features as Green Leaf's® original Gator Lock® Couplings, but with the Economical Plastic Arms
- Glass-Filled Polypropylene
- Arms have Lifetime Warranty
- Maximum operating pressure 90 psi @ 70° F
- Non-Locking
- EPDM Gaskets
- 1-1/2" and 2" sizes available

**Reinforced Polypropylene
Arms with Lifetime
Warranty**

ITEM	DESCRIPTION	1 1/2"	PRICE ea.	2"
B	Female Coupler/Male Thread	GLP 150 B NLP	\$16.05	GLP 200 B NLP
C	Female Coupler/Hose Shank	GLP 150 C NLP	\$16.05	GLP 200 C NLP
D	Female Coupler/Female Thread	GLP 150 D NLP	\$16.97	GLP 200 D NLP
CAP	Cap for Male Adapter	GLP 150 CAP NLP	\$16.05	GLP 200 CAP NLP




GATOR LOCK

couplings



Suggested Configurations



Garden Hose Couplings

Polypropylene Garden Hose Couplings used to connect a FGHT to a MGHT

PART #	SIZE & DESCRIPTION
GLP 075 QVA	3/4" FGHT x 3/4" Male Adapter with On-Off Valve
GLP 075 QA	3/4" FGHT x 3/4" Male Adapter
GLP 075 QB	3/4" MGHT x 3/4" Female Adapter
GLP 075 QD	3/4" FGHT x 3/4" Female Coupler
GLP 075 QF	3/4" MGHT x 3/4" Male Adapter
GLP 075 QYD	3/4" Female Coupler x (2) 3/4" Male Adapter with On-Off Valve

Use either of the valve connectors as a quick shutoff at the end of any garden hose.

GATOR LOCK COUPLINGS