



**MCR
SAFETY**

N9690 Ninja Dipped Specification Sheet

PRODUCT DESCRIPTION:

MCR Safety Ninja® gloves are engineered to provide the highest level of innovation. Each of the offerings in the Ninja® series include a unique shell and polymer combination incorporating the latest in hand protection technology. Our Ninja® Glove Line offers the greatest assortment of dexterity, sense of touch, and protection. The Ninja® Ice features a 15 gauge black nylon shell with a 7 gauge acrylic terry interior liner. Black HPT coated palm and fingertips.

FEATURES:

- Acrylic Terry liner for insulation / warmth.
- HPT repels liquids while providing strong wet or dry grip
- Coating remains soft in temperatures as low as -58 F

APPLICATIONS:

Cold storage applications, Commercial fishing, Frozen food packaging, Agriculture, Construction, Farming, Landscaping, Shipping / receiving, Warehousing



TECHNICAL DATA FOR: N9690

Series	Ninja	EN 388 : CE Score - Abrasion	3
Material Group	Strings	EN 388 : CE Score - Cut	2
Product Type	Dipped	EN 388 : CE Score - Tear	3
Glove Size	Large	EN 388 : CE Score - Puncture	2
Gauge	15 / 7 Gauge	ANSI Cut	A3
Material	Nylon / Acrylic	ANSI Puncture	2
Insulated	Yes	ANSI Abrasion	3
Lining	Acrylic	ANSI Contact Heat	2 - Temps up to 284°F
Made In	Pakistan,USA		

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2019 MCR Safety - All Rights Reserved



MCR
SAFETY

N9690

Ninja

Dipped

Specification Sheet



Item No:	Size:	A:	B:	C:	Case Weight	UOM Weight
N9690XL	X - Large	11.024	4.528	N/A	25.350 lb.	4.225
N9690S	Small	9.448	3.937	N/A	19.662 lb.	3.277
N9690L	Large	10.228	4.331	N/A	22.158 lb.	3.693
N9690M	Medium	9.843	4.134	N/A	21.552 lb.	3.592
N9690XXL	XX - Large	11.417	4.764	N/A	27.348 lb.	4.558

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2019 MCR Safety - All Rights Reserved