



# 12"-30" HP STORM WATERSTOP MANHOLE CAST-IN-PLACE CONNECTION (DUAL WALL)

INSTALLATION VIEW



DETAILED CONNECTION VIEW



PIPE SIZE	PIPE OD	ADS PRODUCT CODE
12" (300mm)	14.5" (368mm)	1202PS
15" (375mm)	17.6" (447mm)	1502PS
18" (450mm)	21.2" (538mm)	1802PS
21" (525mm)	24.8" (630mm)	2102PS
24" (600mm)	27.8" (706mm)	2402PS
30" (750mm)	35.1" (892mm)	3002PS

**NOTES:**

PERFORMANCE HIGHLY DEPENDENT ON INSTALLATION. CONTRACTOR MUST ENSURE MANHOLE GASKET IS UNIFORMLY SEATED AROUND STRUCTURE ADAPTER. EXTRA PRECAUTIONS MUST BE TAKEN TO PREVENT DIFFERENTIAL SETTLEMENT BETWEEN THE PIPE AND MANHOLE.

INSTALLATION RECOMMENDATIONS ARE ALSO SPECIFIED IN INSTALLATION GUIDE 1.05: WATERSTOP INSTALLATION

2	ADDED METRIC UNITS AND RENAMED	TJR	02/01/16/16	
REV.	DESCRIPTION	BY	MM/DD/YY	CHK'D

© 2016 ADS, INC

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

**12"-30" HP STORM MH WATERSTOP CAST-IN-PLACE**

DRAWING NUMBER: STD-206B



4640 TRUEMAN BLVD  
HILLIARD, OHIO 43026

DRAWN BY	RJS
DATE	10/5/15
CHK'D BY	
SCALE	NTS
SHEET	1 OF 1