



# Ballast® | K-1936

60" x 32" alcove shower base, right drain

## Features

- Low-threshold design for easy entry and exit
- Single threshold for alcove installation with integral tile-in flange
- Durable acrylic with resin concrete core construction
- Allows for quick and easy mortarless installation



## Available Colors/Finishes

*Color tiles intended for reference only.*

0 White



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
4-15-2026 3:10 - US-CA

THE BOLD LOOK  
OF **KOHLER**

## Codes/Standards

CSA B45.5/IAPMO Z124  
ASTM E162  
ASTM E662

## Technical Information

*All product dimensions are nominal.*

|                            |                   |
|----------------------------|-------------------|
| Drain Location:            | Right             |
| Drain Hole Diameter:       | 3-3/8" (86 mm)    |
| Shower Ledge Minimum Flat: | 2" (51 mm)        |
| Weight:                    | 128 lbs (58.1 kg) |

## Recommended Products/Accessories

K-23726 Drain treatment  
K-23732 Tub & shower cleaner  
K-9132 Round shower drain for use with plastic pipe, gasket included

## Required Products/Accessories

- K-707200-D3 Sliding shower door, 70" H x 56-5/8 - 59-5/8" W, with 1/4" thick Frosted glass
- or
- K-707200-L Sliding shower door, 70" H x 56-5/8 - 59-5/8" W, with 1/4" thick Crystal Clear glass
- or
- K-707201-L Sliding shower door, 70" H x 56-5/8 - 59-5/8" W, with 5/16" thick Crystal Clear glass
- or
- K-707206-D3 Sliding shower door, 76" H x 56-5/8 - 59-5/8" W, with 5/16" thick Frosted glass
- or
- K-707206-L 76" H sliding shower door with 5/16"-thick glass


## Warranty

*See website for detailed warranty information.*

KOHLER® Plastic Baths and Shower Bases Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
4-15-2026 3:10 - US-CA



## Installation

- Right drain

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.

**CAUTION:** Risk of property damage and personal injury. Using this product without a shower door may cause water damage and may create a wet and potentially dangerous environment. Install a shower door with this product.

A shower door with a bottom track is required for this receptor. Kohler Co. shall not be responsible for problems encountered due to the installation and use of other manufacturer's shower doors.

Refer to Kohler Fixtures Price Book for complete list of required shower doors for this product.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications. For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.

4-15-2026 3:10 - US-CA