



Schedule 80 PVC Product PVC Schedule 80 Fittings

Tees

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Special Reinforced Reducing (continued)

Socket x Socket x SR Fipt - Stainless Steel Collar

802-413SR ¹	4X1/4	5	0	086	195.69
802-415SR ¹	4X1/2	5	0	086	212.68

¹ Sized with Bushing

Tee - Brass Transition

Socket x Socket x Fipt With Brass Thread Insert

802-005BR	1/2	20	120	086	68.79
802-007BR	3/4	20	80	086	137.84

Not intended to convey or dispense water for human consumption through drinking or cooking

Tee - Brass Transition Reducing

Socket x Socket x Fipt With Brass Thread Insert

802-072BR	1/2X1/4	20	120	086	74.14
802-101BR	3/4X1/2	50	0	086	85.84

Not intended to convey or dispense water for human consumption through drinking or cooking

Tee - Reducing

Socket x Fipt x Socket

803-095	3/4X1/2X3/4	50	0	080	26.51
---------	-------------	----	---	-----	-------

Tee - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar x Socket

(See also Gauge & Instrument Fittings for additional configurations)

803-095SR	3/4X1/2X3/4	15	0	086	27.56
-----------	-------------	----	---	-----	-------

Tee

Fipt x Fipt x Fipt

805-002	1/4	25	150	080	22.52
805-003	3/8	25	150	080	22.52
805-005	1/2	20	240	080	22.52
805-007	3/4	15	120	080	25.04
805-010	1	15	0	080	55.30
805-012	1-1/4	10	0	080	58.63
805-015	1-1/2	10	0	080	71.08
805-020	2	10	0	080	76.41
805-025	2-1/2	5	0	080	278.26
805-030	3	5	0	080	290.60
805-040	4	5	0	080	472.24

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee (continued)

Fipt x Fipt x Fipt

805-060F	6	1	2	080	1019.09
805-080F	8	1	0	080	2007.19

Tee - Special Reinforced

SR Fipt x SR Fipt x SR Fipt - Stainless Steel Collar

805-002SR	1/4	25	150	086	19.62
805-003SR	3/8	25	150	086	19.62
805-005SR	1/2	25	150	086	20.23
805-007SR	3/4	25	100	086	22.23
805-010SR	1	15	0	086	52.82
805-015SR	1-1/2	10	0	086	61.86
805-020SR	2	10	0	086	65.02

Tee - Street

Spigot x Socket x Socket

844-005	1/2	25	200	080	24.34
844-007	3/4	15	120	080	25.53
844-010	1	15	0	080	31.92
844-012	1-1/4	10	0	080	87.73
844-015	1-1/2	10	0	080	87.73
844-020	2	10	0	080	109.62

90° Ells

90° Ell

Socket x Socket

806-002	1/4	50	300	080	6.88
806-003	3/8	25	150	080	6.88
806-005	1/2	20	240	080	6.88
806-007	3/4	20	160	080	8.82
806-010	1	25	0	080	14.22
806-012	1-1/4	10	0	080	19.04
806-015	1-1/2	25	0	080	20.38
806-020	2	25	0	080	24.62
806-025	2-1/2	5	0	080	57.64
806-030	3	6	0	080	64.80
806-040	4	5	0	080	98.54
806-045F	4-1/2	1	2	083	453.07
806-050	5	4	0	080	252.63
806-050F	5	1	4	083	505.88
806-060	6	4	0	080	280.41
806-080	8	2	0	080	772.90
806-080F	8	1	2	083	776.54
806-100	10	1	0	081	3458.96
806-100F	10	1	0	083	1380.41
806-120	12	1	0	081	4509.01
806-120F	12	1	0	083	2256.33

Schedule 80 PVC Product
PVC Schedule 80 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell (continued)

Socket x Socket

806-140	14	1	0	082	5055.59
806-140F	14	1	0	083	2878.21
806-160F	16	1	0	083	3579.58
806-180F	18	1	0	083	5115.70
806-200F	20	1	0	083	6109.23
806-240F	24	1	0	083	9381.49
806-338 ¹	3X2	5	0	080	158.84
806-422 ¹	4X3	5	0	080	237.27

¹ Sized with Bushing



90° Ell Sweep

Socket x Socket

806-005S	1/2	25	150	080	17.22
806-007S	3/4	25	100	080	22.28
806-010S	1	20	0	080	35.91
806-012S	1-1/4	25	0	080	47.53
806-015S	1-1/2	20	0	080	51.04
806-020S	2	25	0	080	61.86



90° Ell - Long Sweep

Socket x Socket

806-005LSF	1/2	25	200	083	59.70
806-007LSF	3/4	25	0	083	67.01
806-010LSF	1	25	0	083	74.92
806-012LSF	1-1/4	25	0	083	126.68
806-015LSF	1-1/2	1	25	083	128.30
806-020LSF	2	1	10	083	138.69
806-025LSF	2-1/2	1	7	083	238.16
806-030LSF	3	1	5	083	259.81
806-040LSF	4	1	4	083	291.34
806-060LSF	6	1	2	083	446.27
806-080LSF	8	1	0	083	935.26
806-100LSF	10	1	0	083	1591.33

Not Listed for Electrical Conduit Use



90° Ell

Socket x Fipt

807-002	1/4	25	450	080	27.16
807-003	3/8	25	150	080	27.16
807-005	1/2	20	240	080	27.16
807-007	3/4	20	240	080	31.96
807-010	1	20	0	080	34.58
807-012	1-1/4	10	40	080	39.84
807-015	1-1/2	10	0	080	47.56
807-020	2	10	0	080	61.56

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell (continued)

Socket x Fipt

807-030	3	5	0	080	147.08
807-040	4	5	0	080	277.38
807-060 ¹	6	3	0	080	643.59

¹ Thread outlet sized with Female Adapter



90° Ell - Reducing

Socket x Fipt

807-101	3/4X1/2	10	60	080	16.47
807-130 ¹	1X1/2	10	80	080	26.28
807-131 ¹	1X3/4	10	80	080	26.28

¹ Sized with Bushing



90° Ell - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar

807-005SR	1/2	20	240	086	16.14
807-007SR	3/4	75	0	086	19.18
807-010SR	1	50	0	086	19.39
807-012SR	1-1/4	25	0	086	26.09
807-015SR	1-1/2	10	0	086	32.21
807-020SR	2	10	0	086	36.93
807-030SR	3	5	0	086	93.82
807-040SR	4	5	0	086	165.76



90° Ell - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar

807-101SR	3/4X1/2	50	0	086	19.12
807-130SR	1X1/2	50	0	086	21.48



90° Ell - Brass Transition

Socket x Fipt With Brass Thread Insert

807-005BR	1/2	20	240	086	60.44
807-007BR	3/4	20	160	086	106.99

Not intended to convey or dispense water for human consumption through drinking or cooking



90° Ell - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert

807-101BR	3/4X1/2	20	120	086	75.40
-----------	---------	----	-----	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking



Schedule 80 PVC Product PVC Schedule 80 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------



90° Ell

Fipt x Fipt

808-002	1/4	25	450	080	17.12
808-003	3/8	25	150	080	17.12
808-005	1/2	20	120	080	15.98
808-007	3/4	20	240	080	19.93
808-010	1	15	120	080	25.04
808-012	1-1/4	10	40	080	26.99
808-015	1-1/2	10	0	080	38.28
808-020	2	10	0	080	43.12
808-025	2-1/2	5	0	080	167.94
808-030	3	5	0	080	270.84
808-040	4	5	0	080	476.53

90° Ell - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar

808-003SR	3/8	25	150	086	9.43
808-005SR	1/2	20	120	086	9.43
808-007SR	3/4	20	120	086	11.86
808-010SR	1	50	0	086	13.82
808-012SR	1-1/4	25	0	086	14.73
808-015SR	1-1/2	10	0	086	22.99
808-020SR	2	10	0	086	25.88

90° Street Ell

Spigot x Socket

809-005	1/2	50	200	080	8.67
809-007	3/4	50	0	080	11.04
809-010	1	50	0	080	17.80
809-012	1-1/4	25	0	080	23.82
809-015	1-1/2	10	0	080	25.53
809-020	2	25	0	080	30.82
809-025 ¹	2-1/2	5	0	080	73.03
809-030	3	5	0	080	86.46
809-040	4	4	0	080	131.38
809-060 ¹	6	1	0	080	373.89
809-080 ¹	8	2	0	080	1030.53
809-100 ¹	10	1	0	081	4610.68
809-100F	10	1	0	083	1840.61
809-120 ¹	12	1	0	081	6010.17
809-120F	12	1	0	083	3008.46
809-140 ¹	14	1	0	082	6812.52
809-140F	14	1	0	083	3676.73
809-160F	16	1	0	083	3977.36
809-180F	18	1	0	083	5601.48
809-200F	20	1	0	083	9568.28

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street Ell (continued)

Spigot x Socket

809-240F	24	1	0	083	14867.64
----------	----	---	---	-----	----------

1 = Assembled with Molded Components



90° Street Ell

Mipt x Fipt

812-002	1/4	50	300	080	36.86
812-005 ¹	1/2	25	150	080	30.59
812-007	3/4	25	150	080	34.74
812-010 ¹	1	50	0	080	47.24
812-012 ¹	1-1/4	10	0	080	54.28
812-015 ¹	1-1/2	10	0	080	88.92

¹ Sized with Adapter

Non 90° Ells



11-1/4° Ell

Socket x Socket

811-005F	1/2	1	52	083	55.89
811-007F	3/4	1	20	083	56.28
811-010F	1	1	50	083	61.56
811-012F	1-1/4	1	26	083	66.69
811-015	1-1/2	25	0	080	55.74
811-020	2	10	0	080	68.33
811-025F	2-1/2	1	25	083	81.71
811-030	3	10	0	080	175.19
811-040	4	4	0	080	314.84
811-045F	4-1/2	1	18	083	178.01
811-050F	5	1	4	083	213.50
811-060F	6	1	10	083	218.49
811-080F	8	1	4	083	357.64
811-100F	10	1	2	083	633.84
811-120F	12	1	2	083	926.40
811-140F	14	1	0	083	1418.23
811-160F	16	1	0	083	1895.80
811-180F	18	1	0	083	2447.34
811-200F	20	1	0	083	4222.22
811-240F	24	1	0	083	5037.49

30° Ell

Socket x Socket

815-005F	1/2	1	25	083	55.89
815-007F	3/4	1	25	083	56.28
815-010F	1	1	30	083	61.56
815-012F	1-1/4	1	15	083	66.69
815-015F	1-1/2	1	25	083	67.61
815-020F	2	1	25	083	73.73
815-025F	2-1/2	1	18	083	81.71



Schedule 80 PVC Product
PVC Schedule 80 Fittings



Non 90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
30° Ell (continued)					
Socket x Socket					
815-030F	3	1	20	083	89.12
815-040F	4	1	6	083	116.84
815-045F	4-1/2	1	18	083	178.01
815-050F	5	1	4	083	213.50
815-060	6	5	0	080	396.38
815-080F	8	1	3	083	357.64
815-100F	10	1	2	083	633.84
815-120F	12	1	2	083	926.40
815-140F	14	1	0	083	1418.23
815-160F	16	1	0	083	1895.80
815-180F	18	1	0	083	2912.33
815-200F	20	1	0	083	4222.22
815-240F	24	1	0	083	5037.49

22-1/2° Ell

Socket x Socket

816-005	1/2	20	240	080	15.34
816-007	3/4	20	240	080	23.39
816-010	1	20	160	080	35.06
816-010F	1	1	25	083	33.82
816-015F	1-1/2	1	25	083	58.97
816-012	1-1/4	20	0	080	44.63
816-015	1-1/2	20	0	080	52.77
816-020	2	20	0	080	68.33
816-025	2-1/2	5	0	080	140.43
816-025F	2-1/2	1	18	083	81.71
816-030	3	5	0	080	175.19
816-040	4	4	0	080	314.84
816-045F	4-1/2	1	18	083	178.01
816-050F	5	1	8	083	213.50
816-060	6	4	0	080	396.38
816-060F	6	1	8	083	218.49
816-080	8	4	0	080	859.60
816-080F	8	1	4	083	357.64
816-100F	10	1	2	083	633.84
816-120F	12	1	2	083	926.40
816-140F	14	1	0	083	1418.23
816-160F	16	1	0	083	1895.80
816-180F	18	1	0	083	2447.34
816-200F	20	1	0	083	4222.22
816-240F	24	1	0	083	5037.49

45° Ell

Socket x Socket

817-002	1/4	25	450	080	24.80
817-003	3/8	50	300	080	24.80
817-005	1/2	20	240	080	12.98

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

45° Ell (continued)
Socket x Socket

817-007	3/4	20	240	080	19.87
817-010	1	15	120	080	29.77
817-012	1-1/4	10	80	080	37.92
817-015	1-1/2	10	0	080	44.84
817-020	2	10	0	080	58.14
817-025	2-1/2	5	0	080	122.08
817-030	3	5	0	080	148.62
817-040	4	5	0	080	267.57
817-045F	4-1/2	1	2	083	185.37
817-050	5	4	0	080	320.13
817-050F	5	1	4	083	252.96
817-060	6	4	0	080	336.97
817-080	8	2	0	080	730.60
817-100	10	1	0	081	2300.20
817-100F	10	1	2	083	970.76
817-120	12	1	0	081	2967.10
817-120F	12	1	0	083	1365.72
817-140	14	1	0	082	3483.84
817-140F	14	1	0	083	2226.08
817-160F	16	1	0	083	2725.26
817-180F	18	1	0	083	3317.07
817-200F	20	1	0	083	4556.18
817-240F	24	1	0	083	5643.56

15° Ell

Socket x Socket

818-005F	1/2	1	25	083	55.89
818-007F	3/4	1	23	083	56.28
818-010F	1	1	20	083	61.56
818-015F	1-1/2	1	25	083	67.61
818-020F	2	1	25	083	73.73
818-025F	2-1/2	1	18	083	240.69
818-030F	3	1	35	083	89.12
818-040F	4	1	20	083	116.84
818-045F	4-1/2	1	18	083	178.01
818-050F	5	1	4	083	213.50
818-060F	6	1	8	083	218.49
818-080F	8	1	4	083	357.64
818-100F	10	1	2	083	633.84
818-120F	12	1	2	083	926.40
818-140F	14	1	0	083	1418.23
818-160F	16	1	0	083	1895.80
818-180F	18	1	0	083	2447.34
818-200F	20	1	0	083	4222.22
818-240F	24	1	0	083	5037.49

45° Ell

Fipt x Fipt

819-002	1/4	25	450	080	28.16
---------	-----	----	-----	-----	-------



Schedule 80 PVC Product PVC Schedule 80 Fittings

Non 90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
45° Ell (continued)					
Fipt x Fi					
819-003	3/8	25	150	080	28.16
819-005	1/2	25	150	080	25.68
819-007	3/4	10	60	080	27.58
819-010	1	10	60	080	34.61
819-012	1-1/4	10	80	080	52.78
819-015	1-1/2	10	0	080	66.36
819-020	2	10	0	080	98.39
819-025	2-1/2	5	0	080	194.67
819-030	3	5	0	080	313.13
819-040	4	5	0	080	449.30

45° Ell - Special Reinforced

SR Fi x SR Fi - Stainless Steel Collar

819-005SR	1/2	25	150	086	14.82
819-007SR	3/4	25	300	086	16.22
819-010SR	1	10	60	086	26.82

60° Ell

Socket x Socket

824-005F	1/2	1	7	083	155.12
824-007F	3/4	1	25	083	183.14
824-010F	1	1	25	083	199.26
824-012F	1-1/4	1	16	083	203.17
824-015F	1-1/2	1	16	083	217.02
824-020F	2	1	16	083	275.31
824-025F	2-1/2	1	10	083	324.11
824-030F	3	1	4	083	324.73
824-040F	4	1	4	083	417.23
824-060F	6	1	2	083	745.18
824-080F	8	1	2	083	903.16
824-100F	10	1	2	083	1543.11
824-120F	12	1	0	083	2015.52
824-140F	14	1	0	083	2509.76
824-160F	16	1	0	083	2835.76
824-180F	18	1	0	083	5021.89
824-200F	20	1	0	083	5540.52
824-240F	24	1	0	083	9239.07

45° Street Ell

Spigot x Socket

827-005	1/2	50	400	080	12.98
827-007	3/4	50	0	080	19.87
827-010	1	50	0	080	29.77
827-012	1-1/4	25	0	080	37.92
827-015	1-1/2	25	0	080	44.84

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

45° Street Ell (continued)

Spigot x Socket

827-020	2	10	0	080	58.14
827-025 ¹	2-1/2	12	0	080	76.67
827-030	3	10	0	080	148.62
827-040	4	5	0	080	267.57
827-050F	5	1	2	083	323.72
827-060	6	4	0	080	396.38
827-080	8	2	0	080	859.60
827-100 ¹	10	1	0	081	2706.21
827-120 ¹	12	1	0	081	3490.72
827-140F	14	1	0	083	2054.62
827-160F	16	1	0	083	3295.88
827-180F	18	1	0	083	3684.46
827-200F	20	1	0	083	4847.16
827-240F	24	1	0	083	7707.37

1 = Assembled with Molded Components

22-1/2° Street Ell

Spigot x Socket

842-005	1/2	50	400	080	15.91
842-007	3/4	50	0	080	24.49
842-010	1	50	0	080	38.46
842-012	1-1/4	20	0	080	47.90
842-015	1-1/2	25	0	080	54.28
842-020	2	20	0	080	68.33
842-025	2-1/2	5	0	080	178.43
842-030	3	5	0	080	195.88
842-040	4	4	0	080	344.46
842-040F	4	1	5	084	219.46
842-060	6	6	0	080	489.58
842-060F	6	1	6	083	275.31
842-080	8	1	2	080	1058.48
842-080F	8	1	4	083	363.34
842-100F	10	1	0	083	742.57
842-120F	12	1	2	084	967.57

Crosses

Cross

Socket x Socket x Socket x Socket

820-002	1/4	25	150	080	96.03
820-005	1/2	50	0	080	96.03
820-007	3/4	50	0	080	101.03
820-010	1	50	0	080	118.31
820-012	1-1/4	25	0	080	141.96
820-015	1-1/2	25	0	080	153.02
820-020	2	10	0	080	189.49
820-025	2-1/2	10	0	080	258.36
820-030	3	5	0	080	322.23
820-040	4	3	0	080	560.66