



Schedule 40 Fittings Product PVC Schedule 40 Fittings

Tees

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Special Reinforced Reducing (continued)

Socket x SR Fipt - Stainless Steel Collar

402-288SR	2-1/2X3/4	10	0	046	52.00
402-289SR	2-1/2X1	10	0	046	52.51
402-290SR	2-1/2X1-1/4	10	0	046	51.69
402-291SR	2-1/2X1-1/2	10	0	046	53.73
402-292SR	2-1/2X2	10	0	046	54.18
402-333SR	3X1/2	10	0	046	65.62
402-334SR	3X3/4	10	0	046	65.62
402-335SR	3X1	10	0	046	66.93
402-336SR	3X1-1/4	10	0	046	68.52
402-337SR	3X1-1/2	10	0	046	67.89
402-338SR	3X2	6	0	046	71.91
402-417SR	4X1	6	0	046	86.92
402-419SR	4X1-1/2	10	0	046	95.43
402-420SR	4X2	10	0	046	98.57
402-422SR	4X3	6	0	046	154.87

Tee

Socket x Mipt

402B-010	1	50	0	040	7.20
----------	---	----	---	-----	------

Tee

Socket x Fipt x Socket

403-007	3/4	50	0	040	3.74
---------	-----	----	---	-----	------

Tee - Reducing

Socket x Fipt x Socket

403-095	3/4X1/2X3/4	50	0	040	9.00
---------	-------------	----	---	-----	------

Tee - Special Reinforced Reducing

Socket x SR Fipt-Stainless Steel Collar x Socket

403-095SR	3/4X1/2X3/4	50	0	046	5.71
-----------	-------------	----	---	-----	------

Tee

Fipt x Fipt x Fipt

405-005	1/2	50	0	040	6.12
405-007	3/4	50	0	040	9.63
405-010	1	50	0	040	13.31
405-012	1-1/4	25	0	040	18.43
405-015	1-1/2	25	0	040	19.04
405-020	2	10	0	040	25.19

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee (continued)

Fipt x Fipt x Fipt

405-025 ¹	2-1/2	5	0	040	89.73
----------------------	-------	---	---	-----	-------

¹ Outlet sized with Bushing

Tee - Street

Spigot x Socket x Socket

444-005	1/2	25	200	040	8.67
444-007	3/4	15	120	040	11.56
444-010	1	15	0	040	14.93
444-012	1-1/4	10	0	040	23.92
444-015	1-1/2	10	0	040	33.08
444-020	2	10	0	040	57.56

Manifold Tee - O-ring Sealed

O-ring Sealed Mipt x Fipt x Mipt

EPDM O-ring Seal on Tee run

451A-010	1	50	0	019	9.41
----------	---	----	---	-----	------

O-ring end MIPT is designed to assemble to corresponding Manifold Tee FIPT Only. Multiple Manifold Tee-to-Manifold Tee assemblies can be made with NO Thread Sealant required. Branch MIPT and Terminal MIPT in Manifold assembly can be joined without O-ring to standard FIPT using thread sealant.

Manifold Tee

Spigot x Socket x Mipt

476-010	1	20	0	020	12.49
---------	---	----	---	-----	-------

Manifold Tee

Spigot x Socket x Fipt

477-010	1	25	0	020	12.49
---------	---	----	---	-----	-------

Transition Tee for P.E. Hose Laterals

Socket x Insert (.580 I.D.)

1102-007	3/4	50	0	040	6.74
1102-130	1X1/2	200	0	040	7.56
1102-248	2X2X3/4	10	0	040	10.62
1102-250	2X1-1/4	10	0	040	10.62

90° Ells

90° Ell

Socket x Socket

406-003	3/8	50	600	040	6.77
---------	-----	----	-----	-----	------

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell (continued)

Socket x Socket

406-005	1/2	50	400	040	1.34
406-007	3/4	50	300	040	1.50
406-010	1	50	0	040	2.71
406-012	1-1/4	25	0	040	4.78
406-015	1-1/2	25	0	040	5.14
406-020	2	25	0	040	8.03
406-025	2-1/2	10	0	040	24.51
406-030	3	10	0	040	29.32
406-040	4	8	0	040	52.42
406-045F	4-1/2	1	5	047	373.10
406-050	5	4	0	040	135.49
406-060	6	4	0	040	166.74
406-080	8	2	0	040	429.37
406-100	10	1	0	041	1617.24
406-100F	10	1	0	047	862.76
406-120	12	1	0	041	2169.02
406-120F	12	1	0	047	1410.12
406-140	14	1	0	044	2886.36
406-140F	14	1	0	047	2032.44
406-160F	16	1	0	047	2908.33
406-180F	18	1	0	047	3122.04
406-200F	20	1	0	047	4722.77
406-240F	24	1	0	047	7077.47



90° Ell - Reducing

Socket x Socket

406-053	1/2X3/8	50	0	040	3.93
406-101	3/4X1/2	50	0	040	2.71
D406-101	3/4X1/2	50	0	040	3.29
406-130	1X1/2	50	0	040	4.02
D406-130	1X1/2	50	0	040	5.77
406-131	1X3/4	50	0	040	4.80
406-166	1-1/4X1/2	25	0	040	7.63
D406-166	1-1/4X1/2	25	0	040	8.81
406-167	1-1/4X3/4	25	0	040	7.63
406-168	1-1/4X1	25	0	040	7.63
406-209	1-1/2X1/2	25	0	040	12.16
406-211	1-1/2X1	25	0	040	12.16
406-212	1-1/2X1-1/4	25	0	040	12.16
406-249	2X1	10	0	040	14.96
406-250	2X1-1/4	10	0	040	14.96
406-251	2X1-1/2	10	0	040	20.68
406-251N	2X1-1/2	10	0	015	20.68
406-292	2-1/2X2	10	0	040	24.22
406-292N	2-1/2X2 (2-1/2 Spigot)	10	0	040	24.22

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Sweep

Socket x Socket

406-005S	1/2	25	300	040	10.27
406-007S	3/4	25	100	040	11.78
406-010S	1	20	0	040	18.33
406-012S	1-1/4	25	0	040	25.42
406-015S	1-1/2	25	0	040	29.22
406-020S	2	25	0	040	33.09
406-025S	2-1/2	20	0	040	40.12
406-030S	3	10	0	040	45.66



90° Ell - Long Sweep

Socket x Socket

406-025LSF	2-1/2	1	7	047	111.31
406-030LSF	3	1	5	047	156.80
406-040LSF	4	1	4	047	204.10
406-060LSF	6	1	2	047	315.62
406-080LSF	8	1	0	047	628.38
406-100LSF	10	1	0	047	852.51



90° Ell

Socket x Fipt

407-005	1/2	50	400	040	1.66
407-007	3/4	50	300	040	1.91
407-010	1	50	0	040	3.60
407-012	1-1/4	25	0	040	6.01
407-015	1-1/2	25	0	040	6.69
407-020	2	10	0	040	17.22
407-025	2-1/2	10	0	040	42.58
407-030	3	8	0	040	63.82
407-040	4	8	0	040	96.72



90° Ell - Reducing

Socket x Fipt

407-053	1/2X3/8	50	600	040	4.60
407-074	1/2X3/4	50	0	040	3.60
407-101	3/4X1/2	50	300	040	1.98
407-130	1X1/2	50	0	040	5.51
407-131	1X3/4	50	0	040	5.51
407-168	1-1/4X1	25	0	040	8.03
407-211	1-1/2X1	25	0	040	13.32
407-212	1-1/2X1-1/4	20	0	040	13.91
407-249	2X1	10	0	040	23.10
407-250	2X1-1/4	10	0	040	23.10
407-251	2X1-1/2	10	0	040	23.10





Schedule 40 Fittings Product PVC Schedule 40 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Special Reinforced & Reducing 90° Ell

Socket x SR Fipt - Stainless Steel Collar

407-005SR	1/2	50	400	046	14.96
407-007SR	3/4	75	0	046	19.18
407-010SR	1	50	0	046	19.39
407-012SR	1-1/4	25	0	046	23.41
407-131SR	1X3/4	50	0	046	18.52
407-168SR ¹	1-1/4X1	25	0	046	32.48
407-211SR	1-1/2X1	25	0	046	36.21
407-249SR	2X1	10	0	046	36.93
407-251SR	2X1-1/2	10	0	046	38.96

¹ Sized with SR Adapter



90° Ell

Fipt x Fipt

408-005	1/2	50	400	040	3.27
408-007	3/4	50	0	040	4.80
408-010	1	50	0	040	10.24
408-012	1-1/4	25	0	040	10.97
408-015	1-1/2	25	0	040	13.89
408-020	2	10	0	040	21.06



90° Street Ell

Spigot x Socket

409-005	1/2	50	400	040	3.78
409-007	3/4	50	0	040	4.66
409-010	1	50	0	040	8.03
409-012	1-1/4	25	0	040	9.63
409-015	1-1/2	25	0	040	10.62
409-020	2	10	0	040	20.50
409-025	2-1/2	10	0	040	36.79
409-030	3	5	0	040	45.38
409-040	4	6	0	040	84.43
409-050	5	2	0	040	201.89
409-060	6	2	0	040	255.11
409-080	8	2	0	040	652.62
409-100	10	1	0	041	2409.68
409-100F	10	1	0	047	1432.77
409-120	12	1	0	041	2668.51
409-140F	14	1	0	047	2807.07
409-160F	16	1	0	047	2948.86
409-180F	18	1	0	047	3688.89
409-200F	20	1	0	047	5246.79
409-240F	24	1	0	047	8113.31



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street Ell - Sweep

Socket x Spigot

409-015S	1-1/2	25	0	040	36.90
409-020S	2	25	0	040	48.83
409-025S	2-1/2	20	0	040	74.67
409-030S	3	10	0	040	95.17



90° Street Ell

Mipt x Socket

410-005	1/2	50	750	040	2.94
410-007	3/4	50	0	040	3.46
410-010	1	50	0	040	5.77
410-012	1-1/4	25	0	040	8.03
410-015	1-1/2	25	0	040	8.41
410-020	2	10	0	040	20.71
410-030	3	10	0	040	73.96
410-101	3/4X1/2	50	400	040	4.21
410-102	3/4X1	50	0	040	7.12



90° Street Ell

Mipt x Fipt

412-005	1/2	50	600	040	3.93
412-007	3/4	50	0	040	4.80
412-010	1	50	0	040	8.29
412-012	1-1/4	25	0	040	10.24
412-015	1-1/2	25	0	040	11.14
412-020	2	10	0	040	21.21
412-030	3	8	0	040	75.87



HDPE 90° Street Ell

Mipt x Fipt

M412-005	1/2	50	450	040	3.64
M412-007	3/4	50	0	040	4.43
M412-010	1	50	0	040	7.71
M412-012	1-1/4	25	0	040	10.18
M412-015	1-1/2	25	0	040	11.56

High Density Polyethylene - Not NSF-listed - Not pressure rated.



HDPE 90° Street Ell

Mipt x Fipt (Short Pattern)

MS412-005	1/2	50	700	040	3.29
MS412-007	3/4	50	400	040	3.96
MS412-010	1	50	0	040	6.89

High Density Polyethylene - Not NSF-listed - Not pressure rated.



Schedule 40 Fittings Product
PVC Schedule 40 Fittings



90° ELLs

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

HDPE Reducing 90° Street Ell

Mipt x Fipt (Short Pattern)



MS412-101	3/4X1/2	50	400	040	5.30
High Density Polyethylene - Not NSF-listed - Not pressure rated.					

Side Outlet Ell

Socket x Socket x Socket



413-005	1/2	50	0	040	7.27
413-007	3/4	50	0	040	9.93
413-010	1	25	0	040	12.70
413-015	1-1/2	10	0	040	13.93
413-020	2	10	0	040	19.37

Side Outlet Ell

Socket x Socket x Fipt



414-005	1/2	50	0	040	7.10
414-007	3/4	50	0	040	10.90
414-101	3/4X1/2	50	0	040	9.19
414-130	1X1/2	50	0	040	12.04

Non 90° ELLs

11-1/4° Ell

Socket x Socket



411-005F	1/2	52	0	047	45.16
411-007F	3/4	52	0	047	45.39
411-010F	1	52	0	047	49.71
411-012F	1-1/4	25	0	047	53.77
411-015	1-1/2	25	0	040	11.62
411-015F	1-1/2	25	0	047	54.58
411-020	2	10	0	040	13.51
411-025F	2-1/2	1	25	047	66.71
411-030	3	10	0	040	54.37
411-040	4	4	0	040	97.63
411-045F	4-1/2	1	15	047	135.92
411-050F	5	1	15	047	119.19
411-060F	6	1	10	047	138.08
411-080F	8	1	4	047	233.40
411-100F	10	1	2	047	352.21
411-120F	12	1	2	047	557.17
411-140F	14	1	0	047	875.92
411-160F	16	1	0	047	1194.06
411-180F	18	1	0	047	1433.97

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

11-1/4° Ell (continued)

Socket x Socket

411-200F	20	1	0	047	1772.56
411-240F	24	1	0	047	3530.59

30° Ell

Socket x Socket



415-005F	1/2	1	25	047	45.16
415-007F	3/4	25	0	047	45.39
415-010F	1	1	25	047	49.71
415-012F	1-1/4	1	15	047	53.77
415-015F	1-1/2	1	25	047	54.58
415-020F	2	25	0	047	56.56
415-025F	2-1/2	25	0	047	66.71
415-030F	3	1	20	047	71.37
415-040F	4	1	6	047	85.96
415-045F	4-1/2	1	15	047	135.92
415-050F	5	1	6	047	119.19
415-060F	6	1	10	047	138.08
415-080F	8	1	4	047	233.40
415-100F	10	1	2	047	352.21
415-120F	12	1	0	047	557.17
415-140F	14	1	0	047	875.92
415-160F	16	1	0	047	1194.06
415-180F	18	1	0	047	1433.97
415-200F	20	1	0	047	1772.56
415-240F	24	1	0	047	3530.59

22-1/2° Ell

Socket x Socket



416-005	1/2	20	240	040	3.14
416-007	3/4	20	240	040	4.89
416-010	1	20	160	040	5.87
416-012	1-1/4	20	0	040	8.21
416-015	1-1/2	20	0	040	10.32
416-015F	1-1/2	25	25	047	54.58
416-020	2	20	0	040	13.51
416-025	2-1/2	5	0	040	35.03
416-025F	2-1/2	25	0	047	66.71
416-030	3	5	0	040	54.37
416-040	4	4	0	040	97.63
416-045F	4-1/2	1	15	047	135.92
416-050F	5	1	10	047	119.19
416-060	6	4	0	040	241.03
416-060F	6	1	5	047	138.08
416-080	8	4	0	040	579.80
416-080F	8	1	4	047	233.40
416-100F	10	1	0	047	352.21
416-120F	12	1	0	047	557.17
416-140F	14	1	0	047	875.92
416-160F	16	1	0	047	1194.06