

TOUGH DISPOSABLE GLOVES

Available From A Network of Mamba Dealers Nationwide

BLACK MAMBA

Can your glove do this?



BLACK MAMBA GLOVES were created in response to repeated demands from customers needing a disposable glove that was tough enough to withstand the tasks that their jobs required. No longer will you have to change your glove multiple times due to ripping or tearing. For gloves built for your tough tasks... it has to be Black Mamba Gloves.

Here are just a few examples.

Take a look inside to see all of our great products.

FEATURE: Patented NITREX® Polymer

BENEFIT: Superior strength and tear resistance.

FEATURE: Two-Ply Fusion Strength

BENEFIT: Our unique process fuses an added polymer to facilitate donning and comfort.

FEATURE: Chemical Protection

BENEFIT: 3 times the chemical resistance of latex or vinyl.

FEATURE: Made to Grip... Not to Slip

BENEFIT: Fully textured with Grip Rite finish, Mamba Gloves provide the precise contact when tactile sensitivity is a must.



BLK-Series



OMG-Series



Torque-Series



WPNC-Series



IPT-Series

Distributed By:



Larry & Es Smith
817.989.6228
sales@gottruegrit.com

www.BlackMambaGloves.com



BLACK MAMBA



Black Mamba Disposable Gloves

BLK - Series

Patented Nitrex Polymer over 6.0 mils thick Black Nitrile. Two-Ply Fusion Strength. Superior chemical resistance. Fully textured with Grip Rite Finish. Made to be tough for the task at hand!



BTG - Series

Powder Free Industrial Strength Nitrile Gloves with Raised Torque Grip. Finished 6.25 mils between Torque Grips and 10.25 mils THICK at Torque Grip. Allows for unsurpassed grip. 100 gloves per box.



OMG - Series

High - Vis Orange color. Patented Nitrex Polymer nearly 6.0 mils thick. Two-ply Fusion Strength. Fully textured with Grip Rite Finish. Made to be tough for the task at hand. Superior chemical resistance.



BLU - Series

Patented Nitrex Polymer nearly 6.0 mils thick. Two-ply Fusion Strength. Fully textured with Grip Rite Finish. Superior chemical resistance. Made to be tough for the task at hand. Lighter color makes it easier to see certain chemicals and solvents.



PFX - Series

Thick Latex. 8 mils thick. EZ Glide Donning System. Ideal for paint and body shop applications. 100 gloves per box.



02-5503 - Series

Powder Free Industrial Strength Nitrile Gloves with Raised Torque Grip. Finished 6.25 mils between Torque Grips and 10.25 mils THICK at Torque Grip. Allows for unsurpassed grip. Unique retail package allows for grab and go sales. Package 10 gloves per pack.



PLB - Series

14 mils thick. Heavy Duty Professional Latex. EZ Glide Donning System. 12" Length for extra protection. Textured Grip for secure handling. 50 per box.



**NEW
PRODUCT**

Black Mamba Non-Disposable Safety Products

CTR - Series

Cut Resistant Level 5. Made with ultra high molecular weight polyethylene fiber. Black polyurethane coating for superior grip. Great for HVAC and sheet metal applications.



NC - Series

Material Handling Glove. Made from ultra-cool stretch nylon, foam dipped with Nitrile for superior grip. Great for light industrial use and oily parts handling.



IPT - Series

Heavy Duty Impact Protection Work Gloves. Made with polyester lining and synthetic leather palms. Thermal plastic rubber protection where it matters the most! Adjustable velcro closure. Hi-visibility yellow color.



WPNC - Series

Doubled Dipped Water Proof Nitrile Gloves dipped in Premium Nitrile with a sandy coated finish. Excellent oil repellency provided by coated palm and fingers. Increased comfort, flexibility and dexterity are key features. Elastic cuff provides secure fit keeping dirt and debris away from your hands.



PC - Series

Light Material Handling Glove. PU dipped. Made from an ultra-cool stretch nylon. Great for small parts handling, warehousing, automotive and light assembly.



Coveralls

Full Body Suit with Shoe Covers. One size fits most. Five pocket step in, step out design. Ideally suited for mold remediation, crawlspace, chimney work and many more dirty jobs. Packaged one per bag, 25 per case.



MTXB - Series

Mamba Trax Blue Shoe Covers. Heavy duty grade blue shoe covers. Fits up to 18" work boot. Premium package design eliminates waste. Packaged 25 pairs flat stack per box.



MTX - Series

Mamba Trax Shoe Covers. Heavy duty grade shoe covers. Fits up to 18" work boot. Premium package design eliminates waste. Packaged 25 pairs flat stack per box.



WPMTX-50 - Series

Designed for the Service Industry. Triple layer SMS coated polyethylene material, anti-slip, anti-static, hydrophilic, waterproof. More resistant to abrasion, punctures and tears. Ideal for construction, HVAC, installation, plumbing, pest control and other residential and commercial service industries.




MTX-100 - Series

Mamba Trax Shoe Covers. Heavy duty grade shoe covers. Fits up to 18" work boot. Premium package design eliminates waste. 3 boxes of 100 total shoe covers.



Black Mamba Torgue Grip



Orange Mamba Blue Mamba

NITRILE CHEMICAL RESISTANCE CHART

	Nitrile		Nitrile		Nitrile
Acetaldehyde	Good	Furfural	Not Recommended	Nitropropane 95.5%	Fair
Acetic Acid	Good	Gasoline, Leaded	Very Good	Octyl Alcohol (Octanol)	Very Good
Acetone	Not Recommended	Gasoline, Unleaded	Very Good	Oleic Acid	Very Good
Ammonium Hydroxide	Very Good	Glycerine	Very Good	Oxalic Acid	Very Good
Amyl Acetate	Not Recommended	Hexane	Good	Palmitic Acid	Very Good
Aniline	Not Recommended	Hydrochloric Acid	Good	Perchloric Acid 60%	Good
Benzaldehyde	Good	Hydrofluoric Acid 48%	Good	Perchloroethylene	Good
Benzene	Not Recommended	Hydrogen Peroxide 30%	Good	Petroleum Distillates (Naphtha)	Very Good
Butyl Acetate	Not Recommended	Hydroquinone	Fair	Phenol	Fair
Butyl Alcohol	Very Good	Isooctane	Very Good	Phosphoric Acid	Very Good
Carbon Disulfide	Fair	Isopropyl Alcohol	Very Good	Potassium Hydroxide	Very Good
Carbon Tetrachloride	Good	Kerosene	Very Good	Propyl Acetate	Fair
Castor Oil	Very Good	Ketones	Not Recommended	Propyl Alcohol	Very Good
Chlorobenzene	Not Recommended	Lacquer Thinners	Not Recommended	Propyl Alcohol (ISO)	Very Good
Chloroform	Not Recommended	Lactic Acid 85%	Very Good	Refrigerants	
Chloronaphthalene	Not Recommended	Lauric Acid 36%	Very Good	R123	Good
Chromic Acid 50%	Fair	Linoleic Acid	Good	R407C	Good
Citric Acid 10%	Very Good	Linseed Oil	Very Good	R410A	Good
Cyclohexanol	Very Good	Maleic Acid	Very Good	Sodium Hydroxide	Very Good
Dibutyl Phthalate	Good	Methyl Alcohol (Methanol)	Very Good	Styrene	Fair
Diesel Fuel	Very Good	Methylamine	Good	Styrene 100%	Fair
Di-isobutyl Ketone (DIBK)	Not Recommended	Methyl Bromide	Fair	Sulfuric Acid	Good
Dimethylformamide	Good	Methyl Chloride	Not Recommended	Tannic Acid 65%	Very Good
Diocyl Phthalate	Very Good	Methyl Ethyl Ketone (MEK)	Not Recommended	Tetrahydrofuran	Fair
Dioxane	Good	Methyl Isobutyl Ketone (MIBK)	Not Recommended	Toluene	Fair
Epoxy Resins, Dry	Very Good	Methyl Methacrylate	Fair	Toluene Diisocyanate	Fair
Ethyl Acetate	Fair	Monoethanolamine	Very Good	Trichloroethylene	Good
Ethyl Alcohol (Ethanol)	Very Good	Morpholine	Good	Triethanolamine	Very Good
Ethyl Ether	Good	Naphthalene	Good	Tung Oil	Very Good
Ethylene Dichloride	Not Recommended	Naphthas, Aliphatic	Very Good	Turpentine	Very Good
Ethylene Glycol	Very Good	Naphthas, Aromatic	Good	Xylene	Fair
Formaldehyde	Very Good	Nitric Acid	Fair		
Formic Acid	Very Good	Nitromethane 95.5%	Fair		

The above chart is intended to be used only as a guide. Its intent is to direct and educate qualified professionals responsible for assuring a safe work environment. Because the conditions and circumstances of the end use of our products are beyond our control and knowledge, and because it would be impossible to test permeation in all work environments and across the broad spectrum of chemicals and solutions, these recommendations should only be used for advisory purposes. The ultimate suitability of a products use in any environment must be pre-determined through thorough testing of the purchaser. The data contained within this guide is subject to revision as we gain additional knowledge and experience from field testing under varying conditions of use. The testing data herein contained reflects laboratory performance of the glove material and not necessarily the complete glove. Anyone using this guide should first determine that the glove selected is appropriate for the intended use and meets all applicable health and safety standards.

Neither this guide nor any other statement made herein by or on behalf of BlackMambaGloves.com or any of its distribution partners should be misconstrued as a warranty of merchantability or that any BlackMambaGloves.com product is suitable for a particular purpose. Black Mamba Gloves releases itself of responsibility for the suitability or efficacy of an end-user's selection of a product for a particular application.

ProBlu Mamba



White Mamba

LATEX CHEMICAL RESISTANCE CHART

	Latex		Latex		Latex
Acetaldehyde	Good	Freon 11	Not Recommended	Naphthas, Aliphatic	Fair
Acetic Acid	Very Good	Freon 12	Not Recommended	Naphthas, Aromatic	Not Recommended
Acetone	Very Good	Freon 21	Not Recommended	Nitric Acid	Fair
Ammonium Hydroxide	Very Good	Freon 22	Not Recommended	Nitromethane 95.5%	Not Recommended
Amyl Acetate	Not Recommended	Furfural	Good	Nitropropane 95.5%	Not Recommended
Aniline	Fair	Gasoline, Leaded	Not Recommended	Octyl Alcohol (Octanol)	Very Good
Benzaldehyde	Fair	Gasoline, Unleaded	Not Recommended	Oleic Acid	Fair
Benzene	Fair	Glycerine	Good	Oxalic Acid	Very Good
Butyl Acetate	Fair	Hexane	Not Recommended	Palmitic Acid	Very Good
Butyl Alcohol	Very Good	Hydrochloric Acid	Good	Perchloric Acid 60%	Fair
Carbon Disulfide	Fair	Hydrofluoric Acid 48%	Good	Perchloroethylene	Not Recommended
Carbon Tetrachloride	Not Recommended	Hydrogen Peroxide 30%	Good	Petroleum Distillates (Naphtha)	Not Recommended
Castor Oil	Not Recommended	Hydroquinone	Good	Phenol	Fair
Chlorobenzene	Not Recommended	Isooctane	Not Recommended	Phosphoric Acid	Good
Chloroform	Not Recommended	Isopropyl Alcohol	Very Good	Potassium Hydroxide	Very Good
Chloronaphthalene	Not Recommended	Kerosene	Fair	Propyl Acetate	Fair
Chromic Acid 50%	Not Recommended	Ketones	Very Good	Propyl Alcohol	Very Good
Citric Acid 10%	Very Good	Lacquer Thinners	Fair	Propyl Alcohol (ISO)	Very Good
Cyclohexanol	Fair	Lactic Acid 85%	Very Good	Sodium Hydroxide	Very Good
Dibutyl Phthalate	Not Recommended	Lauric Acid 36%	Fair	Styrene	Not Recommended
Diesel Fuel	Not Recommended	Linoleic Acid	Not Recommended	Styrene 100%	Not Recommended
Di-isobutyl Ketone (DIBK)	Fair	Linseed Oil	Not Recommended	Sulfuric Acid	Good
Dimethylformamide	Fair	Maleic Acid	Very Good	Tannic Acid 65%	Very Good
Diocyl Phthalate	Not Recommended	Methyl Alcohol (Methanol)	Very Good	Tetrahydrofuran	Fair
Dioxane	Good	Methylamine	Fair	Toluene	Not Recommended
Epoxy Resins, Dry	Very Good	Methyl Bromide	Fair	Toluene Diisocyanate	Good
Ethyl Acetate	Fair	Methyl Chloride	Not Recommended	Trichloroethylene	Fair
Ethyl Alcohol (Ethanol)	Very Good	Methyl Ethyl Ketone (MEK)	Good	Triethanolamine	Good
Ethyl Ether	Good	Methyl Isobutyl Ketone (MIBK)	Fair	Tung Oil	Not Recommended
Ethylene Dichloride	Not Recommended	Methyl Methacrylate	Good	Turpentine	Fair
Ethylene Glycol	Good	Monoethanolamine	Good	Xylene	Not Recommended
Formaldehyde	Very Good	Morpholine	Very Good		
Formic Acid	Very Good	Naphthalene	Fair		

The above chart is intended to be used only as a guide. Its intent is to direct and educate qualified professionals responsible for assuring a safe work environment. Because the conditions and circumstances of the end use of our products are beyond our control and knowledge, and because it would be impossible to test permeation in all work environments and across the broad spectrum of chemicals and solutions, these recommendations should only be used for advisory purposes. The ultimate suitability of a products use in any environment must be pre-determined through thorough testing of the purchaser. The data contained within this guide is subject to revision as we gain additional knowledge and experience from field testing under varying conditions of use. The testing data herein contained reflects laboratory performance of the glove material and not necessarily the complete glove. Anyone using this guide should first determine that the glove selected is appropriate for the intended use and meets all applicable health and safety standards.

Neither this guide nor any other statement made herein by or on behalf of BlackMambaGloves.com or any of its distribution partners should be misconstrued as a warranty of merchantability or that any BlackMambaGloves.com product is suitable for a particular purpose. BlackMambaGloves releases itself of responsibility for the suitability or efficacy of an end-user's selection of a product for a particular application.