



Wellworth® | K-4458

Toilet tank, dual-flush

Features

- Left-hand nested trip lever offers a choice of 1.1 or 1.6 gallons per flush (gpf)
- Combines with the K-4197 or K-4198 bowl to create a complete K-3987 or K-3988 Wellworth toilet
- Combines with the K-4199 bowl to create a complete K-3989 Highline toilet
- Coordinates with other products in the Wellworth collection



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

- | | |
|----|-------------|
| 0 | White |
| 96 | Biscuit |
| 7 | Black Black |



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
4-22-2026 11:2 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.

ASME A112.19.2/CSA B45.1

Technical Information

Flush Type:	Class Five
Flush Rate:	1.1 or 1.6 gpf (4.1 or 6.0 lpf)

Recommended Products/Accessories

K-23726 Drain treatment
K-4197 Round-front toilet bowl
K-4198 Elongated toilet bowl

Warranty

See website for detailed warranty information.

KOHLER® Toilets and Seats Limited Warranty



No image available.

This product is a component and not intended to be a standalone installation.

Installation Notes

Install this product according to the installation instructions.

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.

