

## WARRANTY


 Limited Lifetime – Residential  
 Limited 25-year – Commercial

 Manufactured from Swanstone solid surface  
 (see page 2 for detailed information)

Recommended for high use traffic areas and commercial surfaces

## FEATURES

- Classic look of 3" x 6" Subway tile provides timeless elegance for your bath
- No grout to maintain; will not mold or mildew
- Ideal for remodeling; easier to install than tile - panels glue up over existing surface
- Coordinates with Swanstone Vanity Tops, Shower Floors and Decorative Panels
- A complete kit with everything you need to design your shower
- Heat resistant—walls can handle steamer units
- Compression molding means superior durability



Model STMK 72-3636

Designed to fit base areas

36" deep or smaller x 36" wide x 72" high

## SPECIFICATIONS

## STMK72-3636 Swanstone Subway Tile Shower Wall Kit

Model	Part	Base Area Designed To Fit	Ship Wt. Lb.	Ship UPS	Carton Dims. In.	Cu. Ft.
STMK72-3636	STMK723636	36" D* x 36" W x 72" H (914 mm x 914 mm x 1829 mm) (*or smaller)	192	–	42 X 4 x 78	7.6

Kit Includes: Two side panels, one back panel, two corner soap dishes, installation materials and complete installation instructions.

Packaging: Each kit is packed in an individual carton.

## ACCESSORIES

See pages 83-84 for complete listing of all wall accessories.

## STANDARDS AND RATINGS

Class 1A fire rating

National Sanitation Foundation-NSF Splash Zone, -NSF Food Zone

American Society for Testing and Materials

National Electrical Manufacturers Association

For a complete list of tests and results see the Technical Data Sheet – page 131.

## SUPPORT DOCUMENTS

 Installation instructions available on line at [www.swanstone.com](http://www.swanstone.com)

## COLORS

(See inside back cover for color sample.)

- White (010)
- Bone (037)
- Bisque (018)
- Almond Galaxy (046)
- Arctic Granite (035)
- Barley (091)
- Bermuda Sand (040)
- Gray Granite (042)
- Green Pasture (095)
- Sierra (094)
- Tahiti Blue (056)
- Tahiti Desert (050)
- Tahiti Evergreen (057)
- Tahiti Gray (053)
- Tahiti Ivory (059)
- Tahiti Matrix (058)
- Tahiti Rose (052)
- Tahiti Sand (051)
- Tahiti Terra (055)
- Tahiti White (011)
- Cornflower (063)
- Ironweed (061)
- Night Sky (012)
- Purple Sage (064)
- Wild Indigo (022)
- Winter Wheat (060)
- Indian Grass (071)
- Pebble (072)
- Seafoam (074)
- Glacier (121)
- Prairie (122)
- Acorn (123)
- Canyon (124)
- Cloud White (125)
- Cloud Bone (126)
- Baby's Breath (168)
- Caraway Seed (169)

## MAINTENANCE AND

## CLEANING INFORMATION

Clean regularly with warm water and normal household cleansers such as Fantastic, Formula 409, Clorox Clean-up, Mr. Clean, Dow Scrubbing Bubbles, etc. and rinse within five minutes of application. Occasional scrubbing with household abrasive cleaners such as Comet or Ajax ensures that the original luster is maintained. *Do not* use "leave on" cleaning products such as the Automatic Shower Cleaner. Prolonged contact with harsh chemicals could have an adverse reactive over time and discolor your surfaces. *Do not* use cleaning agents that caution use on acrylic, polyester or plastics.

## WARRANTY


 Limited Lifetime – Residential  
 Limited 25-year – Commercial

 Manufactured from Swanstone solid surface  
 (see page 2 for detailed information)

Recommended for high use traffic areas and commercial surfaces

## FEATURES

- Classic look of 3" x 6" Subway tile provides timeless elegance for your bath
- No grout to maintain; will not mold or mildew
- Ideal for remodeling; easier to install than tile - panels glue up over existing surface
- Coordinates with Swanstone Vanity Tops, Shower Floors and Decorative Panels
- A complete kit with everything you need to design your shower
- Heat resistant—walls can handle steamer units
- Compression molding means superior durability



Model STMK 72-3648

Designed to fit base areas

36" deep or smaller x 48" wide x 72" high

## SPECIFICATIONS

## STMK72-3648 Swanstone Subway Tile Shower Wall Kit

Model	Part	Base Area Designed To Fit	Ship Wt. Lb.	Ship UPS	Carton Dims. In.	Cu. Ft.
STMK72-3648	STMK723648	36" D* x 48" W x 72" H (914 mm x 1219 mm x 1829 mm) (*or smaller)	144	–	54 x 4 x 78	9.6

Kit Includes: Two side panels, one back panel, two corner soap dishes, installation materials and complete installation instructions.

Packaging: Each kit is packed in an individual carton.

## ACCESSORIES

See pages 83-84 for complete listing of all wall accessories.

## STANDARDS AND RATINGS

Class 1A fire rating

National Sanitation Foundation-NSF Splash Zone, -NSF Food Zone

American Society for Testing and Materials

National Electrical Manufacturers Association

For a complete list of tests and results see the Technical Data Sheet – page 131.

## SUPPORT DOCUMENTS

 Installation instructions available on line at [www.swanstone.com](http://www.swanstone.com)

## COLORS

(See inside back cover for color sample.)

- White (010)
- Bone (037)
- Bisque (018)
- Almond Galaxy (046)
- Arctic Granite (035)
- Barley (091)
- Bermuda Sand (040)
- Gray Granite (042)
- Green Pasture (095)
- Sierra (094)
- Tahiti Blue (056)
- Tahiti Desert (050)
- Tahiti Evergreen (057)
- Tahiti Gray (053)
- Tahiti Ivory (059)
- Tahiti Matrix (058)
- Tahiti Rose (052)
- Tahiti Sand (051)
- Tahiti Terra (055)
- Tahiti White (011)
- Cornflower (063)
- Ironweed (061)
- Night Sky (012)
- Purple Sage (064)
- Wild Indigo (022)
- Winter Wheat (060)
- Indian Grass (071)
- Pebble (072)
- Seafoam (074)
- Glacier (121)
- Prairie (122)
- Acorn (123)
- Canyon (124)
- Cloud White (125)
- Cloud Bone (126)
- Baby's Breath (168)
- Caraway Seed (169)

## MAINTENANCE AND

## CLEANING INFORMATION

Clean regularly with warm water and normal household cleansers such as Fantastic, Formula 409, Clorox Clean-up, Mr. Clean, Dow Scrubbing Bubbles, etc. and rinse within five minutes of application. Occasional scrubbing with household abrasive cleaners such as Comet or Ajax ensures that the original luster is maintained. *Do not* use "leave on" cleaning products such as the Automatic Shower Cleaner. Prolonged contact with harsh chemicals could have an adverse reactive over time and discolor your surfaces. *Do not* use cleaning agents that caution use on acrylic, polyester or plastics.

## WARRANTY


 Limited Lifetime – Residential  
 Limited 25-year – Commercial

 Manufactured from Swanstone solid surface  
 (see page 2 for detailed information)

Recommended for high use traffic areas and commercial surfaces

## FEATURES

- Classic look of 3" x 6" Subway tile provides timeless elegance for your bath
- No grout to maintain; will not mold or mildew
- Ideal for remodeling; easier to install than tile - panels glue up over existing surface
- Coordinates with Swanstone Vanity Tops, Shower Floors and Decorative Panels
- A complete kit with everything you need to design your shower
- Heat resistant—walls can handle steamer units
- Compression molding means superior durability



Model STMK 72-3662

Designed to fit base areas

36" deep or smaller x 62" wide x 72" high

## SPECIFICATIONS

## STMK72-3662 Swanstone Subway Tile Shower Wall Kit

Model	Part	Base Area Designed To Fit	Ship Wt. Lb.	Ship UPS	Carton Dims. In.	Cu. Ft.
STMK72-3662	STMK723662	36" D* x 62" W x 72" H (914 mm x 1575 mm x 1829 mm) (*or smaller)	247	–	68 x 4 x 78	12.3

Kit Includes: Two side panels, one back panel, two corner soap dishes, installation materials and complete installation instructions.

Packaging: Each kit is packed in an individual carton.

## ACCESSORIES

See pages 83-84 for complete listing of all wall accessories.

## STANDARDS AND RATINGS

Class 1A fire rating

National Sanitation Foundation-NSF Splash Zone, -NSF Food Zone

American Society for Testing and Materials

National Electrical Manufacturers Association

For a complete list of tests and results see the Technical Data Sheet – page 131.

## SUPPORT DOCUMENTS

 Installation instructions available on line at [www.swanstone.com](http://www.swanstone.com)

## COLORS

(See inside back cover for color sample.)

- White (010)
- Bone (037)
- Bisque (018)
- Almond Galaxy (046)
- Arctic Granite (035)
- Barley (091)
- Bermuda Sand (040)
- Gray Granite (042)
- Green Pasture (095)
- Sierra (094)
- Tahiti Blue (056)
- Tahiti Desert (050)
- Tahiti Evergreen (057)
- Tahiti Gray (053)
- Tahiti Ivory (059)
- Tahiti Matrix (058)
- Tahiti Rose (052)
- Tahiti Sand (051)
- Tahiti Terra (055)
- Tahiti White (011)
- Cornflower (063)
- Ironweed (061)
- Night Sky (012)
- Purple Sage (064)
- Wild Indigo (022)
- Winter Wheat (060)
- Indian Grass (071)
- Pebble (072)
- Seafoam (074)
- Glacier (121)
- Prairie (122)
- Acorn (123)
- Canyon (124)
- Cloud White (125)
- Cloud Bone (126)
- Baby's Breath (168)
- Caraway Seed (169)

## MAINTENANCE AND

## CLEANING INFORMATION

Clean regularly with warm water and normal household cleansers such as Fantastic, Formula 409, Clorox Clean-up, Mr. Clean, Dow Scrubbing Bubbles, etc. and rinse within five minutes of application. Occasional scrubbing with household abrasive cleaners such as Comet or Ajax ensures that the original luster is maintained. *Do not* use "leave on" cleaning products such as the Automatic Shower Cleaner. Prolonged contact with harsh chemicals could have an adverse reactive over time and discolor your surfaces. *Do not* use cleaning agents that caution use on acrylic, polyester or plastics.

## WARRANTY


 Limited Lifetime – Residential  
 Limited 25-year – Commercial

 Manufactured from Swanstone solid surface  
 (see page 2 for detailed information)

Recommended for high use traffic areas and commercial surfaces

## FEATURES

- Classic look of 3" x 6" Subway tile provides timeless elegance for your bath
- No grout to maintain; will not mold or mildew
- Ideal for remodeling; easier to install than tile - panels glue up over existing surface
- Coordinates with Swanstone Vanity Tops, Shower Floors and Decorative Panels
- A complete kit with everything you need to design your shower
- Heat resistant—walls can handle steamer units
- Compression molding means superior durability



Model STMK 72-4848

 Designed to fit base areas  
 48" deep or smaller x 48" wide x 72" high

## SPECIFICATIONS

## STMK72-4848 Swanstone Subway Tile Shower Wall Kit

Model	Part	Base Area Designed To Fit	Ship Wt. Lb.	Ship UPS	Carton Dims. In.	Cu. Ft.
STMK72-4848	STMK724848	48" D* x 48" W x 72" H (1219 mm x 1219 mm x 1829 mm) (*or smaller)	258	–	54 x 4 x 78	9.6

Kit Includes: Two side panels, one back panel, two corner soap dishes, installation materials and complete installation instructions.

Packaging: Each kit is packed in an individual carton.

## ACCESSORIES

See pages 83-84 for complete listing of all wall accessories.

## STANDARDS AND RATINGS

Class 1A fire rating

National Sanitation Foundation-NSF Splash Zone, -NSF Food Zone

American Society for Testing and Materials

National Electrical Manufacturers Association

For a complete list of tests and results see the Technical Data Sheet – page 131.

## SUPPORT DOCUMENTS

 Installation instructions available on line at [www.swanstone.com](http://www.swanstone.com)

## COLORS

(See inside back cover for color sample.)

- White (010)
- Bone (037)
- Bisque (018)
- Almond Galaxy (046)
- Arctic Granite (035)
- Barley (091)
- Bermuda Sand (040)
- Gray Granite (042)
- Green Pasture (095)
- Sierra (094)
- Tahiti Blue (056)
- Tahiti Desert (050)
- Tahiti Evergreen (057)
- Tahiti Gray (053)
- Tahiti Ivory (059)
- Tahiti Matrix (058)
- Tahiti Rose (052)
- Tahiti Sand (051)
- Tahiti Terra (055)
- Tahiti White (011)
- Cornflower (063)
- Ironweed (061)
- Night Sky (012)
- Purple Sage (064)
- Wild Indigo (022)
- Winter Wheat (060)
- Indian Grass (071)
- Pebble (072)
- Seafoam (074)
- Glacier (121)
- Prairie (122)
- Acorn (123)
- Canyon (124)
- Cloud White (125)
- Cloud Bone (126)
- Baby's Breath (168)
- Caraway Seed (169)

## MAINTENANCE AND

## CLEANING INFORMATION

Clean regularly with warm water and normal household cleansers such as Fantastic, Formula 409, Clorox Clean-up, Mr. Clean, Dow Scrubbing Bubbles, etc. and rinse within five minutes of application. Occasional scrubbing with household abrasive cleaners such as Comet or Ajax ensures that the original luster is maintained. *Do not* use "leave on" cleaning products such as the Automatic Shower Cleaner. Prolonged contact with harsh chemicals could have an adverse reactive over time and discolor your surfaces. *Do not* use cleaning agents that caution use on acrylic, polyester or plastics.