

BrassCraft®



Water Supplies

✓ No Lead

Innovative solutions delivered

Better engineering, better selection, better results



SUPPLY STOPS

WATER CONNECTORS

SUPPLY KITS


RISERS

FITTINGS

SPECIAL FINISH

The Professional's Head Start

Our clearly illustrated, easy-to-use catalogs are an important part of the BrassCraft leadership tradition – versatile, highly effective products that can help make your job easier and more rewarding. With BrassCraft catalogs by your side, finding and ordering the right plumbing products for every application is faster and simpler than ever before.



WATER SUPPLIES

An invaluable, one-stop resource for plumbing professionals.

- Supply Stops
- Water Connectors
- Supply Kits
- Risers
- Fittings
- Special Finish



GAS APPLIANCE & WATER HEATER CONNECTOR


A complete source for BrassCraft stainless steel gas connectors.

- Gas Connectors
- Water Heater Connectors
- Gas Valves
- Excess Flow Valves
- Tankless Service Valves
- Installation Kits

BRASS FITTINGS

A comprehensive catalog featuring a full line of reliable, easy-to-install fittings and products.

- Flare
- Compression
- CPVC
- Iron Pipe
- Hose Barb
- Garden Hose
- Drain/Shut-off Cocks
- Needle & Humidifier Valves



WATER SUPPLIES

Table of Contents

BrassCraft®

1/4 Turn Supply Stops.....	8-19	Water Heater Connectors	70-76
Multi-Turn Supply Stops.....	20-29	Brass Fittings.....	77-83
Dual Outlet Supply Stops	30-32	Waste Connectors.....	84-86
Dual Outlet, Dual Shut-Off Supply Stops....	33-34	Component Parts	87-89
Needle & Humidifier Valves	35-36	Water Supply Accessories	90
Water Supply Connectors.....	37-53	Special Finish Water Supplies	91-107
One-Piece Water Supplies.....	54-58	Finish Index	108-109
Supply Kits	59-66	Specifications	110-128
Water Connectors	67	Index	129-137
Installation Kits	68-69		

BrassCraft®

American-Made Quality

Founded in 1946 by Robert Zell in Detroit, Michigan, BrassCraft Mfg. Co. innovated and perfected the one-piece water supply valve and the flexible water supply tube. Today these products have become the industry standard for residential and commercial plumbing projects. BrassCraft has headquarters and manufacturing facilities in the U.S. We continue to remain competitive through major investments in our manufacturing facilities and by employing American workers.



State-of-the-Art Engineering and Manufacturing

In the competitive environment of manufacturing, we know that we must meet your specifications for cost and quality. Everything we make is engineered for efficient equipment utilization and quality checked to exacting standards. This commitment to quality parts manufactured to the highest standards in tolerance and finish, has earned us our reputation for excellence.



Compliant Solutions for the 2014 No-Lead* Law ✓

As of January 4, 2014, Federal Public Law 111-380 prohibits the sale of plumbing fixtures with a wetted surface area containing more than a weighted average of 0.25% lead. This law virtually eliminates the lead content of pipes, pipe fittings, plumbing fittings and fixtures intended to convey or dispense water for drinking or cooking.

BrassCraft Manufacturing is meeting the new no-lead* law head on with a comprehensive range of compliant products including brass stops, braided water connectors, brass fittings, and hot water heater connectors.

Look for the checkmark ✓ on packaging to verify that the product meets the new no-lead* legislation requirements. To further assist our customers in separating their inventories from non-compliant product, our master cartons for compliant stops and stop-related products feature a striking BrassCraft blue stripe.



The Latest Technology

When it comes to technology, BrassCraft Manufacturing has consistently led the industry. We understand the benefits of electronic commerce, and are constantly striving to implement the latest technologies to serve you better.



EDI System

Saves time and ensures order accuracy by electronic order submission through our EDI (Electronic Data Interchange) system.

SureCount™ Verification

Our SureCount™ shipping verification system improves efficiency in the distribution stream and reduces your receiving costs. Using state-of-the-art bar code technology, we verify outbound shipments to eliminate the need to double-check the shipment, saving you time and money.

ROA Interface

BrassCraft's exclusive Remote Order Access system enables you to:

- Perform order entry and confirmation
- Check order status and ship dates
- Access invoices and packing slips
- Print packing lists
- Track shipments
- Online proof of delivery

QR Barcodes

We employ QR (Quick Response) barcode technology on our packaging so customers can photo scan barcodes with their smart phones to access rich data about our products. These enhanced applications allow access to specifications, installation instructions and information to assist in the buying decision.

Interactive Web

The streamlined, user-friendly site provides detailed information on the growing range of BrassCraft® plumbing supplies. Our website can be used with most handheld devices from smart phones, feature phones to tablet computers.

The Professional's Choice®

When it comes to customized products to meet code or job requirements, BrassCraft offers the widest range of stop variations including metal stems, lock shields, stuffing boxes, and handle options. So when you need water supply products for any project, small or large, specify the brand that professionals worldwide have trusted for over 65 years – BrassCraft.



The Best Service in the Industry

What good are the best products in the industry without the best service? We match our high manufacturing standards with an equally high standard for customer service. When you call BrassCraft, you're our number one priority. Our sales and service team is ready to answer your questions and fill your orders promptly and courteously.



www.brasscraft.com


LEADING THE NO-LEAD WAVE

DID YOU KNOW?

- As of January 2014, leaded products became obsolete
- Non-compliant products are not grandfathered
- BrassCraft Mfg. has a broad selection of compliant products ready to ship, look for the checkmark ✓

WHAT CAN YOU DO?

- Visit www.brasscraft.com for the latest no-lead industry updates
- Convert your inventory before it becomes obsolete



BrassCraft®



Scan for
more
information

Terms & Abbreviations

The following list of terms and abbreviations are used throughout this catalog. For your convenience, we have included a brief definition or explanation for each of these terms. Thank you for choosing the best. Thank you for choosing BrassCraft!



Fig. 1
Bell Escutcheon



Fig. 2
Faucet Riser



Fig. 3
Braided Flexible
One-Piece Supplies

Comp: Compression.

CPVC: Chlorinated Polyvinyl Chloride, a plastic used in plumbing systems.

CSA: Canadian Standards Association.

Escutcheon: Wall flange, or trim. (Fig. 1)

FIP: Female Iron Pipe.

IAPMO: International Association of Plumbing & Mechanical Officials.

ID: Inside Diameter.

IPS: Iron Pipe Size.

MIP: Male Iron Pipe.

Nom: Nominal measurement is 1/8" less than OD of the tube.

NSF: National Sanitation Foundation.

OD: Outside Diameter.

PEX: Cross-linked Polyethylene, a plastic used in plumbing systems.

Riser: A water supply tube to a faucet or a toilet. (Fig. 2)

Braided Flexible One-Piece Supplies: One-piece water supply featuring BrassCraft's patented engineered polymer braid connector and reinforced PVC flexible connector. Connector is factory attached. (Fig. 3)

Stop: Turns water supply on/off.

UPC: Uniform Plumbing Code.



Quality That Runs in the Family

BrassCraft stops, machined from solid brass, offer the highest quality and most reliable connections. The finished stops are offered for a variety of connections including Compression, Sweat, PEX, CPVC and Push Connect. Options include metal stems, lock shields, dual outlets, dual shut-offs, stuffing boxes and handles.

All three platforms are designed, machined and assembled in the USA for longevity, consistently exceeding industry standards while offering superior performance, and are delivered with exceptional service. As the leading manufacturer of water stops for over 65 years, BrassCraft has the stop to meet your needs.



KT™ Series 1/4 Turn Ball Stops

1/4 turn ball stops are first in it's class with it's robust design and superior performance. Available in a variety of configurations.



G2™ Series 1/4 Turn Stops

1/4 turn stops offer durable construction and innovation. Available with a full range of options, including push connect technology.



Multi-Turn Stops

Multi-turn stops are the industry standard with proven performance. Available in a wide variety of configurations.



Scan for
more
information



Available Individually Boxed

BrassCraft stops are available individually packaged with clear product visual aids and descriptions. These durable boxes feature a reclosable top flap with a cellophane window that allows the customer to see the product.



The convenient easy-to-open and close box keeps the product secure and prevents parts from being lost. Each box also contains an individual UPC number.

Stops available individually boxed are indicated with a 1 suffix at the end of the part number. These stops are also highlighted with **bold print** in this catalog.

Example:

O C R 1 9 X C 1 = 1/2" Nom Comp x 3/8" OD Outlet

Compression Inlet Angle Stop

Chrome Plated

Packaged individually in a reclosable box

BrassCraft®

1/4 Turn Water Supply Stops

KT™ Series

1/4 turn ball stops offer superior quality and performance. Additional features and benefits include:

- Positive 1/4 turn shut off
- Precision machined brass ball is specially engineered and mated with PTFE seats to provide smooth operation without freeze ups even after long periods of non-use
- Two high-performance o-rings withstand high temperatures and corrosion from harsh water environments
- Dual Outlet and Dual Outlet/Dual Shut Off configurations available
- 100% leak tested

G2™ Series

1/4 turn technology offers durable construction and proven performance. Additional features and benefits include:

- Positive 1/4 turn shut off
- One-piece shut off mechanism provides smooth operation without freeze ups even after long periods of non-use
- Machined one-piece brass body provides strength, durability, and long lasting performance
- Easy-to-remove handle protects accidental stop operation during rough-ins
- 100% leak tested



Scan for
more
information



Part Numbering System

Example:



K	T	C	R	1	9	F	X	C	1
Stop Style		Stop Type		Outlet	Inlet	Option	Compliant	Finish	Packaging
1/4 Turn Ball Stop		Compression Inlet		3/8" OD (1/4" Nom)	1/2" Nominal Copper, Angle	Female Compression		Chrome	Individually Boxed



Stop Style

KT	1/4 Turn Ball Stop
KTS	1/4 Turn Ball Stop w/Loose Key




Stop Type

CR	Compression Inlet	BRPX	Barbed PEX Inlet
PR	CPVC Inlet	CS	Sweat Extension Inlet
R	Iron Pipe or Sweat Inlet	33	Slip-Joint Outlet



Outlet

0	1/4" OD	3	1/2" OD (3/8" Nom)
1	3/8" OD (1/4" Nom)	4	5/8" OD (1/2" Nom)



Inlet

0	3/8" Female Iron Pipe, Straight
1	3/8" OD Compression (1/4" Nom)
2	1/2" Female Iron Pipe, Straight
4	1/2" Nominal Copper, Straight
5	3/8" Female Iron Pipe, Angle
7	1/2" Female Iron Pipe, Angle
9	1/2" Nominal Copper, Angle

For Slip-Joint Outlets:

01	1/2" FIP Inlet, Angle
05	1/2" FIP Inlet, Straight
41	1/2" Nom Comp Inlet, Angle
45	1/2" Nom Comp Inlet, Straight

For Sweat Extension Inlets:

40	1/2" Nom Sweat x 3/8" OD Comp, Angle
41	1/2" Nom Sweat x 3/8" OD Comp, Straight



Option

F	Female Compression
----------	--------------------


For Sweat Extension Inlets:

B	With Escutcheon
----------	-----------------



Compliant

X	100% Compliant
----------	----------------



Finish

C	Chrome Plated
R	Rough/Unplated

For Sweat Extension Inlets:

C	Chrome Plated, Boxed
R	Rough/Unplated, Boxed



Packaging

1	Individually Boxed (These stops are highlighted in bold print in this catalog).
----------	--



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
----------	-----	-------------	--------	-----	-----

Compression x Compression - Angle

KTCR09X C	026613135595	1/2" Nom Comp x 1/4" OD Comp	Chrome	60	17.0
KTCR09X C1	026613144795	1/2" Nom Comp x 1/4" OD Comp	Chrome	24	7.0
KTCR09X R	026613135601	1/2" Nom Comp x 1/4" OD Comp	Rough	60	17.0
KTCR19X C	026613138688	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	17.3
KTCR19X C1	026613144801	1/2" Nom Comp x 3/8" OD Comp	Chrome	24	7.1
KTCR39X C	026613138367	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	19.0



Compression x Compression - Straight

KTCR04X R	026613153155	1/2" Nom Comp x 1/4" OD Comp	Rough	60	15.8
KTCR11X C	026613150093	1/4" Nom Comp x 3/8" OD Comp	Chrome	60	14.2
KTCR14X C	026613138626	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	16.0
KTCR14X C1	026613144764	1/2" Nom Comp x 3/8" OD Comp	Chrome	24	6.6
KTCR34X C	026613150130	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	17.8
KTCR11FX C	026613142371	3/8" OD Fem Comp x 3/8" OD Comp	Chrome	60	14.9
KTCR11FX C1	026613142494	3/8" OD Fem Comp x 3/8" OD Comp	Chrome	24	6.1



Compression x Slip-Joint - Angle

KT3341X C	026613138848	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	60	19.7
KT3341X C1	026613144788	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	24	8.0



Compression x Slip-Joint - Straight

KT3345X C	026613138794	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	60	18.4
KT3345X C1	026613144719	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	24	7.5



FIP x Compression - Angle

KTR15X C	026613142333	3/8" FIP x 3/8" OD Comp	Chrome	60	14.9
KTR15X C1	026613144825	3/8" FIP x 3/8" OD Comp	Chrome	24	6.1
KTR07X C	026613138053	1/2" FIP x 1/4" OD Comp	Chrome	60	17.5
KTR17X C	026613138718	1/2" FIP x 3/8" OD Comp	Chrome	60	17.7
KTR17X C1	026613144849	1/2" FIP x 3/8" OD Comp	Chrome	24	7.3
KTR37X C	026613138060	1/2" FIP x 1/2" OD Comp	Chrome	60	19.5



FIP x Compression - Straight

KTR10X C	026613144535	3/8" FIP x 3/8" OD Comp	Chrome	60	14.1
KTR12X C	026613137841	1/2" FIP x 3/8" OD Comp	Chrome	60	16.8
KTR12X C1	026613144900	1/2" FIP x 3/8" OD Comp	Chrome	24	6.9



FIP x Slip-Joint - Angle

KT3301X C	026613137056	1/2" FIP x 7/16" OD & 1/2" Slip-Joint	Chrome	60	20.1
KT3301X C1	026613144832	1/2" FIP x 7/16" OD & 1/2" Slip-Joint	Chrome	24	8.2

1/4 TURN SUPPLY STOPS

BrassCraft®

11

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Sweat x Compression - Angle					
KTR09X C	026613150154	1/2" Nom Sweat x 1/4" OD Comp	Chrome	60	13.9
KTR19X C	026613144528	1/2" Nom Sweat x 3/8" OD Comp	Chrome	60	14.1
KTR19X C1	026613136103	1/2" Nom Sweat x 3/8" OD Comp	Chrome	32	7.7
KTR19X R	026613144856	1/2" Nom Sweat x 3/8" OD Comp	Rough	60	14.2



Sweat x Compression - Angle With 5" Sweat Extension Tube					
KTCS40X C	026613136738	1/2" Nom Sweat x 3/8" OD Comp	Chrome	30	12.5
KTCS40BX C	026613138350	1/2" Nom Sweat x 3/8" OD Comp With Bell Escutcheon	Chrome	30	13.5



Sweat x Compression - Straight With 5" Sweat Extension Tube					
KTCS41X C	026613157863	1/2" Nom Sweat x 3/8" OD Comp	Chrome	30	2.0
KTCS41BX C	026613144740	1/2" Nom Sweat x 3/8" OD Comp With Bell Escutcheon	Chrome	30	13.0



Sweat x Compression - Straight					
KTR04X R	026613137612	1/2" Nom Sweat x 1/4" OD Comp	Rough	60	12.7
KTR14X C	026613144870	1/2" Nom Sweat x 3/8" OD Comp	Chrome	60	13.5
KTR14X C1	026613135991	1/2" Nom Sweat x 3/8" OD Comp	Chrome	24	5.5
KTR14X R	026613144887	1/2" Nom Sweat x 3/4" OD Comp	Rough	60	13.1



†Crimp PEX Barb x Compression - Angle					
KTBRPX19X C	026613150062	1/2" Nom Barb x 3/8" OD Comp	Chrome	60	13.8



†Crimp PEX Barb x Compression - Straight					
KTBRPX14X C	026613150055	1/2" Nom Barb x 3/8" OD Comp	Chrome	60	12.8



†Crimp PEX Barb x Barb - Straight					
KTBRPX44X C	026613136745	1/2" Nom Barb x 1/2" Nom Barb	Chrome	60	11.6
KTBRPX44X R	026613144863	1/2" Nom Barb x 1/2" Nom Barb	Rough	60	11.5



† For Brass "Crimp PEX" fittings and stops ASTM F1807

www.brasscraft.com

1/4 TURN BALL SUPPLY STOPS

BrassCraft®

1/4 TURN SUPPLY STOPS



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
ΔCPVC Solvent Weld x Compression - Angle					
KTPR19X C	026613138374	1/2" Nom CPVC x 3/8" OD Comp	Chrome	60	17.8
KTPR19X C1	026613144818	1/2" Nom CPVC x 3/8" OD Comp	Chrome	24	7.3



ΔCPVC Solvent Weld x Compression - Straight					
KTPR04X R	026613150147	1/2" Nom CPVC x 1/4" OD Comp	Rough	60	16.3
KTPR14X C	026613138664	1/2" Nom CPVC x 3/8" OD Comp	Chrome	60	16.6
KTPR14X C1	026613144771	1/2" Nom CPVC x 3/8" OD Comp	Chrome	24	6.8

Δ CPVC pre-torqued fittings eliminate the need for tightening on the job.

1/4 TURN SUPPLY STOPS

BrassCraft®

13

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression x Compression - Angle					
KTSCR19X C	026613136820	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	19.8
KTSCR39X C	026613153186	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	21.6



FIP x Compression - Angle					
KTSR15X C	026613150178	3/8" FIP x 3/8" OD Comp	Chrome	60	17.5
KTSR17X C	026613138077	1/2" FIP x 3/8" OD Comp	Chrome	60	20.3



Sweat x Compression - Angle					
KTSR19X C	026613150185	1/2" Nom Sweat x 3/8" OD Comp	Chrome	60	16.7



Sweat x Compression - Straight					
KTSR14X C	026613153209	1/2" Nom Sweat x 3/8" OD Comp	Chrome	60	16.1



Sweat x Compression - Angle With 5" Sweat Extension Tube					
KTSCS40BX C	026613150161	1/2" Nom Sweat x 3/8" OD Comp With Bell Escutcheon	Chrome	30	15.7



Sweat x Compression - Faucet Angle Supply Kit With 5" Sweat Extension Tube

KTSCS400AX C	026613153193	1/2" Nom Sweat x 3/8" OD Comp x 12" Riser With Bell Escutcheon	Chrome	25	30.2
--------------	--------------	--	--------	----	------



Sweat x Compression - Toilet Angle Supply Kit With 5" Sweat Extension Tube

KTSCS401DLX C	026613155050	1/2" Nom Sweat x 3/8" OD Comp x 12" Riser With Bell Escutcheon	Chrome	50	34.0
---------------	--------------	--	--------	----	------



Loose Key Retro-Fit Kit

KTS15SX-2+3	026613157719	Kit Includes Key Adaptor, Lock Shield and Replacement Screw	Chrome	25	2.0
-------------	--------------	---	--------	----	-----



1/4 TURN BALL SUPPLY STOPS WITH LOOSE KEY

Part Numbering System

Example:



G	2	C	R	1	9	P	X	X	C	1
Stop Style		Stop Type		Outlet	Inlet	Option		Compliant	Finish	Packaging
1/4 Turn Stop		Compression Inlet		3/8" OD (1/4" Nom)	1/2" Nominal Copper, Angle	Compression PEX Inlet			Chrome	Individually Boxed

G 2

Stop Style

Stop Style

G2 1/4 Turn Stop

C R

Stop Type

Stop Type

CR	Compression Inlet	BRPX	Barbed PEX Inlet
PR	CPVC Inlet	CEPX	Cold Expansion PEX Inlet
R	Iron Pipe Inlet	33	Slip-Joint Outlet
PC	Push Connect Inlet	QPS	Push Connect Outlet
PS	Push Connect Inlet		

1

Outlet

Outlet Size

0	1/4" OD	3	1/2" OD (3/8" Nom)
1	3/8" OD (1/4" Nom)	4	5/8" OD (1/2" Nom)

9

Inlet

Inlet Size & Style

0	3/8" Female Iron Pipe, Straight
1	3/8" OD Compression (1/4" Nom)
2	1/2" Female Iron Pipe, Straight
4	1/2" Nominal Copper, Straight
5	3/8" Female Iron Pipe, Angle
7	1/2" Female Iron Pipe, Angle
9	1/2" Nominal Copper, Angle

For Slip-Joint Outlets:

01	1/2" FIP Inlet, Angle
05	1/2" FIP Inlet, Straight
41	1/2" Nom Comp Inlet, Angle
45	1/2" Nom Comp Inlet, Straight

P X

Option (Modifier)

Option

PX Compression PEX Inlet (w/Tube Insert)

X

Compliant

Compliant

X 100% Compliant

C

Finish

Finish

C	Chrome Plated, Trayed	R	Rough Unplated, Trayed
---	-----------------------	---	------------------------

1

Packaging (Modifier)

Packaging

1 Individually Boxed (These stops are highlighted in **bold print** in this catalog).

BrassCraft®

Push Connect Technology Water Supply Stops

**Connect with Confidence.
Fast. Reliable. Durable.**

Features and benefits include:

- Three watertight options available
- Installation ready with pre-assembled tube insert
- No special installation tools required
- Smooth 1/4 turn operation
- Compatible with copper, PEX and CPVC
- 100% leak tested



Scan for
more
information



1/4 TURN SUPPLY STOPS



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
----------	-----	-------------	--------	-----	-----

Compression x Compression - Angle

G2CR09X C	026613138305	1/2" Nom Comp x 1/4" OD Comp	Chrome	60	13.1
G2CR09X C1	026613138312	1/2" Nom Comp x 1/4" OD Comp	Chrome	24	5.4
G2CR09X R	026613138329	1/2" Nom Comp x 1/4" OD Comp	Rough	60	13.2
G2CR19X C	026613135069	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	13.5
G2CR19X C1	026613135809	1/2" Nom Comp x 3/8" OD Comp	Chrome	32	7.4
G2CR19X R	026613138534	1/2" Nom Comp x 3/8" OD Comp	Rough	60	13.6
G2CR39X C	026613144955	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	15.8
G2CR39X C1	026613144962	1/2" Nom Comp x 1/2" OD Comp	Chrome	24	6.5
G2CR39X R	026613144979	1/2" Nom Comp x 1/2" OD Comp	Rough	60	15.9



Compression x Compression - Straight

G2CR11X C	026613145075	1/4" Nom Comp x 3/8" OD Comp	Chrome	60	13.0
G2CR11X C1	026613144757	1/4" Nom Comp x 3/8" OD Comp	Chrome	24	5.4
G2CR14X C	026613136929	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	15.2
G2CR14X C1	026613135892	1/2" Nom Comp x 3/8" OD Comp	Chrome	32	8.3
G2CR14X R	026613136943	1/2" Nom Comp x 3/8" OD Comp	Rough	60	15.3
G2CR34X C	026613144986	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	16.8
G2CR34X C1	026613145044	1/2" Nom Comp x 1/2" OD Comp	Chrome	24	6.4
G2CR34X R	026613145051	1/2" Nom Comp x 1/2" OD Comp	Rough	60	16.9



Compression PEX x Compression - Angle

G2CR19PXX C	026613149608	1/2" Nom Comp x 3/8" OD Comp With Tube Insert	Chrome	60	13.9
-------------	--------------	---	--------	----	------



Compression PEX x Compression - Straight

G2CR14PXX C	026613136936	1/2" Nom Comp x 3/8" OD Comp With Tube Insert	Chrome	60	15.7
-------------	--------------	---	--------	----	------



Compression x Slip-Joint - Angle

G23341X C	026613135243	1/2" Nom Comp x 7/16" & 1/2" OD Slip-Joint	Chrome	60	16.9
G23341X C1	026613135250	1/2" Nom Comp x 7/16" & 1/2" OD Slip-Joint	Chrome	24	6.9



Compression x Slip-Joint - Straight

G23345X C	026613135236	1/2" Nom Comp x 7/16" & 1/2" OD Slip-Joint	Chrome	60	18.6
G23345X C1	026613145068	1/2" Nom Comp x 7/16" & 1/2" OD Slip-Joint	Chrome	24	7.6

1/4 TURN SUPPLY STOPS

BrassCraft®

17

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
FIP x Compression - Angle					
G2R15X C	026613145143	3/8" FIP x 3/8" OD Comp	Chrome	60	11.7
G2R15X C1	026613136059	3/8" FIP x 3/8" OD Comp	Chrome	24	4.8
G2R07X C	026613138336	1/2" FIP x 1/4" OD Comp	Chrome	60	13.5
G2R07X C1	026613138343	1/2" FIP x 1/4" OD Comp	Chrome	24	5.5
G2R07X R	026613144993	1/2" FIP x 1/4" OD Comp	Rough	60	13.6
G2R17X C	026613137926	1/2" FIP x 3/8" OD Comp	Chrome	60	13.6
G2R17X C1	026613135885	1/2" FIP x 3/8" OD Comp	Chrome	32	7.4
G2R17X R	026613145082	1/2" FIP x 3/8" OD Comp	Rough	60	13.7
G2R17X R1	026613145099	1/2" FIP x 3/8" OD Comp	Rough	24	5.6
G2R37X C	026613145006	1/2" FIP x 1/2" OD Comp	Chrome	60	15.9
G2R37X C1	026613145013	1/2" FIP x 1/2" OD Comp	Chrome	24	6.5



FIP x Compression - Straight					
G2R10X C	026613145037	3/8" FIP x 3/8" OD Comp	Chrome	60	13.0
G2R10X C1	026613137803	3/8" FIP x 3/8" OD Comp	Chrome	24	5.3
G2R12X C	026613138572	1/2" FIP x 3/8" OD Comp	Chrome	60	14.3
G2R12X C1	026613135953	1/2" FIP x 3/8" OD Comp	Chrome	24	5.9



FIP x Slip-Joint - Angle					
G23301X C	026613138411	1/2" FIP x 7/16" & 1/2" OD Slip-Joint	Chrome	60	17.1
G23301X C1	026613135724	1/2" FIP x 7/16" & 1/2" OD Slip-Joint	Chrome	24	7.0



FIP x Slip-Joint - Straight					
G23305X C	026613137735	1/2" FIP x 7/16" & 1/2" OD Slip-Joint	Chrome	60	17.5
G23305X C1	026613137742	1/2" FIP x 7/16" & 1/2" OD Slip-Joint	Chrome	24	7.2



†Crimp PEX Barb x Compression - Angle					
G2BRPX19X C	026613137568	1/2" Nom Crimp Barb x 3/8" OD Comp	Chrome	60	10.5
G2BRPX19X R	026613145112	1/2" Nom Crimp Barb x 3/8" OD Comp	Rough	60	10.6



†Crimp PEX Barb x Compression - Straight					
G2BRPX14X C	026613149578	1/2" Nom Crimp Barb x 3/8" OD Comp	Chrome	60	12.1
G2BRPX14X R	026613149585	1/2" Nom Crimp Barb x 3/8" OD Comp	Rough	60	12.2



†Crimp PEX Barb x Barb - Straight					
G2BRPX44X C	026613139821	1/2" Nom Crimp Barb x 1/2" Nom Barb	Chrome	60	11.4
G2BRPX44X R	026613136707	1/2" Nom Crimp Barb x 1/2" Nom Barb	Rough	60	11.4



† For Brass "Crimp PEX" fittings and stops ASTM F1807

www.brasscraft.com

1/4 TURN SUPPLY STOPS



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
‡Cold Expansion PEX Barb x Compression - Angle					
G2CEPX19X C	026613141589	1/2" Nom Cold Expansion Barb x 3/8" OD Comp	Chrome	60	11.3



‡Cold Expansion PEX Barb x Compression - Straight					
G2CEPX14X C	026613141565	1/2" Nom Cold Expansion Barb x 3/8" OD Comp	Chrome	60	12.9



ΔCPVC Solvent Weld x Compression - Angle					
G2PR19X C	026613142357	1/2" Nom CPVC x 3/8" OD Comp	Chrome	60	14.0
G2PR19X C1	026613144924	1/2" Nom CPVC x 3/8" OD Comp	Chrome	24	5.8
G2PR19X R	026613144931	1/2" Nom CPVC x 3/8" OD Comp	Rough	60	14.1



ΔCPVC Solvent Weld x Compression - Straight					
G2PR14X C	026613142364	1/2" Nom CPVC x 3/8" OD Comp	Chrome	60	15.8
G2PR14X C1	026613144917	1/2" Nom CPVC x 3/8" OD Comp	Chrome	24	6.5



Push Connect x Compression - Angle					
G2PS09X C	026613142180	1/2" Nom Push Connect x 1/4" OD Comp	Chrome	60	15.1
G2PS19X C	026613142128	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	60	15.4



Push Connect x Compression - Straight					
G2PS14X C	026613142142	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	60	15.8



Push Connect x Push Connect - Angle					
G2QPS19X C	026613145204	1/2" Nom Push Connect x 3/8" OD Push Connect	Chrome	60	16.6



Push Connect x Push Connect - Straight					
G2QPS14X C	026613145198	1/2" Nom Push Connect x 3/8" OD Push Connect	Chrome	60	16.5



Push Connect Combination Removal Tool					
PCT-10-6	026613142197	1/2" Nom and 1/4" Nom Combination Removal Tool		10	0.4

‡ For Brass "Cold Expansion PEX" fittings and stops ASTM F1960
 Δ CPVC pre-torqued fittings eliminate the need for tightening on the job.

1/4 TURN SUPPLY STOPS

BrassCraft®

19

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Push Connect x Compression - Angle With Locking Clip					
G2PC09X C	026613149615	1/2" Nom Push Connect x 1/4" OD Comp	Chrome	60	18.6
G2PC19X C	026613136967	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	60	19.2
G2PC19X C1	026613135700	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	20	6.3



Push Connect x Compression - Straight With Locking Clip					
G2PC14X C	026613136950	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	60	20.2
G2PC14X C1	026613135922	1/2" Nom Push Connect x 3/8" OD Comp	Chrome	20	6.6



BrassCraft®

Multi-Turn Water Supply Stops

The Industry Standard for Quality and Reliability.

Features and benefits include:

- Machined one-piece brass body provides strength, durability and long-lasting performance
- Easy-to-remove handle protects accidental stop operation during rough-ins
- Oval knurled handle provides a secure grip and smooth on/off operation
- Handle variations available for specific configurations - see variations page
- Dual Outlet and Dual Outlet/Dual Shut Off configurations available



Scan for
more
information



Part Numbering System

Example:



0	R	1	9	P	X	X	C	1
Stop Type		Outlet Size	Inlet	Options	Compliant	Finish	Packaging	
Iron Pipe Inlet		3/8" OD (1/4" Nom)	1/2" Nominal Copper, Angle	Compression PEX Inlet		Chrome	Individually Boxed	

S

Handle
(Modifier)

T

Stem
(Modifier)

0 R

Stop Type

1

Outlet Size

9

Inlet

P X

Options

X

Compliant

C

Finish

1

Packaging

Handle*

*Drop the 'O' in Stop Type, when using modifier

S	Loose Key, Lock Shield	X	Cross
SS	Screw Driver Slot, Lock Shield	XX	Round

Stem*

*Drop the 'O' in Stop Type, when using modifier

T	Stuffing Box
---	--------------

Stop Type

OCR	Compression Inlet	OR	Iron Pipe Inlet	BRPX	Barbed PEX Inlet
OFCR	Flare Outlet, Compression Inlet	OFR	Flare Outlet, Iron Pipe Inlet	CS	Sweat Extension Inlet
FR	Flare Outlet, Sweat Inlet	R	Sweat Inlet	033	Slip-Joint Outlet
PR	CPVC Inlet	RD	Sweat Outlet x Sweat Inlet		

For Integral Shut-Offs:

R	Iron Pipe or Sweat Inlet
DRS	Screwdriver Slot, Less Lock Shield, Iron Pipe or Sweat Inlet

Outlet Size (same as riser diameter)

0	1/4" OD	4	5/8" OD (1/2" Nom)
1	3/8" OD (1/4" Nom)	8	1/2" Iron Pipe
2	7/16" OD	9	3/8" Iron Pipe
3	1/2" OD (3/8" Nom)		

Inlet Size & Style

0	3/8" Female Iron Pipe, Straight	7	1/2" Female Iron Pipe, Angle
1	3/8" OD Compression (1/4" Nom)	9	1/2" Nominal Copper, Angle
2	1/2" Female Iron Pipe, Straight	A	3/8" Nominal Copper, Straight
4	1/2" Nominal Copper, Straight	B	3/8" Nominal Copper, Angle
5	3/8" Female Iron Pipe, Angle		

For Slip-Joint Outlets:

01	1/2" FIP Inlet, Angle
05	1/2" FIP Inlet, Straight
41	1/2" Nom Comp Inlet, Angle
45	1/2" Nom Comp Inlet, Straight

For Integral Shut-Offs:

83	1/2" FIP x 1/2" MIP, Straight
84	1/2" Nom Sweat x 1/2" MIP, Straight
44	1/2" Nom Sweat x 1/2" Nom Sweat, Straight

For Sweat Extension Inlets:

40	1/2" Nom Sweat x 3/8" OD Comp, Angle
41	1/2" Nom Sweat x 3/8" OD Comp, Straight
47	1/2" Nom Sweat x 1/2" OD Comp, Straight

Options

PX	Compression PEX w/Tube Insert
----	-------------------------------

For Sweat Extension Inlets:

B	w/Escutcheon
---	--------------

For Integral Shut-Offs:

AA	w/Check Inlet
M	w/Male Sweat Outlet

Compliant

X	100% Compliant
---	----------------

Finish

C	Chrome Plated, Trayed
R	Rough/Unplated, Trayed

For Sweat Extension Inlets:

C	Chrome Plated, Boxed
R	Rough/Unplated, Boxed

Packaging

1	Individually Boxed (These stops are highlighted in bold print in this catalog).
---	--



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression x Compression - Angle					
OCR1BX C	026613150413	3/8" Nom Comp x 3/8" OD Comp	Chrome	60	12.2
OCR3BX C	026613150451	3/8" Nom Comp x 1/2" OD Comp	Chrome	60	14.5
OCR09X C	026613135274	1/2" Nom Comp x 1/4" OD Comp	Chrome	60	12.9
OCR09X C1	026613135298	1/2" Nom Comp x 1/4" OD Comp	Chrome	24	5.3
OCR09X R	026613135267	1/2" Nom Comp x 1/4" OD Comp	Rough	60	14.0
OCR19X C	026613135113	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	13.2
OCR19X C1	026613135786	1/2" Nom Comp x 3/8" OD Comp	Chrome	32	7.2
OCR19X R	026613137445	1/2" Nom Comp x 3/8" OD Comp	Rough	60	14.3
OCR19X R1	026613135762	1/2" Nom Comp x 3/8" OD Comp	Rough	24	5.9
OCR29X C	026613138558	1/2" Nom Comp x 7/16" OD Comp	Chrome	60	14.3
OCR29X C1	026613135984	1/2" Nom Comp x 7/16" OD Comp	Chrome	24	5.9
OCR29X R	026613138602	1/2" Nom Comp x 7/16" OD Comp	Rough	60	15.4
OCR39X C	026613135182	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	15.3
OCR39X C1	026613135212	1/2" Nom Comp x 1/2" OD Comp	Chrome	24	6.3
OCR39X R	026613135205	1/2" Nom Comp x 1/2" OD Comp	Rough	60	16.4
OCR49X C	026613150482	1/2" Nom Comp x 5/8" OD Comp	Chrome	60	18.0



Compression x Compression - Straight					
OCR11X C	026613153230	1/4" Nom Comp x 3/8" OD Comp	Chrome	60	13.7
OCR11X C1	026613141954	1/4" Nom Comp x 3/8" OD Comp	Chrome	24	5.6
OCR11X R	026613153247	1/4" Nom Comp x 3/8" OD Comp	Rough	60	14.9
OCR3AX C	026613150437	3/8" Nom Comp x 1/2" OD Comp	Chrome	60	16.4
OCR14X C	026613136981	1/2" Nom Comp x 3/8" OD Comp	Chrome	60	16.0
OCR14X C1	026613135977	1/2" Nom Comp x 3/8" OD Comp	Chrome	32	8.7
OCR14X R	026613138084	1/2" Nom Comp x 3/8" OD Comp	Rough	60	17.1
OCR14X R1	026613136004	1/2" Nom Comp x 3/8" OD Comp	Rough	24	7.0
OCR34X C	026613138428	1/2" Nom Comp x 1/2" OD Comp	Chrome	60	17.3
OCR34X C1	026613135946	1/2" Nom Comp x 1/2" OD Comp	Chrome	24	7.1
OCR34X R	026613138435	1/2" Nom Comp x 1/2" OD Comp	Rough	60	18.4



Compression PEX x Compression - Angle					
OCR19PXX C	026613139661	1/2" Nom Comp x 3/8" OD Comp With Tube insert	Chrome	60	13.6
OCR19PXX R	026613153353	1/2" Nom Comp x 3/8" OD Comp With Tube insert	Rough	60	13.6



Compression PEX x Compression - Straight					
OCR14PXX C	026613150321	1/2" Nom Comp x 3/8" OD Comp With Tube insert	Chrome	60	16.3



Compression x Slip-Joint - Angle					
03341X C	026613138671	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	60	16.8
03341X C1	026613135878	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	24	6.8
03341X R	026613138749	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Rough	60	17.9

■ Denotes best selling Multi-Turn Supply Stops.

MULTI-TURN SUPPLY STOPS

BrassCraft®

23

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression x Slip-Joint - Straight					
03345X C	026613137940	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	60	19.0
03345X C1	026613136028	1/2" Nom Comp x 7/16" & 1/2" Slip-Joint	Chrome	24	7.7



Compression x Flare - Angle					
0FCR19X C	026613150499	1/2" Nom Comp x 3/8" OD Flare	Chrome	60	13.8



FIP x Compression - Angle					
OR07X C	026613136844	1/2" FIP x 1/4" OD Comp	Chrome	60	13.0
OR07X C1	026613135939	1/2" FIP x 1/4" OD Comp	Chrome	24	5.3
OR07X R	026613137063	1/2" FIP x 1/4" OD Comp	Rough	60	14.1
OR15X C	026613137575	3/8" FIP x 3/8" OD Comp	Chrome	60	10.9
OR15X C1	026613135908	3/8" FIP x 3/8" OD Comp	Chrome	24	4.5
OR15X R	026613153476	3/8" FIP x 3/8" OD Comp	Rough	60	12.0
OR35X C	026613150772	3/8" FIP x 1/2" OD Comp	Chrome	60	12.8
OR17X C	026613138176	1/2" FIP x 3/8" OD Comp	Chrome	60	13.2
OR17X C1	026613135793	1/2" FIP x 3/8" OD Comp	Chrome	32	7.2
OR17X R	026613138565	1/2" FIP x 3/8" OD Comp	Rough	60	14.3
OR17X R1	026613138152	1/2" FIP x 3/8" OD Comp	Rough	24	5.9
OR27X C	026613150734	1/2" FIP x 7/16" OD Comp	Chrome	60	13.9
OR27X C1	026613150741	1/2" FIP x 7/16" OD Comp	Chrome	24	5.7
OR37X C	026613138596	1/2" FIP x 1/2" OD Comp	Chrome	60	15.1
OR37X C1	026613135748	1/2" FIP x 1/2" OD Comp	Chrome	24	6.2
OR37X R	026613153520	1/2" FIP x 1/2" OD Comp	Rough	60	16.2



Variations

See page 112 for Available Variations



Lock Shield
Loose Key
Add Prefix "S"



Lock Shield
Screwdriver Slot
Add Prefix "SS"



Stuffing Box
Add Prefix "T"



Sweat and loose key stops are furnished with brass stems. All others are furnished with corrosion resistant P.O.M. stems. Brass Stem (Non-Sweat) Add Suffix "Z" e.g., OCR19Z C



Stuffing Box
Lock Shield
Loose Key
Add Prefix "ST"



Stuffing Box
Lock Shield
Screwdriver Slot
Add Prefix "SST"



Cross Handle
Add Prefix "X"



Round (Brass) Handle
Add Prefix "XX"

 Denotes best selling Multi-Turn Supply Stops.

www.brasscraft.com

MULTI-TURN SUPPLY STOPS



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
----------	-----	-------------	--------	-----	-----

FIP x Compression - Straight

OR10X C	026613154275	3/8" FIP x 3/8" OD Comp	Chrome	60	13.7
OR10X C1	026613141947	3/8" FIP x 3/8" OD Comp	Chrome	24	5.6
OR10X R	026613154282	3/8" FIP x 3/8" OD Comp	Rough	60	14.8
OR12X C	026613138442	1/2" FIP x 3/8" OD Comp	Chrome	60	16.2
OR12X C1	026613135755	1/2" FIP x 3/8" OD Comp	Chrome	24	6.6
OR12X R	026613154299	1/2" FIP x 3/8" OD Comp	Rough	60	17.3
OR32X C	026613135229	1/2" FIP x 1/2" OD Comp	Chrome	60	17.5
OR32X C1	026613135830	1/2" FIP x 1/2" OD Comp	Chrome	24	7.2



FIP x FIP - Angle

OR95X C	026613150864	3/8" FIP x 3/8" FIP	Chrome	60	12.7
---------	--------------	---------------------	--------	----	------



FIP x FIP - Straight

OR90X C	026613150840	3/8" FIP x 3/8" FIP	Chrome	60	13.7
OR90X R	026613150857	3/8" FIP x 3/8" FIP	Rough	60	15.5
OR82X C	026613150802	1/2" FIP x 1/2" FIP	Chrome	60	16.2



FIP x Flare - Angle

OFR15X C	026613153445	3/8" FIP x 3/8" OD Flare	Chrome	60	12.1
OFR17X C	026613150505	1/2" FIP x 3/8" OD Flare	Chrome	60	14.0
OFR17X R	026613153452	1/2" FIP x 3/8" OD Flare	Rough	60	14.0
OFR37X C	026613150529	1/2" FIP x 1/2" OD Flare	Chrome	60	15.9



FIP x Flare - Straight

OFR12X C	026613157726	1/2" FIP x 1/2" OD Flare	Chrome	60	2.0
----------	--------------	--------------------------	--------	----	-----



FIP x Slip-Joint - Angle

03301X C	026613138657	1/2" FIP x 7/16" OD & 1/2" Slip-Joint	Chrome	60	16.6
03301X C1	026613135861	1/2" FIP x 7/16" OD & 1/2" Slip-Joint	Chrome	24	6.8
03301X R	026613138701	1/2" FIP x 7/16" OD & 1/2" Slip-Joint	Rough	60	17.8



FIP x Slip-Joint - Straight

03305X C	026613138770	1/2" FIP x 7/16" OD & 1/2" Slip-Joint	Chrome	60	19.2
03305X C1	026613136035	1/2" FIP x 7/16" OD & 1/2" Slip-Joint	Chrome	24	7.8

 Denotes best selling Multi-Turn Supply Stops.

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Sweat x Compression - Angle					
R1BX C	026613153780	3/8" Nom Sweat x 3/8" OD Comp	Chrome	60	14.0
R09X C	026613153650	1/2" Nom Sweat x 1/4" OD Comp	Chrome	60	13.8
R09X C1	026613142500	1/2" Nom Sweat x 1/4" OD Comp	Chrome	24	5.7
R09X R	026613154329	1/2" Nom Sweat x 1/4" OD Comp	Rough	60	13.7
R09X R1	026613153667	1/2" Nom Sweat x 1/4" OD Comp	Rough	24	5.7
R19X C	026613138480	1/2" Nom Sweat x 3/8" OD Comp	Chrome	60	14.7
R19X C1	026613136110	1/2" Nom Sweat x 3/8" OD Comp	Chrome	32	8.1
R19X R	026613137919	1/2" Nom Sweat x 3/8" OD Comp	Rough	60	14.0
R19X R1	026613136127	1/2" Nom Sweat x 3/8" OD Comp	Rough	24	5.8
R39X C	026613151694	1/2" Nom Sweat x 1/2" OD Comp	Chrome	60	16.1
R39X C1	026613136066	1/2" Nom Sweat x 1/2" OD Comp	Chrome	24	6.9
R39X R	026613151700	1/2" Nom Sweat x 1/2" OD Comp	Rough	60	15.9



Sweat x Compression - Straight

R04X C	026613154305	1/2" Nom Sweat x 1/4" OD Comp	Chrome	60	16.7
R04X R	026613154312	1/2" Nom Sweat x 1/4" OD Comp	Rough	60	16.5
R04X R1	026613136134	1/2" Nom Sweat x 1/4" OD Comp	Rough	24	6.8
R14X C	026613142548	1/2" Nom Sweat x 1/4" OD Comp	Chrome	60	16.9
R14X C1	026613136080	1/2" Nom Sweat x 3/8" OD Comp	Chrome	24	6.9
R14X R	026613154336	1/2" Nom Sweat x 3/8" OD Comp	Rough	60	16.7
R14X R1	026613136073	1/2" Nom Sweat x 3/8" OD Comp	Rough	24	6.9
R34X C	026613151588	1/2" Nom Sweat x 1/2" OD Comp	Chrome	60	18.2
R34X C1	026613136097	1/2" Nom Sweat x 1/2" OD Comp	Chrome	24	8.0
R34X R	026613151601	1/2" Nom Sweat x 1/2" OD Comp	Rough	60	18.0
R34X R1	026613151618	1/2" Nom Sweat x 1/2" OD Comp	Chrome	24	7.4



Sweat x Compression - Angle With 5" Sweat Extension Tube

CS40X C	026613136721	1/2" Nom Sweat x 3/8" OD Comp	Chrome	30	10.9
---------	--------------	-------------------------------	--------	----	------



Variations

See page 112 for Available Variations



Lock Shield
Loose Key
Add Prefix "S"



Lock Shield
Screwdriver Slot
Add Prefix "SS"



Stuffing Box
Add Prefix "T"



Sweat and loose key stops are furnished with brass stems. All others are furnished with corrosion resistant P.O.M. stems. Brass Stem (Non-Sweat) Add Suffix "Z" e.g., OCR19Z C



Stuffing Box
Lock Shield
Loose Key
Add Prefix "ST"



Stuffing Box
Lock Shield
Screwdriver Slot
Add Prefix "SST"



Cross Handle
Add Prefix "X"



Round (Brass) Handle
Add Prefix "XX"

Denotes best selling Multi-Turn Supply Stops.



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
----------	-----	-------------	--------	-----	-----

Sweat x Compression - Angle With 5" Sweat Extension Tube (cont.)

CS40BX C	026613138299	1/2" Nom Sweat x 3/8" OD Comp With Bell Escutcheon	Chrome	30	12.5
CS40BX C1	026613135717	1/2" Nom Sweat x 3/8" OD Comp With Bell Escutcheon	Chrome	24	10.0
CS44BX C	026613149431	3/8" Nom Sweat x 3/8" OD Comp With Bell Escutcheon	Chrome	30	12.6



Sweat x Compression - Straight With 5" Sweat Extension Tube

CS41X C	026613149370	1/2" Nom Sweat x 3/8" OD Comp	Chrome	30	11.9
CS47X C	026613149455	1/2" Nom Sweat x 1/2" OD Comp	Chrome	30	12.8
CS41BX C	026613137896	1/2" Nom Sweat x 3/8" OD Comp With Bell Escutcheon	Chrome	30	13.4
CS41BX C1	026613136042	1/2" Nom Sweat x 3/8" OD Comp With Bell Escutcheon	Chrome	24	10.7
CS47BX C	026613149462	1/2" Nom Sweat x 1/2" OD Comp With Bell Escutcheon	Chrome	30	14.3



Sweat x Flare - Angle

FR19X C	026613149547	1/2" Nom Sweat x 3/8" OD Flare	Chrome	60	14.8
FR19X R	026613149554	1/2" Nom Sweat x 3/8" OD Flare	Rough	60	14.7
FR39X C	026613149561	1/2" Nom Sweat x 1/2" OD Flare	Chrome	60	17.1



†Crimp PEX Barb x Compression - Angle

BRPX1BX C	026613149059	3/8" Nom Barb x 3/8" OD Comp	Chrome	60	10.0
BRPX09X C	026613149011	1/2" Nom Barb x 1/4" OD Comp	Chrome	60	9.4
BRPX09X R	026613149035	1/2" Nom Barb x 1/4" OD Comp	Rough	60	9.4
BRPX19X C	026613138206	1/2" Nom Barb x 3/8" OD Comp	Chrome	60	9.7
BRPX19X R	026613138213	1/2" Nom Barb x 3/8" OD Comp	Rough	60	9.7



†Crimp PEX Barb x Compression - Straight

BRPX04X C	026613148991	1/2" Nom Barb x 1/4" OD Comp	Chrome	60	12.2
BRPX04X R	026613149004	1/2" Nom Barb x 1/4" OD Comp	Rough	60	12.2
BRPX14X C	026613142326	1/2" Nom Barb x 3/8" OD Comp	Chrome	60	13.2
BRPX14X R	026613149042	1/2" Nom Barb x 3/8" OD Comp	Rough	60	13.2



†Crimp PEX Barb x Barb - Straight

BRPX44X C	026613139814	1/2" Nom Barb x 1/2" Nom Barb	Chrome	60	11.2
BRPX44X R	026613136691	1/2" Nom Barb x 1/2" Nom Barb	Rough	60	11.2



ΔCPVC Solvent Weld x Compression - Angle

PR09X R	026613135281	1/2" Nom CPVC x 1/4" OD Comp	Rough	60	13.4
PR19X C	026613136752	1/2" Nom CPVC x 3/8" OD Comp	Chrome	60	13.7
PR19X C1	026613138589	1/2" Nom CPVC x 3/8" OD Comp	Chrome	24	5.7
PR19X R	026613142555	1/2" Nom CPVC x 3/8" OD Comp	Rough	60	13.7
PR39X C	026613153643	1/2" Nom CPVC x 1/2" OD Comp	Chrome	60	15.8
PR39X R	026613142395	1/2" Nom CPVC x 1/2" OD Comp	Rough	60	15.8

■ Denotes best selling Multi-Turn Supply Stops.

† For Brass "Crimp PEX" fittings and stops ASTM F1807

Δ CPVC pre-torqued fittings eliminate the need for tightening on the job.


PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
ΔCPVC Solvent Weld x Compression - Straight					
PR14X C	026613138640	1/2" Nom CPVC x 3/8" OD Comp	Chrome	60	16.5
PR14X C1	026613136011	1/2" Nom CPVC x 3/8" OD Comp	Chrome	24	6.8
PR14X R	026613142388	1/2" Nom CPVC x 3/8" OD Comp	Rough	60	16.5
PR34X C	026613153629	1/2" Nom CPVC x 1/2" OD Comp	Chrome	60	17.8
PR34X R	026613153636	1/2" Nom CPVC x 1/2" OD Comp	Rough	60	17.8



PEX Tube Compression Connection


For PEX Tube 3/8" OD and smaller, use plastic compression sleeve.

For PEX Tube larger than 3/8" OD, use brass compression sleeve with stainless steel tube insert.



NOTE: All 3/8" OD PEX Risers come with plastic compression sleeve.
All 1/2" OD PEX Risers come with stainless steel tube insert.

Anatomy Of A BrassCraft Supply Stop



Variations

See page 112 for Available Variations



Lock Shield
Loose Key
Add Prefix "S"



Lock Shield
Screwdriver Slot
Add Prefix "SS"



Stuffing Box
Add Prefix "T"



Sweat and loose key stops are furnished with brass stems. All others are furnished with corrosion resistant P.O.M. stems. Brass Stem (Non-Sweat) Add Suffix "Z" e.g., OCR19Z C



Stuffing Box
Lock Shield
Loose Key
Add Prefix "ST"



Stuffing Box
Lock Shield
Screwdriver Slot
Add Prefix "SST"




Cross Handle
Add Prefix "X"



Round (Brass) Handle
Add Prefix "XX"

Δ CPVC pre-torqued fittings eliminate the need for tightening on the job.

Stops For Diverters And Shower Mixing Valves



- Direct connection to water lines saves cost of elbows and nipples.
- Shuts off water to shower without shutting down water supply.
- A convenience for all shower repairs.



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
----------	-----	-------------	--------	-----	-----

Integral Shut-Off - With Lock Shield Screwdriver Slot - Straight



SSR83 R	026613031019	1/2" FIP x 1/2" MIP	Rough	60	20.8
SSR83AA C	026613103785	1/2" FIP (With check) x 1/2" MIP	Chrome	60	20.9
SSR83AA R	026613103778	1/2" FIP (With check) x 1/2" MIP	Rough	60	20.9



SSR84 C	026613031033	1/2" Nom Sweat Female x 1/2" MIP	Chrome	60	19.7
SSR84 R	026613031040	1/2" Nom Sweat Female x 1/2" MIP	Rough	60	19.7



SSR44 R	026613030975	1/2" Nom Sweat Female x 1/2" Nom Sweat Female	Rough	60	16.4
---------	--------------	---	-------	----	------



SSR44M C	026613030937	1/2" Nom Sweat Female x 1/2" Nom Sweat Male	Chrome	60	16.4
SSR44M R	026613030944	1/2" Nom Sweat Female x 1/2" Nom Sweat Male	Rough	60	16.4

Integral Shut-Off - Less Lock Shield Screwdriver Slot - Straight



DRS83 C	026613025483	1/2" FIP x 1/2" MIP	Chrome	60	18.9
DRS83 R	026613025490	1/2" FIP x 1/2" MIP	Rough	60	18.8
DRS83 R1	026613097213	1/2" FIP x 1/2" MIP	Rough	24	7.7



DRS84 C	026613025513	1/2" Nom Sweat Female x 1/2" MIP	Chrome	60	17.7
DRS84 R	026613025520	1/2" Nom Sweat Female x 1/2" MIP	Rough	60	17.7
DRS84 R1	026613100784	1/2" Nom Sweat Female x 1/2" MIP	Rough	24	7.3

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Integral Shut-Off - Less Lock Shield Screwdriver Slot - Straight (cont.)					
DRS44 R	026613025469	1/2" Nom Sweat Female x 1/2" Nom Sweat Female	Rough	60	14.4
DRS44M C	026613025421	1/2" Nom Sweat Female x 1/2" Nom Sweat Male	Chrome	60	14.5
DRS44M R	026613025438	1/2" Nom Sweat Female x 1/2" Nom Sweat Male	Rough	60	14.5
DRS44M R1	026613964034	1/2" Nom Sweat Female x 1/2" Nom Sweat Male	Rough	24	5.8







Part Numbering System

Example:



K	T	C	R	1	9	0	1	L	R	X	C	1
Stop Style		Stop Type		Riser Outlet	Inlet	Dual Outlet	Side Outlet	Option		Compliant	Finish	Packaging
1/4 Turn Ball Stop		Compression Inlet		3/8" OD (1/4" Nom)	1/2" Nom Copper, Angle		3/8" OD (1/4" Nom)	Outlet Either Side			Chrome	Individually Boxed



Stop Style

KT	1/4 Turn Ball Stop
MT	Multi-Turn

Handle*

*Available w/Multi-Turn Only

S	Loose Key, Lock Shield	X	Cross
SS	Screw Driver Slot, Lock Shield	XX	Round

Stem*

*Available w/Multi-Turn Only

T	Stuffing Box
---	--------------

Stop Type

CR	Compression Inlet	R	Iron Pipe or Sweat Inlet
FR	Flare Outlet	BRPX	Barbed PEX Inlet
PR	CPVC Inlet		

Riser Outlet

1	3/8" OD (1/4" Nom)	3	1/2" OD (3/8" Nom)
2	7/16" OD		

Inlet

7	1/2" Female Iron Pipe, Angle	9	1/2" Nominal Copper, Angle
---	------------------------------	---	----------------------------

Dual Outlet

0	Dual Outlet
---	-------------

Side Outlet

0	1/4" OD	2	7/16" OD
1	3/8" OD (1/4" Nom)	3	1/2" OD (3/8" Nom)

Option

L	Left Side Outlet
LR	Outlet Either Side
R	Right Side Outlet

For Dual Shut-Offs:

DV	Dual Shut-Off
DVS	Dual Shut-Off, Straight

Compliant

X	100% Compliant
---	----------------

Finish

C	Chrome Plated, Trayed	R	Rough/Unplated, Trayed
---	-----------------------	---	------------------------

Packaging

1	Individually Bagged (These stops are highlighted in bold print in this catalog). For Dual Outlet/Dual Shut Off "R1" means bag.
---	---

DUAL OUTLET SUPPLY STOPS

BrassCraft®

31

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
----------	-----	-------------	--------	-----	-----

Compression x Compression x Compression

KTCR1901X R1	026613150116	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Rough	20	8.6
CR1900LX C1	026613138220	1/2" Nom Comp x 3/8" OD Comp x 1/4" OD Comp	Chrome	20	5.5
CR1900LX R1	026613138237	1/2" Nom Comp x 3/8" OD Comp x 1/4" OD Comp	Rough	20	5.9
CR1900RX C1	026613136882	1/2" Nom Comp x 3/8" OD Comp x 1/4" OD Comp	Chrome	20	5.5
CR1900RX R1	026613135854	1/2" Nom Comp x 3/8" OD Comp x 1/4" OD Comp	Rough	20	5.9
CR1901LRX C1	026613137872	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Chrome	20	5.6
CR1901LRX R1	026613135779	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Rough	20	6.0
CR2900RX C1	026613138244	1/2" Nom Comp x 7/16" OD Comp x 1/4" OD Comp	Chrome	20	6.5
CR2900RX R1	026613138251	1/2" Nom Comp x 7/16" OD Comp x 1/4" OD Comp	Rough	20	6.9
CR2901RX C1	026613138268	1/2" Nom Comp x 7/16" OD Comp x 3/8" OD Comp	Chrome	20	6.5
CR2901RX R1	026613135915	1/2" Nom Comp x 7/16" OD Comp x 3/8" OD Comp	Rough	20	6.8
CR3900RX R1	026613149233	1/2" Nom Comp x 1/2" OD Comp x 1/4" OD Comp	Rough	20	7.2
CR3901LX C1	026613138404	1/2" Nom Comp x 1/2" OD Comp x 3/8" OD Comp	Chrome	20	6.9
CR3901LX R1	026613135960	1/2" Nom Comp x 1/2" OD Comp x 3/8" OD Comp	Rough	20	7.3
CR3901RX C1	026613137858	1/2" Nom Comp x 1/2" OD Comp x 3/8" OD Comp	Chrome	20	6.8
CR3901RX R1	026613137865	1/2" Nom Comp x 1/2" OD Comp x 3/8" OD Comp	Rough	20	7.2
CR3903LRX C1	026613138275	1/2" Nom Comp x 1/2" OD Comp x 1/2" OD Comp	Chrome	20	7.3
CR3903LRX R1	026613138282	1/2" Nom Comp x 1/2" OD Comp x 1/2" OD Comp	Rough	20	7.7

FIP x Compression x Compression

R1501LRX C1	026613151427	3/8" FIP x 3/8" OD Comp x 3/8" OD Comp	Chrome	20	4.9
R1700RX C1	026613138459	1/2" FIP x 3/8" OD Comp x 1/4" OD Comp	Chrome	20	5.8
R1700RX R1	026613135847	1/2" FIP x 3/8" OD Comp x 1/4" OD Comp	Rough	20	6.1
R1701LRX C1	026613137001	1/2" FIP x 3/8" OD Comp x 3/8" OD Comp	Chrome	20	5.7
R1701LRX R1	026613135731	1/2" FIP x 3/8" OD Comp x 3/8" OD Comp	Rough	20	6.1
R2700RX R1	026613151526	1/2" FIP x 7/16" OD Comp x 1/4" OD Comp	Rough	20	6.3
R3700RX R1	026613135816	1/2" FIP x 1/2" OD Comp x 1/4" OD Comp	Rough	20	6.4
R3701RX C1	026613138800	1/2" FIP x 1/2" OD Comp & 3/8" OD Comp	Chrome	20	6.3
R3701RX R1	026613135823	1/2" FIP x 1/2" OD Comp & 3/8" OD Comp	Rough	20	6.7
R3703LRX C1	026613151663	1/2" FIP x 1/2" OD Comp x 1/2" OD Comp	Chrome	20	6.7
R3703LRX R1	026613151670	1/2" FIP x 1/2" OD Comp x 1/2" OD Comp	Rough	20	7.1

■ Denotes best selling Dual Outlet Supply Stops.

www.brasscraft.com

1/4 TURN BALL & MULTI-TURN SUPPLY STOPS - DUAL OUTLET





PART NO.

UPC

DESCRIPTION

FINISH

QTY

LBS

Sweat x Compression x Compression

R1901LRX C1	026613138619	1/2" Nom Sweat x 3/8" OD Comp x 3/8" OD Comp	Chrome	20	6.9
R1901LRX R1	026613142517	1/2" Nom Sweat x 3/8" OD Comp x 3/8" OD Comp	Rough	20	6.8

**†Crimp PEX Barb x Compression x Compression**

BRPX1901LRX R1	026613137728	1/2" Nom Barb x 3/8" OD Comp x 3/8" OD Comp	Rough	20	5.1
-----------------------	--------------	---	-------	----	-----

**ΔCPVC Solvent Weld x Compression x Compression**

PR1901LRX R1	026613138695	1/2" Nom CPVC x 3/8" OD Comp x 3/8" OD Comp	Rough	20	6.2
---------------------	--------------	---	-------	----	-----

**FIP x Flare x Flare**

FR1901LRX C1	026613152950	1/2" FIP x 3/8" OD Flare x 3/8" OD Flare	Chrome	20	5.9
FR1701LRX R1	026613137018	1/2" FIP x 3/8" OD Flare x 3/8" OD Flare	Rough	20	5.9

■ Denotes best selling Dual Outlet, Dual Shut-Off Supply Stops.

† For Brass "Crimp PEX" fittings and stops ASTM F1807

Δ CPVC pre-torqued fittings eliminate the need for tightening on the job.

Dual Outlet, Dual Shut-Off Supply Stops



Unlike a standard dual outlet stop, BrassCraft's dual outlet, dual shut-off 1/4 turn ball stop allows you to turn off the water to one source while working on another. For instance, you can still run hot water out of your faucet and turn off the water to your instant hot water dispenser. This means you don't have to install two separate stops. This added convenience is ideal for:

- Dishwashers
- Ice Makers
- Water Filters
- Instant Hot Water Dispensers



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Compression x Compression x Compression - Angle					
KTCR1900DVX R	026613137988	1/2" Nom Comp x 3/8" OD Comp x 1/4" OD Comp	Rough	30	13.1
KTCR1900DVX R1	026613142876	1/2" Nom Comp x 3/8" OD Comp x 1/4" OD Comp	Rough	20	8.3
KTCR1901DVX R	026613137995	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Rough	30	12.9
KTCR1901DVX R1	026613142869	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Rough	20	8.2



Compression x Compression x Compression - Straight

KTCR1901DVSX R	026613150123	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Rough	30	13.0
----------------	--------------	---	-------	----	------



BrassCraft® DUAL OUTLET, DUAL SHUT-OFF SUPPLY STOPS



PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
----------	-----	-------------	--------	-----	-----

Compression x Compression x Compression - Angle

CR1900DVX C	026613137384	1/2" Nom Comp x 3/8" OD Comp x 1/4" OD Comp	Chrome	30	11.4
CR1900DVX R	026613137377	1/2" Nom Comp x 3/8" OD Comp x 1/4" OD Comp	Rough	30	12.5



Compression x Compression x Compression - Straight

CR1900DVX R	026613137971	1/2" Nom Comp x 3/8" OD Comp x 1/4" OD Comp	Rough	30	12.5
-------------	--------------	---	-------	----	------



Compression x Compression x Compression - Angle

CR1901DVX C	026613137421	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Chrome	30	11.7
CR1901DVX R	026613137414	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Rough	30	12.8



Compression x Compression x Compression - Straight

CR1901DVX C	026613137391	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Chrome	30	11.6
CR1901DVX R	026613137407	1/2" Nom Comp x 3/8" OD Comp x 3/8" OD Comp	Rough	30	12.7



Compression x Compression x Compression - Angle

CR1903DVX R	026613142319	1/2" Nom Comp x 3/8" OD Comp x 1/2" OD Comp	Rough	30	12.7
-------------	--------------	---	-------	----	------



ΔCPVC Solvent Weld x Compression x Compression - Angle

PR1901DVX R	026613142340	1/2" Nom CPVC x 3/8" OD Comp x 3/8" OD Comp	Rough	30	13.1
-------------	--------------	---	-------	----	------



FIP x Compression x Compression - Angle

R1700DVX R	026613138015	1/2" FIP x 3/8" OD Comp x 1/4" OD Comp	Rough	30	12.1
R1701DVX R	026613138473	1/2" FIP x 3/8" OD Comp x 3/8" OD Comp	Rough	30	12.3

Δ CPVC pre-torqued fittings eliminate the need for tightening on the job.

Brass Needle & Ice maker/Humidifier Valves

Product Applications

- For use on instrumentation, hydraulic and pneumatic systems.
- Designed for automotive or industrial use. Not intended for natural gas, LPG, nuclear or aircraft applications.

Product Advantages

- BrassCraft® Needle Valves have metal-to-metal seats with fine thread adjustment.
- Provide positive sealing and flow adjustment up to the capacity of the valve.
- Backed by BrassCraft Mfg.'s 65 plus year history and reputation for quality and service.


Assembly Instructions

- Install with pressure against seat.
- Inspection of straight valve shows one opening is higher than the others.
- Pressure should always be directed against the seat in angle valves, not the stem threads.

PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
----------	-----	-------------	--------	-----	-----

Compression x MIP Needle Valves

NEV3-C1X	026613150215	1/4" OD Comp x 1/8" MIP With Extension, Angle	Rough	300	22.9
NV104-4-2X	026613150222	1/4" OD Comp x 1/8" MIP, Angle	Rough	450	30.9
NV106-4-2X	026613150277	1/4" OD Comp x 1/8" MIP, Straight	Rough	-	30.0
NV104-5-2X	026613150239	5/16" OD Comp x 1/8" MIP, Angle	Rough	200	21.0



Compression Needle Valves

NV105-4X	026613137490	1/4" OD Comp x 1/4" OD Comp	Rough	300	27.3
NV105-6X	026613137483	3/8" OD Comp x 3/8" OD Comp	Rough	225	28.8



Humidifier Valves - Ice Maker Kit

NV104-EE1X K1	026613153223	3/8" OD Comp x 3/8" OD Comp With 1/4" OD Comp	Rough	100	17.8
---------------	--------------	---	-------	-----	------





PART NO.	UPC	DESCRIPTION	FINISH	QTY	LBS
Self-Piercing Needle Valve Kits					
PNEV-NCVX	026613137476	For 3/8" to 1" OD Tube w/1/4" OD Comp , Inc. Saddle Clamp With Self-Locking Nuts, Brass Sleeve & Insert, & Delrin Sleeve	Rough	75	18.0
BC96X	026613148977	For 3/8" to 1" OD Tube w/1/4" OD Comp Incl. Saddle Clamp With Self-Locking Nuts, 1/4" OD x 25' Polyethylene Tube, Brass Sleeve & Inserts & Sleeve, & 1/4" OD Union	Rough	5	4.0
BC97X	026613148984	For 3/8" to 1" OD Tube w/1/4" OD Comp Incl. Saddle Clamp With Self-Locking Nuts, 1/4" OD x 25' Copper Tube, Brass Sleeve & 1/4" OD Union	Rough	5	10.1

Part Numbering System

Example:



1	-	1 2	A	C	2
Inlet		Length	Outlet Style	Finish	Packaging
3/8" OD		12"	Faucet One Piece w/Insert	Chrome Plated, Bulk Packed	1 Pair, Boxed



Riser Style

Copper Riser (No Prefix)

P PEX Riser



Riser Type


F Flared Outlet



Inlet (Stop or fitting outlet size)

1 3/8" OD

3 1/2" OD



Length

12 12"
15 15"
20 20"
30 30"
36 36"

For Flare (Copper Risers):

11 11"
17 17"
20 20"

For PEX Risers:

12 12"
15 15"
20 20"
30 30"
36 36"



Outlet Style

A Faucet - One Piece w/Insert
C Faucet - Rubber Washer w/Brass Ring
K Faucet - 1/2" MIP (Tapped 1/4" FIP)
KA Faucet - Sweat
KC Faucet - Compression
DE Toilet - w/Heavy Duty Rubber Nosepiece
DL Toilet - w/Gasket Nosepiece
E Toilet - Rubber Washer w/Brass Ring

For Flare (Copper Risers):

C Faucet - Rubber Washer w/Brass Ring
E Toilet - Rubber Washer w/Brass Ring

For PEX Risers:

A Faucet - One Piece w/Insert
DL Toilet - w/Gasket Nosepiece



Option (For one-piece copper risers)


S Solid Brass



Finish

C Chrome Plated, Bulk Packed

R Rough/Unplated, Bulk Packed



Packaging



1 Individually Boxed (Toilet Risers)
2 1 Pair, Boxed (Faucet Risers)

For PEX Risers (Bulk Packed):

K1 Individually Boxed (Toilet Risers)
K2 1 Pair, Boxed (Faucet Risers)

Supply Risers: Faucet

A  Formed Metal Nosepiece w/Insert Suffix "A" <i>Example:</i> 1-12A C	C  Rubber Washer w/Brass Friction Ring Suffix "C" <i>Example:</i> F1-11C C	CS  Reinforced, Formed Nosepiece, One-Piece Construction Suffix "CS" <i>Example:</i> CS600 R <i>See Fig. 1</i> • Pre-assembled with brass coupling nut for metal-to-metal seat • Eliminates faucet tailpieces and IP x sweat adaptors • Direct connection from faucet to service line • Deep well, 1/2" Nom copper solder cup • For in-line shut-off, use with compression valve	KC  Compression Nut and Sleeve Suffix "KC" <i>Example:</i> 1-12KC C <i>See Fig. 2</i>
K  1/2" MIP Tapped 1/4" FIP Suffix "K" <i>Example:</i> 1-12K C	KA  Sweat Suffix "KA" <i>Example:</i> 1-12KA C <i>See Fig. 3</i>		


<i>Fig. 1</i>  CS	<i>Fig. 2</i>  KC	<i>Fig. 3</i>  KA
--	---	--

Supply Risers: Toilet


DL  Formed Nosepiece w/Insert Gasket Suffix "DL" <i>Example:</i> 1-12DL C	DE  Heavy Nosepiece w/Rubber Washer Suffix "DE" <i>Example:</i> 1-12DE C	E  Rubber Washer w/Brass Friction Ring Suffix "E" <i>Example:</i> F1-11E C
--	---	---

PEX Tube Compression Connection

For PEX Tube 3/8" OD and smaller, use plastic compression sleeve.



For PEX Tube larger than 3/8" OD, use brass compression sleeve with stainless steel tube insert.



NOTE: All 3/8" OD PEX Risers come with plastic compression sleeve.
All 1/2" OD PEX Risers come with stainless steel tube insert.

Boxed Risers † Denotes riser is available boxed. Contact your local rep.

PART NO.	UPC	DESCRIPTION	LENGTH	QTY	LBS
Faucet - 1-Piece With Insert					
1-12A C †	026613002576	3/8" OD	12"	100	11.2
1-12A R †	026613042343	3/8" OD	12"	100	11.2
1-15A C †	026613042688	3/8" OD	15"	100	14.1
1-20A C †	026613042992	3/8" OD	20"	100	18.9
1-20A R †	026613043036	3/8" OD	20"	100	18.9
1-30A C †	026613043302	3/8" OD	30"	50	14.5
1-30A R †	026613043340	3/8" OD	30"	50	14.5
1-36A C †	026613043425	3/8" OD	36"	50	17.3
1-36A R †	026613043456	3/8" OD	36"	50	17.3
3-12A C †	026613043715	1/2" OD	12"	50	8.2
3-12A R †	026613043753	1/2" OD	12"	50	8.2
3-15A C	026613043951	1/2" OD	15"	50	10.3
3-20A C †	026613044026	1/2" OD	20"	50	13.6
3-20A R †	026613044057	1/2" OD	20"	50	13.6
3-30A C †	026613044163	1/2" OD	30"	25	10.8
3-30A R †	026613044187	1/2" OD	30"	25	10.8
3-36A C †	026613044217	1/2" OD	36"	25	13.0



Faucet - Flared With Rubber Washer & Brass Ring

F1-11C C	026613044491	3/8" OD	11"	100	10.7
F1-17C C	026613044620	3/8" OD	17"	100	16.1
F1-20C C	026613044675	3/8" OD	20"	100	19.6
F1-20C R	026613044682	3/8" OD	20"	100	19.6



Faucet - Compression With KC Nosepiece

1-12KC C †	026613003795	3/8" OD	12"	50	7.1
1-12KC R †	026613042572	3/8" OD	12"	50	7.1
1-15KC C	026613042787	3/8" OD	15"	50	8.9
1-15KC R	026613042794	3/8" OD	15"	50	8.9
1-20KC C †	026613003801	3/8" OD	20"	50	11.2
1-20KC R †	026613043241	3/8" OD	20"	50	11.2
1-30KC C	026613043395	3/8" OD	30"	50	16.0
3-12KC C †	026613043906	1/2" OD	12"	50	10.1



Faucet - 1/2" MIP With 1/4" FIP Tapped

1-12K C	026613042596	3/8" OD	12"	50	9.3
1-20K C	026613043265	3/8" OD	20"	50	13.1



† Denotes faucet risers are available boxed, 1 pair.
NOTE: Actual riser length to connect less 1/2"

www.brasscraft.com



PART NO.	UPC	DESCRIPTION	LENGTH	QTY	LBS
----------	-----	-------------	--------	-----	-----

Faucet - Sweat

1-12KA C †	026613042510	3/8" OD	12"	50	5.2
1-12KA R †	026613042534	3/8" OD	12"	50	5.2
1-15KA R	026613042770	3/8" OD	15"	50	7.1
1-20KA C	026613043197	3/8" OD	20"	50	9.4
1-20KA R †	026613043203	3/8" OD	20"	50	9.4



Faucet - Sweat 1-Piece With Shank Nut

CS600 R †	026613002675	1/2" OD	12"	50	8.7
-----------	--------------	---------	-----	----	-----



Faucet - PEX

P1-12A	026613044859	3/8" OD	12"	100	4.4
P1-15A	026613044897	3/8" OD	15"	100	5.0
P1-20A	026613044910	3/8" OD	20"	100	5.0
P1-30A	026613044958	3/8" OD	30"	50	4.2
P1-36A	026613044965	3/8" OD	36"	50	5.1



Toilet - PEX

P1-12DL	026613044873	3/8" OD	12"	100	3.6
P1-15DL	026613044903	3/8" OD	15"	100	5.0
P1-20DL	026613044934	3/8" OD	20"	100	5.6



Toilet - With Gasket Nosepiece

1-12DL C	026613002613	3/8" OD	12"	100	11.3
1-15DL C	026613042756	3/8" OD	15"	100	14.8
1-20DL C	026613043135	3/8" OD	20"	50	9.9
1-30DL C	026613043371	3/8" OD	30"	50	13.8
3-12DL C	026613043821	1/2" OD	12"	50	7.3
3-20DL C	026613044088	1/2" OD	20"	50	14.5



Toilet - With Heavy Duty Rubber Nosepiece

1-12DE C	026613042398	3/8" OD	12"	50	5.9
1-20DE C	026613043081	3/8" OD	20"	50	10.1
3-12DE C	026613043791	1/2" OD	12"	50	7.4



Toilet - Flared With Rubber Washer & Brass Ring

F1-11E C	026613044521	3/8" OD	11"	100	11.7
----------	--------------	---------	-----	-----	------

† Denotes faucet risers are available boxed, 1 pair.
NOTE: Actual riser length to connect less 1/2"

Speedi Plumb® PLUS Connector

BrassCraft® Speedi Plumb® PLUS connectors offer superior performance, with advanced construction and appeal.

The BrassCraft Speedi Plumb® PLUS connector is the world's most advanced flexible water connector. Designed for longer life under the harshest conditions, the BrassCraft

Speedi Plumb® PLUS connector features tough polymer-coated fibers tightly braided around a strong PVC inner hose. The result is a corrosion resistant, highly flexible, extremely reliable water supply connector for use with faucets, toilets, dishwashers, washing machines, water heaters, icemakers and humidifiers.

Long Wing Nuts for Quick & Sure Connections.

Hand-tightened wing nuts offer quicker connections to faucets and toilets, while the long nut ensures dependable thread engagement.

Cone Washer for Universal Fit and Sure Seal.

The cone washer's large sealing surface ensures a secure connection and a universal fit.

BrassCraft Speedi Plumb® PLUS Connectors Resist Corrosion.

The braided polymer-coated fibers in BrassCraft Speedi Plumb® PLUS connectors are specially engineered to resist corrosion caused by chemicals found in common household tile and glass cleaners including:

- Ammonia
- Phosphoric Acid
- Sodium Hypochlorite
- Hydrogen Chloride
- Muriatic Acid
- Dimethyl Benzyl Ammonium Chloride



The BrassCraft Speedi Plumb® PLUS engineered polymer-braided jacket also resists corrosion from solder flux from installation and repair, and completely protects the inner tube, even in a harsh chemical environment.

The BrassCraft Manufacturing Commitment to Compliance.



As an industry leader, we are continuously developing solutions for the ever-changing marketplace. In 2009, we were one of the first manufacturers to introduce no-lead* products compliant with California's low-lead legislation. As this legislation expands to a nationwide implementation in January 2014, we continue our commitment to provide a full range of high quality compliant products, including Speedi Plumb® connectors.

BrassCraft Speedi Plumb® PLUS connectors are IAPMO and CSA listed to ASME A112.18.6-2009/CSA B125.6-2009, the only national standard for flexible water connectors.



*BrassCraft Manufacturing is in compliance with the National Reduction of Lead in Drinking Water Act which became effective nationwide on January 4, 2014. This legislation changes the legal definition of "lead free" from 8% lead to a weighted average lead content of 0.25% with respect to wetted surfaces.

www.brasscraft.com

THE MOST CORROSION RESISTANT CONNECTOR

Allows for Speedier Connections.

The braided polymer-coated fibers bend freely, without kinking or crimping. Installation is easier, especially in cramped quarters.

Patented Engineered Polymer Braid and PVC Hose Resist Leaks.

The BrassCraft Speedi Plumb® PLUS connector's exclusive, patented construction features a high tenacity, multi-filament core yarn, protected by a special polymer coating. The result is optimum corrosion resistance and durability. Inside, our tough PVC tubing resists attack by chlorine and chloramine.




Stop End Provides More Secure Connections.

Deep threads in the compression nut assure secure engagement, while the Elastomer rubber seal eliminates metal-to-metal connections which have been known to damage water stops.

8-Sided Pneumatic Crimp for Greater Dependability.

Precise 8-sided crimp ensures reliable nut-to-hose connections.



BrassCraft Speedi Plumb® PLUS Connectors for Every Application.

Choose from our complete inventory of BrassCraft Speedi Plumb® PLUS connectors for faucet, toilet, dishwasher, washing machine, ice-maker and humidifier hook-ups, and supply kits for dishwashers and "Low Boy" toilets.

Water heater connectors are also available, featuring specially coated fibers for continuous exposure to high heat. Choose from a full line of end fitting configurations.

