




**SYMMONS® Duro®**

363DTB-18, 363DTB-24, 363RH, 363TB-18,  
363TB-24, 363TP, 363TR, 363TS-22, 363-SD2




Accessory Suite

## Operation & Maintenance Manual


Model Numbers	Specification
<ul style="list-style-type: none"> <li><input type="checkbox"/> <b>363DTB-18</b>      <i>18" Double Towel Bar</i></li> <li><input type="checkbox"/> <b>363DTB-24</b>      <i>24" Double Towel Bar</i></li> <li><input type="checkbox"/> <b>363RH</b>              <i>Robe Hook</i></li> <li><input type="checkbox"/> <b>363TB-18</b>         <i>18" Towel Bar</i></li> <li><input type="checkbox"/> <b>363TB-24</b>         <i>24" Towel Bar</i></li> <li><input type="checkbox"/> <b>363TP</b>              <i>Toilet Paper Holder</i></li> <li><input type="checkbox"/> <b>363TR</b>              <i>Towel Ring</i></li> <li><input type="checkbox"/> <b>363TS-22</b>         <i>Towel Shelf with Bar</i></li> <li><input type="checkbox"/> <b>363-SD2</b>           <i>Soap Basket</i></li> </ul>	<p>All premium accessories constructed from metal materials, plated in standard polished chrome finish.</p>
<b>Modifications</b>	<b>Warranty</b>
<ul style="list-style-type: none"> <li><input type="checkbox"/> <b>-STN</b>      <i>Satin Nickel finish</i></li> </ul> <p><b>Note:</b> Append appropriate -suffix to model number.</p>	<p><b>Limited Lifetime</b> - to the original end purchaser in consumer/residential installations. <b>10 Years</b> - for commercial/industrial installations. Refer to <a href="http://www.symmons.com/warranty">www.symmons.com/warranty</a> for complete warranty information.</p> 

## Dimensions


### 363RH




### 363TP




### 363TR




### 363TB-18




### 363TB-24




### 363DTB-18




### 363DTB-24



### 363TS-22



### 363-SD2



### Measurements


A	1-13/16", 46 mm
B	2", 51 mm
C	5-3/8", 137 mm
D	4-1/8", 105 mm
E	2-1/2", 64 mm
F	6-7/8", 175 mm
G	5-3/4", 146 mm
H	18", 457 mm
I	19-13/16", 503 mm
J	3-1/4", 82 mm
K	24", 610 mm
L	25-13/16", 656 mm
M	5-3/8", 136 mm
N	22", 559 mm
O	23-13/16", 605 mm
P	4-3/4", 121 mm
Q	9-5/8", 244 mm
R	3/8", 10 mm
S	9", 228 mm
T	4-1/4", 108 mm
U	2-3/8", 60 mm

### Replacement Parts

Description	Part Number
Mounting Hardware Kit Less Bracket	RA-017


## Installation

- 1) Measure and mark centerlines for mounting bracket installation using dimensions on page 2.




**Note:**  
363DTB-18, 363DTB-24, 363TB-18,  
363TB-24, 363TS-22 only. Make

- 2a) **Dry Wall Option:** Place mounting brackets into desired position. Using brackets as a guide, carefully drill 5/16" holes into wall. Remove brackets and





**Note:**  
For plaster walls 1/2" thick or less, insert toggle tool into toggle to secure behind wall prior to


- 2b) **Stud Option:** Center bracket on centerline. Using brackets as a guide, carefully drill 3/16"




- 5) Hang top of accessory on mounting bracket. Lower into position.




**363-SD2 Only:** Carefully drill 5/16" holes into wall and install anchors.



- 3) With mounting brackets in position, secure to wall using screws. Use bracket as screw template



- 4) Secure with set screw.



---

## Troubleshooting Chart

---

Problem	Cause	Solution
Finish is spotting.	Elements in water supply may cause water staining on finish.	Clean finished trim area with a soft cloth using mild soap and water or a non-abrasive cleaner and then quickly rinse with water.

 **WARNING:** This product can expose you to chemicals including lead, which is known to the state of California to cause cancer, birth defects, or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).