For Residential and Commercial Applications

Job Name	Engineer / Architect	
Job Location	Wholesaler	
Submittal Date	Contractor	

R1B/09/19/39X Multi-Turn Angle Stop – Sweat x Compression

Use: For use with potable water systems in accessible locations only. Not intended for recirculating water systems that produce continuous use temperatures above 115° F. For those applications, use our KT[™] series ball stops

Design Features:

- Machined one-piece brass body provides strength, durability, and long-lasting performance
- **Oval knurled handle** provides a secure grip and smooth on/off operation
- **Easy-to-remove handle** with screw attachment protects accidental stop operation during rough-ins

Operating Specifications:


Temperature:	40° - 160° F
Pressure:	125 PSI maximum

STOP MATERIAL SPECIFICATIONS	
Body	Brass or brass, plated
Stem	Brass; or brass, plated
Bib & Packing Washers	Rubber
Packing Nut	Brass or brass, plated
Handle	Metal or metal, plated
Handle Screw	Steel, plated
Compression Sleeve	Brass
Compression Nut	Brass or brass, plated
Loose Key	Zinc die cast
Lock Shield	Brass, plated
Loose Key Stem	Brass or brass, plated

Part Listing:

R1BX C	3/8" nom sweat x 3/8" OD compression, chrome
R09X C	1/2" nom sweat x 1/4" OD compression, chrome
R09X R	1/2" nom sweat x 1/4" OD compression, rough brass
R19X C	1/2" nom sweat x 3/8" OD compression, chrome
R19X C1	1/2" nom sweat x 3/8" OD compression, chrome, window tray
R19X CD	1/2" nom sweat x 3/8" OD compression, chrome, carded
R19X R	1/2" nom sweat x 3/8" OD compression, rough brass
R19X R1	1/2" nom sweat x 3/8" OD compression, rough brass, window tray

This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing Company and shall not be disclosed to others without the written consent of BrassCraft. This specification must be returned to BrassCraft if requested.





400.76 R1B/09/19/39X Multi-Turn Angle Stop - Sweat x Comp REV 6.21

[.] Ø

R1B/09/19/39X


Multi-Turn Angle Stop – Sweat x Compression


Part Listing (Con't):

 R39X C
 1/2" nom sweat x 1/2" OD compression, chrome

 SR19X C
 1/2" nom sweat x 3/8" OD compression, loose key, chrome

PART DIMENS	PART DIMENSIONS (Inches)			
Model	DIM. A	DIM. B		
R1BX	1.02	2.56		
R09X	1.02	2.50		
R19X	1.02	2.50		
R39X	1.15	2.50		
SR19X	1.02	2.29		





Listings & Certifications:

 IAPMO listed to ASME A112.18.1 / CSA B125.1 (includes NSF/ANSI 372 and NSF/ANSI/CAN 61)



This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing Company and shall not be disclosed to others without the written consent of BrassCraft. This specification must be returned to BrassCraft if requested.



400.76 R1B/09/19/39X Multi-Turn Angle Stop - Sweat x Comp REV 6.21