

Greenlee

Two-Piece Round Front Toilet



Product Features

- 0.8 gpf
- Gravity-fed siphon jet flush
- Vitreous china
- 16-1/2" round front bowl
- Rough-in: 12"
- Flush valve: 3"
- Trapway: 2" fully glazed
- Water spot: 7" x 6"
- Front-mounted color match trip lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt tank-to-bowl installation

Optional Accessories/Available Parts

- PF9812FLPK Fill Valve Assembly
PF9812FVPK Flush Valve Assembly with Lever



Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CSA B45.1
- MaP Rated 1000g
- Meets ADA requirements when installed according to ADA guidelines

Caution

Toilets are recommended FOR RESIDENTIAL APPLICATIONS or those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

Available Colors: White (WH)

Tank

PF9812WH 12" Rough-in Tank

PF9812RWH 12" Rough-in Right Hand Tank

Bowl


PF9800WH Round Front Bowl - 16-1/2"

Visit ferguson.com/PROFLO-vitreous-china-warranty for detailed warranty information.


FERGUSON.COM/PROFLO

Greenlee

Two-Piece Round Front Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary. Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

Greenlee

Two-Piece Elongated Toilet



Product Features

- 0.8 gpf
- Gravity-fed siphon jet flush
- Vitreous china
- 17" elongated ADA bowl
- Rough-in: 12"
- Flush valve: 3"
- Trapway: 2" fully glazed
- Water spot: 7" x 6"
- Front-mounted color match trip lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt tank-to-bowl installation

Optional Accessories/Available Parts

- PF9812FLPK Fill Valve Assembly
PF9812FVPK Flush Valve Assembly with Lever



Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH)

Tank

PF9812WH 12" Rough-in Tank

PF9812RWH 12" Rough-in Right Hand Tank

Bowl

PF9803WH Elongated ADA Bowl - 17"

Caution


Toilets are recommended FOR RESIDENTIAL APPLICATIONS or those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

Visit [ferguson.com/PROFLO-vitreous-china-warranty](https://www.ferguson.com/PROFLO-vitreous-china-warranty) for detailed warranty information.


FERGUSON.COM/PROFLO

Greenlee

Two-Piece Elongated Toilet



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary. Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.