## Greenlee

# Two-Piece Round Front Toilet



#### **Product Features**

- · 0.8 gpf
- · Gravity-fed siphon jet flush
- · Vitreous china
- · 16-1/2" Round front bowl
- Rough-in: 10"Flush Valve: 3"
- · Trapway: 2" Fully glazed
- · Water Spot: 7" x 6"
- · Front-mounted color match trip lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF9812FLPK Fill Valve Assembly
PF9812FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

#### **Codes and Certifications**









- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CSA B45.1
- · MaP Rated 1000g
- Meets ADA requirements when installed according to ADA guidelines

#### **Caution**

Toilets are recommended FOR RESIDENTIAL APPLICATIONS or those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc).




Available Colors: White (WH)

Tank	
PF9810WH	10" Rough-in Tank
Bowl	
PF9800WH	Round Front Bowl - 16-1/2"


This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit **ferguson.com/PROFLO-vitreous-china-warranty** for detailed warranty information.

# Two-Piece Round Front Toilet





## **Bowl Footprint Dimensions**



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

## Greenlee

# Two-Piece Round Front Toilet



#### **Product Features**

- · 0.8 gpf
- · Gravity-fed siphon jet flush
- · Vitreous china
- · 16-1/2" Round front bowl
- · Rough-in: 12"
- · Flush Valve: 3"
- · Trapway: 2" Fully glazed
- · Water Spot: 7" x 6"
- · Front-mounted color match trip lever
- · Sanitary bar on bowl for easy cleaning
- · Quick connect, two-bolt tank-to-bowl installation



PF9812FLPK Fill Valve Assembly
PF9812FVPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

## **Codes and Certifications**









- · IAPMO/cUPC
- · EPA WaterSense Certified
- · ASME A112.19.2 / CSA B45.1
- · MaP Rated 1000g
- Meets ADA requirements when installed according to ADA guidelines

#### **Caution**

Toilets are recommended FOR RESIDENTIAL APPLICATIONS or those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc).




Available Colors: White (WH)

Tank	
PF9812WH	12" Rough-in Tank
PF9812RWH	12" Rough-in Right-Hand Tank
Bowl	
PF9800WH	Round Front Bowl - 16-1/2"


This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit **ferguson.com/PROFLO-vitreous-china-warranty** for detailed warranty information.

# Two-Piece Round Front Toilet





## **Bowl Footprint Dimensions**



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.