

CHICAGO FAUCETS



2100 SOUTH CLEARWATER DRIVE
DES PLAINES, ILLINOIS 60018-5999

Last As Long As The Building

FITTING NO.

2500-VOC

SUBMITTED MODEL NO.

JOB NAME

ITEM NO.

SUBMITTED AS SHOWN

SUBMITTED AS NOTED



SEE ATTACHED FOR
SUBMITTED MODIFICATION

ADA INSTALLATION SHALL BE AS REQUIRED
BY APPLICABLE ADA REGULATIONS



ADA APPLIES
TO VALVE
CONTROLS ONLY

NOTE: ALL DOTTED LINE
PIPING IS 1/2" IPS
UNLESS OTHERWISE
SPECIFIED AND
SUPPLIED BY OTHERS



IS ASSUMED FOR USE OF SUPERCEDED OR VOIDED DATA.

ROUGHING IN DIMENSIONS MAY VARY AND ARE SUBJECT TO CHANGE. NO RESPONSIBILITY

DIMENSIONS IN INCHES AND [MILLIMETERS].

TECHNICAL DATA

- TEMPSHIELD™ THERMOSTATIC/PRESSURE BALANCING TUB AND SHOWER VALVE ONLY
- LEVER CONTROL HANDLES
- THERMOSTATIC/PRESSURE BALANCING CARTRIDGE
- QUATURN UNIT ON ON/OFF VALVE
- INTEGRAL CHECK STOPS
- VANDAL RESISTANT MOUNTING
- FINISH: CHROME PLATE

- ASME A112.18.1 COMPLIANT
- CSA B125 COMPLIANT
- ASSE 1016 APPROVED

DATE: 5-1-02

BY: JAR

CHK'D:

APP'D:

REV: A

2500-VOC