



Technical Specification

True Set™ Flanged Commercial Drain

Oatey's True Set™ Flanged commercial drain comes ready to install out of the carton with a strainer protected under a concrete tight, impact resistant cover. The barrel assembly is adjustable up 2-3/4" above the poured floor height to accommodate any finished floor surface (up to an additional 1" of height can be achieved by using the leveling ring TP5KIT or TP6KIT). All True Set™ drains are available in gray PVC or black ABS plastic and come with a one-half inch FIP threaded trap primer knock-out. All drains include a cleanout plug (rated to 5 psi per CSA B79) which can be used in place of a test ball up to 15 psi.



Listings:
ASME A112.6.3 & CSA B79
See chart on page 2



Strainers	All 5" and 6"
Die Cast Nickel Bronze	Medium Duty*
Die Cast Brass	Medium Duty*
Die Cast Chrome Plated Brass	Medium Duty*
Stamped Stainless Steel	Light Duty

*Safe live load between 2000 and 4999 pounds per ASME A112.21.1.


Brass, Chrome and Nickel Strainer Open Area (in²)

	Without Ring	With Ring
5" Round	9.33	8.84
6" Round	13.6	12.5
5" Square	---	14.5
6" Square	---	21.5

PVC Base dimensions and materials meet ASTM D2665.
ABS Base dimensions and materials meet ASTM D2661.

All Dimensions in Inches

A: HUB Connection	2" Outside/ 3" Inside Fit 3" Outside/ 4" Inside Fit 4" Outside Fit
HUB Depth	2" Outside/ 3" Inside Fit: 1.75" 3" Outside/ 4" Inside Fit: 1.75" 4" Outside Fit: 1.75"
Adjustment	0" to 2 3/4" (recesses 1/2")
B: Overall Width	5" - 5.5 Inches 6" - 6.4 Inches
C: Ring/Strainer dia.	5" Round - 5.22" 6" Round - 6.15" 5" Square - 5.22" 6" Square - 6.15"
D: Overall Height	Top of Base - 6.35" Overall - 8.00"



BIM/Revit content exists for these drains through Autodesk. Please access by logging onto www.seek.autodesk.com. Once on site, verify your e-mail address and then search for Oatey.

Item Number Logic: TP214C - 2"/3" Flanged PVC Drain with 6" Round Chrome Strainer With Ring.

T	P	2	3	4	C
T- True-Set	P- PVC	2- 2"/3" Solvent	1- Flanged Drain	1- 5" Round	S- Stainless Steel
	A- ABS	3- 3"/4" Solvent	2- Flanged Cleanout	2- 5" Round w/ Ring	B- Brass
		4- 4" Solvent	3- On-grade Drain	3- 6" Round	N- Nickel Bronze
			4- On-grade Cleanout	4- 6" Round w/ Ring	C- Chrome
			5- SS Flange Drain	5 - 5" Square w/Ring	
			6- SS Flange Cleanout	6 - 6" Square w/Ring	

Oatey Co.
4700 West 160 th St.
Cleveland, OH 44135

Phone: 1-800-321-9532
Phone: 1-800-321-9535
Visit www.oatey.com for Update



Technical Specification

True Set™ Flanged Commercial Drain

		C-UPC listed to ASME A112.6.3 & CSA B79			C-UPC listed to CSA B79			Die Cast Brass Strainer			Die Cast Nickel Strainer			Die Cast Chrome Plated Strainer		
		Stamped SS Strainer			Die Cast Brass CO Cover			Die Cast Brass CO Cover			Die Cast Nickel CO Cover			Die Cast Chrome Plated CO Cover		
		Round	Round	Round w/ Ring	Round	Round	Round w/ Ring	Round	Round	Round w/ Ring	Round	Round	Round w/ Ring	Round	Round	Round w/ Ring
5" Strainer	PVC GP	TP231S	TP231B	TP232B	TP235B	TP231N	TP232N	TP231N	TP232N	TP235N	TP231N	TP232N	TP235N	TP231C	TP232C	TP235C
	Base	TP331S	TP331B	TP332B	TP335B	TP331N	TP332N	TP331N	TP332N	TP335N	TP331N	TP332N	TP335N	TP331C	TP332C	TP335C
	ABS GP	TP431S	TP431B	TP432B	TP435B	TP431N	TP432N	TP431N	TP432N	TP435N	TP431N	TP432N	TP435N	TP431C	TP432C	TP435C
	Base	TP231S	TP231B	TP232B	TP235B	TP231N	TP232N	TP231N	TP232N	TP235N	TP231N	TP232N	TP235N	TP231C	TP232C	TP235C
	2" Outside/3" Inside Pipe Fit	TP331S	TP331B	TP332B	TP335B	TP331N	TP332N	TP331N	TP332N	TP335N	TP331N	TP332N	TP335N	TP331C	TP332C	TP335C
	3" Outside/4" Inside Pipe Fit	TP431S	TP431B	TP432B	TP435B	TP431N	TP432N	TP431N	TP432N	TP435N	TP431N	TP432N	TP435N	TP431C	TP432C	TP435C
	4" Outside Pipe Fit	TP211S	TP211B	TP212B	TP215B	TP211N	TP212N	TP211N	TP212N	TP215N	TP211N	TP212N	TP215N	TP211C	TP212C	TP215C
	2" Outside/3" Inside Pipe Fit	TP311S	TP311B	TP312B	TP315B	TP311N	TP312N	TP311N	TP312N	TP315N	TP311N	TP312N	TP315N	TP311C	TP312C	TP315C
	3" Outside/4" Inside Pipe Fit	TP411S	TP411B	TP412B	TP415B	TP411N	TP412N	TP411N	TP412N	TP415N	TP411N	TP412N	TP415N	TP411C	TP412C	TP415C
	4" Outside Pipe Fit	TP211S	TP211B	TP212B	TP215B	TP211N	TP212N	TP211N	TP212N	TP215N	TP211N	TP212N	TP215N	TP211C	TP212C	TP215C
6" Strainer	PVC GP	TP233S	TP233B	TP234B	TP236B	TP233N	TP234N	TP233N	TP234N	TP236N	TP233N	TP234N	TP236N	TP233C	TP234C	TP236C
	Base	TP333S	TP333B	TP334B	TP336B	TP333N	TP334N	TP333N	TP334N	TP336N	TP333N	TP334N	TP336N	TP333C	TP334C	TP336C
	ABS GP	TP433S	TP433B	TP434B	TP436B	TP433N	TP434N	TP433N	TP434N	TP436N	TP433N	TP434N	TP436N	TP433C	TP434C	TP436C
	Base	TP213S	TP213B	TP214B	TP216B	TP213N	TP214N	TP213N	TP214N	TP216N	TP213N	TP214N	TP216N	TP213C	TP214C	TP216C
	2" Outside/3" Inside Pipe Fit	TP313S	TP313B	TP314B	TP316B	TP313N	TP314N	TP313N	TP314N	TP316N	TP313N	TP314N	TP316N	TP313C	TP314C	TP316C
	3" Outside/4" Inside Pipe Fit	TP413S	TP413B	TP414B	TP416B	TP413N	TP414N	TP413N	TP414N	TP416N	TP413N	TP414N	TP416N	TP413C	TP414C	TP416C
	4" Outside Pipe Fit	TP213S	TP213B	TP214B	TP216B	TP213N	TP214N	TP213N	TP214N	TP216N	TP213N	TP214N	TP216N	TP213C	TP214C	TP216C
	2" Outside/3" Inside Pipe Fit	TP313S	TP313B	TP314B	TP316B	TP313N	TP314N	TP313N	TP314N	TP316N	TP313N	TP314N	TP316N	TP313C	TP314C	TP316C
	3" Outside/4" Inside Pipe Fit	TP413S	TP413B	TP414B	TP416B	TP413N	TP414N	TP413N	TP414N	TP416N	TP413N	TP414N	TP416N	TP413C	TP414C	TP416C
	4" Outside Pipe Fit	TP213S	TP213B	TP214B	TP216B	TP213N	TP214N	TP213N	TP214N	TP216N	TP213N	TP214N	TP216N	TP213C	TP214C	TP216C
5" Clean-out	PVC GP	TP241B	TP241B	TP242B	TP244B	TP241N	TP242N	TP241N	TP242N	TP244N	TP241N	TP242N	TP244N	TP241C	TP242C	TP244C
	Base	TP341B	TP341B	TP342B	TP344B	TP341N	TP342N	TP341N	TP342N	TP344N	TP341N	TP342N	TP344N	TP341C	TP342C	TP344C
	ABS GP	TP441B	TP441B	TP442B	TP444B	TP441N	TP442N	TP441N	TP442N	TP444N	TP441N	TP442N	TP444N	TP441C	TP442C	TP444C
	Base	TP221B	TP221B	TP222B	TP224B	TP221N	TP222N	TP221N	TP222N	TP224N	TP221N	TP222N	TP224N	TP221C	TP222C	TP224C
	2" Outside/3" Inside Pipe Fit	TP321B	TP321B	TP322B	TP324B	TP321N	TP322N	TP321N	TP322N	TP324N	TP321N	TP322N	TP324N	TP321C	TP322C	TP324C
	3" Outside/4" Inside Pipe Fit	TP421B	TP421B	TP422B	TP424B	TP421N	TP422N	TP421N	TP422N	TP424N	TP421N	TP422N	TP424N	TP421C	TP422C	TP424C
	4" Outside Pipe Fit	TP221B	TP221B	TP222B	TP224B	TP221N	TP222N	TP221N	TP222N	TP224N	TP221N	TP222N	TP224N	TP221C	TP222C	TP224C
	2" Outside/3" Inside Pipe Fit	TP321B	TP321B	TP322B	TP324B	TP321N	TP322N	TP321N	TP322N	TP324N	TP321N	TP322N	TP324N	TP321C	TP322C	TP324C
	3" Outside/4" Inside Pipe Fit	TP421B	TP421B	TP422B	TP424B	TP421N	TP422N	TP421N	TP422N	TP424N	TP421N	TP422N	TP424N	TP421C	TP422C	TP424C
	4" Outside Pipe Fit	TP221B	TP221B	TP222B	TP224B	TP221N	TP222N	TP221N	TP222N	TP224N	TP221N	TP222N	TP224N	TP221C	TP222C	TP224C
6" Clean-out	PVC GP	TP243B	TP243B	TP244B	TP246B	TP243N	TP244N	TP243N	TP244N	TP246N	TP243N	TP244N	TP246N	TP243C	TP244C	TP246C
	Base	TP343B	TP343B	TP344B	TP346B	TP343N	TP344N	TP343N	TP344N	TP346N	TP343N	TP344N	TP346N	TP343C	TP344C	TP346C
	ABS GP	TP443B	TP443B	TP444B	TP446B	TP443N	TP444N	TP443N	TP444N	TP446N	TP443N	TP444N	TP446N	TP443C	TP444C	TP446C
	Base	TP223B	TP223B	TP224B	TP226B	TP223N	TP224N	TP223N	TP224N	TP226N	TP223N	TP224N	TP226N	TP223C	TP224C	TP226C
	2" Outside/3" Inside Pipe Fit	TP323B	TP323B	TP324B	TP326B	TP323N	TP324N	TP323N	TP324N	TP326N	TP323N	TP324N	TP326N	TP323C	TP324C	TP326C
	3" Outside/4" Inside Pipe Fit	TP423B	TP423B	TP424B	TP426B	TP423N	TP424N	TP423N	TP424N	TP426N	TP423N	TP424N	TP426N	TP423C	TP424C	TP426C
	4" Outside Pipe Fit	TP223B	TP223B	TP224B	TP226B	TP223N	TP224N	TP223N	TP224N	TP226N	TP223N	TP224N	TP226N	TP223C	TP224C	TP226C
	2" Outside/3" Inside Pipe Fit	TP323B	TP323B	TP324B	TP326B	TP323N	TP324N	TP323N	TP324N	TP326N	TP323N	TP324N	TP326N	TP323C	TP324C	TP326C
	3" Outside/4" Inside Pipe Fit	TP423B	TP423B	TP424B	TP426B	TP423N	TP424N	TP423N	TP424N	TP426N	TP423N	TP424N	TP426N	TP423C	TP424C	TP426C
	4" Outside Pipe Fit	TP223B	TP223B	TP224B	TP226B	TP223N	TP224N	TP223N	TP224N	TP226N	TP223N	TP224N	TP226N	TP223C	TP224C	TP226C



Technical Specification

True Set™ Flanged Commercial Drain

Chemical Compatibility Chart for True Set Drains

Yes – Compatible with PVC up to 140 °F
and ABS up to 160 °F

No – Not Compatible

Number – Compatible up to that
temperature.

Chemical	PVC	ABS	Chemical	PVC	ABS
10% Ammonium Hydroxide	Yes	Yes	Kerosene	Yes	73F
Acetic Acid	Yes	No	Ketones	No	No
Acetone	No	No	Linseed Oil	Yes	73F
Aliphatic Solvents	No	No	Lubricating Oil	Yes	No
Ammonia (Concentrated)	No	Yes	Methylene chloride	No	No
Aromatic Solvents	No	No	Milk	Yes	Yes
Battery Acid	Yes	Yes	Mineral oil	Yes	73F
Beer	Yes	Yes	Motor/Engine oil	Yes	No
Bleach 5% Active	Yes	Yes	Nitric Acid 10%	Yes	73F
Bleach 12% Active	Yes	73 F	Nitric Acid 40%	Yes	No
Borax Solution	Yes	Yes	Nitric Acid 70%	73F	No
Brine	Yes	Yes	Phosphoric acid to 50%	Yes	73F
Calcium chloride	Yes	Yes	Phosphoric acid 85%	Yes	No
Carbon Tetrachloride	73F	No	Plating Solutions	Yes	No
Caustic Potash (50% KOH)	Yes	Yes	Potassium hydroxide	Yes	73F
Caustic Soda (40% NaOH)	Yes	Yes	Propylene glycol	Yes	Yes
Chlorinated Solvents	No	No	Silicone Oil	73F	No
Chlorinated Water	Yes	Yes	Silver Nitrate	Yes	Yes
Citric acid 10%	Yes	Yes	Soaps	Yes	73F
Crude Oil	Yes	No	Sodium chloride, sat.	Yes	Yes
Detergents	Yes	Yes	Sodium hydroxide Up to 70%	Yes	120F
Diesel Fuel	Yes	No	Sodium hypochlorite 15%	73F	120F
Ethanol to 95%	Yes	Yes	Stoddard's Solvents	No	No
Ethylene glycol	Yes	73F	Sulfuric acid Up to 30%	Yes	120F
Fatty Acids	Yes	Yes	Sulfuric acid 50%	Yes	73F
Fructose or High Fructose Corn Syrup	Yes	Yes	Sulfuric Acid (concentrated)	73F	No
Gasoline	No	Yes	Thread Cutting Oils	73F	No
Glycerol	Yes	Yes	Toluene	No	No
Hydraulic Fluid	73F	No	Turpentine	Yes	No
Hydrochloric acid 10%	Yes	73F	Urea/Urine	Yes	Yes
Hydrochloric acid 30%	Yes	No	Vegetable Oils	Yes	Yes
Hydrogen peroxide up to 95%	Yes	No	Vinegar	Yes	73F
Isopropyl alcohol	Yes	No	Water, Distilled/Soft/Hard	Yes	Yes