



Mueller Streamline Co. Headquarters

150 Schilling Blvd
Suite 201
Collierville, Tennessee 38017
United States
Phone: 901 753 3200

Mueller Streamline Co. International

525 Okeechobee Blvd
Suite 860
West Palm Beach, FL 33401
United States
Phone: 561 273 8300

ITEM # 61030350, STANDARD LINE SETS - NO OPTIONS

Streamline Standard and Mini-split Line Sets have been an industry leader for decades. We leverage our many years of experience and expertise producing copper tube in every line set we make. From liquid line and suction line handling to unique insulations applications and packaging, every Streamline Standard and Mini-split Line Set meets our rigorous standards for quality and consistency. With a broad offering of liquid line and suction line diameters, insulation, thicknesses, custom ends and

[+ more](#)



[Specifications](#) | [Dimensions](#) | [Details](#)

Specifications

| | |
|----------------------------|---------------------|
| Lines set | STANDARD |
| Weight | 13.4822 lb |
| SK Weight | 67.41 lb |
| Material | C12200 |
| UPC (EA / FT / CL) | 685768332220 |
| Insulation Material | Elastomeric (black) |

| | |
|---|--|
| Liquid Line Size | 3/8" |
| Suction Line Size | 5/8" |
| Insulation Wall Thickness | 3/4" |
| 90° Bends | NO |
| Standards | ASTM B1003 For HVAC Applications Made in USA UL 700 PSI |
| Customization | Suction Line Insulation |
| Finish Option 1 - Flare Fittings | NO |
| Finish Option 2 - Cable Gage | NO |
| Finish Option 3 - Cable Strands | NO |
| Finish Option 4 - T-stat Wire Gauge | NO |
| Finish Option 3 - T-stat Cable Strands | NO |

Dimensions

| | |
|-----------------------|---------|
| Length | 035 ft |
| Overall Height | 33.5 in |
| Overall Length | 33.5 in |
| Overall Width | 8.5 in |
| SK Height | 34.5 in |
| SK Length | 34 in |
| SK Width | 45 in |

Details

| | |
|--------------|-----|
| EA/SK | 5 |
| Style | 910 |

| | |
|------------------------------|--------------------|
| Type | 9010 |
| Mueller Description 1 | STANDARD LINE SETS |
| Mueller Description 2 | 35-610-3/4 (5) |
| Mueller Description 3 | SLS - NO OPTIONS |