




Solid Brass Hinges & Finials

Full Mortise, Extruded

	Pages
About Deltana Crown PVD Hinges CR003	1-2
Hinges, Solid Brass US3, US4, US5, US10B, US14, US15, US15A, US19, US26, US26D, UNL (Unlacquered)	1-4
6"x6" Hinges	1-9
Finials, Solid Brass US3, US4, US5, US10B, US14, US15, US15A, US19, US26, US26D, UNL (Unlacquered)	1-10



Superior Solid Brass

Deltana solid brass hinges are available in an array of finishes with superior luster and shine.

They are highly resistant against oxidation and can also be custom-plated in any other finish.

Deltana solid brass hinges come standard with button tip finials, stainless steel barrel pins, true solid brass screws and can be upgraded with our beautiful selection of decorative finials.



Hinge Option Codes

SYMBOL	DEFINITION
HD	Heavy Duty Thickness, Architectural Grade
- R	Residential Grade
- RZ	Residential Grade, Zig Zag hole pattern (Non-Template)
STD	Standard Square Corners
NRP	Non-Removable Pin (Security for out-swinging doors)
BB	Ball Bearing
NRP/BB	Non-Removable Pin / Ball Bearing (N/B)
R4	Radius (1/4") Round corners
R5	Radius (5/8") Round corners
SEC	Security Stud
UNL	Unlacquered Finish (No clear coat)
FINIALS	Decorative Caps/Tips for brass hinges. Available in matching finishes.

About the DELTANA CROWN PVD Finish

DELTA CROWN PVD Finish has the appearance of polished brass but without the ordinary problems of easy tarnishing, discoloration, flaking or pitting commonly associated with a standard polished brass finish.

DELTA CROWN PVD Finish is a titanium PVD process that does not utilize a clear coat.

DELTA CROWN PVD Finish is extremely durable and has been tested to withstand the harshest of environments.

DELTA CROWN PVD Finish is warranted not to tarnish, discolor, flake, peel, pit, or corrode for 1 year.

For high salt environments, finish must be maintain by wiping with a clean, damp cloth periodically.

Remember:


Hinges are sold in pairs. Finials are sold per each.
1 pair of hinges requires 4 finials.



SOLID BRASS HINGES / FINISHES


CR003
PVD

US3
Polished Brass

US3-UNL
Unlacquered Brass

US4
Brushed Brass

US5
Antique Brass

US10B
Oil-Rubbed Bronze

US14
Polished Nickel

US15
Brushed Nickel

US15A
Antique Nickel

US19
Flat Black

US26
Polished Chrome

US26D
Brushed Chrome


Square Corner Hinges

Solid Brass, Full Mortise, Extruded

3" x 2 1/2", Standard

Part Number	Finish	List Price Pair
DSB3025U3	US3	42.00
DSB3025U3-UNL	US3-UNL	42.00
DSB3025U10B	US10B	45.00
DSB3025U15	US15	45.00
DSB3025U19	US19	45.00

Open Size: 3" x 2 1/2"
Corners: Square
Thickness: 0.097"
Case Weight: 28 LB
Case Qty: 30 PR
Wood screw: #10x1"



DSB3025


Square Corner Hinges

Solid Brass, Full Mortise, Extruded

Standard, 3" x 3"

Part Number	Finish	List Price/ Pair
DSB33	US3	34.00
DSB33-UNL	US3-UNL	34.00
DSB35	US5	43.00
DSB310B	US10B	43.00
DSB314	US14	43.00
DSB315	US15	43.00
DSB315A	US15A	43.00
DSB319	US19	43.00
DSB326	US26	43.00
DSB326D	US26D	43.00
CSB33	CR003	52.00

Open Size: 3"x3"
 Corners: Square
 Thickness: 0.097"
 Case Weight: 28 LB
 Case Qty: 30 PR
 Wood Screw: #10x1"




DSB33

Standard, 3 1/2" x 3 1/2"

DSB353	US3	40.00
DSB353-UNL	US3-UNL	40.00
DSB354	US4	40.00
DSB355	US5	47.00
DSB3510B	US10B	47.00
DSB3514	US14	47.00
DSB3515	US15	47.00
DSB3515A	US15A	47.00
DSB3519	US19	47.00
DSB3526	US26	47.00
DSB3526D	US26D	47.00
CSB35	CR003	61.00

Open Size: 3 1/2" x 3 1/2"
 Corners: Square
 Thickness: 0.119"
 Case Weight: 39 LB
 Case Qty: 30 PR
 Wood Screw: #10x1"




DSB35

Residential, 3 1/2" x 3 1/2"

DSB353-R	US3	37.00
DSB355-R	US5	44.00
DSB3510B-R	US10B	44.00
DSB3515-R	US15	44.00
DSB3515A-R	US15A	44.00
DSB3519-R	US19	44.00
DSB3526-R	US26	44.00
DSB3526D-R	US26D	44.00
CSB35-R	CR003	59.00

Open Size: 3 1/2" x 3 1/2"
 Corners: Square
 Thickness: 0.085"
 Case Weight: 38 LB
 Case Qty: 30 PR
 Wood Screw: #10x1"



DSB35B

2 Ball Bearing, 3 1/2" x 3 1/2"

DSB35B3	US3	42.00
DSB35B3-UNL	US3-UNL	42.00
DSB35B4	US4	42.00
DSB35B5	US5	52.00
DSB35B10B	US10B	52.00
DSB35B14	US14	52.00
DSB35B15	US15	52.00
DSB35B15A	US15A	52.00
DSB35B19	US19	52.00
DSB35B26	US26	52.00
DSB35B26D	US26D	52.00
CSB35BB	CR003	64.00

Open Size: 3 1/2" x 3 1/2"
 Corners: Square
 Options: 2BB
 Thickness: 0.119"
 Case Weight: 40 LB
 Case Qty: 30 PR
 Wood Screw: #10x1"

Radius Corner Hinges, 3 1/2" x 3 1/2"

Solid Brass, Full Mortise, Extruded

1/4" Radius Corner, Standard

Part Number	Finish	List Price Pair
DSB35R43	US3	40.00
DSB35R44	US4	40.00
DSB35R45	US5	47.00
DSB35R415	US15	47.00
DSB35R415A	US15A	47.00
DSB35R426	US26	47.00

Open Size: 3 1/2" x 3 1/2"
 Corners: 1/4" Rad.
 Thickness: 0.119"
 Case Weight: 39 LB
 Case Qty: 30 PR
 Wood screw: #10x1"

1/4" Radius Corner, Residential

DSB35R43-R	US3	37.00
DSB35R45-R	US5	44.00
DSB35R410B-R	US10B	44.00
DSB35R415-R	US15	44.00
DSB35R415A-R	US15A	44.00
DSB35R419-R	US19	44.00
DSB35R426-R	US26	44.00
DSB35R426D-R	US26D	44.00
CSB35R4-R	CR003	59.00

Open Size: 3 1/2" x 3 1/2"
 Corners: 1/4" Rad.
 Thickness: 0.085"
 Case Weight: 35 LB
 Case Qty: 30 PR
 Wood screw: #10x1"

5/8" Radius Corner, Standard


Part Number	Finish	List Price/Pair
DSB35R53	US3	40.00
DSB35R55	US5	47.00
DSB35R510B	US10B	47.00
DSB35R514	US14	47.00
DSB35R515	US15	47.00
DSB35R515A	US15A	47.00
DSB35R526	US26	47.00
DSB35R526D	US26D	47.00
CSB35R5	CR003	61.00

Open Size: 3 1/2" x 3 1/2"
 Corners: 5/8" Rad.
 Thickness: 0.119"
 Case Weight: 35 LB
 Case Qty: 30 PR
 Wood Screw: #10x1"


5/8" Radius Corner, Residential

DSB35R53-R	US3	37.00
DSB35R55-R	US5	44.00
DSB35R510B-R	US10B	44.00
DSB35R514-R	US14	44.00
DSB35R515-R	US15	44.00
DSB35R515A-R	US15A	44.00
DSB35R519-R	US19	44.00
DSB35R526-R	US26	44.00
DSB35R526D-R	US26D	44.00
CSB35R5-R	CR003	59.00

Open Size: 3 1/2" x 3 1/2"
 Corners: 5/8" Rad.
 Thickness: 0.085"
 Case Weight: 35 LB
 Case Qty: 30 PR
 Wood Screws: #10X1"



DSB35R4



DSB35R5

- Solid brass hinges utilize standard template screw hole patterns for use with wood or metal doors.
- Solid brass hinges are supplied with matching solid brass Phillips wood screws and standard removable button tip finials.
- All Deltana decorative finials are available in matching finishes and fit interchangeably with most Deltana solid brass hinges.
- Solid brass hinges are fitted with high-grade, removable, rust-resistant, stainless steel pins.
- NRP can be added to any hinge upon request.

Square Corner Hinges, 4"x4"

Solid Brass, Full Mortise, Extruded

Standard

Part Number	Finish	List Price/ Pair
DSB43	US3	43.00
DSB43-UNL	US3/UNL	43.00
DSB44	US4	56.00
DSB45	US5	56.00
DSB410B	US10B	56.00
DSB414	US14	56.00
DSB415	US15	56.00
DSB415A	US15A	56.00
DSB419	US19	56.00
DSB426	US26	56.00
DSB426D	US26D	56.00
CSB44	CR003	77.00

Open Size: 4"x4"
 Corners: Square
 Wood Screw: #12x1 1/4"
 Thickness: 0.129"
 Case Weight: 50 LB
 Case Qty: 30 PR

2 Ball Bearings

DSB4B3	US3	46.00
DSB4B3-UNL	US3/UNL	46.00
DSB4B4	US4	62.00
DSB4B5	US5	62.00
DSB4B10B	US10B	62.00
DSB4B14	US14	62.00
DSB4B15	US15	62.00
DSB4B15A	US15A	62.00
DSB4B26	US26	62.00
DSB4B26D	US26D	62.00
CSB44BB	CR003	85.00

Open Size: 4"x4"
 Corners: Square
 Wood Screw: #12x1 1/4"
 Thickness: 0.129"
 Case Weight: 52 LB
 Case Qty: 30 PR

NRP

DSB4N3	US3	44.00
DSB4N5	US5	60.00
DSB4N10B	US10B	60.00
DSB4N26	US26	60.00
DSB4N26D	US26D	60.00
CSB44N	CR003	81.00

Open Size: 4"x4"
 Corners: Square
 Wood Screw: #12x1 1/4"
 Thickness: 0.129"
 Case Weight: 50 LB
 Case Qty: 30 PR

NRP, 2 Ball Bearings


DSB4NB3	US3	57.00
DSB4NB5	US5	73.00
DSB4NB10B	US10B	73.00
DSB4NB15	US15	73.00
DSB4NB15A	US15A	73.00
DSB4NB19	US19	73.00
DSB4NB26	US26	73.00
DSB4NB26D	US26D	73.00
CSB44BN	CR003	88.00

Open Size: 4"x4"
 Corners: Square
 Wood Screw: #12x1 1/4"
 Thickness: 0.129"
 Case Weight: 52 LB
 Case Qty: 30 PR

Residential, Zig-zag Hole Pattern


DSB43-RZ	US3	41.00
DSB410B-RZ	US10B	52.00
DSB426-RZ	US26	52.00

Open Size: 4"x4"
 Corners: Square
 Wood Screw: #10x1"
 Thickness: 0.085"
 Case Weight: 42 LB
 Case Qty: 30 PR




DSB4

- Solid brass hinges utilize standard template screw hole patterns for use with wood or metal doors.
- Solid brass hinges are supplied with matching solid brass Phillips wood screws and standard removable button tip finials.
- All Deltana decorative finials are available in matching finishes and fit interchangeably with most Deltana solid brass hinges.
- Solid brass hinges are fitted with high-grade, removable, rust-resistant, stainless steel pins.
- NRP can be added to any hinge upon request.



DSB4N



DSB4-RZ


Radius Corner Hinges, 4"x4"

Solid Brass, Full Mortise, Extruded

1/4" Radius Corner, Residential Zig-Zag Hole Pattern

Part Number	Finish	List Price/Pair
DSB4R43-RZ	US3	41.00
DSB4R45-RZ	US5	52.00
DSB4R410B-RZ	US10B	52.00
DSB4R415-RZ	US15	52.00
DSB4R415A-RZ	US15A	52.00
DSB4R419-RZ	US19	52.00
DSB4R426-RZ	US26	52.00
DSB4R426D-RZ	US26D	52.00
CSB44R4-RZ	CR003	68.00

Open Size: 4"x4"
 Corners: 1/4" Radius
 Thickness: 0.085"
 Wood Screw: #10x1"
 Case Weight: 40 LB
 Case Qty: 30 PR



DSB4R4-RZ

5/8" Radius Corner, Residential


Part Number	Finish	List Price/Pair
DSB4R53-R	US3	41.00
DSB4R515-R	US15	52.00

Open Size: 4"x4"
 Corners: 5/8" Radius
 Thickness: 0.085"
 Wood Screw: #10x1"
 Case Weight: 40 LB
 Case Qty: 30 PR

5/8" Radius Corner, Residential Zig-Zag Hole Pattern

Part Number	Finish	List Price/Pair
DSB4R53-RZ	US3	41.00
DSB4R55-RZ	US5	52.00
DSB4R510B-RZ	US10B	52.00
DSB4R514-RZ	US14	52.00
DSB4R515-RZ	US15	52.00
DSB4R515A-RZ	US15A	52.00
DSB4R519-RZ	US19	52.00
DSB4R526-RZ	US26	52.00
DSB4R526D-RZ	US26D	52.00
CSB44R5-RZ	CR003	68.00

Open Size: 4"x4"
 Corners: 5/8" Radius
 Thickness: 0.085"
 Wood Screw: #10x1 1/4"
 Case weight: 40 LB
 Case Qty: 30 PR




DSB4R5-RZ

5/8" Radius Corner, Standard

Part Number	Finish	List Price/Pair
DSB4R53	US3	43.00
DSB4R55	US5	56.00
DSB4R510B	US10B	56.00
DSB4R515	US15	56.00
DSB4R515A	US15A	56.00
DSB4R526	US26	56.00
DSB4R526D	US26D	56.00
CSB44R5	CR003	77.00


Open Size: 4"x4"
 Corners: 5/8" Radius
 Thickness: 0.129"
 Wood Screw: #12 x 1 1/4"
 Case weight: 50 LB
 Case Qty: 30 PR



DSB4R5

How to Determine the Radius of a Hinge

To determine if you have 1/4" or 5/8" radius corner hinge, measure the beginning of the curve to where the corner of the hinge would be if it were square.



How to Select the Proper Hinge Size

To choose the proper hinge size consider the following:
Door Height, Weight, Width, Thickness, Trim Dimension

Thickness of Door	Width of Door	Height of Hinge
1-3/8" Door	To 32"	3-1/2"
1-3/8" Door	32" to 36"	4"
1-3/4" Door	To 36"	4-1/2"
1-3/4" Door	36" to 48"	5"
1-3/4" Door	Over 48"	6"
2", 2-1/4", 2-1/2" Door	To 42"	5" Commercial
2", 2-1/4", 2-1/2" Door	Over 42"	6" Commercial



Check out Deltana's corner chisel tool. See 12 - 6.

Location of Hinge on the Door

Upper hinge 5" from top jamb to top edge of barrel.

Bottom hinge 10" from bottom edge of barrel to finished floor.

Middle centered between top and bottom hinges.

Number of Hinges per Door

As a general, rule you will want to use 1 hinge per every 30" of door or fraction thereof. Referring to door height: Doors up to 60" need 2 hinges. Doors over 60" but not over 90" need 3 hinges. Doors over 90" but not over 120" = 4 hinges.

Square Corner Hinges, 4 1/2" x 4 1/2"

Solid Brass, Full Mortise, Extruded

Standard

Part Number	Finish	List Price/Pair
DSB453	US3	65.00
DSB453-UNL	US3/UNL	65.00
DSB455	US5	73.00
DSB4510B	US10B	73.00
DSB4514	US14	73.00
DSB4515	US15	73.00
DSB4515A	US15A	73.00
DSB4519	US19	73.00
DSB4526	US26	73.00
DSB4526D	US26D	73.00
CSB45	CR003	103.00

Open Size: 4 1/2" x 4 1/2"
Corners: Square
Thickness: 0.134"
Case Weight: 45 LB
Case Qty: 20 PR

4 Ball Bearings


DSB45B3	US3	69.00
DSB45B3-UNL	US3/UNL	69.00
DSB45B4	US4	88.00
DSB45B5	US5	88.00
DSB45B10B	US10B	88.00
DSB45B15	US15	88.00
DSB45B15A	US15A	88.00
DSB45B26	US26	88.00
DSB45B26D	US26D	88.00
CSB45BB	CR003	114.00

Open Size: 4 1/2" x 4 1/2"
Corners: Square
Thickness: 0.134"
Case Weight: 45 LB
Case Qty: 20 PR


NRP, 4 Ball Bearings

DSB45NB3	US3	77.00
DSB45NB5	US5	94.00
DSB45NB10B	US10B	94.00
DSB45NB15	US15	94.00
DSB45NB15A	US15A	94.00
DSB45NB19	US19	94.00
DSB45NB26	US26	94.00
DSB45NB26D	US26D	94.00
CSB45NB	CR003	119.00

Open Size: 4 1/2" x 4 1/2"
Corners: Square
Thickness: 0.134"
Case Weight: 45 LB
Case Qty: 20 PR



DSB45



DSB45B

4 1/2\" x 4 1/2\" Solid Brass hinges are supplied with matching solid brass wood Phillips wood screws #12x1 1/4\", machine screws #12x1/2\" and standard removable button tip finials.


Square Corner Hinges

Solid Brass, Full Mortise, Extruded

5"x5", 4 Ball Bearings

Part Number	Finish	List Price/ Pair
DSB55B3	US3	118.00
DSB55B3-UNL	US3/UNL	118.00
DSB55B5	US5	126.00
DSB55B10B	US10B	126.00
DSB55B14	US14	126.00
DSB55B15	US15	126.00
DSB55B15A	US15A	126.00
DSB55B26	US26	126.00
DSB55B26D	US26D	126.00
CSB55BB	CR003	150.00

Corners: Square
Open Size: 5" x 5"
Thickness: 0.145"
Case Weight: 58 LB
Case Qty: 20 PR




DSB55B

5"x5", 4 Ball Bearings, NRP

DSB55NB3	US3	130.00
DSB55NB3-UNL	US3/UNL	130.00
DSB55NB5	US5	142.00
DSB55NB10B	US10B	142.00
DSB55NB14	US14	142.00
DSB55NB15	US15	142.00
DSB55NB15A	US15A	142.00
DSB55NB26	US26	142.00
DSB55NB26D	US26D	142.00
CSB55BN	CR003	160.00

Corners: Square
Open Size: 5" x 5"
Thickness: 0.145"
Case Weight: 58 LB
Case Qty: 20 PR




DSB55NB

5"x5" Solid Brass hinges are supplied with matching solid brass Phillips wood screws #12x1 1/4", machine screws #12x1/2" and standard removable button tip finials.

6"x6", Ball Bearings


DSB66BB3	US3	174.00
DSB66BB3-UNL	US3/UNL	174.00
DSB66BB5	US5	188.00
DSB66BB10B	US10B	188.00
DSB66BB15	US15	188.00
DSB66BB15A	US15A	188.00
DSB66BB26	US26	188.00
DSB66BB26D	US26D	188.00
CSB66BB	CR003	194.00

Open Size: 6"x6"
Corners: Square
Thickness: 0.205"
Case Weight: 53 LB
Case Qty: 10 PR



DSBTL

Optional extra large ball tip specifically designed for 6"x6" solid brass hinges.



DSB66BB

6"x6" Solid Brass hinges come standard with button tips and are supplied with Phillips wood screws #14x1 1/2"

Wide Throw Hinges

Solid Brass, Full Mortise, Extruded


Part Number	Open size	Corners	Options	Finish	Thickness	Machine Screw	Case Weight	List Price/Pair
DSB406010B	4"x6"	Square	Standard	US10B	0.129"	#12x1/2"	52 LB	98.00
DSB4560BB10B	4 1/2"x6"	Square	4BB	US10B	0.134"	#12x1/2"	52 LB	120.00
DSB4045U10B	4"x4 1/2"	Square	Standard	US10B	0.134	#12x1/2"	40 LB	88.00
CSB4540SN	4 1/2"x4"	Square	3 Knuckle/NRP	CR003	0.134"	#12x1/2"	46 LB	105.00
CSB4560BB	4 1/2"x6"	Square	4BB	CR003	0.134"	#12x1/2"	56 LB	150.00
DSB4540NBW	4 1/2"x4"x1/4"	1/4 Rad.	NRP/2BB	White	0.118"	NA	42 LB	100.00

Wood Screw: #12x1 1/4"

Finials


Solid Brass

Part Number	Finish	List Price/ Each
DSAT3	US3	3.90
DSAT3-UNL	US3/UNL	3.90
DSAT5	US5	3.90
DSAT10B	US10B	3.90
DSAT14	US14	3.90
DSAT15	US15	3.90
DSAT15A	US15A	3.90
DSAT19	US19	3.90
DSAT26	US26	3.90
DSAT26D	US26D	3.90
CAT1	CR003	5.00





Installed Acorn tip US15

DSBT3	US3	3.90
DSBT3-UNL	US3/UNL	3.90
DSBT4	US4	3.90
DSBT5	US5	3.90
DSBT10B	US10B	3.90
DSBT14	US14	3.90
DSBT15	US15	3.90
DSBT15A	US15A	3.90
DSBT19	US19	3.90
DSBT26	US26	3.90
DSBT26D	US26D	3.90
CBT1	CR003	5.00




Installed Ball tip US10B

DSST3	US3	3.90
DSST3-UNL	US3/UNL	3.90
DSST5	US5	3.90
DSST10B	US10B	3.90
DSST14	US14	3.90
DSST15	US15	3.90
DSBT15A	US15A	3.90
DSST19	US19	3.90
DSST26	US26	3.90
DSST26D	US26D	3.90
CST1	CR003	5.00



Installed Steeple tip US15

DSWT3	US3	3.90
DSWT3-UNL	US3/UNL	3.90
DSWT4	US4	3.90
DSWT5	US5	3.90
DSWT10B	US10B	3.90
DSWT15	US15	3.90
DSWT15A	US15A	3.90
DSWT19	US19	3.90
DSWT26	US26	3.90
DSWT26D	US26D	3.90
CWT1	CR003	5.00



Installed Windsor tip US10B

Note:

All Deltana decorative finials are available in matching finishes and fit interchangeably with most Deltana solid brass hinges except for 6"x6" hinges.


Remember:

Hinges are sold in pairs. Finials are sold in each. 1 Pair of hinges will require 4 finials.

Finials


Solid Brass

Part Number	Finish	List Price/ Each
DSUT3	US3	3.90
DSUT3-UNL	US3-UNL	3.90
DSUT4	US4	3.90
DSUT5	US5	3.90
DSUT10B	US10B	3.90
DSUT14	US14	3.90
DSUT15	US15	3.90
DSUT15A	US15A	3.90
DSUT19	US19	3.90
DSUT26	US26	3.90
DSUT26D	US26D	3.90
CUT1	CR003	5.00



Installed Urm tip US15

DSPUT3	US3	5.10
DSPUT3-UNL	US3/UNL	5.10
DSPUT5	US5	5.10
DSPUT10B	US10B	5.10
DSPUT15	US15	5.10
DSPUT15A	US15A	5.10
DSPUT26	US26	5.10
DSPUT26D	US26D	5.10
CPUT	CR003	6.50



Installed Ornate tip US10B


Note:

All Deltana decorative finials are available in matching finishes and fit interchangeably with most Deltana solid brass hinges except for 6"x6" hinges.

Ball Tip Finial For 6"x 6" Hinges

Solid Brass

Part Number	Finish	List Price/ Each
DSBTL3	US3	5.10
DSBTL3-UNL	US3/UNL	5.10
DSBTL5	US5	5.10
DSBTL10B	US10B	5.10
DSBTL15	US15	5.10
DSBTL15A	US15A	5.10
DSBTL26	US26	5.10
DSBTL26D	US26D	5.10
DSBTLCR003	CR003	6.50



Installed large Ball tip US15

Case Qty: 100 Each
Weight: 3 LB