

Inspire Nude V2 Bright LED Tape Light



Description

Inspire Nude V2 BRIGHT LED TAPE LIGHT is perfect for accent lighting and is an energy-sipping 3.5 watts/foot. It comes in 5 shades of white: candlelight 2300K, ultra-warm 2700K, warm 3000K, warm 3500K and pure white daylight 4000K. Use Inspire Nude V2 BRIGHT to beautifully illuminate large coves, niches, bookcases, and other indoor areas requiring decorative lighting **Note:** Inspire Nude rolls comes with 10' of lead wire on both ends.

Type:	
Quantity:	
Project:	
Company:	
Notes:	

Specifications

Input Voltage	24V DC	Coating	No Coating
Power Consumption	3.5 Watts/Ft	LED Chip	SMD3528
Color Temperature	2300K, 2700K, 3000K, 3500K, 4000K	Mounting	Self-Adhesive Tape (non-porous) or Fastener/Channel (porous)
Light Distribution	120°	Operating Temperature	-22°F to 140°F
Color Tolerance	± 100K	Dimensions	1/2" W x 1/8" H
LEDs per Foot	18	Environment	Indoor, Dry
Lamp Life	50,000 Hours	Certifications	
Roll Lengths	16FT, 50FT and 100FT	Warranty	5 Year Limited
Can be Cut?	Yes. Every 4 inches		
Max Run	28 Feet		
Dimming	Magnetic Low Voltage		
Connector	Uncoated Clip		

Applications

Coves, Toe Kicks, Steps and Rails, Architectural, Shelves and Bookcases, Accent Lighting

Lumen Information

Inspire Nude V2 BRIGHT LED TAPE LIGHT

Watts (per ft)	Calculated Lumens* (per ft)	Efficacy (lm/W)	CRI
3.5	180*	51	80

*Tested at the 3000K color temperature.

Inspire Nude V2 Bright LED Tape Light



Ordering


NU-V2- B-

Color Options (k) 2300, 2700, 3000, 3500, 4000

Roll Lengths: 16 (16 feet), 50 (50 feet), 100 (100 feet)

Part # Example: **NU-V2-2700-B-16**

Sample Inspire Nude v2 BRIGHT LED Tape Light



Inspire Nude V2 BRIGHT Compatible Components

Drivers

Dimmable Hardwire Drivers (Magnetic)



Watts	Part #
20W	DR-20W-24VDC-DIM
40W	DR-40W-24VDC-DIM
60W	DR-60W-24VDC-DIM
96W	DR-96W-24VDC-DIM

Non-Dimmable Hardwire Drivers (Electronic)



Watts	Part #
25W	DR-25W-24VDC-NONDIM
60W	DR-60W-24VDC-NONDIM
100W	DR-100W-24VDC-NONDIM

Connectors, Cables & Accessories

Hardwire Connector



Length	Part #
10 Feet	CON-HW-U


Required for hardwire drivers.

Extension Cables



Length	Part #
4 inches	EXT-4IN-U
1 foot	EXT-1FT-U
3 feet	EXT-3FT-U
12 feet	EXT-12FT-U

Strip Channel



Color	Part #
Bronze	STRIPCHAN5FT-BZ
White	STRIPCHAN5FT-WH
Aluminum	STRIPCHAN5FT-AL

For hiding tape light underneath shelves with no front lip.

Inspire Nude V2 SUPER BRIGHT LED Tape Light



Description

Inspire Nude V2 SUPER BRIGHT LED TAPE LIGHT is perfect for task lighting and is the brightest single strip of LED tape light on the market at 400 lumens per foot. It comes in 5 shades of white: candlelight 2300K, ultra-warm 2700K, warm 3000K, warm 3500K and pure white daylight 4000K. Use Inspire Nude V2 SUPER BRIGHT to beautifully illuminate large coves, shelves, and any areas needing a lot of light. **Note:** Inspire Nude rolls comes with 10' of lead wire on both ends.

Type:

Quantity:

Project:

Company:

Notes:

Specifications

Input Voltage	24V DC	Coating	No Coating
Power Consumption	4.7 Watts/Ft	LED Chip	SMD2835
Color Temperature	2300K, 2700K, 3000K, 3500K, 4000K	Mounting	Self-Adhesive Tape (non-porous) or Fastener/Channel (porous)
Light Distribution	120°	Operating Temperature	-22°F to 140°F
Color Tolerance	± 100K	Dimensions	1/2" W x 1/8" H
LEDs per Foot	18	Environment	Indoor, Dry
Lamp Life	50,000 Hours	Certifications	
Can be Cut?	Yes. Every 1.33 inches	Warranty	5 Year Limited
Max Run	21 Feet		
Dimming	Magnetic Low Voltage		
Connector	Uncoated Clip		

Applications

Large Coves, Backlighting, Architectural, Shelves and Bookcases, Task Lighting

Lumen Information

Inspire Nude V2 SUPER BRIGHT LED TAPE LIGHT

Color	Watts (per ft)	Calculated Lumens* (per ft)	Efficacy (lm/W)	CRI
4000K	4.7	450	95	65
3500K	4.7	420	90	65
3000K	4.7	400	85	65
2700K	4.7	380	81	65
2700K	4.7	320	68	85

Inspire Nude V2 SUPER BRIGHT LED Tape Light



Ordering


Color (K) **Roll Length**
NU-V2- **-SB-**

Color Options (k) 2300, 2700, 3000, 3500, 400

Roll Lengths: 16 (16 feet), 50 (50 feet), 100 (100 feet)

Part # Example: **NU-V2-2700-SB-16**

Sample Inspire Nude V2 SUPER BRIGHT LED Tape Light



Inspire Nude V2 SUPER BRIGHT Compatible Components

Drivers

Dimmable Hardwire Drivers (Magnetic)



Watts	Part #
20W	DR-20W-24VDC-DIM
40W	DR-40W-24VDC-DIM
60W	DR-60W-24VDC-DIM
96W	DR-96W-24VDC-DIM

Non-Dimmable Hardwire Drivers (Electronic)



Watts	Part #
25W	DR-25W-24VDC-NONDIM
60W	DR-60W-24VDC-NONDIM
100W	DR-100W-24VDC-NONDIM

Connectors, Cables & Accessories

Hardwire Connector



Length	Part #
10 Feet	CON-HW-U


Required for hardwire drivers.

Extension Cables



Length	Part #
2 inches	EXT-2IN-U
4 inches	EXT-4IN-U
1 foot	EXT-1FT-U
3 feet	EXT-3FT-U
12 feet	EXT-12FT-U

Strip Channel



Color	Part #
Bronze	STRIPCHAN5FT-BZ
White	STRIPCHAN5FT-WH
Aluminum	STRIPCHAN5FT-AL

For hiding tape light underneath shelves with no front lip.