

FIGURE 14: RMP - AM - WMP - WLMP - MPW  
SANITARY STAINLESS FITTINGS



304 & 316L STAINLESS STEEL FERRULES

Sanitary ferrules are a key component in hygienic piping systems, providing a smooth, flush connection point for clamp-style fittings. Clamp-style fittings are a popular option due to the ease of assembly and breakdown on process equipment and lines.

These sanitary fittings are widely used in sanitary processing systems where cleanliness, reliability, and long-term durability are critical.

FEATURES

- 304 & 316L available
- Polished ID & OD
- Manufactured from ASTM A-270 stainless steel tubing

PRODUCT SPECIFICATIONS

- Complies with 3-A standards



FIGURE NUMBER MATRIX

| FNW 14RMP |            |       |
|-----------|------------|-------|
| Grade     | Size (in.) |       |
| 304 = 74  | 1 = G      | 3 = M |
| 316L = 76 | 1-1/2 = J  | 4 = P |
|           | 2 = K      | 6 = U |
|           | 2-1/2 = L  |       |

FIGURE NUMBER MATRIX

| FNW 14AM  |            |         |
|-----------|------------|---------|
| Grade     | Size (in.) |         |
| 304 = 74  | 1/2 = D    | 4 = P   |
| 316L = 76 | 3/4 = F    | 5 = S   |
|           | 1 = G      | 6 = U   |
|           | 1-1/2 = J  | 8 = X   |
|           | 2 = K      | 10 = 10 |
|           | 2-1/2 = L  | 12 = 12 |
|           | 3 = M      |         |

FIGURE NUMBER MATRIX

| FNW 14WMP |            |         |
|-----------|------------|---------|
| Grade     | Size (in.) |         |
| 304 = 74  | 1/2 = D    | 4 = P   |
| 316L = 76 | 3/4 = F    | 5 = S   |
|           | 1 = G      | 6 = U   |
|           | 1-1/2 = J  | 8 = X   |
|           | 2 = K      | 10 = 10 |
|           | 2-1/2 = L  | 12 = 12 |
|           | 3 = M      |         |

FIGURE NUMBER MATRIX

| FNW 14WLMP |            |       |
|------------|------------|-------|
| Grade      | Size (in.) |       |
| 304 = 74   | 1 = G      | 3 = M |
| 316L = 76  | 1-1/2 = J  | 4 = P |
|            | 2 = K      | 6 = U |
|            | 2-1/2 = L  |       |

FIGURE NUMBER MATRIX

| FNW 14MPW |            |           |
|-----------|------------|-----------|
| Grade     | Size (in.) |           |
| 304 = 74  | 1/2 = D    | 2-1/2 = L |
| 316L = 76 | 3/4 = F    | 3 = M     |
|           | 1 = G      | 4 = P     |
|           | 1-1/2 = J  | 6 = U     |
|           | 2 = K      | 8 = X     |

## SPECIFICATIONS

# FIGURE 14: RMP - AM - WMP - WLMP - MPW


## SANITARY STAINLESS FITTINGS



### 304 & 316L STAINLESS STEEL FERRULES


#### 14RMP - SANITARY EXPANDING FERRULE

| Size<br>(in.) | Item #      |             | A<br>(in.) | B<br>(in.) | C<br>(in.) | D<br>(in.) | Weight<br>(lbs) |
|---------------|-------------|-------------|------------|------------|------------|------------|-----------------|
|               | 304         | 316L        |            |            |            |            |                 |
| 1             | FNW14RMP74G | FNW14RMP76G | 1.990      | 1.000      | 1.160      | .750       | 0.110           |
| 1-1/2         | FNW14RMP74J | FNW14RMP76J | 1.990      | 1.500      | 1.680      | 1.130      | 0.150           |
| 2             | FNW14RMP74K | FNW14RMP76K | 2.520      | 2.000      | 2.190      | 1.310      | 0.240           |
| 2-1/2         | FNW14RMP74L | FNW14RMP76L | 3.050      | 2.490      | 2.710      | 1.370      | 0.330           |
| 3             | FNW14RMP74M | FNW14RMP76M | 3.580      | 3.000      | 3.220      | 1.440      | 0.480           |
| 4             | FNW14RMP74P | FNW14RMP76P | 4.690      | 4.000      | 4.260      | 1.500      | 0.790           |
| 6             | FNW14RMP74U | FNW14RMP76U | 6.570      | —          | —          | 1.500      | 2.200           |



#### 14AM - SANITARY LONG FERRULE

| Size<br>(in.) | Item #       |              | A<br>(in.) | B<br>(in.) | D<br>(in.) | Weight<br>(lbs) |
|---------------|--------------|--------------|------------|------------|------------|-----------------|
|               | 304          | 316L         |            |            |            |                 |
| 1/2           | FNWL14AM74D  | FNWL14AM76D  | 1.130      | 1.000      | 0.500      | 0.180           |
| 3/4           | FNWL14AM74F  | FNWL14AM76F  | 1.130      | 1.000      | 0.750      | 0.200           |
| 1             | FNWL14AM74G  | FNWL14AM76G  | 1.130      | 1.990      | 1.000      | 0.200           |
| 1-1/2         | FNWL14AM74J  | FNWL14AM76J  | 1.130      | 1.990      | 1.500      | 0.200           |
| 2             | FNWL14AM74K  | FNWL14AM76K  | 1.130      | 2.520      | 2.000      | 0.200           |
| 2-1/2         | FNWL14AM74L  | FNWL14AM76L  | 1.130      | 3.050      | 2.500      | 0.260           |
| 3             | FNWL14AM74M  | FNWL14AM76M  | 1.130      | 3.580      | 3.000      | 0.330           |
| 4             | FNWL14AM74P  | FNWL14AM76P  | 1.130      | 4.690      | 4.000      | 0.570           |
| 5             | FNWL14AM74S  | FNWL14AM76S  | —          | —          | —          | 0.800           |
| 6             | FNWL14AM74U  | FNWL14AM76U  | 1.500      | 6.570      | 6.000      | 1.100           |
| 8             | FNWL14AM74X  | FNWL14AM76X  | 1.500      | 8.570      | 8.000      | 1.320           |
| 10            | FNWL14AM7410 | FNWL14AM7610 | 1.500      | 10.550     | 10.000     | 2.220           |
| 12            | FNWL14AM7412 | FNWL14AM7612 | 1.500      | 12.560     | 12.000     | 2.850           |



## SPECIFICATIONS

# FIGURE 14: RMP - AM - WMP - WLMP - MPW


## SANITARY STAINLESS FITTINGS



### 304 & 316L STAINLESS STEEL FERRULES

#### 14WMP - SANITARY SHORT FERRULE

| Size<br>(in.) | Item #       |              | A<br>(in.) | B<br>(in.) | D<br>(in.) | Weight<br>(lbs) |
|---------------|--------------|--------------|------------|------------|------------|-----------------|
|               | 304          | 316L         |            |            |            |                 |
| 1/2           | FNW14WMP74D  | FNW14WMP76D  | 0.500      | 1.000      | 0.500      | 0.080           |
| 3/4           | FNW14WMP74F  | FNW14WMP76F  | 0.500      | 1.000      | 0.750      | 0.100           |
| 1             | FNW14WMP74G  | FNW14WMP76G  | 0.500      | 1.990      | 1.000      | 0.150           |
| 1-1/2         | FNW14WMP74J  | FNW14WMP76J  | 0.500      | 1.990      | 1.500      | 0.090           |
| 2             | FNW14WMP74K  | FNW14WMP76K  | 0.500      | 2.520      | 2.000      | 0.130           |
| 2-1/2         | FNW14WMP74L  | FNW14WMP76L  | 0.500      | 3.050      | 2.500      | 0.170           |
| 3             | FNW14WMP74M  | FNW14WMP76M  | 0.500      | 3.580      | 3.000      | 0.210           |
| 4             | FNW14WMP74P  | FNW14WMP76P  | 0.620      | 4.690      | 4.000      | 0.390           |
| 5             | FNW14WMP74S  | FNW14WMP76S  | —          | —          | —          | 0.770           |
| 6             | FNW14WMP74U  | FNW14WMP76U  | 0.850      | 6.570      | 6.000      | 0.930           |
| 8             | FNW14WMP74X  | FNW14WMP76X  | 0.850      | 8.570      | 8.000      | 1.250           |
| 10            | FNW14WMP7410 | FNW14WMP7610 | 0.850      | 10.560     | 10.000     | 2.000           |
| 12            | FNW14WMP7412 | FNW14WMP7612 | 0.850      | 12.560     | 12.000     | 2.500           |



#### 14WLMP - SANITARY LONG TANK FERRULE

| Size<br>(in.) | Item #       |              | A<br>(in.) | B<br>(in.) | C<br>(in.) | Weight<br>(lbs) |
|---------------|--------------|--------------|------------|------------|------------|-----------------|
|               | 304          | 316L         |            |            |            |                 |
| 1             | FNW14WLMP74G | FNW14WLMP76G | 3.000      | 0.870      | 1.000      | 0.220           |
| 1-1/2         | FNW14WLMP74J | FNW14WLMP76J | 3.000      | 1.370      | 1.500      | 0.220           |
| 2             | FNW14WLMP74K | FNW14WLMP76K | 3.000      | 1.870      | 2.000      | 0.240           |
| 2-1/2         | FNW14WLMP74L | FNW14WLMP76L | 3.000      | 2.370      | 2.500      | 0.330           |
| 3             | FNW14WLMP74M | FNW14WLMP76M | 4.000      | 2.870      | 3.000      | 0.440           |
| 4             | FNW14WLMP74P | FNW14WLMP76P | 4.000      | 3.830      | 4.000      | 0.770           |
| 6             | FNW14WLMP74U | FNW14WLMP76U | 6.000      | 5.780      | 6.000      | 1.770           |




FIGURE 14: RMP - AM - WMP - WLMP - MPW  
SANITARY STAINLESS FITTINGS



304 & 316L STAINLESS STEEL FERRULES

14MPW - SANITARY TANK FERRULE

| Size<br>(in.) | Item #      |             | A<br>(in.) | B<br>(in.) | C<br>(in.) | L<br>(in.) | Weight<br>(lbs) |
|---------------|-------------|-------------|------------|------------|------------|------------|-----------------|
|               | 304         | 316L        |            |            |            |            |                 |
| 1/2           | FNW14MPW74D | FNW14MPW76D | —          | —          | —          | —          | 0.150           |
| 3/4           | FNW14MPW74F | FNW14MPW76F | —          | —          | —          | —          | 0.160           |
| 1             | FNW14MPW74G | FNW14MPW76G | 1.160      | 0.870      | 1.990      | 1.630      | 0.170           |
| 1-1/2         | FNW14MPW74J | FNW14MPW76J | 1.680      | 1.370      | 1.990      | 1.630      | 0.190           |
| 2             | FNW14MPW74K | FNW14MPW76K | 2.190      | 1.870      | 2.520      | 1.750      | 0.220           |
| 2-1/2         | FNW14MPW74L | FNW14MPW76L | 2.710      | 2.370      | 3.050      | 1.750      | 0.330           |
| 3             | FNW14MPW74M | FNW14MPW76M | 3.220      | 2.870      | 3.580      | 1.810      | 0.400           |
| 4             | FNW14MPW74P | FNW14MPW76P | 4.260      | 3.830      | 4.690      | 2.130      | 0.660           |
| 6             | FNW14MPW74U | FNW14MPW76U | —          | —          | —          | —          | 0.800           |
| 8             | FNW14MPW74X | FNW14MPW76X | —          | —          | —          | —          | 1.500           |

