

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Effective Date: December 2019 -Rev. 12/12/2019- Void After: December 2024

Product: Flexible Water Connectors File No. 6504

Issued To: Abbott Rubber Company
1700 Nicholas Blvd.
Elk Grove Village, IL 60007

Identification: Products shall be marked with manufacturer's name or trademark, a statement "For use with water in accessible locations only." The products shall also bear the cUPC® certification mark. Markings shall be by means of either a permanent mark on the product, a label on the product or a tag attached to the product.

Characteristics: Flexible water connectors manufactured in various sizes, lengths and metal end fittings for hot or cold water applications that consist of an inner tube, which may or may not have an outer braided cover. Connectors are to be installed for use in accessible locations only. To be installed in accordance with the manufacturer's instruction, and the latest edition of the Uniform Plumbing Code and National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

-Rev. 12/12/2019-

Void After: December 2024

Product: Flexible Water Connectors

File No. 6504

Issued To: Abbott Rubber Company

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada

Products are in compliance with the following standard(s):

ASME A112.18.6-2017/CSA B125.6-17



IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

-Rev. 12/12/2019-

Void After: December 2024

Product: Flexible Water Connectors

File No. 6504

Issued To: Abbott Rubber Company

MODELS:

Note: Models not exceeding 750mm in length below are in compliance with the National Plumbing Code of Canada and shall bear the UPC® certification mark. Models exceeded 750mm in length shall bear the UPC® certification mark only.

XXXXX X X X X
(1-5) (6) (7) (8-9)
(1-5) Hose Style

<u>Model No.</u>	<u>Description</u>
WA610	3/8" (nom), 1 ft - 15 ft assembled length
WA620	1/2", 3ft - 15 ft assembled length
WA690	3/8" (nom), Braid Reinforced, 4 ft - 10 ft assembled length
WA670	3/4", 5 ft - 8ft assembled length
WA660	1", 5 ft assembled length
WA6RB	3/8' (nom), Red/Blue, 4 ft assembled length

(6) Packaging

- 2 = Bulk
- 7 = Bagged

(7) Coupling

- 0 = Female x Female
- 1 = Female x Gooseneck
- 3 = Female x Male
- 4 = Female x Open End
- 6 = Male x Male
- 7 = Male x Open End
- 9 = Wye Mixer Assembly
- P = None

(8-9) Length in Feet

Refer to Hose style description for Length ranges