


**CATALOG AG-6**

# **Agricultural Hose Products**

***UDP***



**ABBOTT**



**ABBOTT RUBBER  
COMPANY, INC.**

**ABBOTT RUBBER  
COMPANY, INC.**

# **ABBOTT RUBBER COMPANY, INC.**

**AGRICULTURAL CATALOG - SPRING 2020**



**1700 NICHOLAS BLVD. ELK GROVE VILLAGE, IL 60007**  
**(847) 952-1800 (800) 852-1855 FAX (847) 952-0156**  
**E-MAIL [sales@abbottrubber.com](mailto:sales@abbottrubber.com)**  
**WEBSITE [www.abbottrubber.com](http://www.abbottrubber.com)**

Abbott Rubber Company fabricates hose and assemblies specifically designed for the agricultural marketplace. Selling to original equipment manufacturers, agricultural products dealers and retail farm stores, we are considered a leader in product quality and service. We can private label our hose products for retail sale and fabricate hose kits for any customer requirement.

<b>Item</b>	<b>Page</b>
PVC Water Suction/Transfer Hose & Assemblies	3
EPDM Rubber/Plastic Fertilizer Solution Hose	3
EPDM Rubber Fertilizer Solution Hose	4
PVC Discharge Hose & Assemblies	4
Heavy-Duty PVC Pump Discharge Hose	5
Water Pump Transfer Hose Kits	5
EVA Applicator Tubing	6
Clear PVC Vinyl Tubing	6
EPDM Agricultural Spray Hose	7
Farm Fuel Transfer Hose Assemblies	7
Goodyear T-Rex Air Hose Assemblies	8
UDP T-Rex Water Hose Assemblies	8
Hydraulic Hose Assemblies	9
Agricultural Hose Couplings	10
Agricultural Hose Accessories	11

## PVC WATER SUCTION/TRANSFER HOSE

General purpose water suction and transfer hose. Will handle full vacuum.

### PVC Water Suction/Transfer Hose

OLD PART	NEW PART	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1241-1000	T40003000	708289302982	1"	80#	100 Ft.
1240-1250	T42003001	708289273886	1-1/4"	70#	100 Ft.
1240-1500	T42003002	708289017701	1-1/2"	70#	100 Ft.
1240-2000	T42003003	708289017800	2"	65#	100 Ft.
1240-3000	T42003005	708289273985	3"	55#	100 Ft.
1240-4000	T42003006	708289274081	4"	50#	100 Ft.

Also available in clear construction  
Temperature Range: 15°F to 140°F  
Do Not Use with Petroleum Based Products.



### PVC Water Suction/Transfer Hose Assemblies

OLD PART	NEW PART	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1241-1000-10	HA4003000	708289420402	1"	10 Ft.	Male & Female
1240-1500-20	HA4203002	708289003704	1-1/2"	20 Ft.	Male & Female
1240-2000-20	HA4203003	708289003803	2"	20 Ft.	Male & Female
1240-3000-20	HA4203005	708289268080	3"	20 Ft.	Male & Female
1240-4000-20	HA4203006	708289274289	4"	20 Ft.	Male & Female

Also available in clear construction  
Temperature Range: 15°F to 140°F  
Do Not Use with Petroleum Based Products.



## EPDM RUBBER/PLASTIC FERTILIZER SOLUTION HOSE

General purpose water and fertilizer solution transfer hose. Will handle full vacuum.

### EPDM Rubber/Plastic Fertilizer Solution Hose

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1220-1000	TA4103000	708289274388	1"	50#	100 Ft.
1220-1250	TA4103001	708289015608	1-1/4"	50#	100 Ft.
1220-1500	TA4103002	708289015707	1-1/2"	50#	100 Ft.
1220-2000	TA4103002	708289015806	2"	50#	100 Ft.
1220-3000	TA4103005	708289274487	3"	45#	100 Ft.
1220-4000	TA4103006	708289274586	4"	40#	100 Ft.

Temperature Range: -40°F to 140°F  
Do Not Use with Petroleum Based Products.





## EPDM RUBBER FERTILIZER SOLUTION HOSE




Heavy duty fertilizer or water suction/transfer hose. Will handle agricultural chemicals including Lasso®. Rated for full vacuum.

### EPDM Rubber Fertilizer Solution Hose

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1210-1250	TA4303001	708289274685	1-1/4"	125#	100 Ft.
1210-1500	TA4303002	708289274784	1-1/2"	125#	100 Ft.
1210-2000	TA4303003	708289274883	2"	125#	100 Ft.
1210-3000	TA4303005	708289274982	3"	100#	100 Ft.
1210-4000	TA4303006	708289275088	4"	75#	100 Ft.

Temperature Range: -20°F to 180°F  
Do Not Use with Petroleum Based Products.

## PVC PUMP DISCHARGE HOSE



General purpose reinforced PVC lay-flat water hose designed for open end discharge service.

### PVC Pump Discharge Hose - Packaged

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1147-1000-100	T38003100	708289295581	1"	70#	100 Ft.
1147-1500-100	T38003102	708289013109	1-1/2"	65#	100 Ft.
1147-2000-100	T38003103	708289013208	2"	65#	100 Ft.
1147-3000-100	T38003105	708289295680	3"	60#	100 Ft.
1147-4000-100	T38003106	708289295789	4"	50#	100 Ft.

Temperature Range: -10°F to 150°F  
Do Not Use with Petroleum Based Products.

### PVC Pump Discharge Hose Assemblies - Packaged



OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1147-1000-25	HA3803000	708289420501	1"	25 Ft.	Male & Female
1147-1500-25	HA3803002	708289001304	1-1/2"	25 Ft.	Male & Female
1147-1500-50	HA3853002	708289275583	1-1/2"	50 Ft.	Male & Female
1147-2000-25	HA3803003	708289001502	2"	25 Ft.	Male & Female
1147-2000-50	HA3853003	708289275682	2"	50 Ft.	Male & Female
1147-3000-25	HA3803005	708289275781	3"	25 Ft.	Male & Female
1147-3000-50	HA3853005	708289667005	3"	50 Ft.	Male & Female
1147-4000-25	HA3803006	708289302883	4"	25 Ft.	Male & Female
1147-4000-50	HA3853006	708289275880	4"	50 Ft.	Male & Female

Temperature range -10°F to 150°F

Temperature Range: -10°F to 150°F  
Do Not Use with Petroleum Based Products.

## HEAVY DUTY PVC PUMP DISCHARGE HOSE

Heavy duty medium pressure reinforced PVC lay-flat hose for water transfer in open end discharge applications.

### Heavy-Duty PVC Pump Discharge Hose - Packaged



OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1152-1500	TA3703002	708289275989	1-1/2"	150#	100 Ft.
1152-2000	TA3703003	708289276085	2"	150#	100 Ft.
1152-3000	TA3703005	708289276184	3"	125#	100 Ft.
1152-4000	TA3703006	708289276283	4"	100#	100 Ft.

Temperature Range: -10°F to 150°F  
Do Not Use with Petroleum Based Products.

## SUCTION/TRANSFER PUMP HOSE KIT - BOXED

Hose kits that contain everything you need to connect to your pump for your application. All kits are boxed and labeled.

### Fertilizer Solution Pump Suction/Transfer Hose Kit

SIZE	OLD PART #	NEW PART #	UPC CODE	QTY	EACH KIT CONTAINS
2"	KIT-200A	HK42A3003	708289303088	1	PVC Suction Hose x 20 Ft. Assembly w/ 'C' & 'CN'
				1	PVC Discharge Hose x 25 Ft. Assembly w/ 'C' & 'E'
				1	Poly Strainer 'SPS'
				1	Poly Pump Adapter 'F'
				1	90° Poly Pump Adapter 'F'
				2	Aluminum Pump Adapter 'A'

Temperature Range: 15°F to 140°F  
Do Not Use with Petroleum Based Products.



### Water Pump Suction/Transfer Hose Kit

SIZE	OLD PART #	NEW PART #	UPC CODE	QTY	EACH KIT CONTAINS
1-1/2"	1240-1500-20-KIT	HK42C3QS2	708289295888	1	PVC Suction Hose x 20 Ft. Assembly w/ 'C' & 'CN'
2"	1240-2000-20-KIT	HK42C3QS3	708289295987	1	PVC Discharge Hose x 50 Ft. Assembly w/ 'SU'
3"	1240-3000-20-KIT	HK42C3QS5	708289296083	1	Steel Strainer 'SRHS'
4"	1240-4000-20-KIT	HK42C3QS6	708289296182	1	Spanner Wrench 'SW'
				1	Aluminum Pump Adapter 'A'

Temperature Range: 15°F to 140°F  
Do Not Use with Petroleum Based Products.



## EVA APPLICATOR TUBING

*Suitable for use with aqueous-based agricultural chemicals including anhydrous ammonia, aqua ammonia, ammonium nitrate, herbicides, phosphates and liquid fertilizers.*



### EVA Applicator Tubing - Packaged

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	LENGTH
3110-0254-25	TA1507001	708289385954	1/4"	25 Ft.
3110-0384-25	TA1507002	708289111607	3/8"	25 Ft.
3110-0384-50	TA1508002	708289111706	3/8"	50 Ft.
3110-0384-100	TA1509002	708289386005	3/8"	100 Ft.
3110-0504-25	TA1507003	708289111805	1/2"	25 Ft.
3110-0504-50	TA1508003	708289111904	1/2"	50 Ft.
3110-0504-100	TA1509003	708289386104	1/2"	100 Ft.
3110-0634-50	TA1508004	708289295383	5/8"	50 Ft.
3110-0754-25	TA1507005	708289112901	3/4"	25 Ft.
3110-0754-50	TA1508005	708289295482	3/4"	50 Ft.

*Open End Applications Only  
Temperature Range: -20°F to 150°F  
Do Not Use with Petroleum Based Products.*



### Braid Reinforced EVA Tubing - Boxed

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
3120-0375-100	TA15B9002	708289296281	3/8"	250#	100 Ft.
3120-0500-100	TA15B9003	708289296380	1/2"	250#	100 Ft.
3120-0750-100	TA15B9005	708289396489	3/4"	150#	100 Ft.
3120-1000-100	TA15B9006	708289296588	1"	150#	100 Ft.

*Temperature Range: -20°F to 150°F  
Do Not Use with Petroleum Based Products.*

## CLEAR PVC VINYL TUBING

*Crystal clear heavy wall flexible tubing used as a sight gauge and other agricultural applications.*



### Clear PVC Vinyl Tubing - Boxed

OLD PART #	NEW PART #	UPC CODE	SIZE	LENGTH
3010-0254	TA1004001	708289276382	1/4" I.D. x 1/8" Wall	100 Ft.
3010-0384	TA1004002	708289276481	3/8" I.D. x 1/8" Wall	100 Ft.
3010-0504	TA1004003	708289276580	1/2" I.D. x 1/8" Wall	100 Ft.
3010-0754	TA1004005	708289276689	3/4" I.D. x 1/8" Wall	100 Ft.
3010-1004	TA1004006	708289276788	1" I.D. x 1/8" Wall	100 Ft.

*Open End Applications Only  
Temperature Range: 25°F to 150°F*

## EPDM AGRICULTURAL SPRAY HOSE

Suitable for use with aqueous-based agricultural chemicals, including Lasso®. Black cover - Red cover also available.

### EPDM Agricultural Spray Hose - Packaged

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1110-0251-10	TA1106001	708289384803	1/4"	150#	10 Ft.
1110-0251-25	TA1107001	708289296687	1/4"	150#	25 Ft.
1110-0381-10	TA1106002	708289384902	3/8"	150#	10 Ft.
1110-0381-25	TA1107002	708289385305	3/8"	150#	25 Ft.
1110-0381-50	TA1108002	708289385701	3/8"	150#	50 Ft.
1110-0501-10	TA1106003	708289385008	1/2"	150#	10 Ft.
1110-0501-25	TA1107003	708289385404	1/2"	150#	25 Ft.
1110-0501-50	TA1108003	708289385800	1/2"	150#	50 Ft.
1110-0631-25	TA1107004	708289296783	5/8"	150#	25 Ft.
1110-0751-10	TA1106005	708289385107	3/4"	150#	10 Ft.
1110-0751-25	TA1107005	708289385503	3/4"	150#	25 Ft.
1110-0751-50	TA1108005	708289385909	3/4"	150#	50 Ft.
1110-1002-10	TA1106006	708289385206	1"	150#	10 Ft.
1110-1002-25	TA1107006	708289385602	1"	150#	25 Ft.
1110-1252-25	TA1107007	708289296885	1-1/4"	150#	25 Ft.
1110-1502-25	TA1107008	708289296984	1-1/2"	150#	25 Ft.
1110-2002-25	TA1108009	708289297080	2"	150#	25 Ft.



### EPDM Agricultural Spray Hose - Reels

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	PRESSURE	REEL
1110-0251	TA1105501	708289302685	1/4"	150#	500 Ft.
1110-0381	TA1105502	708289276887	3/8"	150#	500 Ft.
1110-0501	TA1105503	708289276986	1/2"	150#	500 Ft.
1110-0631	TA1105504	708289272087	5/8"	150#	500 Ft.
1110-0751	TA1105505	708289277082	3/4"	150#	500 Ft.
1110-1002	TA1105456	708289302784	1"	150#	450 Ft.
1110-1252	TA1105357	708289277181	1-1/4"	150#	350 Ft.
1110-1502	TA1105308	708289277280	1-1/2"	150#	300 Ft.
1110-2002	TA1105209	708289287189	2"	150#	200 Ft.

Temperature Range: -20°F to 190°F  
Do Not Use with Petroleum Based Products.

## FARM FUEL TRANSFER HOSE ASSEMBLIES

Oil and gasoline resistant tube and cover. Designed to deliver low pressure or gravity feed fuel to agricultural and construction equipment.

### Farm Fuel Transfer Hose - Packaged

OLD PART #	NEW PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1728-0750-10	HA1712010	708289297288	3/4"	10 Ft.	Male & Male
1728-0750-12	HA1712012	708289297387	3/4"	12 Ft.	Male & Male
1728-0750-15	HA1712015	708289297486	3/4"	15 Ft.	Male & Male
1728-0750-20	HA1712020	708289297585	3/4"	20 Ft.	Male & Male
1728-1000-10	HA1716010	708289297684	1"	10 Ft.	Male & Male
1728-1000-12	HA1716012	708289297783	1"	12 Ft.	Male & Male
1728-1000-15	HA1716015	708289297882	1"	15 Ft.	Male & Male
1728-1000-20	HA1716020	708289297981	1"	20 Ft.	Male & Male

Temperature Range: -30°F to 150°F





## T-REX FLEX AIR® HOSE ASSEMBLIES



**GOODYEAR**

*New lightweight and flexible construction featuring a special engineered copolymer material allowing superior flexibility but also durability. Abrasion and kink resistance. Resists UV, oil and weather. High visibility blue color. Rated to 300 PSI at 70°F with a temperature range -40°F to 140°F. Includes Brass NPT males attached with bend restrictors both ends. Retail Packaged.*

### T-Rex Flex Air Series

PART #	UPC CODE	SIZE I.D.	LENGTH	MASTER PACK
HA7402501	708289526319	1/4"	25 Ft.	24
HA7405001	708289526401	1/4"	50 Ft.	12
HA7401001	708289526494	1/4"	100 Ft.	8
HA7402502	708289526586	3/8"	25 Ft.	16
HA7405002	708289526678	3/8"	50 Ft.	8
HA7410001	708289526760	3/8"	100 Ft.	4

## T-REX AIR® HOSE ASSEMBLIES



**GOODYEAR**

*Specially compounded PVC air hose. Economical, lightweight, flexible and abrasion resistant. High visibility yellow color. Rated to 300 PSI at 70 F with a temperature range of -10 F to 140 F. Brass NPT males attached with bend restrictors both ends. Retail Packaged.*

### T-Rex Air Hose Series

PART #	UPC CODE	SIZE I.D.	LENGTH	MASTER PACK
HA7602501	708289528023	1/4"	25 Ft.	24
HA7605001	708289528115	1/4"	50 Ft.	12
HA7601001	708289528207	1/4"	100 Ft.	8
HA7602502	708289528290	3/8"	25 Ft.	16
HA7605002	708289528382	3/8"	50 Ft.	8
HA7601002	708289528474	3/8"	100 Ft.	4

## T-REX WATER® HOSE ASSEMBLIES



*Engineered copolymer material designed for water and garden applications. Lightweight and flexible, coils easily. NSF372 certified for lead-free and FDA CFR Title 21 compliant inner core. Drinking water safe. Lead free and phthalate free. Meets RoHs. Polyester reinforced for working pressures to 150 PSI at 68°F. Includes Garden hose threaded ends – Spring guard for added kink resistance on female end and comfort grip on male end. High visibility green color. Temperature range -40°F to 140°F. Retail Packaged.*

### T-Rex Water Series

PART #	UPC CODE	SIZE I.D.	LENGTH	MASTER PACK
HA8402502	708289526852	5/8"	25 Ft.	5
HA8405002	708289526944	5/8"	50 Ft.	4
HA8410001	708289527033	5/8"	100 Ft.	2



# HYDRAULIC HOSE ASSEMBLIES

Hydraulic hose assemblies with crimped steel male NPTF end fittings.  
Exceeds SAE 100R2 AT specifications.

## 1/4" Hydraulic Hose Assemblies - 5750 PSI - Packaged

OLD PART #	NEW PART #	UPC CODE	DESCRIPTION
1960-0250-18	HA1904018	708289299480	1/4" I.D. x 18" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-24	HA1094024	708289299589	1/4" I.D. x 24" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-36	HA1904036	708289299688	1/4" I.D. x 36" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-48	HA1904048	708289299787	1/4" I.D. x 48" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-60	HA1904060	708289299886	1/4" I.D. x 60" Long w/ 1/4" NPTF Solid Males Both Ends.

## 3/8" Hydraulic Hose Assemblies - 4750 PSI - Packaged

OLD PART #	NEW PART #	UPC CODE	DESCRIPTION
1960-0375-12	HA1906012	708289299985	3/8" I.D. x 12" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-18	HA1906018	708289300087	3/8" I.D. x 18" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-24	HA1906024	708289300186	3/8" I.D. x 24" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-30	HA1906030	708289300285	3/8" I.D. x 30" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-36	HA1906036	708289300384	3/8" I.D. x 36" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-48	HA1906048	708289300483	3/8" I.D. x 48" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-60	HA1906060	708289300582	3/8" I.D. x 60" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-72	HA1906072	708289300681	3/8" I.D. x 72" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-84	HA1906084	708289300780	3/8" I.D. x 84" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-96	HA1906096	708289300889	3/8" I.D. x 96" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-120	HA1906120	708289300988	3/8" I.D. x 120" Long w/ 3/8" NPTF Solid Males Both Ends.

## 1/2" Hydraulic Hose Assemblies - 4000 PSI - Packaged

OLD PART #	NEW PART #	UPC CODE	DESCRIPTION
1960-0500-12	HA1908012	708289301086	1/2" I.D. x 12" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-18	HA1908018	708289301183	1/2" I.D. x 18" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-24	HA1908024	708289301282	1/2" I.D. x 24" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-30	HA1908030	708289301381	1/2" I.D. x 30" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-36	HA1908036	708289301480	1/2" I.D. x 36" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-42	HA1908042	708289301589	1/2" I.D. x 42" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-48	HA1908048	708289301688	1/2" I.D. x 48" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-60	HA1908060	708289301787	1/2" I.D. x 60" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-72	HA1908072	708289301886	1/2" I.D. x 72" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-84	HA1908084	708289301985	1/2" I.D. x 84" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-96	HA1908096	708289302081	1/2" I.D. x 96" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-120	HA1908120	708289302180	1/2" I.D. x 120" Long w/ 1/2" NPTF Solid Males Both Ends.

## 3/4" Hydraulic Hose Assemblies - 3000 PSI - Packaged

OLD PART #	NEW PART #	UPC CODE	DESCRIPTION
1960-0750-18	HA1912018	708289302289	3/4" I.D. x 18" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-24	HA1912024	708289302388	3/4" I.D. x 24" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-36	HA1912036	708289302487	3/4" I.D. x 36" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-48	HA1912048	708289302586	3/4" I.D. x 48" Long w/ 3/4" NPTF Solid Male Both Ends.



# AGRICULTURAL HOSE COUPLINGS

**'A'**



## Adapter x Female NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QA-050-DC	QA-050-PP
3/4"	QA-075-DC	QA-075-PP
1"	QA-100-DC	QA-100-PP
1-1/4"	QA-125-DC	QA-125-PP
1-1/2"	QA-150-DC	QA-150-PP
2"	QA-200-DC	QA-200-PP
3"	QA-300-DC	QA-300-PP
4"	QA-400-DC	QA-400-PP

Also Available in Stainless Steel or Nylon

**'E'**



## Adapter x Hose Shank

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QE-050-DC	QE-050-PP
3/4"	QE-075-DC	QE-075-PP
1"	QE-100-DC	QE-100-PP
1-1/4"	QE-125-DC	QE-125-PP
1-1/2"	QE-150-DC	QE-150-PP
2"	QE-200-DC	QE-200-PP
3"	QE-300-DC	QE-300-PP
4"	QE-400-DC	QE-400-PP

Also Available in Stainless Steel or Nylon

**'B'**



## Coupler x Male NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QB-050-DC	QB-050-PP
3/4"	QB-075-DC	QB-075-PP
1"	QB-100-DC	QB-100-PP
1-1/4"	QB-125-DC	QB-125-PP
1-1/2"	QB-150-DC	QB-150-PP
2"	QB-200-DC	QB-200-PP
3"	QB-300-DC	QB-300-PP
4"	QB-400-DC	QB-400-PP

Also Available in Stainless Steel or Nylon

**'F'**



## Adapter x Male NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QF-050-DC	QF-050-PP
3/4"	QF-075-DC	QF-075-PP
1"	QF-100-DC	QF-100-PP
1-1/4"	QF-125-DC	QF-125-PP
1-1/2"	QF-150-DC	QF-150-PP
2"	QF-200-DC	QF-200-PP
3"	QF-300-DC	QF-300-PP
4"	QF-400-DC	QF-400-PP

Also Available in Stainless Steel or Nylon

**'C'**



## Coupler x Hose Shank

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QC-050-DC	QC-050-PP
3/4"	QC-075-DC	QC-075-PP
1"	QC-100-DC	QC-100-PP
1-1/4"	QC-125-DC	QC-125-PP
1-1/2"	QC-150-DC	QC-150-PP
2"	QC-200-DC	QC-200-PP
3"	QC-300-DC	QC-300-PP
4"	QC-400-DC	QC-400-PP

Also Available in Stainless Steel or Nylon

**'DC'**



## Dust Cap

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QDC-050-DC	QDC-050-PP
3/4"	QDC-075-DC	QDC-075-PP
1"	QDC-100-DC	QDC-100-PP
1-1/4"	QDC-125-DC	QDC-125-PP
1-1/2"	QDC-150-DC	QDC-150-PP
2"	QDC-200-DC	QDC-200-PP
3"	QDC-300-DC	QDC-300-PP
4"	QDC-400-DC	QDC-400-PP

Also Available in Stainless Steel or Nylon

**'D'**



## Coupler x Female NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QD-050-DC	QD-050-PP
3/4"	QD-075-DC	QD-075-PP
1"	QD-100-DC	QD-100-PP
1-1/4"	QD-125-DC	QD-125-PP
1-1/2"	QD-150-DC	QD-150-PP
2"	QD-200-DC	QD-200-PP
3"	QD-300-DC	QD-300-PP
4"	QD-400-DC	QD-400-PP

Also Available in Stainless Steel or Nylon

**'DP'**



## Dust Plug

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QDP-050-DC	QDP-050-PP
3/4"	QDP-075-DC	QDP-075-PP
1"	QDP-100-DC	QDP-100-PP
1-1/4"	QDP-125-DC	QDP-125-PP
1-1/2"	QDP-150-DC	QDP-150-PP
2"	QDP-200-DC	QDP-200-PP
3"	QDP-300-DC	QDP-300-PP
4"	QDP-400-DC	QDP-400-PP

Also Available in Stainless Steel or Nylon

**'SU'**



## Pin-Lug Coupling - Set

SIZE	ALUMINUM / BRASS	NYLON
1-1/4"	SU-125-SB	SU-125-N
1-1/2"	SU-150-SB	SU-150-N
2"	SU-200-SB	SU-200-N
3"	SU-300-SB	-----
4"	SU-400-SB	-----

**'CN'**



## Combination Hose Nipple

SIZE	STEEL	POLYPROPYLENE
1/2"	CN-050-S	CN-050-PP
3/4"	CN-075-S	CN-075-PP
1"	CN-100-S	CN-100-PP
1-1/4"	CN-125-S	CN-125-PP
1-1/2"	CN-150-S	CN-150-PP
2"	CN-200-S	CN-200-PP
3"	CN-300-S	CN-300-PP
4"	CN-400-S	CN-400-PP

Also Available in Stainless Steel or Nylon

# AGRICULTURAL HOSE ACCESSORIES

## Brass Ball Valve



SIZE	PART #
1/4"	VFBV-025
3/8"	VFBV-038
1/2"	VFBV-050
3/4"	VFBV-075
1"	VFBV-100
1-1/2"	VFBV-150
2"	VFBV-200
3"	VFBV-300
4"	VFBV-400

## Bolted Poly Full Port Ball Valve



SIZE	PART #
1-1/2"	VBV-150-PP
2"	VBV-200-PP
3"	VBV-300-PP

## Single Union Poly Valve



SIZE	PART #
1"	VSU-100-PP
1-1/2"	VSU-150-PP
2"	VSU-200-PP

## Poly Nozzle Ball Valve



SIZE	PART #
1-1/2"	VNV-150-PP
2"	VNV-200-PP

## Steel Strainer



SIZE	PART #
1"	SRHS-100
1-1/2"	SRHS-150
2"	SRHS-200
3"	SRHS-300
4"	SRHS-400

## Poly-Strainer



SIZE	PART #
1"	SPS-100
1-1/2"	SPS-150
2"	SPS-200

## Rubber Washer



SIZE	PART #
1-1/4"	SRW-125
1-1/2"	SRW-150
2"	SRW-200
3"	SRW-300
4"	SRW-400

For SU Series Couplings

## Rubber Gasket



SIZE	PART #
1-1/4"	QRG-125
1-1/2"	QRG-150
2"	QRG-200
3"	QRG-300
4"	QRG-400

For Cam & Groove Style Couplings

## T-Bolt Clamp



SIZE	PART #
1-1/4"	HTBC-125
1-1/2"	HTBC-150
2"	HTBC-200
3"	HTBC-300
4"	HTBC-400

## Spanner Wrench



SIZE	PART #
1-1/2"	SW-150
2"	SW-200
3"	SW-300
4"	SW-400

## Punch-Type Clamp Tool



PART #
BCP-P1000

## Punch-Type Clamp



SIZE	PART #
1-1/4"	BCP-6
1-1/2"	BCP-8
2"	BCP-10
3"	BCP-14
4"	BCP-18





**ABBOTT RUBBER**  
COMPANY, INC.

**UDP** **ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS**

1700 NICHOLAS BLVD. ELK GROVE VILLAGE, IL 60007

(800) 852-1855 FAX (847) 952-0156

E-MAIL [sales@abbottrubber.com](mailto:sales@abbottrubber.com) WEBSITE [www.abbottrubber.com](http://www.abbottrubber.com)

**NAHAD** | Safety, Quality  
HOSE SAFETY INSTITUTE & Reliability