



# Steriphene II<sup>®</sup>

## disinfectant deodorant

Steriphene II Brand Disinfectant Deodorant is a versatile, ready to use aerosol disinfectant deodorant. It is ideal for convenient disinfection after spot clean up, and for those areas not easily reached during routine disinfection procedures. Because it's an aerosol, there are no mixing problems with Steriphene II nor any waste.





Spartan Chemical Company, Inc.  
 1110 Spartan Drive  
 Maumee, OH 43537  
 1-800-537-8990  
 www.spartanchemical.com

### HOSPITAL TYPE DISINFECTANT

Steriphene II is a "hospital type disinfectant" which achieves 100% kill of all claimed microorganisms (see product label). A blend of two phenolics, Steriphene II is Tuberculocidal, Bactericidal, Fungicidal\* and Virucidal\*\* and is effective against Human Immunodeficiency Virus Type 1 (AIDS Virus), HBV (Hepatitis B Virus), Herpes Simplex Type 2 (causes genital herpes) and Influenza A/J305. EPA Reg. No. 5741-22.

### EFFECTIVE AGAINST ANTIBIOTIC RESISTANT BACTERIA\*\*\*

Steriphene II has been tested and shown effective against Methicillin-resistant Staphylococcus aureus (MRSA) and Vancomycin-resistant Enterococcus faecalis (VRE).

### EXCELLENT DEODORIZER

Steriphene II destroys bacteria the initial source of odors. It is not a cover up. Deodorizers which do not have disinfectant properties merely cover one odor with another...in effect, desensitizing the sense of smell.

### CHOOSE ONE OF TWO UNIQUE FRAGRANCES

Steriphene II is offered in two distinctive fragrances...Spring Breeze and Clean Fresh.

### HIGHLY ACTIVE

Steriphene II's active ingredient content is 64.122%...as much as 1/3 more active ingredients than many competitive products.

### FORMERLY AUTHORIZED BY THE USDA

Category "C1" - compound for use on all surfaces in inedible product areas, non-processing areas, and/or exterior areas.

**Steriphene II Brand Disinfectant Deodorant is Tuberculocidal:** When tested according to the AOAC's Confirmative in Vitro Test for Determining Tuberculocidal Activity, Steriphene II Brand Disinfectant Deodorant proved itself to be an excellent tuberculocide.

**Steriphene II Brand Disinfectant Deodorant is Tuberculocidal:** When tested according to the AOAC's Confirmative in Vitro Test for Determining Tuberculocidal Activity, Steriphene II Brand Disinfectant Deodorant proved itself to be an excellent tuberculocide.

Mycobacterium bovis (BCG)			
Steriphene II Brand Disinfectant	Middlebrook 7H9 Broth	Kirchner Broth	Proskauer-Beck Broth
Sample A	0/10	0/10	0/10
Sample B	0/10	0/10	0/10

**Steriphene II Brand Disinfectant Deodorant is Bactericidal:** Steriphene II has been tested and proven against the following pathogenic bacteria.

**Test Method:** AOAC Germicidal Spray Products Test; 10 minute contact time.

Sample	Staphylococcus aureus ATCC 6538		Salmonella choleraesuis ATCC 10708		Pseudomonas aeruginosa ATCC 15442	
	Carriers Tested	Carriers Showing Growth	Carriers Tested	Carriers Showing Growth	Carriers Tested	Carriers Showing Growth
1	60	0	60	0	60	0
2	60	0	60	0	60	0
3	60	0	60	0	60	0

**Steriphene II Brand Disinfectant Deodorant is \*Fungicidal:** When used according to label directions, Steriphene II Brand Disinfectant Deodorant kills the pathogenic fungus which causes athlete's foot, Trichophyton mentagrophytes.

**Test Method:** AOAC Germicidal Spray Products Test, 10 minute contact time.

Trichophyton mentagrophytes ATCC 9533		
Steriphene II Brand Disinfectant Deodorant	Carriers Tested	Carriers Showing Growth
Sample A	10	0
Sample B	10	0

**Steriphene II Brand Disinfectant Deodorant is a \*\*Virucide:**

Steriphene II Brand Disinfectant Deodorant has been proven to be effective against the pathogenic viruses, HBV (Hepatitis B Virus), HIV-1 (AIDS Virus), Herpes simplex Type 2 and Influenza A/J305.

**Test Method:** EPA Guidelines; 5% blood serum; 10 minute contact time.

Steriphene II Brand Disinfectant Deodorant	DHBV (Duck Hepatitis B Virus)	HIV-1 (AIDS Virus)	Herpes simplex Type 2	Influenza A/J305
Sample A	> 3 log reduction	> 3 log reduction	> 3 log reduction	> 3 log reduction
Sample B	> 3 log reduction	> 3 log reduction	> 3 log reduction	> 3 log reduction

**Steriphene II Brand Disinfectant Deodorant Kills \*\*\*Antibiotic Resistant Bacteria:** When applied in the presence of organic soil, Steriphene II Brand Disinfectant Deodorant kills the following antibiotic resistant bacteria.

**Test Method:** AOAC Germicidal Spray Products Test. Test Method modified per EPA's DIS/TSS-2 for organic soil load.

Test Conditions: 5% blood serum, 10 minute contact time				
Sample	Methicillin resistant Staphylococcus aureus (MRSA), ATCC 33592		Vancomycin resistant Enterococcus faecalis (VRE), ATCC 51299	
	Carriers Tested	Carriers Showing Growth	Carriers Tested	Carriers Showing Growth
1	10	0	10	0
2	10	0	10	0



Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, OH 43537  
1-800-537-8990  
www.spartanchemical.com

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Clean all surfaces prior to disinfection.

**Disinfection and Deodorization:** Shake well. Hold can 6 to 8 in. from surface and apply in a uniform moist film. Treated surfaces should remain wet for 10 min. Allow to air dry or wipe off.

**Tuberculocidal Activity:** Steriphene II Brand Disinfectant is tuberculocidal under the above conditions in 10 min. at 68°F (20°C).

**\*Kills HBV and HIV on pre-cleaned environmental surfaces/ objects previously soiled with blood/body fluids:**

In health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Hepatitis B virus (HBV) and human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

**Special instructions for cleaning and decontamination against HBV and HIV-1 on surfaces or objects soiled with blood/body fluids:**

- 1. Personal Protection:** Clean up should be done wearing protective latex gloves, gowns, masks and eye protection.
- 2. Cleaning Procedure:** Blood or body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.
- 3. Contact Time:** Leave surfaces wet for 10 minutes.
- 4. Disposal of Infectious Material:** Contaminated cleaning materials, blood and other body fluids should be autoclaved and/or disposed of according to local regulations for infectious waste disposal.

**NOTE:** Make sure valve opening is pointed in the direction of intended spray. Do not use on varnished wood or rayon fabrics. Steriphene II Brand Disinfectant Deodorant deodorizes at the source by killing the germs that cause malodors. This product is not intended for use as a general space spray air freshener.

**Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this or any Spartan product. If questions remain, consult your employer or a physician. Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor or by visiting [www.spartanchemical.com](http://www.spartanchemical.com).**

### ACTIVE INGREDIENTS

Ethyl alcohol.....64.000%  
Ortho-Benzyl-para-chlorophenol.....0.071%  
Ortho-Phenylphenol.....0.051%  
**INERT INGREDIENTS.....35.878%**  
*Contains sodium nitrite*

### SPECIFICATION DATA

**Form:** Pressurized liquid (aerosol can)  
**pH:** 8.0 - 9.0  
**Fragrances:** Clean Fresh or Spring Breeze  
**Flash Point:** Flammable  
**Stability:** Shelf @ 24°C/75°F: 18 months minimum

**Contains biodegradable surfactants**  
**Former USDA rating: C1**  
**Does not require Kosher certification per Organized Kashruth Laboratories.**



Distributed by:

### PACKAGING

<b>608100</b>	20 Ounce Cans (12 per case) Clean Fresh
<b>607500</b>	20 Ounce Cans (12 per case) Spring Breeze



**GUARANTEE:** Spartan's modern manufacturing and laboratory control insure uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within one year of the date of manufacture. Use product as directed and read all precautionary statements.

For institutional and industrial use only.

© SCC 09/15 L6081