



HEAVY DUTY BRAKE CLEANER

DESCRIPTION AND USES

Rust-Oleum® Heavy Duty Brake Cleaner uses special non-chlorinate solvent power to remove contaminants from brake linings, drums, pads, cylinders and springs to ensure proper braking function. This product dries quickly and leaves no residue. This low VOC product is complaint nationwide.

For use on brakes, clutches, and engine componets

For Professional Use Only.

FEATURES

- Dries quickly and leaves no residue
- Nationwide compliant VOC formula
- Removes heavy oil and grease residue

PRODUCTS

SKU	Container Size
273929	14 oz fill weight aerosol
274829	14 oz fill weight aerosol (Canada only)

PRODUCT APPLICATION

APPLICATION

Use in a well ventilated area when temperatures are between 50 -90°F (10-32°C). Avoid spraying in very windy and dusty conditions.

Shake well before and during use. Hold can 10-16" from the surface and spray in a steady back-and-forth motion. Spray brake parts liberally and allow to run off. Allow to air dry or use a soft wipe to clean the surface. Repeat as necessary. Protect rubber and plastic parts. Do not spray on hot or warm surfaces.

PRECAUTION

Vapors may ignite explosively. Keep away from heat, sparks and flame. Extinguish all flames and pilot lights, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Prevent buildup of vapors by opening all windows and doors to achieve cross ventilation. Avoid contact with eyes and skin.

CLEAN UP

Properly dispose of container and unused contents in accordance with local, state and federal regulations.

STORAGE

Store in cool dry areas and protect from excessive heat.



TECHNICAL DATA

HEAVY DUTY BRAKE CLEANER

PHYSICAL PROPERTIES

	Heavy Duty Brake Cleaner
Solvent	Acetone, Methyl Acetate, Ethylbenzene, Xylene
Fill Weight	14 ounces
Shelf Life	5 years
Flash Point	-4°F (-20°C)
Safety information	For additional information, see MSDS.

The technical data and suggestions for use contained herein are correct to the best of our knowledge, and offered in good faith. The statements of this literature do not constitute a warranty, express, or implied, as to the performance of these products. As conditions and use of our materials are beyond our control, we can guarantee these products only to conform to our standards of quality, and our liability, if any, will be limited to replacement of defective materials. All technical information is subject to change without notice.



Rust-Oleum Corporation
11 Hawthorn Parkway
Vernon Hills, Illinois 60061
An RPM Company

Phone: 877-385-8155
www.rustoleum.com/industrial

Form: GDH-52
Rev.: 081313