

# $60^{\text{II}} \text{ Canfield}^{\text{m}} \text{ XL}$





Fan Finish

Blade Finish & Part Number (Side 1) (Reversible)



American Walnut FB300188 DBK

Dark Walnut FB300188 DBK















Dark Cherry FB300188 TZ



**WH** White

White FB300188 WH

# INCLUDED FEATURES

# Blades (5) Included

- 14° Pitch
- 60" Sweep
- Reversible
- Wood

Downrods 4" Downrod with 1" (O.D.)

Downlight N/A

Downlight Glass N/A

**Optional Downlight** Accessory Light Kits Available, see pages 284-296

Uplight N/A

Uplight Glass N/A

**Low Ceiling Adaptable** Yes, see our Optional Flush Mount Accessory 337008 on page 310

Control Pull Chain

# FAN FEATURES

**Mounting Slope – Pitch** 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 27.83 lbs.

Warranty Limited Lifetime

# MOTOR FEATURES

Motor Size/Type 212mm x 25mm, AC

Amps 0.69 on High

RPM 177 on High

**Energy Star** Yes

# INCLUDED CONTROLS

# Pull Chain

- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



# OPTIONAL CONTROLS



371042MUL (shown) 337001WH 371082

# COOLTOUCH™ CONTROL SYSTEM - BASIC

See pages 306-308 for more information.


# OPTIONAL SOLID WOOD BLADE SETS



371050 Weathered White Walnut Solid Wood (Sold Separately)

# HANGING MEASUREMENTS

WITH 4" DOWNROD			
Fixture Drop (from ceiling) Blade Drop (from ceiling)		Housing (width)	Ceiling Canopy (width)
<b>A:</b> 14.02"	<b>B:</b> 11.28"	<b>C:</b> 13.78"	<b>D:</b> 6.30"



# AIR PERFORMANCE

AIRFLOW **POWER** AIRFLOW USAGE **EFFICIENCY** 8060 82 98 Cubic Ft. Watts on High Cubic Ft. Per Minute (Excludes Per Minute on High Lights) Per Watt





# $60^{\text{II}}$ Canfield XL Patio



Fan Finish

Blade Finish & Part Number (Side 1) (Reversible)



















# INCLUDED FEATURES

# Blades (5) Included

- 14° Pitch
- 60" Sweep
- Reversible
- ABS

Downrods 4" Downrod with 1" (O.D.)

Downlight N/A

Downlight Glass N/A

**Optional Downlight** Accessory Light Kit Available. See pages 284-296

Uplight N/A

Uplight Glass N/A

**Low Ceiling Adaptable** Yes, see our Optional Flush Mount Accessory 337008 on page 310

Control Pull Chain

# FAN FEATURES

Mounting Slope - Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Wet

Hanging Weight 29.81 lbs.

Warranty Limited Lifetime

# MOTOR FEATURES

Motor Size/Type 212mm x 25mm, AC

Amps 0.72 on High

RPM 178 on High

**Energy Star** Yes

# INCLUDED CONTROLS

# Pull Chain

- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



# OPTIONAL CONTROLS



371042MUL (shown) 337001WH 371082


# COOLTOUCH™ CONTROL SYSTEM - BASIC

See pages 306-308 for more information. NOTE: Receiver is WET rated. Transmitter for indoor use.

# HANGING MEASUREMENTS

# WITH 4" DOWNROD

WITH DOWNROD			
Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
<b>A:</b> 14.02"	<b>B:</b> 11.28"	<b>C:</b> 13.78"	<b>D:</b> 6.30"



AIRFLOW	POWER	AIRFLOW
	USAGE	EFFICIENCY
9050	86	105
Cubic Ft.	Watts on High	Cubic Ft.
Per Minute on High	(Excludes Lights)	Per Minute Per Watt







# 



Fan Finish

Blade Finish & Part Number (Side 1) (Reversible)









Matte White FB330013 MWH







# INCLUDED FEATURES

# Blades (5) Included

- 14° Pitch
- 52" Sweep
- Reversible
- Wood

Downrods 4" Downrod with 1" (O.D.)

**Downlight** Integrated. 17-W Dimmable LED Platform. 1,600 Lumens, 80 CRI, 3.000K CCT

Downlight Glass Etched Cased Opal

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

**Low Ceiling Adaptable** Yes, see our Optional Flush Mount Accessory 337008 on page 310

Control Wall Control System - Basic

# FAN FEATURES

Mounting Slope – Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 23.6 lbs.

Warranty Limited Lifetime

# MOTOR FEATURES

Motor Size/Type 172mm x 20mm, AC

Amps 0.58 on High

RPM 160 on High

Energy Star No

# INCLUDED CONTROLS



# WALL CONTROL SYSTEM – BASIC

- 3 Forward Speeds & Motor Off
- Manual Reverse
- Lights On/Off with Full Range Dimming
- White Faceplate Included

# OPTIONAL CONTROLS



## 337214TR

# COOLTOUCH™ CONTROL TRNSMITTER - BASIC

See pages 306-308 for more information.

# OPTIONAL SOLID WOOD BLADE SETS

Sold separately. See page 305 for more blade options.




371030 Weathered White Walnut Solid Wood



371031 Shadowed Walnut Solid Wood

# HANGING MEASUREMENTS

WITH 4" DOWNROD			
Fixture Drop (from ceiling) Blade Drop (from ceiling)		Housing (width)	Ceiling Canopy (width)
<b>A:</b> 17.25"	<b>B:</b> 11.00"	<b>C:</b> 12.50"	<b>D:</b> 6.25"



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5659	70	81
Cubic Ft.	Watts on High	Cubic Ft.
Per Minute	(Excludes	Per Minute
on High	Lights)	Per Watt





# $52^{"}$ Canfield Select



Fan Finish Bla

Blade Finish & Part Number (Side 1) (Reversible)













# INCLUDED FEATURES

# Blades (5) Included

- 16° Pitch
- 52" Sweep
- Reversible
- Wood

Downrods 4" Downrod with 1" (O.D.)

**Downlight** Removable. Uses (2) GU24, 13-W, Non-Dimmable CFL Lamps

Downlight Glass Cased Opal

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

**Low Ceiling Adaptable** Yes, see our Optional Flush Mount Accessory 337008 on page 310

Control Pull Chain

# FAN FEATURES

Mounting Slope – Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 23.43 lbs.

Warranty Limited Lifetime

# MOTOR FEATURES

 $\textbf{Motor Size/Type} \ 172 mm \ x \ 20 mm, \ AC$ 

Amps 0.59 on High

RPM 175 on High

Energy Star No

# INCLUDED CONTROLS

## **Pull Chain**

- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



# OPTIONAL CONTROLS



371042MUL (shown) 337001WH 371082

# COOLTOUCH™ CONTROL SYSTEM - BASIC

See pages 306-308 for more information.

# OPTIONAL SOLID WOOD BLADE SETS




371041 Silver Solid Wood



371041 Black Solid Wood

# HANGING MEASUREMENTS

# WITH 4" DOWNROD Fixture Drop (from ceiling) | Housing (width) | A: 16.75" | B: 10.25" | C: 11.0" | D: 5.50"



7		., =
AIRFLOW	POWER	AIRFLOW
	USAGE	EFFICIENCY
5917	69	85
Cubic Ft.	Watts on High	Cubic Ft.
Per Minute	(Excludes	Per Minute
on High	Lights)	Per Watt



# $52^{\prime\prime} \text{ Canfield}^{^{\prime\prime}}$





Fan Finish

Blade Finish & Part Number (Side 1) (Reversible)













MWH Matte White

Matte White FB300117 MWH



NBR Natural Brass





NI Brushed Nickel











**SNW** Satin Natural White

Satin Natural White FB300117 SNW







**WH** White

White FB300117 WH

# INCLUDED FEATURES

# Blades (5) Included

- 14° Pitch
- 52" Sweep
- Reversible
- Wood

Downrods 4" Downrod with 1" (O.D.)

Downlight N/A

Downlight Glass N/A

**Optional Downlight** Accessory Light Kits Available, see pages 284-296

Uplight N/A

Uplight Glass N/A

**Low Ceiling Adaptable** Yes, see our Optional Flush Mount Accessory 337008 on page 310

Control Pull Chain

# FAN FEATURES

Mounting Slope - Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 19.7 lbs.

Warranty Limited Lifetime

# MOTOR FEATURES

 $\textbf{Motor Size/Type} \ 172 mm \ x \ 20 mm, \ AC$ 

Amps 0.55 on High

RPM 168 on High

**Energy Star** Yes

# INCLUDED CONTROLS

## Pull Chain

- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



# OPTIONAL CONTROLS



371042MUL (shown) 337001WH 371082

# COOLTOUCH™ CONTROL SYSTEM - BASIC

See pages 306-308 for more information.

# OPTIONAL SOLID WOOD BLADE SETS



371030 Weathered White Walnut Solid Wood




371031 Shadowed Walnut Solid Wood

Sold separately. See page 305 for more blade options.

# HANGING MEASUREMENTS

WITH 4" DOWNROD			
Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
<b>A:</b> 13.50"	<b>B:</b> 10.75"	<b>C:</b> 12.50"	<b>D:</b> 6.30"



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6151	65	94
Cubic Ft.	Watts on High	Cubic Ft.
Per Minute	(Excludes	Per Minute
on High	Lights)	Per Watt





# 52"/54"/56"/60" Canfield Climates





Fan Finish

Blade Finish & Part Number (Side 1) (Reversible)


ANS Antique Satin Silver



SNW Satin Natural White

Climates<sup>™</sup> light fixtures sold separately, see page 297.

See additional finish and blade options on pages 304-305. See page 312 for additional downrod lengths. USE ONLY ALUMINUM CLIMATES DOWNRODS.



Climates grade fans are built with superior corrosion resistant materials to withstand harsh outdoor elements: extreme heat, saltwater spray, intense cold and constant UV exposure.

# INCLUDED FEATURES

Blades (5) Sold Separately

- 14° Pitch
- Multiple Sweeps
- Optional ABS or Wood

**Downrods** 4" Aluminum Downrod with 1" (O.D.)

Downlight N/A

Downlight Glass N/A

**Optional Downlight** Slim Profile Flourescent Light Fixture 380910 Available, see page 297

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable N/A

Control Pull Chain

## FAN FEATURES

Mounting Slope - Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Wet

Hanging Weight 19.9 lbs.

Warranty Limited Lifetime

# MOTOR FEATURES

Motor Size/Type 188mm x 25mm, AC

Amps 0.62 on High

RPM 201 on High

Energy Star N/A

# INCLUDED CONTROLS

### Pull Chain

- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



# OPTIONAL CONTROLS



371042MUL (shown) 337001WH 371082

# COOLTOUCH™ CONTROL SYSTEM - BASIC

See pages 306-308 for more information. NOTE: Receiver is WET rated. Transmitter for indoor use.

# CLIMATES™ ACCESSORIES BLADE OPTIONS

Climates<sup>™</sup> blade sets sold separately. Choose your fan finish and then the perfect matching blade set. See pages 304-205.



371017 WET
Walnut Shadowed All Weather ABS
Blades



371021 DAMP Ivory with Walnut Highlights - Solid Wood




370021 WET White Washed Oak All Weather ABS Blades



371019 WET
Aged White - All
Weather ABS Blades

# HANGING MEASUREMENTS

WITH 4" DOWNROD			
Fixture Drop (from ceiling) Blade Drop (from ceiling) Housing (width)			Ceiling Canopy (width)
<b>A:</b> 12.90"	<b>B:</b> 11.25"	<b>C:</b> 12.60"	<b>D:</b> 6.78"



# AIR PERFORMANCE

AIRFLOW POWER AIRFLOW USAGE **EFFICIENCY** 6407 74 87 Watts on High Cubic Ft. Cubic Ft. Per Minute (Excludes Per Minute on High Lights) Per Watt

NOTE: Performance Data reflects blade set 371010.







# $52^{"}$ Canfield Patio



Fan Finish

Blade Finish & Part Number (Side 1) (Reversible)

SBK Satin Black

Satin Black FB310192 SBK













**WH** White

White FB310192 WH







# INCLUDED FEATURES

# Blades (5) Included

- 14° Pitch
- 52" Sweep
- Reversible
- ABS

Downrods 4" Downrod with 1" (O.D.)

Downlight N/A

Downlight Glass N/A

**Optional Downlight** Accessory Light Kits Available, see pages 284-296

Uplight N/A

Uplight Glass N/A

**Low Ceiling Adaptable** Yes, see our Optional Flush Mount Accessory 337008 on page 310

Control Pull Chain

# FAN FEATURES

Mounting Slope – Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Wet

Hanging Weight 24.20 lbs.

Warranty Limited Lifetime

# MOTOR FEATURES

 $\textbf{Motor Size/Type} \ 172 mm \ x \ 20 mm, \ AC$ 

Amps 0.50 on High

RPM 186 on High

**Energy Star** Yes

# INCLUDED CONTROLS

## Pull Chain

- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



# OPTIONAL CONTROLS




371042MUL (shown) 337001WH 371082

# COOLTOUCH™ CONTROL SYSTEM – BASIC

See pages 306-308 for more information. NOTE: Receiver is WET rated. Transmitter for indoor use.

# HANGING MEASUREMENTS

WITH 4" DOWNROD			
Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
<b>A:</b> 13.25"	<b>B:</b> 11.00"	<b>C:</b> 12.60"	<b>D:</b> 6.25"



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
6338	69	92
Cubic Ft.	Watts on High	Cubic Ft.
Per Minute	(Excludes	Per Minute
on High	Lights)	Per Watt







# 



Fan Finish Blade F

Blade Finish & Part Number (Side 1) (Reversible)













**WH** White

White FB300107 WH

# INCLUDED FEATURES

# Blades (5) Included

- 16° Pitch
- 44" Sweep
- Reversible
- Wood

Downrods 6" Downrod with 1" (O.D.)

Downlight N/A

Downlight Glass N/A

**Optional Downlight** Accessory Light Kits Available, see pages 284-296

Uplight N/A

Uplight Glass N/A

**Low Ceiling Adaptable** Yes, see our Optional Flush Mount Accessory 337008 on page 310

Control Pull Chain

# FAN FEATURES

Mounting Slope - Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 18.6 lbs.

Warranty Limited Lifetime

# MOTOR FEATURES

 $\textbf{Motor Size/Type} \ 172 mm \ x \ 20 mm, \ AC$ 

Amps 0.52 on High

RPM 187 on High

Energy Star N/A

# INCLUDED CONTROLS

## **Pull Chain**

- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



# OPTIONAL CONTROLS




371042MUL (shown) 337001WH 371082

# COOLTOUCH™ CONTROL SYSTEM - BASIC

See pages 306-308 for more information.

# HANGING MEASUREMENTS

# WITH 6" DOWNROD Fixture Drop (from ceiling) (from ceiling) Housing (width) Ceiling Canopy (width) A: 14.00" B: 12.0" C: 11.0" D: 5.50"



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
4182	58	72
Cubic Ft.	Watts on High	Cubic Ft.
Per Minute	(Excludes	Per Minute
on High	Lights)	Per Watt



# $30^{\text{II}}$ Canfield





Fan Finish Blade Finish & Part Number (Side 1) (Reversible)





WH White FB300103 WH

# INCLUDED FEATURES

Blades (5) Included

- 24° Pitch
- 30" Sweep
- Reversible
- UV Coated Wood

Downrods 6" Downrod with 1" (O.D.)

Downlight N/A

Downlight Glass N/A

**Optional Downlight** Accessory Light Kits Available, see pages 284-296

Uplight N/A

Uplight Glass N/A

**Low Ceiling Adaptable** Yes, Flush Mount Canopy (Included)

Control Pull Chain

# FAN FEATURES

Mounting Slope - Pitch 22° or 4/12

Lead Wire 78"

**cUL Listed** Damp

Hanging Weight 14.8 lbs.

Warranty Limited Lifetime

# MOTOR FEATURES

Motor Size/Type 153mm x 17mm, AC

Amps 0.39 on High

RPM 230 on High

Energy Star N/A

# INCLUDED CONTROLS

## Pull Chain

- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



# OPTIONAL CONTROLS




371042MUL (shown) 337001WH 371082

# COOLTOUCH™ CONTROL SYSTEM - BASIC

See pages 306-308 for more information.

# HANGING MEASUREMENTS

# WITH 6" DOWNROD Fixture Drop (from ceiling) | Housing (width) | Ceiling Canopy (width) | A: 15.0" | B: 12.8" | C: 9.25" | D: 6.02"



AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
2266	47	48
Cubic Ft.	Watts on High	Cubic Ft.
Per Minute	(Excludes	Per Minute
on High	Lights)	Per Watt

