

HYDLF Fire Hydrant Adapter• Spec Sheet




FEATURES & BENEFITS

- Lead Free Brass*
- Temperature Rating 180°
- Pressure Rating CWP 300 PSI

MATERIAL SPECIFICATIONS

No.	Part	Material
1	Packing	NBR SN-919F
2	Reducing Adaptor	Brass C89550



DIMENSIONS

Part #	Size	D	H
HYD-250LF	2-1/2" FNST x 3/4" Hose Thread	4.71	1.69
HYD-260LF	2-1/2" FNST x 3/4" MIP	4.71	1.69
HYD-261LF	2-1/2" FNST x 1" MIP	4.71	1.69
HYD-262LF	2-1/2" FNST x 1-1/2" MIP	4.71	1.69
HYD-263LF	2-1/2" FNST x 2" MIP	4.71	1.79

FNST: Female National Standard Thread
MIP: Male Iron Pipe Thread



*This product complies with 0.25% weighted average lead content on wetted surfaces in accordance with the Safe Drinking Water Act (SDWA) / Federal Public Law No. 111-380.

Global sourcing. National compliance. Local service.

CALIFORNIA 5593 Fresca Dr., La Palma CA 90623 • Toll Free: 866-532-8306 • Fax: 866-532-8307
TEXAS 1150 Silber Rd., Houston TX 77055 • Toll Free: 800-935-5456 • Fax: 713-680-2999
NEW YORK PO Box 27, Rt. 22, Brewster NY 10509 • Toll Free: 800-431-2082 • Fax: 845-278-9056
 WEB: www.matco-norca.com EMAIL: mail@matco-norca.com

HYDLF Fire Hydrant Cap • Spec Sheet




FEATURES & BENEFITS

- Lead Free Brass*
- Temperature Rating 180°
- Pressure Rating CWP 300 PSI

MATERIAL SPECIFICATIONS

No.	Part	Material
1	Packing	NBR SN-919F
2	Cap	Brass C89550
3	Chain	Brass B124 C37700



DIMENSIONS

Part #	Size	D	H
HYD-252CLF	1-1/2" FNST Cap With Chain	3.21	1.10
HYD-262CLF	2-1/2" FNST Cap With Chain	4.26	1.60

FNST: Female National Standard Thread
MIP: Male Iron Pipe Thread



*This product complies with 0.25% weighted average lead content on wetted surfaces in accordance with the Safe Drinking Water Act (SDWA) / Federal Public Law No. 111-380.

Global sourcing. National compliance. Local service.


CALIFORNIA 5593 Fresca Dr., La Palma CA 90623 • Toll Free: 866-532-8306 • Fax: 866-532-8307
TEXAS 1150 Silber Rd., Houston TX 77055 • Toll Free: 800-935-5456 • Fax: 713-680-2999
NEW YORK PO Box 27, Rt. 22, Brewster NY 10509 • Toll Free: 800-431-2082 • Fax: 845-278-9056
 WEB: www.matco-norca.com EMAIL: mail@matco-norca.com

HYDSLFL Swivel Hydrant Adapter • Spec Sheet



DIMENSIONS

Part #	Size	H
HYD-263SLF	2-1/2" FNST x 2" Male	2.72
HYD-265SLF	2-1/2" FNST x 3" Male	3.27



MATERIAL SPECIFICATIONS

No.	Part	Material
1	Packing	Rubber (NBR) SN-919F
2	Nut	Brass C85700
3	Ball	Hot Rolled SAR 1010R
4	Borg Bolt	Stainless Steel 304
5	Nipple	Brass C89550

*This product complies with 0.25% weighted average lead content on wetted surfaces in accordance with the Safe Drinking Water Act (SDWA) / Federal Public Law No. 111-380.



Global sourcing. National compliance. Local service.

CALIFORNIA 5593 Fresca Dr., La Palma CA 90623 • Toll Free: 866-532-8306 • Fax: 866-532-8307
TEXAS 1150 Silber Rd., Houston TX 77055 • Toll Free: 800-935-5456 • Fax: 713-680-2999
NEW YORK PO Box 27, Rt. 22, Brewster NY 10509 • Toll Free: 800-431-2082 • Fax: 845-278-9056
 WEB: www.matco-norca.com EMAIL: mail@matco-norca.com