Tintometer[®] Group Water Testing

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.10.2018 Version number 6 Revision: 31.10.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Iron LR
- · Catalog number:

00515379BT, 515370BT, 4515370BT, 515371BT, 4515371BT, 515373BT, 4515373BT, 00515370BT, 00515371BT

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Tintometer GmbH Schleefstraße 8-12 44287 Dortmund Made in Germany www.lovibond.com

phone: +49 231 94510-0 e-mail: sales@tintometer.de

Tintometer GmbH
Division AQUALYTIC[®]
Schleefstr. 12
44287 Dortmund
Made in Germany
www.aqualytic.de

phone: +49 231 94510-755 e-mail: sales@aqualytic.de

The Tintometer Limited Lovibond® House Sun Rise Way Amesbury Wiltshire SP4 7GR United Kingdom

phone: +44 1980 664800 e-mail: SDS@tintometer.com

· Informing department:

e-mail: sds@tintometer.de Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670 Languages: English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



Printing date 31.10.2018 Version number 6 Revision: 31.10.2018

Product name: Iron LR

(Contd. of page 1)

· Signal word Warning

· Hazard-determining components of labelling:

calcium thioglycolate trihydrate

· Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust.

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

- · 2.3 Other hazards CAS 65208-41-5: Danger by skin resorption.
- · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of organic and inorganic compounds

· Dangerous components:		
CAS: 124-04-9 EINECS: 204-673-3 Index No: 607-144-00-9 Reg.nr.: 01-2119457561-38-XXXX	adipic acid Eye Îrrit. 2, H319	30–40%
CAS: 65208-41-5 EINECS: 249-881-5	calcium thioglycolate trihydrate Met. Corr.1, H290; Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	1–≤2.5%
CAS: 28048-33-1 EINECS: 248-797-6	disodium 4,4'-[3-(pyridin-2-yl)-1,2,4-triazine-5,6-diyl]bis(benzenesulphonate) Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤2.5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air and call for doctor for safety reasons.
- · After skin contact

Instantly rinse with water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eve contact

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Seek immediate medical advice.

· 4.2 Most important symptoms and effects, both acute and delayed:

after swallowing:

mucous membrane irritation

thirst

general feeling of sickness

sickness

after inhalation:

irritations

coughing

breathing difficulty

vomiting

· Danger risk of skin sensitization

(Contd. on page 3)

Printing date 31.10.2018 Version number 6 Revision: 31.10.2018

Product name: Iron LR

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

combustible

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

nitrous gases

Sulphur oxides (SOx)

Nitrogen oxides (NOx)

Sodium oxide

hydrogen sulfide

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Avoid causing dust.

- · Advice for emergency responders: Protective equipment: see section 8
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect mechanically.

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: Thorough dedusting.
- · Hygiene measures:

Avoid contact with the skin.

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers:

Store in cool location.

Unsuitable material for container: steel.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

(Contd. on page 4)

Printing date 31.10.2018 Version number 6 Revision: 31.10.2018

Product name: Iron LR

(Contd. of page 3)

Store under dry conditions.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNFLe

Derived No Effect Level (DNEL)

CAS: 124-04-9 adipic acid		
Oral	DNEL	19 mg/kg (Consumer / acute / systemic effects)
		19 mg/kg (Consumer / long-term / systemic effects)
Dermal	DNEL	38 mg/kg (Worker / acute / systemic effects)
		38 mg/kg (Worker / long-term /systemic effects)
		19 mg/kg (Consumer / acute / systemic effects)
		19 mg/kg (Consumer / long-term / systemic effects)
Inhalative	DNEL	5 mg/m³ (Worker / acute / local effects)
		264 mg/m³ (Worker / acute / systemic effects)
		5 mg/m³ (Worker / long-term / local effects)
		264 mg/m³ (Worker / long-term /systemic effects)
		65 mg/m³ (Consumer / acute / systemic effects)
		65 mg/m³ (Consumer / long-term / systemic effects)

· Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· PNECs

Predicted No Effect Concentration (PNEC)

	r realisted the Emest Contentionalism (FixEo)		
CAS:	CAS: 124-04-9 adipic acid		
PNEC	59.1 mg/l (Sewage treatment plant)		
	0.0126 mg/l (Marine water)		
	0.46 mg/l (Aquatic intermittent release)		
	0.126 mg/l (Fresh water)		
PNEC	0.0228 mg/kg (Soil)		
	0.0484 mg/kg (Marine sediment)		
	0.484 mg/kg (Fresh water sediment)		

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- · Personal protective equipment
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter P2
- · Protection of hands:

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Printing date 31.10.2018 Version number 6 Revision: 31.10.2018

Product name: Iron LR

(Contd. of page 4)

- · Eye protection: Safety glasses
- · Body protection: Protective work clothing.
- · Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and Appearance: 	nd chemical properties	
Form / Physical state:	Tablets	
Colour:	Yellow tint	
Oderm		
· Odour: · Odour threshold:	Characteristic Not determined.	
· pH-value at 20°C:	3.5	
· Melting point/Freezing point:	Not determined	
Initial boiling point and boiling rang	e: Not determined	
· Flash point:	196°C (CAS 124-04-09)	
· Flammability (solid, gas):	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not self-igniting.	
· Explosive properties:	Product is not explosive.	
Flammability or explosive limits:		
Lower:	Not applicable	
Upper:	Not applicable	
· Oxidising properties:	none	
· Vapour pressure:	Not applicable.	
· Density:	Not determined	
· Relative density:	Not determined.	
· Vapour density:	Not applicable.	
· Evaporation rate:	Not applicable.	
· Solubility(ies):		
Water:	Soluble	
· Partition coefficient: n-octanol/water: Not applicable.		
· Viscosity:	Not applicable.	
· kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	100.0 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity Dust can combine with air to form an explosive mixture.
- 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions

Reacts with reducing agents

Reacts with alkali (lyes)

Reacts with oxidizing agents

Reacts with strong oxidizing agents

- · 10.4 Conditions to avoid Strong heating (decomposition)
- · 10.5 Incompatible materials:

metals

steel

Printing date 31.10.2018 Version number 6 Revision: 31.10.2018

Product name: Iron LR

(Contd. of page 5)

· 10.6 Hazardous decomposition products:

hydrogen sulphide see section 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values that are relevant for classification:		
CAS: 124-	CAS: 124-04-9 adipic acid		
Oral	LD50	5700 mg/kg (rat) (MERCK)	
Dermal	LD50	>7940 mg/kg (rabbit) (Registrant, ECHA: no deaths occurred)	
Inhalative	LC50.	>7.7 mg/l/4h (rat) (dust, aerosol) (Registrant, ECHA: no deaths occurred)	
CAS: 6520	CAS: 65208-41-5 calcium thioglycolate trihydrate		
Oral	LD50	352 mg/kg (rat) (Merck)	
CAS: 280	CAS: 28048-33-1 disodium 4,4'-[3-(pyridin-2-yl)-1,2,4-triazine-5,6-diyl]bis(benzenesulphonate)		
	LD50.	>5000 mg/kg (rat)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.

· Information on components:			
CAS: 124-04-9 adipic acid			
Irritation of skin OECI	O 404 (rabbit: no irritation)		
Irritation of eyes OECI	O 405 (rabbit: severe irritations)		
 	CAS: 65208-41-5 calcium thioglycolate trihydrate		
Irritation of skin OECI	O 404 (rabbit: slight irritation)		
Irritation of eyes OECI	O 405 (rabbit: irritation)		

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

May cause an allergic skin reaction.			
· Information of	· Information on components:		
CAS: 124-04-9 adipic acid			
Sensitisation	Sensitisation OECD 406 (guinea pig: negative) (IUCLID)		
	CAS: 65208-41-5 calcium thioglycolate trihydrate		
Sensitisation		(positive) (mouse)	

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 124-0	4-9 adipic acid
	(negative) (Bacterial Reverse Mutation Test - Ames test)
	(IUCLID)

Printing date 31.10.2018 Version number 6 Revision: 31.10.2018

Product name: Iron LR

(Contd. of page 6)

OECD 474 (negative) (Mammalian Erythrocyte Micronucleus Test)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 124-04-9 adipic acid

LC50 511 mg/l/48h (gold orfe)

EC50 86 mg/l/48h (Daphnia magna) (OECD 202)

31 mg/l/72h (Desmodesmus subspicatus) IC50

(IUCLID)

LC50 97 mg/l/96h (fathhead minnow)

(ECOTOX)

· Bacterial toxicity:

CAS: 124-04-9 adipic acid

EC50 92 mg/l (Pseudomonas putida) (DIN 38412) (IUCLID)

12.2 Persistence and degradability

CAS: 124-04-9 adipic acid

OECD 301 B 100 % / 28 d (readily biodegradable) (CO2 Evolution Test)

- · Other information: The following statements refer to the individual components.
- · 12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 124-04-9 adipic acid

log Pow 0.081 (.) (25°C, OECD 107)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

12.6 Other adverse effects

Harmful effect due to pH shift.

Avoid transfer into the environment.

· Water hazard:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA Void

(Contd. on page 8)

Printing date 31.10.2018 Version number 6 Revision: 31.10.2018

Product name: Iron LR

(Contd. of page 7)

	(Contd. of page 7)
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Annex II of Marpol an the IBC Code 	d Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

- · Directive 2012/18/EU (SEVESO III):
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Regulation (EU) No 649/2012

None of the ingredients is listed.

- National regulations
- · Information about limitation of use:

Observe employment restrictions for pregnant and nursing mothers according to the 'mother protection guideline' (92/85/EEC) . Employment restrictions concerning young persons must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Training hints Provide adequate information, instruction and training for operators.

· Abbreviations and acronyms:

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

EC50: effective concentration, 50 percent (in vivo)

OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)

(Contd. of page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.10.2018 Version number 6 Revision: 31.10.2018

Product name: Iron LR

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Sources

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

IUCLID (International Uniform Chemical Information Database) **ECOTOX Database**

· * Data compared to the previous version altered.

GB -